Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

SHOUT
SHARE
IT

UNITED STATES
DEPARTMENT OF AGRICULTURE
LIBRARY

1.9
BOOK NUMBER P69Lc
v.16,no.1-8
Jan.2-Apr.21,1934
Reserve 319130

GPO 8—7671

BOTANY
CURRENT LITERATURE

LIBRARY
RECEIVED
★ JAN 2 . 1934 ★
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no. 1. Ja.2-13, 1934.

Agr. Gaz. N.S.W. (Sydney) (23N472)

Edwards, E. T.

A new Fusarium disease of maize. Agr. Gaz. N.S.W. 44: 895-897. illus. D.1, 1933. no.12.

A preliminary note on the pathogenicity of Fusarium moniliforme (Sheld.) var.subglutinans Wr. & Rg., and on the occurrence of its hitherto unrecorded ascigerous stage, Gibberella fujikuroi (Saw.) Wr. var. sublgutinans n.comb.

Hynes, H. J.

"Purple patch" of wheat and oats. A disease caused by the fungus Rhizoctonia solani. Agr. Gaz. N.S.W. 44: 879-883. illus. D.1, 1933. no.12.

Macindoe, S. L., Shirlow, N.S. & Darragh, W. H.

Leaf or crown rust of oats. Field observations on resistance of varieties. Agr. Gaz. N.S.W. 44: 887-894. illus. D.1, 1933. no.12.

Magee, C. T.

Whiptail disease of cauliflowers can almost be eliminated by liming. Agr. Gaz. N.S.W. 44: 911-914. illus. D.1, 1933. no.12.

Agr. Journ. Dept. Sci. & Agr. Barbados (8B23)

McIntosh, A. E. S.

Sugar cane. In his Report of the geneticist for the year 1932-33. Agr. Journ. Dept. Sci. & Agr. Barbados 2(3): 1-26. Jl. 1933.

Observations on gumming disease (Bacterium vascularum) p.17-18. Disease of sugar cane seedlings in the potted stage (p.25-26).

Amer. Fertilizer (57.8Am3)

Beaumont, A. B. & Moore, W.J.

The absorption and assimilation of ammonic and nitric nitrogen by plants. Amer. Fertilizer 79: 7-9, 24-27. D.30, 1933. no.14.

562156
Agri.
350-372

USDA
LIB

Amer. Journ. Bot. (450Am36)

Evans, M. W.
The production of timothy pollen. Amer. Journ. Bot. 21: 34-41. Ja. 1934. no.1.

Johnson, B.
Concentration of the virus of the mosaic of tobacco. Amer. Journ. Bot. 21: 42-53. Ja. 1934. no.1.

Long, F.L. & Clements, F. E.
The method of collodion films for stomata. Amer. Journ. Bot. 21: 7-17. illus. Ja.1934. no.1.

Loomis, W. E.
Daily growth of maize. Amer. Journ. Bot. 21: 1-6. diagrs. Ja. 1934. no.1.

Mains, E. B.
Host specialization in the rust of iris, Puccinia iridis. Amer. Journ. Bot. 21: 23-33. illus. Ja. 1934. no.1.

Wodehouse, R. P.
An oil drop theory of pollen-grain pattern formation. Amer. Journ. Bot. 21: 18-22. illus. Ja. 1934. no.1.

Amer. Journ. Sci. (New Haven) (470Am34)

Peck, R. E.
Late Paleozoic and early Mesozoic Charophyta. Amer. Journ. Sci. 27: 49-55. illus. Ja. 1934. no.157.

Amer. Nat. (470Am36)

Altenburg, E.
A theory of hermaphroditism. Amer. Nat. 68: 88-91. Ja./F. 1934. no.714.

Goldschmidt, R.
The influence of the cytoplasm upon gene-controlled heredity. Amer. Nat. 68: 5-23. Ja./F. 1934. no.714.

Riley, H. P.
A further test showing the dominance of self-fertility to self-sterility in shepherd's purse. Amer. Nat. 68: 60-64. Ja./F. 1934. no.714.

Amer. Nat. (cont.)

Sax, K.

Interlocking as a "demonstration" of the occurrence of crossing-over. Amer. Nat. 68: 95-96. Ja./F. 1934. no.714.

Ann. Inst. Pasteur (Paris) (448.3An75)

Petter, H. F. M.

Contribution a l'étude cytologique de Sarcina gigantea. Ann. Inst. Pasteur 51: 742-760. illus. D.1933. no.6.

Ann. Rep. Dept. Agr. & Stock Queensland (23Q3)

Simmonds, J. H.

The work of the pathological branch. Ann. Rep. Dept. Agr. & Stock Queensl. 1932/33: 61-63. 1933.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Aye, D.

Ein flüchtiges alkaloid in der lorchel, Helvella esculenta. Arch. Pharm. & Ber. Deut. Pharm. Ges. 271: 537-539. D. 1933. no.9.

Goebel, H.

Der einfluss des keimdrüsenhormons auf blüte und ertrag von pflanzen. Arch. Pharm. & Ber. Deut. Pharm. Ges. 271: 552-558. pl.i-iii. D. 1933. no.9.

Arch. Protistenk. (Jena) (439.8Ar2)

Bhâdradwâja, Y.

False branching and sheath-structure in the Myxophyceae, with special reference to the Scytonemataceae. Arch. Protistenk. 81: 243-283. illus. 1933. no.2.

Lorenz, F.

Beiträge zur entwicklungsgeschichte von Sphaerobolus. Arch. Protistenk. 81: 361-398. illus. 1933. no.2.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Asahina, Y. and others.

Untersuchungen über flechtenstoffe. XXXII-XXXIII. Ber. Deut. Chem. Ges. 66: 1910-1912, 1959-1964. D.6, 1933. no.12.

XXXII. Ueber tenuiorin, einen monomethyläther-gyrophorsäure-methylester. XXX. Ueber die enzymatische spaltung der flechten-depside und verwandte verbindungen.

Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. (442.9C14)
Snow, M. & Snow, R.
The interpretation of phyllotaxis. Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. 9: 132-137. Ja. 1934. no.1.

Bol. Dir. Serv. Agr. e Comér. Angola (Luanda) (24An432)
Grossweiler, J.
Contribuição para o estudo da flora dos Dembos. Bol. Dir. Serv. Agr. e Comér. Angola 3(8/12,1930): 89-96. 1933.

Sousa, A. de G. G. e.
Contribuição para o estudo da flora do distrito de Mossamedes. Bol. Dir. Serv. Agr. e Comér. Angola 3(8/12,1930): 75-86. 2 pl. (1 fold.) 1933.

Bol. Soc. Españ. Hist. Nat. (Madrid) (506M263B)
Albo, J. G.
Datos cuantitavos del pinetum pinastri, estratificación y tipologia de su suelo. Bol. Soc. Españ. Hist. Nat. 33: 145-154. pl.v. Ap. 1933. no.4.

González Guerrero, P.
Mezclas botánicas. Bol. Soc. Españ. Hist. Nat. 33: 139-144. illus. Ap. 1933. no.4.

Huguet del Villar, E.
Sobre el habitat calizo de Pinus pinaster. Bol. Soc. Españ. Hist. Nat. 33: 133-138. Ap. 1933. no.4.

Bot. Arch. (Leipzig) (450B6526)
Böhm, A.
Zur verbreitung einiger dinoflagellaten im Südatlantik. Bot. Arch. 35: 397-407. illus. N. 1933. no.4.

Matzeneuer, L.
Die dinoflagellaten des Indischen ozeans. (Mit ausnahme der gattung Ceratium). Bot. Arch. 35: 437-510. illus. N. 1933. no.4.

Reuter, F.
Beiträge zur untersuchungen der böden auf ihre phosphorsäure-düngebedürftigkeit mittels des bakteriums Azotobakter chroococcum und des schimmelpilzes Aspergillus niger. Bot. Arch. 35: 511-590. fold.tab. N. 1933. no.4.

Bot. Arch. (cont.)
Schirmacher, H.
Untersuchungen über die tagesperiodischen bewegungen gelenkloser pflanzen. Bot. Arch. 35: 408-436. illus. N. 1933. no.4.

Bull. Mysore Coffee Exp. Stat. (Bangalore City) (68.29In22)
Mayne, W. W., Narasimhan, M. J. & Sreenivasan, K.H.
Spraying of coffee in south India. Bull. Mysore Coffee Exp. Stat. no.9. 69 p. plates. 1933.

Bull. Independent Biol. Lab. Tel-Aviv (442.9T23)
Carmin, J.
Palestinian plants, their biology, diseases and cryptogamic inhabitants. I. Asphodelus microcarpus. Reprinted, from Acta Soc. Bot. Polon 10: 297-306. illus. 1933, as Bull. Independent Biol. Lab. Tel-Aviv. no.9.

Bull. Pop. Inform. Arnold Arb. (99.9Ar6B)
Anderson, E. & Judd, W. H.
Fothergilla major. Bull. Pop. Inform. Arnold Arb. IV,1: 61-64, incl. port., suppl. pl. D.29, 1933.

Bull. Soc. Chim. France (Paris) (383P21B)
Hasenfratz, V.
Sur la sempervirine, alcaloïde non oxygéné de Gelsemium sempervirens. Bull. Soc. Chim. France IV,53: 1084-1087. O. 1933. no.10.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger) (410.9So125)
Chabrolin, C.
Note sur la flore des Iles de la Galite et du Galiton. Bull. Soc. Hist. Nat. Afr. Nord. 24:233-242. Jl. 1933. no.7.

Laumont, P.
Contribution à l'étude des hybrides naturels de blé et d'égylope. Bull. Soc. Hist. Nat. Afr. Nord 24: 179-183. pl. xi. Jl.1933. no.7.

Laumont, P.
Observations sur l'apparition de quelques formes tendroïdes dans la descendance (F 4) de l'hybride Aegylops triuncialis L. ♀ x Triticum durum Desf.♂ Bull. Soc. Hist. Nat. Afr. Nord. 24: 184-187. pl.xii. Jl. 1933. no.7.

Maire, R.
Contributions à l'étude de la flore de l'Afrique du Nord. 20. Bull. Soc. Hist. Nat. Afr. Nord 24: 194-232. Jl. 1933. no.7.

Bull. Torr. Club (451T63B)

Gleason, H. A.

The genus Macairea DC. in northern South America. Bull. Torr. Club 61: 35-40. Ja. 1934. no.1.

Ojerholm, E.

Multiciliate zoospores in Physoderma zeae-maydis. Bull. Torr. Club 61: 13-18. Ja. 1934. no.1.

Sinnott, E. W. & Kaiser, S.

Two types of genetic control over the development of shape. Bull. Torr. Club 61: 1-7. illus. Ja.1934. no.1.

Experiments with Cucurbita and Capsicum.

Sperry, O. E.

The rate of growth of the ponderosa pine in Estes Park, Colorado. Bull. Torr. Club 61: 19-34. Ja. 1934. no.1.

Steil, W. N.

The archegonia of Pellaea viridis (Forsk.) Prantl. Bull. Torr. Club 61: 9-12. illus. Ja. 1934. no.1.

Cactus (Mont. St. Amand, Belg.) (450C112)

Guillaumin, A.

Une curieuse espèce nouvelle d'euphorbe de Madagascar. Cactus (Mont St. Amand, Belg.) 3(6): 3-4. illus. D. 1933.

Euphorbia decaryi.

Van de Weghe, G.

Rebutias (K. Schumann). Cactus (Mont. St. Amand, Belg.) 3(6): 4-8. illus. D.1933.

O Campo (Rio de Janeiro) (9.9C15)

Pesce, C.

Sementes oleaginosas da Amazonia [cont.] O Campo 4(11): 26-27. illus., 4 (12): 20-21. illus. N., D. 1933. no.11,12.

Canad. Flor. (Peterboro, Ont.) (80C163)

Brierley, P.

Dahlia mosaic and its relation to stunt. Canad. Flor. 29: 4, 9. Ja.9, 1934. no.1.

Bull. Torr. Club (451T63B)

Gleason, H. A.

The genus Macairea DC. in northern South America. Bull. Torr. Club 61: 35-40. Ja. 1934. no.1.

Ojerholm, E.

Multiciliate zoospores in Physoderma zeae-maydis. Bull. Torr. Club 61: 13-18. Ja. 1934. no.1.

Sinnott, E. W. & Kaiser, S.

Two types of genetic control over the development of shape. Bull. Torr. Club 61: 1-7. illus. Ja.1934. no.1.

Experiments with Cucurbita and Capsicum.

Sperry, O. E.

The rate of growth of the ponderosa pine in Estes Park, Colorado. Bull. Torr. Club 61: 19-34. Ja. 1934. no.1.

Steil, W. N.

The archegonia of Pellaea viridis (Forsk.) Prantl. Bull. Torr. Club 61: 9-12. illus. Ja. 1934. no.1.

Cactus (Mont. St. Amand, Belg.) (450C112)

Guillaumin, A.

Une curieuse espèce nouvelle d'euphorbe de Madagascar. Cactus (Mont St. Amand, Belg.) 3(6): 3-4. illus. D. 1933.

Euphorbia decaryi.

Van de Weghe, G.

Rebutias (K. Schumann). Cactus (Mont. St. Amand, Belg.) 3(6): 4-8. illus. D.1933.

O Campo (Rio de Janeiro) (9.9C15)

Pesce, C.

Sementes oleaginosas da Amazonia [cont.] O Campo 4(11): 26-27. illus., 4 (12): 20-21. illus. N., D. 1933. no.11,12.

Canad. Flor. (Peterboro, Ont.) (80C163)

Brierley, P.

Dahlia mosaic and its relation to stunt. Canad. Flor. 29: 4, 9. Ja.9, 1934. no.1.

Canad. Flor. (cont.)

Zimmerman, P. W. & Crocker, W.
Injurious effect of mercury vapor in soil. Canad. Flor. 28: 397-398. D.26, 1933. no.26.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Johnson, L. P. V.
Studies on the inheritance of covered smut reaction, lemma color, awn development and rachilla pubescence in oats. Canad. Journ. Res. 9: 519-541. D. 1933. no.6.

Leggatt, C. W.
A further note on catalase activity as a measure of seed viability. Canad. Journ. Res. 9: 571-573. D. 1933. no.6.

McCalla, A. G.
The effect of nitrogen nutrition on the protein and non-protein nitrogen of wheat. Canad. Journ. Res. 9: 542-570. D.1933. no.6.

La Cellule (Lierre, Belgium) (442.8C33)

Mol, W. E. de.
Mutation sowohl als modifikation durch röntgenbestrahlung und die "teilungshypothese". La Cellule 42: 151-162. pl. 1933. no.2.

Vandendries, R. & Brodie, H.J.
Nouvelles investigations dans le domaine de la sexualité des basidiomycètes et étude expérimentale des barrages sexuels. I-II. La Cellule 42: 165-210. illus., fold.pl. 1933. no.2.
I. Choix d'un matériel. Essais sur la germination des spores. II. Etude expérimentale du barrage sexuel.

Compt. Rend. Acad. Agr. France. (Paris) (14P215Bc)

Bertrand, G. & Andreitcheva, M.
Sur le zinc dans les feuilles. Compt. Rend. Acad. Agr. France 19: 1101-1104. D.20, 1933. no.31.

Compt. Rend. Acad. Sci. Paris (505P21)

Blaringhem, L.
La fièvre des Arum. Compt. Rend. Acad. Sci. Paris 197: 1551-1554. D.18, 1933. no.25.

Chouard, P.
Intervention de l'éiderme dans la formation de bulbilles sur les feuilles vertes de liliacées. Compt. Rend. Acad. Sci. Paris 197: 1685-1688. illus. D.18, 1933. no.25.

Compt. Rend. Acad. Sci. Paris (cont.)

Colin, H. & Guéguen, E.

Le floridoside chez les floridées. Compt. Rend. Acad. Sci. Paris 197: 1688-1690. D.18, 1933. no.25.

Hurel-Py, G.

Sur la possibilité de déshydrater les vacuoles du pollen de Nicotiana alata. Compt. Rend. Acad. Sci. Paris 197: 1690-1692. illus D.18, 1933. no.25.

Lederer, E.

Sur les caroténoïdes d'une levure rouge (Torula rubra). Compt. Rend. Acad. Sci. Paris 197: 1694-1695. D.18, 1933. no.25.

Vernadsky, W., Brunovsky, B. & Kunaševa, C.

Sur le mesothorium "gamma" dans les Lemna. Compt. Rend. Acad. Sci. Paris 197: 1556-1557. D.18, 1933. no.25.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Chaze, J.

Sur les divers aspects du système vacuolaire et sur leurs modifications dans les cellules épidermiques de Musa ensete. Compt. Rend. Soc. Biol. Paris 114: 1068-1071. illus 1933. no.37.

Lenoir, M.

Phénomenes d'apparence électromagnétique, observés sur le vivant, pendant la sporogenèse chez l'Equisetum hiemale L. Compt. Rend. Soc. Biol. Paris 114: 1016-1018. 1933. no.36.

Deut. Landw. Presse (Berlin) (18D482)

Appel, O.

Gräserkrankheiten. Deut. Landw. Presse 60: 50-51. suppl. col.pl. D.23, 1933. no.51.

Fischer, W.

Markstammkohlkrankheiten. Deut. Landw. presse 60: 281-282. illus. Je.3, 1933. no.22.

Geheimrat Busse. Der deutsche vertreter im Internationalen Landwirtschafts-institut in Rom. Deut. Landw. Presse 60: 650. D.23, 1933.

Died at age of 68 years, Dec.14, 1933.

Deut. Landw. Presse (cont.)
Pape, H.
Weitere markstammkohl-krankheiten. Deut. Landw. Presse 60: 631. illus. D.16, 1933. no.50.

Empire Journ. Exp. Agr. (Oxford) (10Em7)
Chittenden, R. J.
The asexual propagation of Hevea. Empire Journ. Exp. Agr. 1: 307-315. D.1933. no.4.

Evans, I. B. P.
Agricultural possibilities of some of the African grasses. Empire Journ. Exp. Agr. 1: 341-346. pl.27-29. D. 1933. no.4.

Nutman, F. J.
The root-system of Coffea arabica. II. The effect of some soil conditions in modifying the "normal" root-system. Empire Journ. Exp. Agr. 1: 285-296. D.1933. no.4.

Farming So. Africa. (Pretoria) (24So842)
Evans, I. B. Pole-
Plant pathology and mycology. In his Ann. Rep. Div. Plant Ind. 1932/33. Farming So. Africa 8: 493. D.1933. no.93.

Flora (Jena) (v.128 -Festschrift zum siebigsten geburtstage von George Kartsen) (450F66)
Benecke, W.
Die vegetation der sandplate Lütje Hörn bei Borkum im September 1932. Flora 128(n.s.28): 1-13. illus. (maps) 1933.

Darbishire, O. V.
Beobachtungen an der flechte Solorina crocea (L) Ach. Flora 128(n.s.28): 14-27. pl.i. 1933.

Harder, R., Filzer, P. & Lorenz, A.
Notizen über evaporation und transpiration in der algerischen Wüste bei Beni Unif. Flora 128(n.s.28): 34-49. illus. 1933.

Mägdefrau, K.
Ueber die ca- und mg-albagerung bei den corallinaceen des Golfes von Neapel. Flora 128(n.s.28): 50-57. 1933.

Mothes, K.
Sauerstoffpotential und eiweissumsatz im laubblatt. Flora 128(n.s.28): 58-98. 1933.

Flora (cont.)

Nuernbergk, E.
Ueber den auxin-quertransport und den geotropismus der Avena-koleoptile: einfluse der dekapitation. Flora 128(n.s.28): 99-110. 1933.

Pringsheim, E. G. & Schwarz, W.
Das auftreten weissbunter (panaschierter) pflanzen in der natur. Flora 128(n.s.28): 111-122. pl. iii. 1933.

Renner, O.
Zur kenntnis der gigas- und hemigigas-typen bei Oenothera. Flora 128(n.s.28): 123-144 pl.iv-v. 1933.

Roemer, T.
Immunitätszuchtung. Eine zusammenfassende darstellung 14 jähriger arbeiten aus dem gebiete der biologie (1920-1933). Flora 128(n.s.28): 145-196. illus. 1933.

Schmalfuss, K.
Einige beobachtungen über salzwirkungen in wasserkulturen. Flora 128(n.s.28): 197-210. illus. 1933.

Schmid, G.
Die verpilzung aërophiler algen. Zum flechtenproblem. Flora 128(n.s.28): 211-234. illus. 1933.

Schmidt, P.
Neue ergebnisse zur biologie und karyologie der Biddulphia sinensis Greville. Flora 128(n.s.28): 235-268. pl.vi-vii. 1933.

Sierp, H.
Untersuchungen über die öffnungsbewegung der stomata in verschiedenen spektralbezirken. Flora 128(n.s.28): 269-285. illus. 1933.

Tobler, F.
Beitrage zur ökologie und biologie brasilianischer podostemonaceen. Flora 128(n.s.28): 286-300. illus., pl.viii. 1933.

Flora. (cont.)

Troll, W.

Botanische mitteilungen aus den tropen. VIII-XII. Flora 128(n.s.28): 301-360. illus., pl.ix-xii. 1933.

VIII. Ueber Acrostichum aureum L., Acrostichum speciosum Willd. und neotene formen des letzteren. IX. Dryopteris sumatrana v. A. v. R., ein neuer schleimfarn aus dem Ostindischen Archipel. X. Eine neue Schizaea-art der Digitata-gruppe. [S. spirophylla] XI. Fertilitat auf dem jugenstadium bei Gelichenia vulcanica Bl. XII. Camptostemon schultzii Mast. und Camptostemon philippinensis (Vid.) Becc. als neue vertreter der austral-asiatischen mangrove-vegetation.

Gard. Chron. (London) (80G162)

Bagenal, N. B.

Thomas Andrew Knight. Gard. Chron. III, 94: 457-458. D.16, 1933. no.2451.

Balls, E. K.

In search of rare plants in Turkey. Gard. Chron. III, 94: 474-477. D.23, 1933. no.2452.

Friend, H.

Herbals and herbalists. II. The Homeric age. Gard. Chron. III, 94: 470-471. D. 23, 1933. no.2452.

Redgrove, H. S.

The thorn apple. Gard. Chron. III, 94: 456-457. D.16, 1933. no.2451.

Datura stramonium.

Salmon, E. S. & Ware, W. M.

The plum rust on apricot and peach. Gard. Chron. III, 94: 490-492. illus. D.30, 1933. no.2453

Puccinia pruni-spinosae.

Ward, F. K.

Mr. F. Kingdon Ward's eleventh expedition in Asia. XLIV-V. Gard. Chron. III, 94: 454-455, 488. illus. D.16,30, 1933. no.2451, 2453.

Gard. Chron. Amer. (80G1632)

Michels, C. A.

Ethylene gas. A stimulant for root development and plant growth. Gard. Chron. Amer. 38: 14-16. illus. Ja. 1934. no, 1.

Gard. Illus. (London) (80G169)
Breeding Nerines. Gard. Illus. 55: 725-726. illus. D.16, 1933. no.2558.

Genetics (442.8G28)
Briggs, F. N.
Inheritance of resistance to bunt, Tilletia tritici, in Sherman and Oro wheat hybrids. Genetics 19: 73-82. Ja. 1934. no.1.

Cleland, R. E. & Brittingham, W. H.
A contribution to an understanding of crossing over with chromosome rings of Oenothera. Genetics 19: 62-72. illus. Ja. 1934. no.1.

Indian For. (Dehra Dun) (99.8In2)
Venkata Rao, M. G.
A preliminary note on the leaf-curl mosaic disease of sandal. Indian For. 59: 772-777. pl.36-37. D. 1933. no.12.

Indian Journ. Agr. Sci. (Calcutta) (22Ag831)
Afzal, M.
A note on a growth abnormality of Punjab-American cottons. Indian Journ. Agr. Sci. 3: 933. O. 1933. no.5.

Ayyangar, G. N. R. & Krishnaswamy, N.
A note on the chromosome numbers in cluster beans, Cyamopsis psoralioides D.C. Indian Journ. Agr. Sci. 3: 934-935. O.1933. no.5.

Dey, P. K.
An Alternaria blight of the linseed plant. Indian Journ. Agr. Sci, 3: 881-896. illus., pl.lxx-lxxi. O. 1933. no.5.
A.lini, n.sp.

McRae, W. & Subramaniam, L. S.
Effect of mosaic on the tonnage and the juice of sugarcane in Pusa. III. Indian Journ. Agr. Sci. 3: 870-880. O. 1933. no.5.

Mohammad, A. & Alam, Z.
Types of Sesamum indicum D.C. in the Punjab. Indian Journ. Agr. Sci. 3: 897-911. pl.lxxii-lxxiv (1 col.) O. 1933. no.5.

Ramiah, K. & Parthasarathi, N.
Inheritance of grain length in rice (Oryza sativa L.) Indian Journ. Agr. Sci, 3: 808-819. O. 1933. no.5

Indian Journn. Agr. Sci. (cont.)

Shaw, F. J. F. & Bose, R. D.

Studies in Indian oats, I-II. Indian Journ. Agr. Sci. 3: 754-770, 771-807. illus., pl. lxi-lxiv. O.1933. no.5.

I. The improvement of the crop by selection and the acclimatization of exotic types. II. Inheritance of some characters in interspecific crosses between Avena sativa L. and Avena sterilis L. var. culta.

Stevens, F. L. & Peirce, A. S.

Fungi from Bombay. Indian Journ. Agr. Sci. 3: 912-916. O. 1933. no.5.

Intern. Bull. Plant Prot. (464.8In8)

Gailitis, L.

Latvia: The destruction of barberry and buck thorn. Intern. Bull. Plant Prot. 7: 269-70. D. 1933. no.12.

Mallamaire, A.

French West Africa: Parasites of plants cultivate in the Ivory Coast. Intern. Bull. Plant Prot. 7: 266-268. D. 1933. no.12.

Stevens, N. E.

United States of America: Further distribution of tobacco downy mildew in 1933. Intern. Bull. Plant Prot. 7: 268-269. D.1933. no.12.

Iowa State Coll. Journ. Sci. (Ames, Ia.) (470Io9)

Suit, R. F.

Pseudomonas rhizogenes, R.B.W.K. & S.; its host relations and characteristics. Iowa State Coll. Journ. Sci. 8: 131-172. vi plates. O.1933. no.1.

Izv. Gosud. Georgr. Obshch. (Izv. Soc. Russe Géogr.) (Leningrad) (511L546)

Sochava, V. B.

Tundry basseǐna reki Anabary (Tundren des Anabaraflussbeckens) Izv. Gosud. Geogr. Cbshch. (Izv. Soc. Russe Géogr.) 65: 340-364. illus. (map) fold. map.) 1933. no.4.

Russian with German summary.

Izv. Gosud. Geogr. Obsch. (Izv. Soc. Russe Géogr.) (cont.)

Rodin, L. E.

Botaniko-geograficheskiĭ ocherk Lepsinskogo raĭona Dzhungarskogo Ala-Tau (Botanisch-geographische uebersicht des Lepsinsk gebiets in Dsungarei Ala-Tau). Izv. Gosud. Geogr. Obshch. (Izv. Soc. Russe Géogr.) 65: 296-319. 1933.

Russian with German summary.

Journ. Agr. Prat. (Paris) (14J82)

Ballu, T.

Essais de séparateurs d'ail. Journ. Agr. Prat. 97(1): 497-498. D.16, 1933. no.50.

Fron, G.

Le chlorate et la destruction des renoncules. Jour. Agr. Prat. 97(1): 499-501. D.16, 1933. no.50.

Journ. Amer. Pharm. Assoc. (Easton, Pa.) (396.9Am33J)

Fischer, L. & Lynn, E. V.

Licorice fern and wild licorice as substitutes for licorice. Journ. Amer. Pharm. Assoc. 22: 1225-1230. D.1933. no.12.

Polypodium vulgare var. occidentale, Glycyrrhiza lepidota.

Journ. Counc. Sci. & Industr. Res. Austral. (Melbourne) (514Au72J)

Barnard, C. & Thomas, J. E.

Fruit bud studies, II. The Sultana: differentiation and development of the fruit buds. Journ. Counc. Sci. & Industr. Res. Australia 6: 285-294. N.1933. no.4.

Cummins, J. E.

Blue stain in Pinus radiata (insignis) timber. Some preliminary experiments with case stock. Journ. Counc. Sci. & Industr. Res. Australia 6: 244-252. No.1933. no.4.

Hill, A. V. & Angell, H. R.

Downy mildew (blue mould) of tobacco. I-III. Journ. Counc. Sci. & Industr. Res. Australia 6: 260-268. illus. N. 1933. no.4.

I. The influence of over-wintered plants. II. Wild hosts. III. Spraying.

Jour. Dept. Agr. So. Australia (Adelaide) (23So84)
Geach, W. L.
Foot and root rots of wheat in Australia.
Journ. Courc. Sci. & Industr. Res. Australia.
6: 269-278. N. 1933. no.4.
The influence of the combined action of
Fusarium culmorum (W.G. Sm.) Sacc. and Urocystis
tritici Koern. on the occurrence of seedling blight.

Trumble, H. C.
The agricultural features of Phalaris tuberosa
and allied forms. Journ. Dept, Agr. So. Australia
37: 400-425. illus. N.15, 1933. no.4.

Journ. Dept. Agr. Victoria (Melbourne) (23V66J)
Fish, S.
Brown rot of cherries. Journ. Dept. Agr.
Victoria 31: 608, 618. illus. D. 1933. no.12.

Jewell, W. R.
Chemical composition of passion fruit.
Journ. Dept. Agr. Victoria 31: 609. D.1933. no.12.

Journ. For. (Washington, D.C.) (99.8F768)
Abell, C. A.
Influence of glaze storms upon hardwood forests
in the southern Appalachians. Journ. For. 32:35-
37. illus. Ja. 1934. no.1.

Bidwell, C. B. & Bramble, W. C.
The strumella disease in southern Connecticut.
Journ. For. 32: 15-23. illus. Ja. 1934. no.1.

Boyce, J. S.
A canker of Douglas Fir associated with
Phomopsis lokoyae. Journ. For. 31: 664-672.
illus. O. 1933. no.6.

Journ. For. Suisse (Berne) (99.8J82)
Badoux, H.
M. le Dr. Hermann Christ, botaniste. (1833-1933).
Journ. For. Suisse 85: 1-3. port. Ja.1934. no.1.
Died N.23, 1933.

Journ. Genetics (London) (442.8J823)
Crane, M. B. & Lawrence, W.J.C.
Genetical studies in cultivated apples.
Journ. Genetics 28: 265-296. pl.ix-x. (1 col.)
D. 1933. no.2.

Journ. Genetics (cont.)

Darlington, C. D.
Studies in Prunus IV. Journ. Genetics 28: 327-328. illus. D.1933. no.2.

Harland, S. C.
The genetics of cotton. IX. Further experiments on the inheritance of the crinkled dwarf mutant of G. barbadense L. in interspecific crosses and their bearing on the Fisher theory of dominance. Journ. Genetics 28: 315-325. pl. xi. D.1933. no.2.

Jenkin, T. J.
Interspecific and intergenetic hybrids in herbage grasses. Initial crosses. Journ.Genetics. 28: 205-264. D.1933. no.2.

Philp, J.
The genetics of Papaver commutatum and its hybrids with Papaver rhoeas. Journ. Genetics 28: 169-174. D.1933. no.2.

Philp, J.
The genetics of Papaver rhoeas and related forms. Journ. Genetics 28: 175-203. pl. viii. (col.) D.1933. no.2.

Journ. Indian Bot. Soc. (Madras) (450J821)

Ekambaram, T. & Madhusudana Rao, I.
Studies in absorption and transpiration. I. Cut shoots treated with 20 per cent formalin. Journ. Indian Bot. Soc. 21: 293-324. illus. N. 1933. no. 3/4.

Ekambaram, R. & Venkatanathan, T. N.
Studies on Isoetes coromandelina L. I Sporogenesis. Journ. Indian Bot. Soc. 12: 191-225. illus., v plates. N. 1933. no. 3/4.

Iyengar, M. O. P.
On the formation of gametes in a Caulerpa. Journ. Indian Bot. Soc. 12: 325. N.1933. no.3/4.
Preliminary note.

Joshi, A. C.
Some abnormal flowers of Argemone mexicana, Linn. Journ. Indian Bot. Soc. 255-271. illus., pl. N.1933. no.3/4.

Journ. Indian Bot. Soc. (cont.)

Malhotra, R. C.
Changes in plants during low temperatures. III. Some chemical and anatomical changes in plants grown under controlled temperatures. Journ. Indian Bot. Soc. 12: 273-285. N.1933. no.3/4.

Mullan, D. P.
Observations on the biology and physiological anatomy of some Indian halophytes. (cont.) Journ. Indian Bot. Soc. 12: 235-253. x plates. N. 1933. no.3/4.

Parija, P. & Misra, P.
The root-thorn of Bridelia pubescens, Kurz. Journ. Indian Bot. Soc. 12: 227-233. illus., ii plates. N. 1933. no.3/4.

Rau, N. S.
A note on the emission of globules of basophilic material from the nucleus into the cytoplasm during the telophase of nuclear division. Journ. Indian Bot. Soc. 12: 287-292. pl. N.1933. no.3/4.

Journ. N.Y. Gard. (89N48J)

Small, J. K.
An Everglade cypress swamp. Journ.N.Y. Bot. Gard. 34: 261-267. illus. D.1933. no.408.
Near Royal Palm Hammock, Dade Co., Fla.

Woodward, C. H.
New hybrid poplars for reforestation. Journ. N.Y. Bot. Gard. 34: 268-270. D.1933. no.408.

Journ. Pomol. & Hort. Sci. (London) (80J825)

Abdel-Salam, M. M.
Damping-off and other allied diseases of lettuce Journ. Pomol. & Hort. Sci. 11: 259-275. ii pl. D. 1933. no.4.

Grubb, N. H.
Cherry stocks at East Malling. I.Stocks for Morello cherries. Journ. Pomol. & Hort. Sci. 11: 276-304. ii pl. D.1933. no.4.

Hatton, R. G.
"Free" or seedling rootstocks in use for pears: Their description, selection, vegetative propagation and preliminary testing. Journ. Pomol. & Hort. Sci. 11: 305-334. vi pl. D.1933. no.4.

Journ. Roy. Hort. Soc. (London) (84L84J)

Bedbrook, C. T. W.
The modern hybrid Streptocarpus. Journ. Roy. Hort. Soc. 58: 8-10. pl. F. 1933. no.1.

Chittenden, F. J.
Wahlenbergias. Journ. Roy. Hort. Soc. 58: 1-7. col. front. F.1933. no.1.

Cook, H. H.
The cultivation of violets. Journ. Roy. Hort. Soc. 58: 115-124. F. 1933. no.1.

Green, D. E.
A lupin disease due to Ceratophorum setosum (Kirchner) a fungus new to Great Britain. Journ. Roy. Hort. Soc. 58: 144-145. 2 pl. F. 1933. no.1.

Pugsley, H. W.
A monograph of Narcissus, subgenus Ajax. Journ. Roy. Hort. Soc. 58: 17-93. illus., 16 pl. F. 1933. no.1.

Stevenson, T.
Early-flowering chrysanthemums. Journ. Roy. Hort. Soc. 58: 94-102. F. 1933. no.1.

Warburg, O. & Warburg, E. F.
Oaks in cultivation in the British Isles. Journ. Roy. Hort. Soc. 58: 176-189. 14 pl. F. 1933. no.1.

Ward, F. K.
Plant collecting at the source of the Irrawaddy. Journ. Roy. Hort. Soc. 58: 103-114. F. 1933. no.1.

Wilson, G. F.
Pollination in orchards. VIII. Insect visitors to fruit blossoms. Journ. Roy. Hort. Soc. 58: 125-138. F. 1933. no.1.
Contr. Wisley Lab. LXV.

Kosmos. (Stuttgart) (474K842)

Niklitschek, A.
Wie die pflanze ihre lebenstätigkeiten regelt: die sinnreiche einrichtung der spaltöffnungen. Kosmos 31: 21-27. illus. Ja. 1934. no.1.

Landbouwk. Tijdschr. Wageningen (105.20r3)
Kramer, M.
Modificatieverschijnselen bij grassen. Landbouwk. Tijdschr. Wageningen. 45: 788-793. illus. D, 1933. no.553.

Landw. Jahrb. Schweiz. (Bern) (17L23)
Kobel, F. & Steinegger, P.
Die befruchtungsverhaltnisse schweizerischer kirschensorten. Landw. Jahrb. Schweiz. 47: 973-1018. illus. 1933. no.9.
French Résumé: p.1017.

Lily Year-Bk. Roy Hort. Soc. (97R812)
Cotton, A. D.
The detection and control of lily diseases. Lily Year-Bk. Roy.Hort.Soc. 1933: 194-214. illus. 1933.

Griffiths, D.
Vegetative propagation of the lily. Lily Year-Bk. Roy. Hort. Soc. 1933: 104-118. illus. 1933.

Krelage, E. H.
Some lilies first distributed on or from the continent of Europe. Lily Year-Bk. Roy.Hort. Soc. 1933: 131-141. illus. 1933.

Preston, I.
Hybridization of lilies. Lily Year-Bk. Roy. Hort. Soc. 1933: 173-193. illus. 1933.

Stern, F. C.
Propagatiin of lilies by seed. (Including a classification of lilies according to their method of germination). Lily Year-Bk. Roy Hort. Soc. 1933: 119-129. illus. 1933.

Stoker, F.
The environment of lilies in nature, Lily Year-Bk. Roy. Hort. Soc. 1933: 11-57. illus. (maps) 4 pl. (fig.4-7). 1933.

Stout, A. B.
Sterilities in lilies (Lilium) Lily Year-Bk. Roy. Hort. Soc. 1933: 142-171. illus. 1933.

Madroño (San Francisco) (450M26)
Constance, L.
Eriophyllum and Monolopia. Madroña 2: 113-115. Ja. 1934. no.14.

Jepson, W. L.
The botanical explorers of California. IX. Charles Frederick Sonne, Nancy Jane Davis, John Boardman Trask. Madrona 2: 115-118. port. Ja. 1934. no.14.

Meded. Lab. Plantenphys. Wageningen (451W12)
Blaauw, A. H.
Temperatuur en tijd can den bloemaanleg bij bol-irissen. Reprinted from Prof. K. Akad. Wetensch. Amsterdam v.36, no.6, as Meded. Lab. Plantenphys. Wageningen no.39, 10 p. illus. 1933.

Hartsema, A. M. & Luyten, I.
De invloed van lage temperaturen op het snelle strekken en bloeien van Convallaria majalis I-II. Reprinted from Proc. K. Akad. Wetensch. Amsterdam. v.36, no.1 & 2, as Meded. Lab.Plantenphys. Wageningen no.37, 15 p. pl. 1933.
German summary.

Nat. & Appl. Sci. Bull. Univ. Phillipp. (475P532)
Uichanco, V. B.
A study of three species of Philippine Derris. Nat. & Appl. Sci. Bull. Univ. Phillipp. 3: 129-239. pl. i-vi, map. D. 1933.
D. elliptica, D. philippinensis, D. sp.? (formerly believed to be D. polyantha)

Naturaliste Canad. (Quebec) (410N216)
Rousseau, J.
Essai de bibliographie botanique canadienne. (cont.) Naturaliste Canad. 60: 352-356. D.1933. no.12.

Nature (London) (472N21)
Barton-Wright, E. & McBain, A. M.
Possible chemical nature of tobacco mosaic virus. Nature 132: 1003-1004. D.30, 1933. no.3348.

Petersen, H. E.
Wasting disease of eelgrass (Zostera marina) Nature 132: 1004. D.30, 1933. no.3348.
Has always seen in the blackened spots the mycelium of a fungus.

V.16, no. 1, p. 21.

Naturwissensch. (Berlin) (474N213)
Möthes, K.
Ueber die natürliche aktivierung der pflanzlichen geweboproteinase. Naturwissensch. 21: 883. D.15, 1933. no.50.

New Phytol. (London) (450N42)
Browne, I.
The Noeggerathiae and Tingiae. The effects of their recognitions upon the classification of the Pteridophyta: An essay and review. New Phytol. 32: 344-358. illus. D.15, 1933. no.5.

Cattle, M.
Studies of the physiological importance of the mineral elements in plants. V. The distribution of diastase, invertase and catalase in normal and potassium-starved bean plants. New Phytol. 32: 364-381. illus. D.15, 1933. no.5.

Holmes, L. E.
Studies in the morphology and biochemistry of the pineapple. II. Reserves in the seeds of two genera of the Bromeliaceae and of various pineapple hybrids. New Phytol. 32: 382-392. illus. D.15, 1933. no.5.

James, W. O. & Baker, H.
Sap pressure and the movements of sap. New Phytol. 32: 317-343. illus. D.15, 1933. no.5.

Joshi, A. C. & Rao, V. S.
Floral anatomy of Rivinia humilis L., and the theory of carpel polymorphism. New Phytol. 32: 359-363. illus. D.15, 1933. no.5.

Norsk Havetid. (Oslo)
Schoyen, T. H.
Nematoder eller bladal pa. Chrysanthemum og Begonia. Norsk Havetid. 49: 247-250. illus. D. 1933. no.12.

Obst- u. Gamüseb. (Berlin) (80P7750)
Gleisberg, W.
Die ständige allgemeine prüfung von obstbaumkarbolineen. Obst- u. Gemuseb. 79: 179-182. illus. D.15, 1933. no.12.

Obst- u. Gemüseb. (cont.)

Goetz,

Vom bitterwerden der gurken. I. Ist planmässige erforschung des bitterwerdens der gurken notwendig? Obst- u. Gemüseb. 79: 183-184. D.15, 1933. no.12.

Rudolff, C. F.

Professor Dr. Edwin Baur. Obst- u. Gemüseb. 79: 177-178. port. D.15, 1933. no.12.

Notice of death.

Perfum. & Essent. Oil Rec. (London) (308.8P41)

Freise, F. W.

Odoriferous woods from the Brazilian virgin forest. II. Perfum. & Essent. Oil Rec. 24: 410-412. illus. D.1933. no.12.

Phosphorsäure (57.8P562)

Floess,

Der gegenwärtige stand der kartoffelschorffrage. Phosphorsüare 3: 726-734. illus. 1933. no.11/12.

Goedewaagen, M.A.J.

Das wurzelsystem der getreidepflanzen bei ungleicher verteilung der nährstoffe im boden. Phosphorsäure 3: 688-711. illus. 1933. no.11/12.

Physis (Buenos Aires) (516So12)

Burkart, A.

Observaciones sobre pteridófitas platenses. Physis 11: 253-265. illus. O.30, 1933. no.39.

Marchionatto, J. B.

Notas sobre algunos Sclerotium parásitos de las plantas económicas. Physis 11: 301-305. no.39.

S. rolfsii, S. cepivorum, S. sp.

Meyer, T.

Dos asclepiadáceas nuevas para la flora argentina. Physis 11: 327-328. O.30, 1933. no.39.

Orthosia melantha, O. aphylla.

Munz, P. A.

Las onagráceas de la Argentina. Physis 11: 266-292. O.30, 1933. no.39.

Physis (cont.)

Parodi, L. R.
Los arroces de la flora argentina. Physis 11: 238-252. illus. 0.30, 1933. no.39.

Pérez Moreau, R. A.
Hydrocotyle platenses. Physis 11: 332-345. illus. 0.30, 1933. no.39.

Phytopath. (464.8P56)

Broadfoot, W. C.
On the pathogenicity of Wojnowicia graminis. Phytopath. 23: 1001-1002. D. 1933. no.12.

Duggar, B. M. & Johnson, B.
Stomatal infection with the virus of typical tobacco mosaic. Phytopath. 23: 934-948. D.1933. no.12.

Folsom, D.
Botrytis cinereaas a cause of potato tuber rot. Phytopath. 23: 993-999. illus. D. 1933. no.12.

Humphrey, H. B.
Horace Mann Woolman, 1853-1932. Phytopath. 23: 931-933. port. D. 1933. no.12.

Jensen, J. H.
Isolation of yellow-mosaic viruses from plants infected with tobacco mosaic. Phytopath. 23: 964-974. illus. D. 1933. no.12.

Kamat, M. N.
Observations on Tolyposporium filiferum, cause of "long smut" of sorghum. Phytopath. 23: 985-992. illus. D. 1933. no.12.

Kendrick, J. B.
Seedling stem blight of field beans caused by Rhizoctonia bataticola at high temperatures. Phytopath. 23: 949-963. illus. D.1933. no.12.

Stevens, N. E.
Some significant estimates of losses from plant diseases in the United States. Phytopath. 23: 975-984. illus. (maps) D.1933. no.12.

Weber, G. F.
Pecans infected with Nematospora coryli Pegl. Phytopath. 23: 1000-1001. illus. D.1933. no.12.

Phytopath. (cont.)

West, E.

Another powdery mildew on crape myrtle. Phytopath. 23: 1002-1003. D, 1933. no.12.

Phyllactinia corylea.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Amlong, H. U.

Untersuchungen über die beziehungen zwischen geoelektrischem effekt und geotropismus. Planta Arch. Wiss. Bot. 21: 211-250. illus. D.8, 1933. no.2.

Experiments with Vicia faba and Helianthus annuus.

Bünning, E.

Refraktärstadium, ermüdung und narkose bei der seismonastie. Planta Arch. Wiss. Bot. 21: 324-352. D.8, 1933. no.2.

Experiments with Sparmannia africana and Berberis vulgaris.

Constantinescu, E.

Weitere beiträge zur physiologie der kälteresistenz bei wintergetreide. Planta Arch. Wiss. Bot. 21: 304-323. D.8, 1933. no.2.

Barley.

Guttenberg, H.v.

Die reizbarkeit der catasetiden-blüten. Planta Arch. Wiss. Bot. 21: 292-303. illus. D.8, 1933. no.2.

Seybold, A.

Ueber die optischen eigenschaften der laubblätter. IV. Planta Arch. Wiss. Bot. 21: 251-265. illus. D.8, 1933. no.2.

Troll, W.

Beiträge zur morphologie des gynaeceums. III. Ueber das gynaeceum von Nigella und einiger anderer helleboreen. Planta Arch. Wiss. Bot. 21: 266-291. illus. D.8, 1933. no.2.

Proc. Imp. Acad. Tokyo (513T576)

Nagai, M.

On a new species of Cymathaere from the Kurile Islands. Proc. Imp. Acad. Tokyo 9: 531-534. illus. N. 1933. no.9.

C. fibrosa.

Proc. Nat. Acad. Sci. (500N21p)
Rhoades, M.M.
A cytogenetical study of a reciprocal translocation in Zea. Proc. Nat. Acad. Sci. 19: 1022-1031. illus. D. 1933. no.12.

Rhoades, M.M.
A secondary trisome in maize. Proc. Nat. Acad. Sci. 19: 1031-1038. illus. D.1933. no.12.

Proc. Roy. Soc. Victoria (Melbourne) (514M482)
Fisher, E. E.
The "sooty moulds" of some Australian plants. Proc. Roy. Soc. Victoria 45: 171-202. illus., pl.ix. Ag. 1933. no.2.

Heyward, J.
Notes on a callus shoot of Eucalyptus ovata and E. diversifolia. Proc. Roy. Soc. Victoria 45: 25-27. F. 1933. no.1.

Heyward, J.
Two species of Ophiocytium Nägeli in Victoria; O. terrestre, n.sp., and O. arbuscula Rabenhorst. Proc. Roy. Soc. Victoria 45: 165-170. illus. Ag. 1933, no.2.

Patton, R. T.
Ecological studies in Victoria - The Cheltenham flora. Proc. Roy. Soc. Victoria 45: 205-218. illus. Ag. 1933. no.2.

Progr. Agr. & Vitic. (Montpellier) (14P94)
Branas, M. & Bernon, G.
Note sur deux cas de dépérissement et leur relation avec la présence de certains champignons dans le vieux bois de la vigne. Progr. Agr. Vitic. 100: 626-628. D.24, 1933. no.52.

Joessel, P. H.
Essais de traitements contre l'Oidium ou "blanc" du melon, en 1933. Brogr. Agr. & Vitic. 100: 599-603. D.17, 1933. no.51.

Protoplasma (Leipzig) (442.8P94)
Reinhard, H.
Ueber die teilung der chloroplasten. Protoplasma 19: 541-564. illus. S.1933. no.4.

Protoplasma (cont.)
Weier, T. E.
A critique of the vacuome hypothesis. Protoplasma 19: 589-601. illus. S.1933. no.4.

Weier, T. E.
Note on cellular degeneration on the protonema of Polytricum commune. Protoplasma 19: 587-588. illus. S.1933. no.4.

Rice Bull. Dept. Agr. Brit. Guiana. (59.9B77)
Martyn, E. B.
Notes on diseases of rice. Rice Bull. Dept. Agr. Brit. Guiana 1: 59-60. 1933.
"Man rice" a disease having some features in common with "Bakanae" disease, a strain of Fusarium moniliforme isolated from base of stems.

Rassegna Econ. Colon. Italy (Roma) (261C71)
Baldrati, I.
Il ricino e la sua coltivazione ed utilizzazione nelle colonie italiane (cont.) Rassegna Econ. Colon. Italy 21: 930-985. illus. S./O.1933. no.9/10.

Rep. Work Agr. Res.Inst. Gt. Brit.
Gt. Brit. Ministery of agriculture and fisheries. Dept. of agriculture for Scotland and Ministry of agriculture for northern Ireland.
Entomology and plant pathology. In its reports on the work of agricultural research institutes ... 1931/32: 135-147. 1933.

Rev. Industr. y Agr. Tucumán (Buenos Aires) (9T79)
Fawcet, G. L.
Clave para la determinación de las variedades de caña de azucar cultivadas en Tucumán. Rev. Industr. y Agr. Tucumán 23: 87-98. illus. My./Je. 1933. no.5/6.

Rev. Hort. (Paris) (80R32)
Bois, D.
La Cytisus battandieri nouvel arbuste ornemental. Rev. Hort. 105: 557-559. illus. D.17, 1933. no.24.

Delafon, J.
Le crésol dans le traitement des arbres fruitiers. Rev. Hort. 105: 538-539. N.16, 1933. no.23.

Rev. Hort. (cont.)
Jahandiez, E.
Les plantes grasses autres que les cactées
Les aloés et genres voisin (cont.) Rev.Hort.
105: 532-33, 570-571. illus. N.16, D.16, 1933.
no.23-24.

Rev. Vitic. (Paris) (95.8R322)
Zacharewics, E.
Maladies cryptogamiques du melon. Rev. Vitic.
79: 400-402. D.14, 1933. no.2059.

Rhodora (Boston) (450R34)
Bemis, E. W.
New records for Worcester county, Massachusetts.
Rhodora 36: 7-8. Ja.1934. no.421.
Scirpus sylvaticus var. bissellii, Carex seorsa.

Fernald, M. L.
The name of the American lotus. Rhodora 36:
23-24. Ja. 1934. no.421.
Nelumbo pentapetala (Nymphaea pentapetala)

Fernald, M. L.
Some transfers in Digitaria and Paspalum.
Rhodora 36: 9-22. Ja. 1934. no.421.

Knowlton, C. H.
Joseph Richmond Churchill. Rhodora 36:
1-7. ports. Ja. 1934. no.421.

Steyermark, J. A.
Range extension in Missouri for Ophioglossum
vulgatum. Rhodora 36: 22-23. Ja.1934. no.421.
Lincoln Co.

Thompson, J. W.
Notes on the flora of the state of Washington.
II. Rhodora 36: 8-13. Ja. 1934. no.421.

Wilson, L. R.
The spores of the genus Lycopodium in the
United States and Canada. Rhodora 36: 13-19.
pl.275-277. Ja.1934. no.421.

Science (470Sci2)
Clayton, E. E. & Gaines, J. G.
Control of downy mildew disease of tobacco
through temperature regulation. Science 78: 609-
610. D.29, 1933. no.2035.

Science (cont.)

Copeland, H. F.
Conventions of botanical nomenclature.
Science 79: 11-12. Ja.5, 1934. no.2036.

Hansen, H. N. & Scott, C. E.
A canker and gall disease of Gardenia.
Science 79: 18. Ja.5, 1933. no.2036.
Phomospsis sp.

Shirley, H. L.
A method for studying drought resistance in plants. Science 79: 14-16, illus. Ja.5, 1934. no.2036.

Science Progr. (London) (472Sci22)

Jane, F. W.
Aspects of the study of wood anatomy.
Science Progr. 28: 439-455. Ja. 1934. no.111.

Sitzungsb. Naturf. Ges. Univ. Tartu (511D73)

Lepik, E.
Einige pilzfunde aus Lettland. Sitzungsb. Naturf. Ges. Univ. Tartu 39: 169-182. illus. 1933. no.3/4.

Lippmaa, T.
Taimeühingute uurimise metoodika ja Eesti taimeühingute klassifikatsiooni põhijooni. (Grundzüge der pflanzensoziologischen methodik nebst einer klassifikation der pflanzenassoziationen Estlands). Sitzungsb. Naturf. Ges. Univ. Tartu 40: 1-169. illus. 1933. no.1/2.
German summary: p.140-159.

Vilberg, E.
Põhja-eesti saarte taimkattest. I. (Ueber die pflanzendecke der Nordestländischen Inseln.) II. Saarte taimeühiskonnad (Die pflanzengesellschaft der inseln). Sitzungsb. Naturf. Ges. Univ. Tartu 39: 231-304. illus. 1933. no.3/4.
German summary: p.293-302.

O Solo (Rev. Centro Agr. Luiz de Queiroz) (Piracicaba)
(9.2So4)

Marmo, J. C.
Algo sobre a ferrugem do algodoeiro. O Solo (Rev. Centro Agr. Luiz de Queiroz) 25(9/10): 37-40. pl. S./O.1933.
Uredo gossypii.

Stain Techn. (442.8St1)
Rohrbaugh, P. W.
Methods of staining plant itssues for differentiating the natural plant oils from petroleum spray oils. Stain Techn. 9: 1-3. Ja.1934. No.1.

Sucrerie Belge (66.8Su1)
Verplancke, G.
Betteraves fasciculées. Sucrerie Belge 53: 123-124. D.1, 1933. no.7.

Tijdschr. Plantenz. (464.ST44)
Poeteren, N.v.
Californische pap. Tijdschr. Plantenz. 39: 321-325. D. 1933. no.12.

Schoevers, T. A. C.
Sproeischema voor fruitboomen. Tijdschr. Plantenz. 39: 326-335. D. 1933. no.12.

Torreya (450T63)
Edwards, J. L.
Dicentra eximia at the Delaware Water Gap. Torreya 33: 136-137. N./D. 1933. no.6.

Harper, R. M.
A color phase of Sitilias caroliniana and some analogous variations in other genera. Torreya 33: 143-146. N./D. 1933. no.6.
S. caroliniana forma alabamensis, [n.f.]

House, H. D.
Distribution and spread of Serapias helleborine in New York State. Torreya 33: 133-135. illus. (map) N./D. 1933. no.6.

Knobloch, I. W.
Geum virginianum L.var. murrayanum Fernald. Torreya 33: 147. N./D 1933. no.6.
First record from Angola-on-the-Lake, N.Y.

Torreya (cont.)
Mueller, C. H.
A new species of Talinum from Trans-pecos Texas. Torreya 33: 148-149. N./D.1933. no.6.
T. youngae.

Shepard, W. C. & Shepard, G. Q.
A search for two of America's rarest conifers. Torreya 33: 138-142. N./D. 1933. no.6.
Taxus floridanus, T. taxifolium.

Tropenpfl. (Berlin) (26T75)
Hinrichs, C.Th.
Keimversuche mit ölpalmensaaten (Elaeis guineensis). Tropenpfl. 36: 513-521. D. 1933. no.12.

Trop. Agr. (26T751)
Haigh, J. C.
On the identity of some curry stuffs. Trop. Agr. 81: 283-286. pl. i-ii. N.1933. no.5.

Park, M.
Panama disease of plantains. Trop. Agr. 81: 330-333. col.front. N. 1933. no.5.

Trop. Agriculture West Indies (Trinidad) (26T754)
Wardlaw, C. W.
Banana diseases. VI-VII. Trop. Agriculture West Indies 11: 8-13, 13-15. pl.vii-x. Ja. 1934. no.1.
VI. The nature and occurrence of pitting disease and fruit spots. VII. Notes on banana leaf diseases in Trinidad.

Trudy Tsentr. Nauchno-Issled. Inst.Sakharn Prom. Moskva (66.9M85)
Kupleniskaja, O.I.
Fiziologicheskoe issledovanie mikroorganizmov, Fusarium betae, Macrosporium commune i Verticilium lateritium (Physiological study of Fusarium betae, Macrosporium commune and Verticillium lateritium) Trudy Tsentr. Nauchno-Issled. Inst. Sakharn. Prom. Moskva 12: 54-63. 1933.
Russian with English summary.

Trudy Vimp. Vses. N. I. Inst. Makhor. Prom. Kiev (69.9K54)
Kulikova, E.
Sravnitel'noe izuchenie triploidnykh gibridov Nicotiana tabacum L. x Nicotiana rustica L. i ikh roditel' skikh form (A comparative study of triploid hybrids of Nicotiana tabacum L. x Nicotiana rustica and their parental forms). Trudy Vimp Vses. N.I. Inst. Makhor. Prom. Kiev 1: 8-27. 1933.
Russian with English summary.

Okonenko, A. S., Pigal'skaja, E.I. & Shevchishin, I.E.
Materialy k izuchenii͡u kolichestva khlorofilla kak selektsionnogo priznaka u makhorok (Contributions to the study of chlorophyll volume as a plant-breeding feature of Nicotiana rustica) Trudy Vimp. Vses. N.I. Inst. Makhor. Prom. Kiev 1: 97-108. 1933.
Russian with English summary.

Weidemann, M. G.
O ri͡abukhe (wild-fire) i novom, prostom, polevom sposobe iskusstvennogo zarazhenii͡a makhorki-epidemischeskoĭ riabukhoi (About wild-fire and new simple means of artificially infecting tobacco with epidemic wild-fire, preliminary information) Trudy Vimp Vses. N.I. Inst. Makhor.Prom. Kiev 1: 218-230. 1933.
Russian with English summary.

Die Umschau (Frankfurt) (404Um7)
Heupke, W.
Die verdauung der pflanzennahrung. Die Umschau 37: 993-995. illus. D.16, 1933. no.51.

U.S. Dept.Agr. Circ. (1Ag84C)
Clark, J. A. & Quisenberry, K. S.
Distribution of the varieties and classes of wheat in the United States in 1929. U. S. Dept. Agr. Circ. 283. 75 p. illus. (maps) N.1933.

U.S. Dept. Agr. Plant Dis.Rep. (1.9P69P)
Hunter, H. A.
Diseases of canning crops in Maryland in 1933. U.S. Dept. Agr. Plant Dis. Rep. 17: 181-183. D.15, 1933. no.15.

Wellman, F. L.
Pathological effects of the east wind in Florida. U.S. Dept. Agr. Plant Dis. Rep. 17: 177-181. D.15, 1933. no.15.

U.S. Dept. Agr. Miscellaneous mimeographed publications.

Pease, V. A.

Papaya and papain. A list of references. Washington, 1933.

Mimeographed publ. from Food research Div., Bur. of chemistry and soils, U.S. Dept. of agriculture.

Robinson, T. R.

Avocado culture in Florida. Washington, D.C. Jl.1933.

Mimeographed publ. from Div. of Fruit and vegetable crops and diseases, Bur. of plant industry, U.S. Dept. of agriculture.

Winston, J. R.

Reducing decay in Florida citrus fruits by the use of borax. Washington, D.C., S. 1933.

Mimeographed publ. from Div.of fruits and vegetable crops and diseases, Bur. of plant industry, U. S. Dept. of Agriculture.

Vict. Nat. (Melbourne) (410V66)

Lucas, A. H. S.

A pioneer botanist in Victoria. Vict. Nat. 50: 186-190. port. D. 1933. no.8.

W. H. Harvey.

Rogers, R. S.

The genus Chiloschista, Lindl. Vict. Nat. 50: 182-185. illus., pl. xxv. D.1933. no.8.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig) (442.8Z34)

Hiorth, G.

Genetische versuche mit Collinsia. IV. Die analyse eines nahezu sterilen artbastardes (2.) Zeitschr. Indukt. Abstamm. u. Vererbungsl. 66: 245-274. 1933. no.2.

Imai, Y.

Linkage studies in Pharbitis nil. III. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 66: 219-235. 1933. no.2.

Imai, Y. & Tabuchi, K.

A provisional map of the yellow chromosome of Pharbitis nil. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 66:236-244. 1933. no.2.

Zeitschr. Indukt. Abstamm. u.Vererbungsl. (cont.)

Renner, O. & Cleland, R. E.

Zur genetik und cytologie der Oenothera chicaginensis und ihrer abkömmlinge. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 6: 275-318. 1933. no.2.

Tschermak-Seysenegg, E.

Weitere studien am fertilen, konstanten artbastard Tr. turgidovillosum und seinen verwandten. I. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 66: 180-218. illus. 1933. no.2.

Zeitschr. Pflanzenkr. (Stüttgart) (464.8Z3)

Steiner, H.

Ueber braunrost- (Puccinia triticina und Puccinia dispersa) infektionen an abgeschnittenen getreideblättern. Zeitschr. Pflanzenkr. 43: 673-682. illus. D.1933. no.12.

Zentralbl. Bakt. Abt.II. (Jena) (448.3C33)

Szilvinyi, A. v.

Blastodendrion canis nov.sp.; ein beitrag zur diagnose und systematik der asporogenen sprosspilze. Zentralbl. Bakt. Abt.II 89: 284-299. illus. D.20, 1933. no.13/16.

Der Züchter (Berlin) (442.8Z8)

Hüttig, W.

Ueber den einfluss von aussenbedingungen auf die chromosomenreduktion. Der Züchter 5: 243-249. illus. N.1933. no.11.

Sammelreferat.

Propach, H.

Fortschritte der cytologie in der austausch- und konjugationsfrage. Der Züchter 5:249-257. illus. N.1933. no.11.

Sammelreferat.

Rave, L.

Leica-reproduktionsverfahren und pflanzenzüchtung. Der Züchter 5: 260-262. illus. N.1933. no.11.

Veh, R. v.

Wie kann und soll beim kernobst eine blute auf ihre neigung zur fruchtbildung hin experimentell gepruft werden? Der Züchter 5: 241-243. illus. N.1933. no.11.

Exp. Stat. Publ.

Heinicke, A. J. & Hoffman, M. B.

The rate of photosynthesis of apple leaves under natural conditions. I. Cornell Agr. Exp. Stat. Bull. 577. 32 p. illus. N.1933. (Rec'd Ja.1934) (100N48C)

Tiedjens, V. A.

Yellow pickle in greenhouse cucumbers. Massachusetts Agr. Exp. Stat. Bull. 225. 8 p. D.1925(100M38H)

Cation, D.

An infectious rosette of peach trees. Michigan Agr. Exp. Stat. Quart.Bull. 16:79-84. illus. N.1933 (Rec'd Ja.1934) (100M58S)

Harmer, P. M.

Prevention of frost injury to muck crops. Michigan Agr. Exp. Stat. Quart. Bull. 16: 62-68. illus. N. 1933. (Rec'd Ja.1934) (100M58S)

Loree, R. E.

The viking raspberry. Michigan Agr. Exp. Stat. Quart. Bull. 16: 99-100. illus. N. 1933. (Rec'd Ja.1934) (100M58S)

Moore, J. C.

Biochemical investigations of certain winter pears. Oregon Agr. Exp. Stat. Bull. 316. 10 p. Je. 1933 (Rec'd Ja.1934) (100Or3)

Zeller, S. M.

Crinkle disease of strawberry. Oregon Agr. Exp. Stat. Bull. 319. 14 p. illus. O. 1933. (Rec'd Ja.1934) (100Or3)

New Books.

Carvalho e Vasconcelos, J.

Trigos portugueses ou de há muito cultivados no país (subsídos para o seu estudo botanico) Lisboa, 1933 (59.26C25)

Separata do "Boletim de agricultura" ano 1, no. le 2 - 1 série.

Diels, L. & Pritzel, E.

Südwest - Australien. In Karsten, G. Vegetationsbilder r.24, h.1/2. pl.1-12. 1933 (f°452.9K142)

New Books (cont.)

Jávorka, S. & Csapody, V.
A Magyar flóra képekben(Iconographie florae hungaricae) pt.17. Budapest, 1933. (f°459.7J32Ma)

Lanfer, K. F.
Ein beitrag zur kenntnis der weiblichen bluten der coniferen. Ontogenetische und teratologische untersuchungen über die weiblichen blütenzapfen der abietineen, der cupressineen und der taxaceen mit besonderer berücksichtigung der bei einigen art vorkommenden vergrünungen (anamorphosen) Leipzig, M. Weg, 1933 (463.46L24)
Inaug.-diss. Munchen.

Maine. Forest commission.
Forest trees.of Maine. [5th ed.] Augusta, 1932 (99.3M28)

Matton, W. R. & Miller, R. B.
Forest trees of Illinois and how to know them... 7th ed. Springfield, Ill., 1933 (993M431)

Murray, J. G. & Cranfield, H. T.
Report on an investigation into the damage caused to greenhouse crops by minute quantities of escaping coal gas. [Lincoln, Eng.] 1933. (464.38M96)
At head of title: County council of the parts of Lindsey, Lincolnshire, Education committee. Horticultural education sub-committee.

Small, J.
A textbook of botany for medical, pharmaceutical and other students. 3d ed. London, J. & A. Churchill, 1933 (463Sm1)

Stern, C.
Faktorenkoppelung und faktorenaustausch. Berlin, Borntraeger, 1933 (Handbuch der vererbungswissenschaft hrsg. von E. Baur und M. Hartmann lfg. 19 (bd.1, H) (442H19)

Stevenson, N. I.
A pocket guide to sixty distinctive tropical trees cultivated in the open in the United States. Fayette, Iowa. 1933 (455.5St4)

New Books (cont.)

Wright, W. P.
The Wright encyclopaedia of gardening
London, J.M. Dent, 1933 (90.01 W93E)

Reprinted from publications not yet rec'd or not available.

Nisikado, Y., Matsumoto, H. & Yamauti, K.

Contribution to the knowledge of the physiological specialisation of the genus Fusarium I-II. Reprinted from Agricultural Research 20: 320-345, 346-375. Ap.1933 (J464.02N63)

Japanese.

I. Comparative studies of the pathogenicity of the various strains of the rice-"bakanae" disease. II. Thermal relations of the growth of various strains of the rice-"Bakanae"-fungus.

Nisikado, Y. & Matsumoto, H.

Studies on the "bakane"-disease of rice. I-II. Reprinted from Agricultural research 19: 309-331, 333-358. plates, diags. S. 1932 (J464.)2N63S)

Japanese.

I. Comparative studies of Lisea fujikuroi Sawada and Gibberella moniliformis Wineland. II. Results of inoculation experiments with the rice-"banakae"-fungus and closely related species.

Yamamoto, Y.

Synopsis specierum generis Balanophorae in Japonia et Formosa sponte crescentium. Reprinted from Ann. Rep. Taihoku Bot. Gard. 1: 93-97. 1931.

B. kudoi, B. oshimae, n.spp.

1.9
69Lc

BOTANY
CURRENT LITERATURE

LIBRARY
RECEIVED
★ FEB 1 1934 ★
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no.2. Jan.15-27, 1934.

Addisonia (N.Y.) (450Ad2)
Addisonia v.18, no.2. col.pl. 585-592.
O. 1933. (D.28)
Dianella caerulea, Lilium grayi, Pinguicula caerulea, P. lutea, Dyschoriste humistrata, Mesembryanthemum emarginatum, Hydrotrida caroliniana, Ilsanthes grandiflora.

Agric. Colon. (Firenze) (26Ag82)
Vivoli, G.
Sulle possibilità di coltivazione di alcune piante esotiche dei paesi caldi in Tripolitania. Agric. Colon. (Firenze) 27: 570-584. ii pl. D. 1933. no.12.

Agricolt. Razion. Milan (16Ag824)
Palladino, G.
Un nuovo aspetto della razionalizzazione in agricoltura: la "jarovisation". Agricolt. Razion. Milan 5: 324-326. D. 1933. no.12.

Alpe Riv. For. Ital. (Piacenza) (99.8A17)
Fenaroli, L.
Il corniolo e la sanguinella. Alpe Riv. For.Ital. 20: 464-468. illus. N./D. 1933. no.11/12.

Fenaroli, L.
Il maggiociondolo e il citiso alpino. Alpe Riv. For.Ital. 20: 458-463. illus. N./D. 1933. no.11/12.

Fiori, A.
Le rosacee. Alpe Riv. For. Ital. 20: 450-457. illus. N./D. 1933. no.11/12.
Prunus, Sorbus, Pirus and Crataegus.

Merendi, A.
Il bosso (Buxus sempervirens L.) Alpe Riv. For. Ital. 20: 478-480. illus. N./D. 1933. no.11/12.

Alpe Riv. For. Ital. (cont.)
Passavalli, L. P.
I ramni (gen. Rhamnus). Alpe Riv. For. Ital.
20: 475-477. illus. N./D. 1933. no.11/12.

Passavalli, L.P.
I sambuchi (Sambucus sp.pl.) Alpe Riv.
For. Ital. 20: 481-484. illus. N./D. 1933. no.11/12.

Pavari, A.
L'agrifoglio (Ilex aquifolium). Alpe Riv.
For. Ital. 20: 469-473. illus. N./D. 1933. no.11/12.

Pavari, A.
La betulla o bètula (Betula alba L.) Alpe
Riv. For. Ital. 20: 411-417. illus. N./D. 1933.
no.11/12.

Philippis, A. de.
Il nocciuolo (Corylus L. sp.pl.) Alpe Riv.
For. Ital. 20: 425-429. illus. N./D. 1933. no.11/12

Senni, L.
Il platano. Alpe Riv. For. Ital. 20: 445-449.
illus. N./D.1933.

Speranzini, F.
I carpini. Alpe Riv. For. Ital. 20: 430-444.
illus. (incl. map) N./D. 1933. no.11/12.

Amer. Fruit Grow. (Chicago) (80G85)
Darrow, G. M.
Seven new strawberries introduced by U.S.
Amer. Fruit Grow. 54: 11, 24. illus. Ja. 1934.
no.1.

Amer. Nurserym. (Rochester, N.Y.) (80Am371)
Chadwick, L. C.
Plants that will thrive in acid soil.
Amer. Nurserym. 59(2): 8. Ja.15, 1934.

Agnew. Bot. (Berlin) (450An4)
Kochs, J.
Versuche mit ölhaltigem einwickelpapier zur
verhütung von kaltlagerungskrankheiten bei äpfeln.
Angew. Bot. 15: 540-553. N./D. 1933. no.6.

Loew, O.
Ueber die bildung von eiweiss in den pflanzen.
Angew. Bot. 15: 518-539. illus. N./D. 1933. no.6.

Agnew. Bot. (cont.)
Milatz, R.
Neue hafersortenmerkmale. Agnew. Bot. 15: 481-518. illus. N./D. 1933. no.6.

Ann. Mus. Colon. Marseille (410.9M35)
Jumelle, H.
Catalogue descriptif des collections botaniques du Musée colonial de Marseille: Afrique équatoriale française (oléagineux). Ann. Mus. Colon. Marseille v.42(V,2), fasc. 1. 73 p. 1934.

Ann. & Mag. Nat. Hist. (London) (410An77)
Edwards, W. N.
Jurassic plants from New Zealand. Ann. & Mag. Nat. Hist. 13: 81-109. illus., pl. iv-v. Ja. 1934. no.73.

Ann. Appl. Biol. (London) (442.8An72)
Grainger, J.
The movement of tobacco mosaic virus in its host. Ann. Appl. Biol. 20: 236-257. illus. My. 1933. no.2.

Ann. Univ. Stellenbosch. (Capetown) (515St3)
Byl, P. A. van der
Korsmosse van die Unie van Suid-Afrika. I-II. Ann. Univ. Stellenbosch. v.11,A, no.6. 18 p. illus. N.1933;

Du Plessis, S. J.
Beskrywing van Synchytrium cotulae nov.spec. op Cotula coronopifolia Linn. in Suid-Afrika. Ann. Univ. Stellenbosch v.11,A, no.5. 11 p. illus. O.1933.
English summary: p.10.

Ann. Rep. Bur. Sugar Exp. Stat. Queensl. (65.9Q3)
Bell, A. F.
Division of pathology. Ann. Rep. Bur. Sugar Exp. Stat. Queensl. 33(1932/33): 54-61. 1933.

Bartonia (Philadelphia) (451P532)
Benner, W. M.
Additions to the flora of Bucks County, Pennsylvania. Bartonia 15: 32-34. 1933.

Benner, W. M.
Eugene A. Rau. Bartonia 15: 55-56. 1933.

Bartonia (cont.)

Fogg, J. M., jr.
Euphorbia dentata in the Philadelphia local area. Bartonia 15: 35-36. 1933.

Freer, R. S.
Notes on the occurrence of some unusual plants in the Virginia Blue Ridge. Bartonia 15: 9-13.

Pennell, F. W.
Fimbristylis darlingtoniana, a sedge peculiar to the serpentine barrens. Bartonia 15 : 27-31. illus. 1933.

Pennell, F. W.
Polygala verticillate and the problem of typifying Linnean species. Bartonia 15: 38-45. 1933.

Stone, H. E.
Leptoloma cognatum in southern New Jersey. Two notes. Bartonia 15: 36-37. 1933.
2d note by J.M. Fogg, jr.

Stone, W.
John W. Eckfeldt, M.D., 1851-1933. Bartonia 15: 57-59. pl.4 (port.) 1933.

Wherry, E. T.
The Appalachian relative of Serracenia flava. Bartonia 15: 7-8. illus. (map), pl. 1. 1933.
S. oreophila (Kearney) Wherry, n.sp.

Wherry, E. T.
The eastern veiny-leaved phloxes. Bartonia 15: 14-26. illus. (maps), pl.2-3. 1933.

Wherry, E. T.
The geographic relations of Sarracenia purpurea. Bartonia 15: 1-6. illus. (map) 1933.

Better Crops (N.Y.)

Lee, O. C.
Weeds are a nation's menace. Better Crops. 19(5): 9, 25-26. illus. D.1933/Ja.1934.

Niven, L. A.
Potash prevents wilt and rust. Better Crops 19(5): 7-8, 29-30. illus. D.1933/Ja.1934.
Of cotton.

Biochem. Zeitschr. (Berlin) (384B522)

Chrzascz, T. & Pisula, F.
Abbau und verbrauch von eiweiss durch schimmelpilze. Biochem. Zeitschr. 266: 29-45. O.24, 1933. no.1/3.

Gorr, G. & Wagner, J.
Ueber das amidspaltungsvermögen der Torula utilis, eine untersuchung über die abhängigkeit pflanzlicher enzymausbildung von stickstoffernährung. Biochem. Zeitschr. 266: 96-101. O.24, 1933. no.1/3.

Härdtl, H.
Amylopektin als nährstoff der pilze. Biochem. Zeitschr. 267: 6-10. D.12, 1933. no.1/3.

Kardo-Syssojeva, E.
Ueber die bildung von gluconsäure durch Aspergillus niger. Biochem. Zeitschr. 266: 337-351. N.12, 1933. no.4/6.

Klein, G. & Ziese, W.
Beiträge zum chemismus pflanzlicher tumoren. IV. Ueber peroxydase in pflanzlichen tumoren. Biochem. Zeitschr. 267:22-25. D.12, 1933. no.1/3.

Kluyver, A. J. & Perquin, L.H.C.
Zur methodik der schimmelstoffwechseluntersuchung. Biochem. Zeitschr. 266: 68-81. illus. O.24, 1933. no.1/3.

Sjollema, B.
Kupfermangel als ursache von krankheiten bei pflanzen und tieren. Biochem. Zeitschr. 267: 151-156. D.12, 1933. no.1/3.

Skinner, J. T., Peterson, W. H. & Steenbock, H.
Nährwert von schimmelpilzmycel. Biochem. Zeitschr. 267:169-178. D.12, 1933. no.1/3.

Virtanen, A.I., Hausen, S. v. & Saastamoinen, S.
Untersuchungen über die vitaminbildung in pflanzen. I. Biochem.Zeitschr. 267: 179-191. D.12, 1933. no.1/3.

Bi͡ull. I͡aroviz. (1060d2)
Lysenko, T. D.
Ocnovnye rezul'taty rabot po i͡arovizatsii sel'sko-khozi͡aĭstvennykh rasteniĭ [Principal results from iarovization of agricultural plants] Bi͡ull. I͡aroziv. 4: 3-57. illus. 1932.
Russian.

Bol. Union Panamer. (Washington) 150.9M76B)
Vinall, H.N.
Importantes pastos tropicales. I. Bol. Union Panamer. 68: 125-140. illus. F.1934. no.2.
No.91, Ser. de Impresos sobre agricultura.

Bot. Not. (Lund, Sweden) (450B656)
Arwidsson, Th.
Ueber einige von O. Ekstam auf Waigatsch gesammelte gefässpflanzen. Bot. Not. 1933: 473-478. D.20, 1933. no.4/6.

Degelius, G.
Lichenologiska bidrag. V. Bot. Not. 1933: 509-519. illus. D.20,1933. no.4/6.

Gertz, O.
Till kännedomen om Cuscuta europaeas värdväxtflora. Bot. Not. 1933: 505-508. D.20, 1933. no.4/6.

Gustafsson, Å.
Ueber die teilung der embryosackmutterzelle bei Taraxacum. Bot. Not. 1933: 531-534. D.20, 1933. no.4/6.
Vorläufige mitteilung.

Johansson, H. E.
Växttopografiska anteckningar. 1. Lappland jämte övriga delar av Västerbottens och Norrbottens län bearbetade av S. Grapengiesser. Bot.Not. 1933: 479-499. D.20, 1933. no.4/6.

Levring, T.
Smärre uppsatser och meddelanden. Bot. Not. 1933: 601-603. D.20, 1933. no.4/6.
Några algfynd vod Svenska västkusten.

Bot. Not. (cont.)

Lönnerblad, G., Naumann, E. & Wanselin, J.
Ueber sauerstoffzehrung durch Sphaerotilus-aufwuchs. Bot. Not. 1933: 577-580. D.20, 1933. no.4/6.

Lönnerblad, G. & Naumann, E.
Versuche über die sauerstoffzehrung von organisch gedüngtem wasser, mit und ohne spezielle einpflanzung von saproblien. Bot. Not. 1933: 581-587. D.20, 1933. no.4/6.

Mauritzon, J.
Ueber die embryologie der Turneraceae und Frankeniaceae. Bot. Not. 1933: 543-554. illus. D.20, 1933. no.4/6.

Naumann, E. & Wanselin, J.
Ueber die chemische zusammensetzung und die quantitative entwicklung des Sphaerotilus-aufwuchses. in Motala Ström bei Norrköping. Bot. Not. 1933: 588-592. D.20, 1933. no.4/6.

Nilsson, F.
Self-fertility in the genus Lolium. Bot. Not. 1933: 563-576. illus. D.20, 1933. no.4/6.

Nissen, Ø.
Genetische untersuchungen in Alopecurus pratensis L. 1. Ausspaltungen von albinos. Bot. Not. 1933: 555-562. D.20, 1933. no.4/6.

Peterson, D.
Stellaria media L. x Stellaria neglecta weihe. Bot. Not. 1933: 500-504. illus. D.20,1933. no.4/6.
English summary: p.503-504.

Rosenberg, T.
Zur antaomie und entwicklungsgeschichte von Dasya arbuscula. Bot. Not. 1933: 535-542. illus. D.20, 1933. no.4/6.

Stenar, H.
Zur embryologie der Agapanthus-gruppe. Bot.Not. 1933: 520-530. illus. D.20, 1933. no.4/6.

Brittonia.

Seward, A. C.

Note on two upper carboniferous pteridosperms from Kentucky. Brittonia 1: 195-202. pl. 1-2. D. 1933. no.4.

Merrill, E. D.

The generic name Parsonsia and the status of Parsonsia helicandra Hooker & Arnott. Brittonia 1: 233-237. D. 1933. no.4.

Smith, A. C.

The genera Sphyrospermum and Disterigma. Brittonia 1: 203-232. D. 1933. no.4.

Bull. Amer. Peony Soc. (81Am38B)

Brown, N. A.

Method of control for crown and root rot of peonies. Bull. Amer. Peony Soc. 55: 3-6. D. 1933.

Several different fungi are known to cause these rots.

Bull. Dept. Agr. 'Iraq. (22.5M562A)

Guest, E.

Notes on plants and plant products with their colloquial names in 'Iraq. Bull. Dept. Agr. 'Iraq no.27. 111 p. map. 1933.

Bull. Écon. Indochine (22.5In2)

Note sur les manguiers. Formes et variétés. Bull. Écon. Indochine 36: 805-816. S./O.1933.

Bull. Misc. Inform. Kew (London) (89K51B)

Fischer, C. E. C.

Contributions towards a flora of British North Borneo. III. Bull. Misc. Inform.Kew 1933: 487-495. 1933. no.10.

Hill, A. W.

New species of Nototriche and Malvastrum from the Argentine. Bull. Misc. Inform. Kew 1933: 485-487. 1933. no.10.

N. rosulata, N. caesia, M. tuberculatum.

Howes, F. N.

Dunkal gum. Bull. Misc. Inform. Kew 1933: 511-512. 1933. no.10.

Commiphora drake-brockmanii.

Bull. Misc. Inform. Kew (cont.)

Hubbard, C. E.
Notes on African grasses. XIX. Bull. Misc. Inform. Kew 1933: 498-503. 1933. no.10.

Kew. Royal gardens.
Tropical African plants. XI. Bull. Misc. Inform.Kew 1933: 467-479. pl. xviii. 1933. no.10.

Marsden-Jones, E. M. & Turrill, W. B.
Researches on Silene maritima and S. vulgaris. XII. Bull. Misc. Inform. Kew 1933: 479-485. 1933. no.10.

Nowell, W.
Agave amaniensis: A new form of fibre-producing Agave from Amani. Bull. Misc. Inform. Kew 1933: 465-467. pl.xvii. 1933. no.10.

Sandwith, N. Y.
Contributions to the flora of tropical America. XVIII. Bull. Misc. Inform. Kew 1933: 495-497. 1933. no.10.

Bull. Soc. Dendrol. France (Paris) (99.9So15)

Dode, L. A.
Notes dendrologiques. A propos des peupliers euraméricains de grande culture. Bull. Soc. Dendrol. France 1933: 30-48. My.15, 1933. no.86.

Dode, L. A.
Une nouvelle station de Populus mauritanica Dode. Bull. Soc. Dendrol. France 1933: 49. My.15, 1933. no.86.
"Ouado Safsaf, Oulad Settout, sur la Moulouya, rive oranaise (à 80 kilomètres de Melilla)".

Hickel, R.
Sur deux chênes hybrides. Bull. Soc. Dendrol. France 1933: 13-15. illus. F.15, 1933. no.85.
Hybrid of Quercus dentata and of Q. pontica.

Kern, E.
Le chêne-liège et le problème du liège en U.R.S.S. Bull. Soc. Dendrol. France 1933: 16-22. F.15, 1933. no.85.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Baxter, E. M.

California cacti. IX. Echinocereus. Cactus & Succ. Journ. 5: 499-501. illus. Ja.1934. no.7.

Bravo, H.

A contribution to the knowledge of the cacti of Mexico. III. Cactus & Succ. Journ. 5: 505-509. illus. Ja. 1934. no.7.

Hester, J. P.

Neglected Echinomastus. Cactus & Succ. Journ. 5: 503-504. illus. Ja.1934. no.7.

Walther, E.

Illustrated notes in the Crassulaceae. 6. Cotyledon teretifolia Thunbg. Cactus & Succ. Journ. 5: 502. illus. Ja.1934. no.7.

Smith, A.

What grows where. Cacti listed in accordance with their geographical origin. Compiled and copyrighted for Mrs. John D. Wright, Santa Barbara, Calif., 1933. (cont.) Cactus & Succ. Journ. 5: 510-511. Ja. 1934. no.7.

Calif. Citrogr. (Los Angeles) (80C125)

Bartholomew, E. T., Sinclair, W. B. & Raby, E. C.

Granulation (crystallization) of Valencia oranges. Calif. Citrugr. 19: 88-89, 106, 108. illus. F.1934. no.4.

... "No organism is directly responsible therefore it is considered to be a purely physiological trouble".

Lemon men hear discussion on blue and green molds. Calif. Citrogr. 19: 100-101. F.1934. no.4.

Discussion led by H.N. Dixon at meeting Lemon Men's club, Jan.3.

Canad. Flor. (Peterboro, Ont.) (80C163)

Brierley, P.

Dahlia mosaic and its relation to stunt. (concl.) Canad. Flor. 29: 16. Ja.23, 1934. no.2.

Compt. Rend. Acad. Sci. Paris (505P21)

Bach, D. & Desbordes, D.

Action paradoxale du mycélium d'Aspergillus repens sur le nitrate d'ammoniaque. Enrichissement du milieu en ammoniaque. Compt. Rend. Acad. Sci. Paris. 197: 1772-1774. D.26, 1933. no.26.

Besnard, W. & Korda, P.J.

De l'action des radiations lumineuses et ultra-violettes émises par des lampes spéciales sur la croissance et la reproduction de quelques plantes aquatiques. Compt. Rend. Acad. Sci. Paris 197: 1746-1748. D.26, 1933. no.26.

Costantin, J.

Expériences culturales sur la pomme de terre dans les Pyrénees. Compt. Rend. Acad Sci. Paris. 198: 22-26. Ja.3, 1934. no.1.

Joyet-Lavergne, Ph.

Le diagnostic du sexe par la mise en évidence des caractères de sexualisation. Compt. Rend. Acad. Sci. Paris 197: 1744-1746. D.26, 1933. no.26.

Experiments with Schizosaccharomyces octosporus and Saccharomycodes ludwigii.

Lami, R.

Sur une nouvelle espèce de laminaire de la région iberico-marocaine: Laminaria iberica (Hamel) Lami. Compt. Rend. Acad. Sci. Paris 198: 113-114. Ja.3, 1934. no.1.

Lavialle, P. & Jaeger, P.

La fertilité et la stérilité de l'androcée: leurs rapports avec le polymorphisme staminal chez Knautia arvensis Coult. Compt. Rend. Acad. Sci. Paris 198; 114-116. Ja.3, 1934. no.1.

Lemesle, R.

Des divers effets produits par le Fusarium anthophilum (A. Br.) Wr. sur l'ovule de Scabiosa succisa L. Compt. Rend. Acad. Sci. Paris. 198: 117-118. illus. Ja.3, 1934. no.1.

Miège, E. & Simonet, M.

Etude caryologique de types durum apparus dans le croisement Triticum vulgare var. alborubrum x T. vulgare var. oasicolum. Compt. Rend.Acad. Sci. Paris 197: 1751-1753. D.26, 1933. no.26.

Compt. Rend. Acad. Sci. Paris (cont.)

Sartory, A., Sartory, R., Meyer, J. & Ernst,
Influence inhibitrice du radium sur la croissance des radicelles de Lens esculenta: dose empêchante minima et temps d'irradiation. Compt. Rend. Acad. Sci. Paris 197: 1760-1762. D.26, 1933. no.26.

Viala, P. & Marsais, P.
Sur le court-noué, maladie parasitaire de la vigne. Compt. Rend. Acad. Sci. Paris. 198: 26-29. Ja.3, 1934. no.1.

Caused by Pumilus medullae n.sp., to be described later.

Country Life (London) (80C83)

Taylor, G. C.
The mock oranges. Country Life 75: 46-67. illus. Ja.13, 1934. no.1930.

Current Science (Bangalore) (475Sci23)

Srinivasa Rao, H.
A gall-like structure from a tree in the Andamans. Current Science 2: 208-209. D.1933. no.6.

On Carappa obovata, cause unknown, "may be an epiphyte like the orchids"...

Desert (Pasadena) (450D45)

Higgins, E. B.
Neomammillaria dioica (K. Brandegee). Desert (Pasadena) 5: 134. illus. Ja. 1934. no.9.

Ecology (Brooklyn, N.Y.) (410Ec7)

Campbell, R. S. & Bomberger, E. H.
The occurrence of Gutierrezia sarothrae on Bouteloua eriopoda ranges in southern New Mexico. Ecology 15: 49-61. illus. Ja. 1934. no.1.

Kittredge, J., jr.
Evidence of the rate of forest succession on Star Island, Minnesota. Ecology 15: 24-35. Ja. 1934. no.1.

In Cass Lake and part of Chippewa national forest.

Kurz, H. & Demaree, D.
Cypress buttresses and knees in relation to water and air. Ecology 15: 36-41. illus. Ja. 1934. no.1.

Ecology (cont.)

Penflund, W. T. & O'Neill, M. E.

The vegetation of Cat Island, Mississippi. Ecology 15: 1-16. illus. Ja.1934. no.1.

A continental island some nine miles south of Gulfport.

Shirley, H. L.

Observations on drought injury in Minnesota forests. Ecology 15: 42-48. Ja.1934. no.1.

Farming So. Africa (Pretoria) (24So842)

Saunders, A. R.

Maize pinking. Farming So. Africa 8: 249-250. illus. Jl.1933. no.88.

Not a disease, a heritable property, found to be dependent on sunlight.

Flora (Jena) (450F66)

Bergdolt, E.

Pteridophytenstudien. I. Die heterophyllen Trichomanes-arten. [T. trolii n.sp.] Flora 127(n.s.27): 251-271. illus. 1933. no.3.

Brauner, L.

Zur frage der postmortalen farbstoffaufnahme von pflanzenzellwänden. Flora 127(n.s.27): 190-214. illus. 1933. no.3.

Experiments with Spirogyra nitida, Closterium moniliferum.

Renner, O.

Zur kenntnis der letalfaktoren und des koppelungswechsels der oenotheren. Flora 127(n.s.27): 215-250. illus. 1933. no.3.

Wenderoth, H.

Einige ergänzungen zur kenntnis des aufbaus von Dictyota dichotoma Lamour. und Padina pavonia Lamour. Flora 127(n.s.27): 185-189. illus. 1933. no.3.

Florida Grow. (Tampa) (SOF6622)

Holland, F. L.

Use of zinc in Florida agriculture. Florida Grow. 41(8): 8-10, 19-20. illus. O./N.1933.

State Exp. Stat. gets interesting results with zinc sulphate in sprays on tung, citrus and pecan trees.

Flor. Exch. (N.Y.) (80F666)
Lumsden, D.
Homer C. Skeels. A tribute. Flor. Exch. 82(2): 15. Ja.13, 1934.
Died Jan.3, 1934.

Flor. Rev. (Chicago) (80W41)
Guba, E. F.
New sulphur vaporizer. Flor. Rev. 73(1885): 31. illus. Ja.11, 1934.

Sir William Matthew Lawrence. Flor. Rev. 73(1885): 24. Ja.11, 1934.
Died Ja.5, 1934, at 63.

Forsch. Geb. Pflanzenkr. K. Univ. Kyoto(J464.9K98)
Abe. T
On the influence of iron sulphate upon the growth and vitality of Piricularia oryzae, with special reference to temperature as an environmental factor. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 186-201. 1933.
Japanese with English summary: p.200-201

Abe, T.
On the influence of soil temperature upon the development of the blast disease of rice. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 30-54. 1933.
Japanese with English summary: p.53-54.

Abe, T.
On the relation of atmospheric humidity to the infection of the rice plant by Piricularia oryzae B. et C. Forsch. Geb. Pflanzenkr. Univ. Kyoto 2: 98-124. 1933.
Japanese with English summary: p.123-124.

Akai, S.
Ueber autoclyse bei Ophiobolus miyabeanus Ito et Kuribayashi. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 257-278. 1933.
Japanese with German summary: p.278.

Hemmi, T.
On Stereum induratum Berk. and Trametes dickinsii Berk. causing dry-rot of fagaceous woods. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 328-333. illus., pl.vi. 1933.
Japanese with English summary: p.333.
Stereum induratum on species of Quercus; Trametes dickinsii on Quercus, Castanea, Fagus & Pasania.

Forsch. Geb. Pflanzenkr. K. Univ. Kyoto (cont.)

Hemmi, T. & Abe, T.
On the relation of air humidity to germination of urediniospores of some species of Puccinia parasitic on cereals. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 1-9. 1933.

Hemmi, T. & Endo, S.
Studies on sclerotium diseases of the rice plant. VI. On the relation of temperature and period of continuous wetting to the infection of the rice plant by Hypochnus sasakii Shirai. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 202-218. 1933.
Japanese with English summary: p.217-218.

Hemmi, T. & Kurata, S.
Studies on septorioses of plants. V. Septoria menthae (Thum.) Oud. causing the serious leaf-spot disease of cultivated mints in Japan. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 10-19. illus. 1933.

Hemmi, T. & Watanabe, T.
Studies on the stem rot (split stem) of sweet potatoes. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 314-327. pl.v. 1933.
Japanese with English summary: p.326-327.
Fusarium? batatis & hyperoxysporum.

Ikeno, S.
Studies on sclerotium diseases of the rice plant. VII-VIII. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 219-237, 238-256. 1933.
Japanese with English summaries; p.237, 256.
VII. On the influence of continuous wetting and discontinuous wetting on infection of the rice plant by Hypochnus sasakii Shirai. VIII. On the relation of temperature and period of continuous wetting to the infection of soy-bean by the sclerotia of Hypochnus sasakii Shirai and on autoclysis of the same fungus.

Ikeya, J.
On a disease of the rice plant caused by Gibberella saubinetii (Mont.) Sacc. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 292-313. illus., pl.iv. 1933.
Japanese with English summary: p.313.

Forsch. Geb. Pflanzenkr. K. Univ. Kyoto (cont.)

Konishi, S.

On physiologic specialization in the rice blast fungus, Piricularia oryzae Br. et Cav. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 55-77. illus., pl. i. 1933.

Japanese with English summary: p.76-77.

Nojima, T.

Studies on Polyporus mikadoi Lloyd and Polyporus patouillardii Rick, causing the heart-rot of deciduous trees. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 154-171. illus., pl. ii-iii. 1933.

Japanese with English summary: p.170-171.

Seto, F.

Ueber das verschiedene verhalten der reiskeimlinge bei der "bakanae"-krankheit. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 20-29. 1933.

Vorlaufige mitteilung.

Seto, F.

Untersuchungen über die "bakanae"-krankheit der reispflanze. III-IV. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 125-137, 138-153. illus. 1933.

Japanese with German summary.

III. Ueber die beziehungen zwischen der bodenfeuchtigkeit und dem krankheitsbefall bei bodeninfektion. IV. Ueber die beziehungen zwischen bodentemperatur und dem krankheitsbefall bei bodeninfektion.

Suzuki, H.

On the relation of soil moisture to the development of the blast disease of rice, with special reference to the inoculation experiments on plants grown on soils differing in moisture and amount of nitrogenous manure. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 279-291. 1933.

Japanese with English summary: p.291.

Suzuki, H.

On the relation of soil moisture to the development of the blast disease of rice plant with special reference to the results of inoculation experiments on seedling and pedicels of spikes of plants grown on soils differing in the time and duration of drying and irrigation. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 172-185. 1933.

Japanese with English summary: p.184-185.

Forsch. Geb. Pflanzenkr. K. Univ. Kyoto (cont.)
Suzuki, H.
On the relation of soil moisture to the development of the rice blast disease, with special reference to the results of inoculation experiments on the resistant and susceptible varieties of the paddy rice and the upland rice. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 2: 78-97. 1933.
Japanese with English summary: p.97.

Gard. Chron. (London) (80G162)
Balls, E. K.
Plant collecting in Persia. I. Gard. Chron. III, 95: 8-9. illus. Ja.6, 1934. no.2454.

Besant, J. W.
Lycoris in America. Gard. Chron. III, 95: 7. illus. Ja.6, 1934. no.2454.

Boothman, H. S.
Aquilegias. I. Gard. Chron. III, 95: 12-13. Ja.6, 1934. no.2454.

Friend, H.
Herbals and herbalists. III. Theophrastus the fluent. Gard. Chron. III, 95: 9-10. illus. Ja.6, 1934. no.2454.

Gartenbauwiss. (Berlin) (80G195)
Agerberg, L. S., Schmidt, M. & Sengbusch, R. v.
Zur entwicklungsphysiologie von Cladosporium fulvum und über die widerstandsfähigkeit von Solanum racemigerum gegen diesen parasiten. II. Gartenbauwiss. 8: 346-358. illus. D.19, 1933. no.2.

Härdtl, H.
Beitrag zum problem der gestaltung hoherer pflanzen unter dem einfluss der schwerkraft. Gartenbauwiss. 8: 239-284. illus. D.19, 1933. no.2.
Eine obstbauliche vorstudie.

Kisser, J.
Zur frage nach beziehungen zwischen keimschnelligkeit und geschwindigkeit des keimlingswachstums. Gartenbauwiss. 8: 336-345. D.19, 1933. no.2.

Gartenbauwiss. (cont.)

Moog, H.

Beiträge zur ampelographie. IV. Gartenbauwiss. 8: 215-238. illus. D.19, 1933. no.2.

Passecker, F.

Kulturversuche mit dem japanischen Shiitake oder Pasaniapilz. Gartenbauwiss. 8: 359-364. illus. D.19, 1933. no.2.

Schanderl, H.

Ueber eine selbststerile spielart der schattenmorelle. Gartenbauwiss. 8: 135-145. illus. D.19, 1933. no.2.

Schwarz, L.

Wirkung des warmbades und einiger chemischer bäder auf das wurzeltreiben von stecklingen. Gartenbauwiss. 8: 285-321. illus. D.19, 1933. no.2.

Veh, R. v.

Beiträge zur frage nach den befruchtungsverhältnissen der für Deutschland wertvollsten kern-, stein und beerenobstsorten. II. Entwicklungsgeschichtlich-cytologische untersuchung der samenanlagen der apfelsorte "Schöner v. Boskoop". Gartenbauwiss. 8: 146-214. illus. D.19, 1933. no.2.

Gartenw. (Berlin) (80G196)

Knoll, W.

Eine beobachtung in bezug auf die ulmenkrankheit. Gartenw. 37: 627. illus. D.22, 1933. no.51.

Heil & Gewürz-Pflanzen. (Munich) (71.8H36)

Reko, V. A.

Ayahuasca, der trank der grauenhaften träume. Heil & Gewurz-Pflanzen 15: 135-141. D.23, 1933. no.3.

Walter, M.

Septoria-blattfleckenkrankheit an der pfefferminze. Heil & Gewürz-Pflanzen 15: 93-94. illus. D.23, 1933. no.3.

S. menthae and S. menthicola.

Würke, H.

Untersuchungen über die maserbildung beim rhabarberrhizom. Heil & Gewürz-Pflanzen 15: 97-132. illus. D.23, 1933. no.3.

Hereditas (Lund) (442.SH42)

Lamprecht, H.

Das gen uni und seine koppelung mit anderen genen bei Pisum. Hereditas 18: 269-296. illus. 1934. no.3.

Levan, A.

Cytological studies in Allium. V. Allium macranthum. Hereditas 18: 349-359. illus. 1934. no.3.

Wezelsen, H.

Quantitative inheritance and linkage in barley. Hereditas 18: 307-348. illus. 1933. no.3.

Hints Potato Grow. N.J. (New Brunswick) (75.9H59)

Martin, W. H.

Fertilizer-mercury combinations for the control of scab and Rhizoctonia. Hints Potato Grow. N.J. v.14, no.8. [4] p. D.1933.

Journ. Amer. Chem. Soc. (381Am33J)

Couch, J. F.

Lupine studies. VI. The alkaloids of Lupinus corymbosus, Heller. (1). Journ. Amer. Chem. Soc. 56. 155-156. Ja. 1934. no.1.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)

Anderson, A. & Kiesselbach, T. A.

Studies on the technic of control hardiness tests with winter wheat. Journ. Amer. Soc. Agron. 26: 44-50. Ja. 1934. no.1.

Sturkie, D. G.

A study of lint and seed development in cotton as influenced by environmental factors. Journ. Amer. Soc. Agron. 26: 1-24. Ja. 1934. no.1.

Suneson, C. A. & Peltier, G. L.

Cold resistance adjustments of field-hardened winter wheats as determined by artificial freezing. Journ. Amer. Soc. Agron. 26: 50-58. Ja. 1934. no.1.

Journ. Biol. Chem. (Baltimore) (381J824)

Anderson, E.

The mucilage from slippery elm bark. Journ. Biol. Chem. 104: 163-170. Ja. 1934. no.1.

Journ. Bombay Nat. Hist. Soc. (513B63)

Blatter, E. & Fernandez, J.
The flora of Waziristan. II. Journ. Bombay Nat. Hist. Soc. 36: 950-977. 2 pl. D.15, 1933. no.4.

Blatter, E.
Revision of the flora of the Bombay Presidency. XXII. Journ. Bombay Nat. Hist. Soc. 36: 781-795. illus., pl. D.15, 1933. no.4.

Blatter, E. & Millard, W. S.
Some beautiful Indian trees. XIII. Journ. Bombay Nat. Hist. Soc. 36: 778-780. illus., pl. 21-22. (1 col.) D.1933. no.4.

Hubback, T.
Note on the Ashoka tree. Journ. Bombay Nat. Hist. Soc. 36: 1023. D.15, 1933. no.4.
Saraca indica.

Narayan Acharya, H.
The Ashoka tree. Journ. Bombay Nat. Hist. Soc. 36: 1021-1022. D.15, 1933. no.4.

Journ. Bot. (London) (450J82)

Armitage, E.
Bryophyta new to Co. Waterford. Journ. Bot. 72: 18-20. Ja.1934. no.853.

Dixon, H. N.
Miscellanea bryologica. XII. (concl.) Journ. Bot. 72: 12-18. Ja.1934. no.853.

Novitates africanae. (cont.) Journ. Bot. 72: 20-22. Ja.1934. no.853.

Steenis, C.G.G.J. van
Some remarks on the Kinabalu collection of Chaplain and Mrs. Clemens, 1931-32. Journ. Bot. 72: 1-12. Ja. 1934. no.853.

Journ. Fac. Sci. Imp. Univ. Tokyo Sect. III, Bot.

Satake, Y.
Systematic and anatomical studies on some Japanese plants. II. Journ. Fac. Sci. Imp. Univ. Tokyo Sect. III, Bot. 4: 131-223. illus., iv pl. O.23, 1933. no.2.

Journ. Hered. (Washington) (442.8Am3)

Parker, M. C.

The inheritance of a yellow-spot character in the bean. Journ. Hered. 24:481-486. illus. D.1933. no.12.

Journ. Sapporo Soc. Agr. & For. (J22.5So1)

Yamamoto, K.

The jarovization of the radish seedlings (Raphanus sativus L.) on the effect of the low-temperature-treatment. Journ. Sapporo Soc. Agr. & For. 25:260-278. illus. N.1933. no.116.

Japanese. English resume: p.278.

Journ. Tenn. Acad. Sci. (500T25A)

Freeman, C. P.

Ecology of the cedar glade vegetation near Nashville, Tennessee. Journ. Tenn. Acad. Sci. 8:141-228. illus. Ap.1933. no.2.

Hazard, J. O.

The trees of the Reelfoot Lake region. Journ. Tenn. Acad. Sci. 8:55 -60. illus. Ja.1933 . no.1.

Hebel, M.

The mustarts and related plant families in eastern Tennessee. I-II. Journ. Tenn. Acad. Sci. 8:332-340, 382-417. illus. Jl.,O.1933. no.3,4.

Hesler, L. R. & Caton, A.

Rusts of Tennessee. Journ. Tenn. Acad. Sci. 8:260-263. Jl.1933. no.3.

Moore, C. E.

The herbaceous plants and vines of the region about Walnut Log. Journ. Tenn. Acad. Sci. 8:43-47. illus. Ja.1933. no.1.

Upper eastern end of Reelfoot Lake.

Schwarz, A. J.

The cryptogamous plants of Reelfoot Lake. Journ. Tenn. Acad. Sci. 8:37-42. illus. Ja.1933. no.1.

Schwarz, A. J.

The early history of Digitalis. Journ. Tenn. Acad. Sci. 8:358-361. O.1933. no.4.

Journ. Tenn. Acad. Sci. (Cont.)

Shaver, J. M.

A preliminary report on the plant ecology of Reelfoot Lake. Journ. Tenn. Acad. Sci. 8:48-54. illus. Ja.1933. no.1.

Journ. Washington Acad. Sci. (500W276J)

Killip, E. P.

New plants mainly from western South America. IV. Journ. Washington, Acad. Sci. 24:42-52. Ja. 15,1934. no.1.

Howe, M. A.

Hawaiian algae collected by Dr. Paul C. Galtsoff. Journ. Washington Acad. Sci. 24:32-42. illus. Ja.15,1934. no.1.

Trichogloea subnuda, Laurencia yamadana, and L. galtsoffii n.spp.

Kranke Pflanze (Dresden) (464.8K86)

Braun, K.

Flecken an äpfeln. Kranke Pflanze 10:157-159. D.1933. no.12.

Landbouwk. Tijdschr. Wageningen (105.20r3)

Koeslag, J. D.

De invloed van klimaat en weer op de tarweteelt. Landbouwk. Tijdschr. Wageningen 45:897-920. illus. D.1933. no.554.

Oort, A. J. P.

Over voetziekten bij granen. Landbouwk. Tijdschr. Wageningen. 45:945-953. D.1933. no.554.

K. Landtbr. Akad. Handl. o. Tidskr. (Stockholm) (104Sw3)

Hesselman, H.

Frederik Weis. K. Landtbr. Akad. Handl. o. Tidskr. 72:705-708. port. 1933. no.6.

Rennerfelt, E.

Undersökningar över stråröta hos våra sädesslag. (Untersuchungen über fusskrankheiten an unserer getreidearten). K. Landtbr. Axad. Handl. o. Tidskr. 72: 761-774. illus. 1933. no.6.

Brief German summary: p.773.

Ophiobolus graminis, O. herpotrichus. Leptosphaeria herpotrichoides, & Hendersonia herpotricha.

Landtm. Tidskr. (Stockholm) (11K234)
Hertzman, N.
Klumprotsjukan och dess bekämpande genom förädling. Landtm. Tidskr. Landtm. 1934:11-13. illus. Ja.6,1934. no.1.
Club root.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)
Klingkowski, M. & Richter, H.
Der stengelbrenner (anthraknose) der luzerne verursacht durch den pilz Colletotrichum trifolii. Nachrichtenbl. Deut. Pflanzenschutzd. 14:1-3. illus. Ja.1934. no.1.

Die wichtigsten starken schäden an getreide im jahre 1933. Nachrichtenbl. Deut. Pflanzenschutzd. 14:3-4. illus. Ja.1934. no.1.

Naturforsch. (Berlin) (410N219)
Prochnow, O.
Kunstvolle stützgerüste in bauformen der natur. Naturforsch. 10:354-359. illus., pl. xxvi-xxvii. Ja.1934. no.10.

Naturwissensch. (Berlin) (474N213)
Wettstein, F. v.
Gedächtnisrede auf Carl E. Correns. Naturwissensch. 22:2-8. port.(p.1). Ja.5,1934. no.1.

Nederl. Kruidk. Arch. (Amsterdam) (451N28)
Beijerinck, W.
De oorsprong onzer heidevelden. Nederl. Kruidk. Arch. 1933:272-292. illus. D.15, 1933. no.43.
German summary.

Jansen, J.
Erica tetralix L. Nederl. Kruidk. Arch. 1933:357-360. illus. D.15,1933. no.43.

Jansen, P. & Wachter, W. H.
Grassen langs de Zuiderzeekust. III. Nederl. Kruidk. Arch. 1933:147-190. illus. D.15, 1933. no. 43.

Jesweit, J., Leeuw, W. C. de & Tuxen, R.
Ueber waldgesellschaften und bodenprofile, I-II. Nederl. Kruidk. Arch. 1933:293-333. D.15, 1933. no.43.
I. Klimaxprobleme des N. W-Europäischen Festlandes. II. Einige waldgesellschaften aus Holland und die dazu gehorigen bodenprofile.

Nederl. Kruidk. Arch. (Cont.)

Kloos, A. W. jr.
De nederlandse vormen van Alchemilla vulgaris L. Nederl. Kruidk. Arch. 1933:120-146. illus. (maps). D.15,1933. no.43.

Koopmans-Forstmann, D. & Koopmans, A. N.
De spontane vegetatie van het kornwerderzand en van de verbindingsdijk met de Friese kust. Nederl. Kruidk. Arch. 1933:360-396. illus. D.15, 1933. no.43.

Soest, J.L. v.
Flora van Arnhem. VIII. (concl.) Nederl. Kruidk. Arch. 1933:259-271. illus. (map). D.15, 1933. no.43.

Uittien, H.
Salvia-bastaarden. III. Nederl. Kruidk. Arch. 1933:235-258. illus. D.15,1933. no.43.

Soest, J. L. v.
De flora van de Ijseldelta. Nederl. Kruidk. Arch. 1933:421-482. illus. D.15,1933. no.43.

Vermeulen, P.
Orchis praetermissa (Druce) en Orchis latifolia junialis (m). Nederl. Kruidk. Arch. 1933:397-420.
English summary: p.408-409.

Weevers, T.
Bosrelikten in de Gelderse Vallei. Nederl. Kruidk. Arch. 1933:191-234. illus. D.15,1933. no.43.
English summary: p.228-231.

New Flora & Silva (London) (80N422)

Comber, J.
The hardier species of Styrax. New Flora & Silva 6:118-123. Ja.1934. no.2.

Lawrence, W.
Brunsdonna. New Flora & Silva 6:92-93. pl.xxx-xxxi. Ja.1934. no.2.

Maxwell, H.
Lilium chalcedonicum. New Flora & Silva 6:106. col.pl. Ja.1934. no.2.

New Flora & Silva (Cont.)

Nelmes, A.
Cultivated plants and their introduction. I.Japan
New Flora & Silva 6:134-144. Ja.1934. no.2.

Niklitschek, A.
Armed plants. New Flora & Silva 6:96-99.
pl.xxxiii-xxxvi. Ja.1934. no.2.

Pam, A.
The cultivation of hardy orchids. New
Flora & Silva 6:86-91. pl. xxviii-xxix. Ja.
1934. no.2.

Poulsen S.
The Poulsen roses. New Flora & Silva
6:75-79. pl.xxvi-xxvii. Ja.1934. no.2.

Rothschild, L. de.
Some new rhododendrons. New Flors & Silva
6:80-85. Ja. 1934. no.2.

Schneider, C.
Mock oranges. New Flora & Silva 6:113-117.
pl.xxxix-xlii. Ja.1934. no.2.

New Zeal. Journ. Agr. (Wellington) (23N48J)

Woodhead, C. E.
Rooting habit of Northern Spy apple stocks.
New Zeal. Journ. Agr. 47:362-365. illus.
D.20,1933. no.6.

Occas. Notes Hong Kong Hort. Sco. (87H75)

Herklots, G. A. C.
The cultivation of orchids in Hong Kong.
Occas. Notes Hong Kong Hort. Soc. 2:1-23. illus.,
6 pl. Mr.1933.

Herklots, G. A. C.
Flowering shrubs and climbers. Occas. Notes
Hong Kong Hort. Soc. 2:23-33. illus. Mr.1933.

Herklots, G. A. C.
Thunbergia. Occas. Notes Hong Kong Hort. Soc.
1:14-21. 4pl. F.1931.

Hong Kong Horticultural Society
Gardening vocabulary in English and Chinese.
Its Occas. Notes no.3. 29 p. Mr.1933.
Issued some years previously, mainly the work
of L. Gibbs, now revised by H. Green, A. Tse &
G. A. C. Herklots. Includes names of ornamental
plants and trees, vegetable and fruits.

Orchid Rev. (Richmond, Engl.) (800r15)

Ariza Julia, L.

Two interesting Oncidiums of Santo Domingo. Orchid Rev. 42:11-12. illus. Ja.1934. no.487

O.henckenii, O. variegatum.

Black, J. M.

Brassocattleyas. Orchid Rev. 42:16-23. illus. Ja.1934. no.387.

Carr, C. E.

Dendrobium takahashii, sp. nov. Orchid Rev. 42:14-15. illus. Ja.1934. no.487.

Philipp. Agr. (Los Baños) (25P542)

Jones, L. R.

Disease resistance in plants. Philipp. Agr. 22:459-464. D.1933. no.7.

Notes prepared by G. O. Ocfemia from an Address delivered by Prof. L. R. Jones.

Mendiola, N. B.

A method of plant improvement based on the use of hidden heritable bud variations and those produced through injury. Philipp. Agr. 22:465-508. illus. D.1933. no.7.

Philipp. Journ. Agr. (25P543)

Adriano, F. T.& Cruz, R. A.

The chemical composition of Philippine mushrooms. Philipp. Journ. Agr. 4:1-11. xi pl. 1933. no.1.

Phytopath. (464.8P56)

American phytopathological society

Abstracts of papers presented at the 25th annual meeting ... Boston, Dec. 28,-30, 1933. Phytopath. 24:1-21. Ja.1934. no.1.

Doolittle, S. P. & Wellman, F. L.

Commelina nudiflora, a monocotyledonous host of a celery mosaic in Florida. Phytopath. 24:48-61. illus. Ja.1934. no.1.

Johnson, T.

A tropic response in germ tubes of urediospores of Puccinia graminia tritici. Phytopath. 24:80-82. illus. Ja. 1934. no.1.

Phytopath. (Cont.)

Ivanoff, S. S.
A plant inoculator. Phytopath. 24:74-76. illus. Ja.1934. no.1.

Jenkins, A. E.
A species of Sphaceloma on avocado. Phytopath. 24:84-85. Ja.1934. no.1.
S. perseae, n. sp.

Palmiter, D. H.
Variability in monoconidial cultures of Venturia inaequalis. Phytopath. 24:22-47. illus. Ja.1934. no.1.

Snyder, W. C.
Pod deformation of mosaic-infected peas. Phytopath. 24:78-80. illus. Ja.1934. no.1.

Stevens, N. E.
Losses from potato late blight in 1885 and 1886, Phytopath. 24:76-78. illus.(maps). Ja.1934. no.1.

Strain, R. W.
An improved method of bleaching and clearing leaves. Phytopath. 24:82-84. Ja.1934. no.1.

Trumbower, J. A.
Control of elm leaf spots in nurseries. Phytopath. 24:62-73. illus. Ja.1934. no.1.
Leaf spots due to Gnomonia ulmea, Gloecsporium ulmicolum & G. inconspicuum.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Agerberg, L. S., Schmidt, M. & Sengbusch, R. B.
Der einfluss künstlicher kultur auf das verhalten der konidien von Cladosporium fulvum. Planta Arch. Wiss. Bot. 21:511-513. D.18,1933. no.3.

Boysen Jensen, P.
Ueber die bestimmung der assimilationsintensitat. Planta. Arch. Wiss. Bot. 21:368-380. illus. D.18,1933. no.3.

Laibach, F. & Kormann, P.
Zur frage des wuchsstofftransportes in der haferkoleoptile. Planta Arch. Wiss. Bot. 21:396-418. illus. D.18,1933. no.3.

Planta Arch. Wiss. Bot. (Cont.)

Linder, E.

Bemerkungen zu dem aufsatz H. Cammerloher: Die bestäubungseinrichtungen der blüten von Aristolochia lindneri Berger. Planta Arch. Wiss. Bot. 21:514. D.18,1933. no.3.

Mothes, K.

Der tonoplast von Sphaeroplea. Planta Arch. Wiss. Bot. 21:486-510. illus. D.18,1933. No.3.

Pekarek. J

Ueber die aziditätsverhältnisse in den epidermis-und schliesszellen bei Rumex acetosa im licht und im dunkeln. Planta Arch. Wiss. Bot. 21:419-446. illus. D.18,1933. no.3.

Poddubnaja-Arnoldi, V.

Spermazellen in der familie der Dipsacaceae. Planta Arch. Wis. Bot. 21:381-386. illus. D.18,1933. no.3.

Schlotmann, A.

Nachtrag zu der arbeit: untersuchungen über die struktur pflanzlicher haare und fasern. Planta Arch. Wiss. Bot. 21:515-516. D.18,1933. no.3.

Schmidt, J.

Zur entwicklungsmechanik des perizyklischen korkes bei Circaea intermedia. Planta Arch. Wiss. Bot. 21:387-395. illus. D.18,1933. no.3.

Seybold, A.

Zur klärung des begriffes transpirationswiderstand. Planta Arch. Wiss. Bot. 21:353-367. D.18,1933. no.3.

Troll, W.

Beiträge zur morphologie des gynaeceums. IV. Ueber das gynaeceum der nymphaeaceen. Planta Arch. Wiss. Bot. 21:447-485. illus. D.18, 1933. no.3.

Proc. Flroida State Hort. Soc.

Kuntz, W. A. & Ruehle, G. D.

Melanose and stem-end rots of citrus trees. Proc. Florida State Hort. Soc. 46(1933): 87-91. 1933.

Proc. Florida State Hort. Soc. (Cont.)

Miller, R. L., Bassett, I. P. & Yothers W. W.
The effect of lead arsenate insecticides on citrus fruits. Proc. Florida State Hort. Soc. 46(1933):57-71. 1933.

Robinson, T. R.
Polination and other factors influencing the production of avocados. Proc. Florida State Hort. Soc. 46(1933)109-114. 1933.

Winston, J. R.
Some factors influencing decay in Florida citrus fruits. Proc. Florida State Hort. Soc. 46(1933):82-84. 1933.

Proc. Linn. Soc. N. S. W. (Sydney) (514Sy2)

Rupp, H. M. R.
Notes on New South Wales and Queensland orchids. Proc. Linn. Soc. N. S. W. 58:223-228. illus. S.15,1933. no.3/4(247/248)

Vickery, J. W.
Vegetative reproduction in Drosera peltata and D. auricultata. Proc. Linn. Soc. N. S. W. 58:245-269. illus.,pl.viii. S.15,1933. no.3/4(247-248).

Queensl. Agr. Journ. (Brisbane) (23Q33)

Bell, A. F.
A new disease of cane in north Queensland. Queensl. Agr. Journ. 40:460-464. illus. D.1, 1933. no.6.
Similar to leaf scald but a distinct disease. Known in Java as "fourth disease" and in Hawaii as "chlorotic streak".

Mandelson, L. F.
Additional recommendations for the control of blue mold of tobacco. Queensl. Agr. Journ. 40:465-469. illus. D.1,1933. no.6.

Mandelson, L. F.
Citrus psorosis control. Queensl. Agr. Journ. 40:504-507. illus. D.1,1933. no.6.

Mandelson, L. F.
Fungicidal experiments for the control of blue mould of tobacco. Queensl. Agr. Journ. 40:470-494. illus. D.1,1933. no.6.

Repert. Spec. Nov. Fedde (Berlin) (450R29)

Burret, M.
Bactris cohune S. Watson - Astrocaryum mexicanum Liebm. Repert. Spec. Nov. Fedde 32:98-99. Mr.1,1933. no.1/8.

Burret, M.
Eine neue chinesische Grewia-art. Repert. Spec. Nov. Fedde 33:74. Jl.17,1933. no.1/7.

Burret, M.
Palmae gerontogeae. II. Repert. Spec. Nov. Fedde 32:115-117. Mr.1,1933. no.1/8.

Burret, M.
Palmae neogeae. III Repert Spec. Nov. Fedde 32:102-115. Mr.1,1933. no.1/8.

Burret, M.
Ueber die verbreitung von Sabal mauritiiformis (Karst.) Gris. et H. Wendl. und andere arten von Sabal. Repert. Spec. Nov. Fedde 32:100-101. Mr.1,1933. no.1/8.

Cretzoiu, P.
Miscellanea systematica et phytogeographica. I. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3, 50/51): 101-102. Jl.17,1933. no.1/7.

Diapulis, C.
Beitrage zur kenntnis der orientalischen pomaceen (Pirus, Sorbus, Creataegus). Repert. Spec. Nov. Fedde 34:29-72. N.25,1933. no.1/9.

Dinsmore, J. E.
Novitiae ex flora of Syria, Palestine and Sinai. (Plantae Postianae et Dinsmorianae. I.). Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3, 50/51): 102-110. Jl.17, 1933. no.1/7.

Epling, C.
Synopsis of the genus Hyptis in North America. Repert. Spec. Nov. Fedde 34:73-130. N.25,1933. no.1/9.

Furtado, C. X.
The limits of the genus Areca Linn. and its sections. Repert. Spec. Nov. Fedde 33:217-239. N.15,1933. no.8/17.

Repert. Spec. Nov. Fedde (Cont.)

Görz, R.

Salicaceae asiaticae. I. Repert. Spec. Nov. Fedde 32:117-123,387-398. Mr.1,Je.30, 1933. no.1/8,9/25.

Fasciculus I wurde von R. Görz im selbstverlage gedruckt; es werden daher hier nur die neuen arten, formen usw. gebracht.

Hillmann, J.

Zur benennung einiger Parmeliopsis-arten. Repert. Spec. Nov. Fedde 33:168-176. N.15,1933. no.8/17.

Koster, J. T.

Die compositen der Elbertschen Sunda-expedition des Frankfurter vereins für geographie und statistik (1909-1910). Repert. Spec. Nov. Fedde 34:1-29. N.25,1933. no.1/9.

Lipschitz, S. J.

Einige neue Scorzonera-arten und systematische notizen. Repert. Spec. Nov. Fedde 33:165-168. N.15, 1933. no.8/17.

Malakatês, S.

Die flora von Andros. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3, 50/51):81-101. Jl.17,1933. no.1/7.

Moldenke, H. N.

Novitates in Aegiphila et Callicarpa, Verbenacearum generibus, ex America tropica. Repert. Spec. Nov. Fedde 33:113-143. N.15,1933. no.8/17.

Niedenzu, F.

Malpighiaceae novae. Repert. Spec. Nov. Fedde 33:69-72. Jl.17,1933. no.1/7.

Mascagnia hirsuta, Banisteria orbicularis, Stigmatophyllum digitatum, Malpighia ekmanii, & Byrsonima cretacea n. spp.

Parijs, J. P.

Some new Dipterocarps, [which yield] damar resin. Repert. Spec. Nov. Fedde 33:243-244. N.15,1933. no.8/17.

Hopea ferruginea, H. paucinervis, H. laevifolia, Shorea vandekoppeli, S. virescens, & S. gentilis n. spp.

Repert. Spec. Nov. Fedde (Cont.)

Pavlov, N. P.
Specierum et varietatum novarum generis Calligoni florae rossicae descriptiones. Repert. Spec. Nov. Fedde 33:144-158. N.15, 1933. no.8/17.

Pfeiffer, H.
Cyperaceen aus Nordbrasilien und dem angrenzenden Venezuela. Repert. Spec. Nov. Fedde 33:192-216. N.15,1933. no.8/17.

Poellnitz, K. v.
Die aufteilung der gattung Mesembryanthemum L. Repert. Spec. Nov. Fedde 32:1-73. Mr.1,1933. no.1/8.

Poellnitz, K. v.
Drei neue Haworthia-arten. (H. integra H. magnifica und H. paradoxa). Repert. Spec. Nov. Fedde 33:239-241. N.15,1933. no.8/17.

Poellnitz, K. v.
Gasteria lutzii spec. nov. aus dem Kapland. Repert. Spec. Nov. Fedde 33:242-243. N.15,1933. no.8/17.

Poellnitz, K. v.
Haworthia starkiana von Poellnitz spec. nov. Repert. Spec. Nov. Fedde 33:73-74. Jl.17,1933. no.1/7.

Poellnitz, K. v.
Nachtrag zu meiner Anacampseros-monographie. Repert. Spec. Nov. Feede 33:72-73. Jl.17,1933. no.1/7.

Poellnitz, K. v.
Neue Portulaca-arten. Repert. Spec. Nov. Fedde 33:158-165. N.15,1933. no.8/17.

Poellnitz, K. v.
Sedum brandtianum spec. nov. Repert. Spec. Nov. Fedde 33:241-242. N.15,1933. no.8/17.

Range, P.
Die flora des Namalandes. II. Repert. Spec. Nov. Feede 33:1-22. Jl.17,1933. no.1/7.

Rechinger, K. H. jr.
Vegetationsskizzen aus Bulgarien. Repert. Spec. Nov. Feede 33(Repert. Europ. & Med. 3, 52): 257-272. N.15,1933. no.8/17.

Repert. Spec. Nov. Fedde (Cont.)

Rodin, L.
Chondrilla articulata. Repert. Spec. Nov. Fedde 34:136. pl.clxii. N.25,1933. no.1/9.

Schmidt, O. C.
Beiträge zur kenntnis der aristolochiaceen. IV. Repert. Spec. Nov. Feede 32:95-96. Mr.1,1933. no.1/8.

Schmidt, O. C.
Beiträge zur kenntnis der flora Westindiens. VI-VII. Repert. Spec. Nov. Fedde 32:73-94. Mr.1, 1933; 33:176-183. N.15,1933. no.1/8,8/17.

Schmidt, O. C.
Zwei neue pflanzen aus den Anden Südamerikas. Repert. Spec. Nov. Fedde 32:97-98. Mr.1,1933. no.1/8.
Gallesia ovata, Weinmannia trollii.

Schulz, O. E.
Beiträge zur kenntnis der gattung Nasturtium R. Br. II. Repert. Spec. Nov. Fedde 34:131-136. N.25,1933. no.1/9.

Schulz, O. E.
Ueber verschiedene cruciferen. Repert. Spec. Nov. Fedde 33:183-191. N.15,1933. no.8/17.
Hartwegiellea (n.gen.) H. nasturtioides, Ivania (n.gen.) I. cremnophila, Descurainia chubutica, Sisymbrium castellanosii, n. spp.

Smith, J. J.
Enumeration of the Orchidaceae of Sumatra and neighbouring islands. Repert. Spec. Nov. Fedde 32:129-386. Je.30,1933. no.9/25.

Wolff, H.
Umbelliferae asiaticae novae relictae. V. Repert. Spec. Nov. Fedde 33:75-80,244,251. Jl.17,N.15,1933. no.1/7,8/17.

Zahlbruckner, A.
Flechten der insel Formosa. (concl.) Repert. Spec. Nov. Feede 33:22-68. Jl.17,1933. no.1/7.

Rep. Subord. Off. Dept. Agr. Madras (22M26Re)

Sundararaman, S.

Administration report of the government mycologist, 1932/33. Rep. Subord. Off. Dept. Agr. Madras 1932/33:145-147. 1933.

Rev. Soc. Rur. Brasil. (São Paulo) (9.2B733)

Bittencourt, A.

A podridão do pé das laranjeiras. Rev. Soc. Rur. Brasil. 13:661-665. illus. D.1933. no.160.

Schweiz. Landw. Monatsh. (Bern.) (17Sch93)

Krebs, J.

Der einfluss der bodentemperatur auf die infektion von weizenkeimlingen durch Ophiobolus graminis Sacc., dem erreger der schwarzbeinigkeit. Schweiz. Landw. Monatsh. 11:285-291. illus. 1933. no.11.

Science (470Sci2)

Orth, O. S., Wickwire, G. C. & Burge, W. E.

Copper in relation to chlorophyl and hemoglobin formation. Science 79:33-34. Ja.12,1934. no.2037.

Investigation to determine the effect of copper sulphate on the chlorophyl content of "frenched" orange trees.

Russell, P. G.

Homer Collar Skeels. Science 79:49. Ja.19,1934. no.2038.

Suit, R. F. & Hibbert, H.

A starchless potato induced by the introduction of foreign enzymes. Science 79:78-79. Ja.26, 1934. no.2039.

White, D.

Some erroneous age record of Paleozoic plant genera. Science 79:77-78. Ja.26,1934. no.2039.

Mitogenetic rays may exist, but physical proof of their existence is lacking. Science v.79, no.2038. Suppl. p.8. Ja.19,1934.

Investigations by Dr. J. W. Schereschewsky.

A substance identical with a female sex hormone, theelin, obtained from palm nuts. Science v.79, no.2038. Suppl. p.8. Ja.19,1934.

Discovery of Prof. A. Butenandt & Prof. H. Jakoby of the University of Göttingen.

Science News Letter (470Sci24)

Water in plants ascends as vapor, new theory holds. Science News Letter 25:22. Ja.13,1934. no.666.

Report of experiments of George J. Peirce given at meeting of Botanical society of America.

"Electric eye" built to tell area of leaves. Science News Letter 25:25. Ja.13,1934. no.666.

Apparatus described by R. B. Withrow at meeting of American society of plant physiologists.

Scient. Amer. (New York) (470Sci25)

Pack, C. L.

Blister busters. Scient. Amer. 150:61-63. illus. F.1934. no.2.

Fighting the blister rust with the C.C.C.

Das Superphosphat (Berlin) (57.8Su72)

Hille, E.

Nachruf für Prof. Dr. Erwin Baur, Müncheberg. Das Superphosphat 9:121-122. port. D.1933. no.6.

Svensk Bot. Tidskr. (450Sv2)

Palm, B. T.

The gametophytes on a composite affected with "aster yellows". Svensk Bot. Tidskr. 27:420-437. illus. 1933. no.4.

Aster-yellows on Troximon.

Skårman, J. A. O.

Från exkursioner på Silurbergen i östra Falbygden. (Aus exkursionen auf den silurbergen im ostlichen Falbygden). Svensk Bot. Tidskr. 27:365-399. illus.(map). 1933. no.4.

Weimarck, H.

Die verbreitung einiger afrikanisch-montanen pflanzengruppen. I-II. Svensk Bot. Tidskr. 27:400-419. illus. 1933. no.4.

I. Die gattung Sparmannia. II. Die Cerastium africanum-gruppe.

Sveriges Pomol. För. Årsskr. (86Sv2)

Callmar, G.

Några erfarenheter om äldre och nyare applesorter viv experimentalfältets trädgårdsavdelning. Sveriges Pomol. För. Årsskr. 1933:209-224. illus. 1933. no.4.

Thar. Forstl. Jahrb. (Berlin) (99.8T32)
Gierisch, W.
Die chemische natur des lignins. Thar. Forstl. Jahrb. 84:803-821. 1933. no.12.

La Terre Maroc. (Rabat) (24T44)
Miège, E.
Les plantes fourragères du Maroc. (cont.) La Terre Maroc. 3(46):11-31. illus. D.15, 1933; 4(47):15-23. illus. Ja.1,1934.

Trans. Brit. Mycol. Soc. (London) (451B76)
Chesters, C. G. G.
Azygozygum chlamydosporum nov. gen. et sp., a phycomycete associated with a diseased condition of Antirrhinum majus. Trans. Brit. Mycol. Soc. 18:199-214. illus., pl.xi. D.13,1933. no.3.

Dennis, R. W. G.
Studies in the morphology and biology of Helminthosporium avenae. Trans. Brit. Mycol. Soc. 18:223-238. illus., pl.xii-xv. D.15, 1933. no.3.

Ghamrawy, A. K.
Rotting of Taltonia bulbs caused by Fusarium culmorum (W.G. Sm.) Sacc. and Penicillium corymbiferum Westling. Trans. Brit. Mycol. Soc. 18:249-252. D.13,1933. no.3.

McDonald, J.
Two new records of physiologic forms of wheat-stem rust in Kenya Colony. Trans. Brit. Mycol. Soc. 18:218-222. D.13,1933. no.3.

Nattrass, R. M.
A new species of Hendersonula (H. toruloidea) on deciduous trees in Egypt. Trans. Brit. Mycol. Soc. 18:189-198. illus., pl.ix-x. D.13,1933. no.3.

Ramsbottom, J.
Tremella mycetophila Peck. Trans. Brit. Mycol. Soc. 18;253-256. pl.xvii-xviii. D.13, 1933. no.3.
Teratological form of Collybia dryophila.

Silow, R. A.
A systemic disease of red clover caused by Botrytis anthophila Bond. Trans. Brit. Mycol. Soc. 18:239-248. illus., pl.xvi. D.13,1933. no.3.

Trans. Brit. Mycol. Soc. (Cont.)

Sparrow, F. K. jr.

New chytridiaceous fungi. Trans. Brit. Mycol. Soc. 18:215-217. D.13,1933. no.3.

Septolpidium, Rhizidiopsis, Scherffelia, Sporophlyctidium new genera, Pleolpidium polyphagi, Podochytrium lanceolatum n. spp.

U. S. Dept. Agr. Circ. (1Ag84C)

Christie, J. R. & Stevens, N. E.

Strawberry dwarf. U. S. Dept. Agr. Circ. 297. 8 p. illus. D.1933.

U. S. Dept. Agr. Miscellaneous mimeographed publications.

Weiss, F.

Carnation rust. Washington, D. C., Ja.1934.

Mimeographed publ. from Div. of fruit and vegetable crops and diseases, Bur. of plant industry, U. S. Dept. of agriculture.

Weiss, F.

Chrysanthemum diseases. Washington, D. C., N.1933.

Mimeographed publ. from Div. of fruit and vegetable crops and diseases, Bur. of plant industry, U. S. Dept. of agriculture.

Weiss, F.

The diseases of box (Buxus sempervirens). Washington, D. C., Ja.1934.

Mimeographed publ. from Div. of fruit and vegetable crops and diseases, Bur. of plant industry, U. S. Dept. of agriculture.

Weiss, F.

Diseases of rhododendrons in ornamental plantings. Washington, D. C., Ja.1934.

Mimeographed publ. from Div. of fruit and vegetable crops and diseases, Bur. of plant industry, U. S. Dept. of agriculture.

Zeitschr. Parasitenk. (442.8Z33F)

Reinking, O. A. & Manns, M. M.

Parasitic and other fusaria counted in tropical soils. Zeitschr. Parasitenk. 6:23-75. illus. S.6,1933. no.1.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)

Braun, H.

Pfropfenbildung in der kartoffelknolle. Zeitschr. Pflanzenkr. 44:24-35. illus. Ja. 1934. no.1.

Zeitschr. Pflanzenkr. (Cont.)

Goffart, H.

Die bestimmung von rüben-, hafer- und kartoffelnematoden auf grund von bodenuntersuchungen. Zeitschr. Pflanzenkr. 44:36-41. illus. Ja.1934. no.1.

Klebahn, H.

Eine blattkrankheit der edelkastanie und einige sie begleitende pilze. Zeitschr. Pflanzenkr. 44:1-23. illus. Ja.1934. no.1.

Caused by Mycosphaerella castanicola n. sp., other fungi, Lophiotrema (Lophiosphaera) castaneae, Venturia (?) castaneae, n. spp.

Exp. Stat. Publ.

Anderson, H. W. & Kadow, K. J.

Anthracnose and gray bark of red raspberries. Identification and control. Illinois Agr. Exp. Stat. Bull. 383:283-292. illus. S.1932. (100I16S)

Gray bark a stage of anthracnose.

Bliss, D. E.

The pathogenicity and seasonal development of Gymnosporangium in Iowa. Iowa Agr. Exp. Stat. Res. Bull. 166:340-392. illus. N.1933. (100Io9)

Fletcher, L. A.

A study of the factors influencing red color on apples. Maryland Agr. Exp. Stat. Bull. 353: 79-119. Jl.1933. (100M36S)

New Jersey agricultural experiment station - Dept. of plant pathology.

Chlorine and plant growth. In its Nursery Dis. Notes 6:21-24. D.1933. (464.9N46)

Tukey, H. B. & Brase, K. D.

Influence of the cion and of an intermediate stem-piece upon the character and development of roots of young apple trees. New York Agr. Exp. Stat. Techn. Bull. 218. 50 p. illus. N.1933. (100N48)

State Publications

Ball, W. S. & Robbins, W. W.
Heliotrope (Heliotropim curassavicum L.). Month. Bull. Dept. Agr. Calif. 22:379-380. col.pl. Jl./N.1933. (2C12M)

Ball, W. S. & Robbins, W. W.
Sandbur (Cenchus pauciflora Benth.). Month. Bull. Dept. Agr. Calif. 22:318. col.pl.(front.) Jl./N.1933. (2C12M)

Goss, W. L. & Bunting, L.
Progress report on length of time flower seeds retain their viability under favorable storage conditions. Month. Bull. Dept. Agr. Calif. 22:413-415. Jl./N.1933. (2C12M)

New Books

Clapp, R.
Woody plants for landscape planting in Maine. Orono, Me., University press, 1933. (Maine bulletin v.36, no.1 - Univ. Maine Studies 2d ser., no.28) (97.3C53)

Fisher, F. H., ed.
The scree garden, experiments and experiences among high alpine plants. Flowerwood, Capel, Surrey, D.1933 (Alpine garden society's Quarterly bulletin no.14) (97.14F53)

Stefanov, B.
Die mediterran-orientalischen arten der gattung Hypericum. Pflanzenareale --- hrsg. von E. Hannig & H. Winkler. Jena, G. Fischer. reihe 4, h. 1. 1933. (f^{o}452.9H192)

Su, M. T.
Report of the mycologist, Burma, Mandalya, for the year ended the 31st March 1933. Rangoon, 1933. (464.9In24)

Translations filed in Library of Bur. of Plant Industry.

Bunschoten, G. E.
Invloed can de voeding op de virulentie van schimmels.(The influence of nutrition on the virulence of fungi). Baarn, 1933.

Burr, S. & Turner, D.M.
British economic grasses. Their identification by the leaf anatomy. London, E.Arnold,1933(452.3B94)

Reprints from publications not yet rec'd or not available.

Shimada, S.
Further studies on the nature of the growth promoting substance excreted by the "bakanae" fungus. Reprinted from Ann. Phytopath. Soc. Japan v.2, no.5. 1932. 7 p. pl.

Takenouchi, M.
The genus Viola in Kyushi II. Reprinted from Journ. Nat. Hist. Fukuoka v.1, no.2, p.131-142. illus., col.pl. 5. Jl.1933. (J452.35T13)

Tochinae, Y. & Shimamura, M.
Studies on the physiologic specialization in Piricularia oryzae Br. et Cov. Reprinted from Ann. Phytopath. Soc. Japan v.2, no.5. 1932. 28 p. 2 pl.

Non-current indexing.

Bull. Stat. Agron. Réunion (108R31)

Kopp, A. & Emmerez de Charmoy, D. d.
Observations nouvelles concernant la mosaîque de la canne à sucre et le streak du maîs. Bull. Stat. Agron. Réunion 3:1-10. pl. 1932.

Kopp, A. & Emmerez de Charmoy, D. d.
Situation acruelle de la mosaîque de la cane à la Réunion. Bull. Stat. Agron. Réunion 3:11-20. illus.(map) 1932.

Kopp, A. & Emmerez de Charmoy, D. d.
Trois maladies de la canne nouvelles pour la Réunion. Bull. Stat. Agron. Réunion 3:21-26. 3 pl. 1932.
Pokkah bong, twisted top (feuilles tordues), la cancer ou balai de sorcière de la canne a sucre.

-c

BOTANY
CURRENT LITERATURE

LIBRARY
RECEIVED
★ FEB 24 1934 ★
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no. 3 Jan.29-Feb.10, 1934.

Advisory Leafl. Min. Agr. Gt. Brit. (10G79La)
Great Britain. Ministry of agriculture & fisheries.
Bracken. Its Adv. Leafl. 190. 4 p.
Ja. 1934.

Amer. Journ. Bot. (450Am36)
Allen, W.E.
Boat catches of marine phytoplankton in southern California in 1928. Amer. Journ. Bot. 21: 66-68. F.1934. no.2.

Brittingham, W. H.
Cytological studies on some genera of the Iridaceae. Amer. Journ. Bot. 21: 77-83. pl. F. 1934. no.2.

Chance, H. L.
The influence of various types of defoliation and leaf wounding upon the growth and yield of beans. Amer. Journ. Bot. 21: 85-108. illus. F. 1934. no.2.

Johnson, A. M.
Studies in Saxifraga. III. Saxifraga. Section Micranthes. Amer. Journ. Bot. 21: 109-112. pl. F. 1934. no.2.

Lindgegren, C. C.
The genetics of Neurospora. IV. The inheritance of tan versus normal. Amer. Journ. Bot. 21: 55-65. pl. F. 1934. no.2.

Macht, D. I.
Growth of Lupinus albus seedlings in solutions of some amino-acids. Amer. Journ. Bot. 21: 72-76. F. 1934. no.2.

Amer. Journ. Bot. (cont.)

Taubenhaus, J. J. & Ezekiel, W. N.

Alkali scorch of Bermuda onions. Amer. Journ. Bot. 21: 69-71. illus. F. 1934. no.2.

Shipping and storage injury.

Amer. Orchid Soc. Bull. (80Am329)

Lumsden, D.

Calanthe. Amer. Orchid Soc. Bull. 2: 40-41. illus. D. 1933. no.3.

Wherry, E. T.

Native orchids. Our eastern orchids and their cultivation. 4. The spurred orchids (Orchis and Habenaria). Amer. Orchid Soc. Bull. 2:51-53. illus. D. 1933. no.3.

Ann. Inst. Pasteur (Paris) (448.3An75)

Bertrand, G. & Brooks, G.

Recherches sur le latex de l'arbre a lague du Cambodge (Melanorrhoea laccifera Pierre). Ann. Inst. Pasteur 52: 68-75. Ja. 1934. no.1.

Volkonsky, M.

Sur la nutrition de quelques champignons saprophytes et parasites. Ann. Inst. Pasteur 52: 76-101. Ja. 1934. no.1.

Ann. Sci. Nat. Bot. (Paris) (450An75)

Costantin, J.

Évolution de nos conceptions sur la dégénerescence et la symbiose. Ann. Sci. Nat. X, Bot. 15: i-liii. illus. D. 1933. no.2.

Costantin, J., Lebard, P. & Magrou, J.

Nouvelles expériences sur la productivité de la pomme de terre. Influence de la nature du sol et des conditions de culture. Ann. Sci. Nat. X, Bot. 15: 329-333. pl. i. D. 1933. no. 2.

Galap, V.

Étude d'anatomie systématique sur les bulbes de quelques scillées (liliacées). Ann. Sci. Nat. X, Bot. 15: 307-327. illus. D. 1933. no.2.

Lebard, P. & Magrou, J.

Culture de la pomme de terre en montagne et en plaine. Nouvelles expériences sur l'optimum altitudinal. Ann. Sci. Nat. X, Bot. 15: 335-343. D. 1933. no.2.

Ann. Rep. Dept. Agr. Nyasaland Prot. (24N93A)
Leach, R.
Report of the mycologist for 1932. Ann. Rep. Dept. Agr. Nyasaland Prot. 1932: 53-54. 1933.

Arch. Biol. Reichsanst. Land- u. Forstw. Berlin. (410.9G31)
Herschler, A.
Analysen von rebblättern zur feststellung des nährostoffbedürfnisses des bodens und zur erkennung von ernährungsstörungen. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 20: 633-666. illus. Je. 1933. no.5.

Rademacher, B.
Weitere untersuchungen über die ursachen der flüssigkeit beim hafer und deren abhängigkeit von der herkunft des saatgutes. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 20: 587-602. Je. 1933. no. 5.

Arb. Landwirtschaftskam. Hessen (Darmstadt)
Ihne, E.
Phaenologische mitteilungen jahrgang 1931. Arb. Landwirtschaftskam. Hessen nr.50. 40 p. 1933.

Austral. Journ. Exp. Biol. & Med. Sci. (Adelaide) (442.8Au7)
Wood, J. G.
The nitrogen metabolism of the leaves of Atriplex nummularium. Austral. Journ. Exp. Biol. & Med. Sci. 11: 237-252. D.16, 1933. no.4.

Beih. Bot. Centralbl. Abt.II. (Dresden) (450B65Bo)
Feinbrun, N.
Ein beitrag zur kenntnis der flora des Amanus-gebirges (Syrien). Beih.Bot. Centralbl. Abt.II 51: 374-388. D. 1933. no.2.

Feinbrun, N.
Ueber die variebilität von Trigonella monspeliaca L. und die pflanzengeographischen verhaltnisse ihrer formen. Beih. Bot. Centralbl. Abt.II. 51: 389-396. illus. D.1933. no.2.

Feurstein, P.
Geschichte des Viller Moores und des seerosenweihers an den Lanser Köpfen bei Innsbruck. Beih. Bot. Centralbl. Abt.II. 51: 477-526. illus., pl. vii-ix. D.1933. no.2.

Beih. Bot. Centralbl. Abt. II (cont.)

Gross, H.

Zur frage des Weberschen grenzhorizontes in den östlichen gebieten der ombrogenen moorregion. Beih. Bot. Centralbl. Abt.II. 51: 305-353. illus. D. 1933. no.2.

Mikyška, R.

Vegetationsanalyse nebst einigen ökologischen beobachtungen auf dem berge Holik im Stiavnické středohoři (Schemnitzer mittelgebirge). Beih. Bot. Centralbl. Abt.II. 51: 354-373. pl.v-vi. D. 1933. no.2.

Weimann, R.

Hydrobiologische und hydrographische untersuchungen an zwei teichartigen gewässern. Beih. Bot. Centralbl. Abt.II, 51: 397-476. illus. D.1933. no.2.

Bergcultures (Batavia, Java) (22.5B45)

Bangelan 124-01 en Tylenchus similis. Bergcultures 7: 1363-1365. illus. D.16, 1933. no.50.

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Jahn, E.

Myxomycetenstudien. 15. Somatische und generative kernteilungen. Ber. Deut. Bot. Ges. 51: 377-385. pl. ix. D.28, 1933. no.9.

Kolkwitz, R.

Zur ökologie der pflanzenwelt Brasiliens. Ber. Deut. Bot. Ges. 51: 396-406. illus. (map) pl.x-xii. D.28, 1933. no.9.

Leibach, F.

Versuche mit wuchsstoffpaste. Ber. Deut. Bot. Ges. 51: 386-392. illus. D.28, 1933. no.9.

Muth, F.

Eine durchwachsene erdbeerfrucht. Ber. Deut. Bot. Ges. 51: 393-395. illus. D.28,1933. no.9.

Walter, H.

Ein neuer für botanische exkursionen geeigneter lichtmesser. Ber. Deut. Bot. Ges. 51: 362-376. illus. D.28, 1933. no.9.

"Metrophot".

Ber, Deut. Bot. Ges. (cont.)

Werth, E.

Erhaltenbleiben des chlorophylls in herbstlich verfärbten blättern. Ber. Deut. Bot. Ges. 51: 360-361. pl. viii. D.28, 1933. no.9.

Bei gegenwart tierischer oder pflanzlicher schmarotzer. [Rhytisma acerinum auf Acer platanoides].

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Orechoff, A. & Proskurnina, N.

Ueber Sophora-alkaloide. IV. Ueber die alkaloide, von Sophora pachycarpa. Ber. Deut. Bot Ges. 67: 77-83. Ja.10, 1934. no.1.

Blätt. Pflanzenb., u. Pflanzenzücht. (Tetschan) (450B61)

Appl, J.

Artkreuzungen, geschlechtsvererbung und non-disjunction bei lippenblütlern aus der Thymiangruppe. Blätt. Pflanzenb. u. Pflanzenzucht. III/IV; 11: 51-56. illus. D. 1933.

Bol. Agr. Zootecn. e Veterin. Minas-Gerais (9.2M66)

Gonçalves da Silva, S.

Notas sobre a clorose vegetal. Bol. Agr. Zootecn. e Veterin. Minas-Gerais 6: 360-362. illus. Je.1933. no.6.

Bol. Soc. Españ. Hist. Nat. (Madrid) (506M263B)

Toro, R. A.

Especies de Asterina Lév. en las melastomaceas. Bol. Soc. Españ. Hist. Nat. 33: 187-199. Jl.20, 1933. no.5.

Bot. Mus. Leafl. Harvard Univ. (451H262)

Ames, O.

Studies in Stelis. I. Bot. Mus. Leafl. Harvard Univ. v.2, no.1. 24 p. 5 p. Ja.20, 1934.

Bot. Tidsskr. (København) (450B654)

Degelius, G.

Om lavfloran på holmarna Norde Rönner i Kattegatt. Bot. Tidsskr. 42: 400-403. illus. 1933. no.4.

Small island north of Laesö.

Ferdinandsen, C.

Ove Rostrup. Bot. Tidsskr. 42: 406-407. port. 1933. no. 4.

Died June 25,1933.

Bot. Tidsskr. (cont.)

Gabrielsen, E. K. & Iversen, J.
Die vegetation der halbinsel Skallingen. I. Die flora von Skallingen. Bot. Tidsskr. 42: 355-383. illus. (incl.map) 1933. no.4.

Olsen, C.
Fr. Weis. Bot. Tidsskr. 42: 404-406. port. 1933. no.4.

Raunkiaer, C.
Søndermarkens ege (Isoreagent-studier III). Bot. Tidsskr. 42: 334-354. 1933. no.4.

Thuesen, S. E.
Lidt om islandske varme kilder og deres plante vaekst. Bot. Tidsskr. 42: 325-333. 1933. no.4.

Wanscher, J. H.
Studies on the chromosome numbers of the Umbelliferae III. Bot. Tidsskr. 42: 384-399. illus. 1933. no.4.

Botaniste (Paris) (450B657)

Dangeard, P. A.
Mémoire sur un genre nouveau d'archimycètes, le Kuhneria catenata. Botaniste 25: 423-464. pl. xxv-xxvi. D. 1933. no.5/6.

Dangeard, P. A.
Note sur un cas de mutation dite régressive chez les algues. Botaniste 25: 393-420. pl.xxiv. D. 1933. no.5/6.

Guilliermond, A.
Résponse a un mémoire de M.P.A. Dangeard sur la terminologie des éléments cellulaires. Botaniste 25: 473-480. D.1933. no.5/6.

Raymond, J.
Les cinèses de l'asque de Pyronema confluens (Pers.) Tul. Botaniste 25: 467-470. illus. D. 1933. no.5/6.

Varitchak, B.
Deuxième contribution à l'étude du développement des ascomycètes. Botaniste 25: 343-378. illus., pl. xvii-xxiii. D.1933. no.5/6.
L'évolution nucléaire dans le sac sporifère de Pericystis apis Maassen et sa signification pour la phylogénie des ascomycètes.

Bull. Coll. Agr. & For. Univ. Nanking (107N15B)
Chen, H. K., Hwang, L. & Yu, T. F.
Experiments in controlling flag smut of wheat. Bull. Coll. Agr. & For. Univ. Nanking 2. 14 p. illus. Mr.1933.
Chinese with English summary.

Shen, T.
A comparison between 537 foreign wheat varieties and certain Chinese strains. Bull. Coll. Agr. & For. Univ. Nanking 4. 45 p. My.1933.

Shen, T.
Inheritance of quantitative and qualitative characters in wheat crosses. Bull. Coll. Agr. & For. Univ. Nanking 6. 14 p. illus. My.1933.

Tai, F.
Pear rust caused by Gymnosporangium haraeanum Syd. and its control. Bull. Coll. Agr. & For. Univ. Nanking 7. 10 p. 2 pl. 1933.
Chinese with English summary.

Yu, T. F.
Pathological and physiological effects of Bacillus tracheiphilus E.F. Smith on species of Cucurbitaceae. Bull. Coll. Agr. & For. Univ. Nanking 5. 82 p. x pl. My. 1933.

Yu, T. F. & Chen, H. K.
Seed treatments for controlling stripe disease of hulless barley. Bull. Coll. Agr. & For. Univ. Nanking 10. 6 p. My. 1933.

Yu, T. F. & Chen, H. K.
Treatment of hulless oat to prevent covered smut [Ustilago levis (Kell. & Sw.) Magn.] Bull. Coll. Agr. & For. Univ. Nanking 10. 2 p. My. 1933.

Bull. Soc. Dendrol. France. (Paris) (99.9So15)
Guillaumin, A.
Le Salicetum d'Enander au jardin de Jussieu. Bull. Soc. Dendrol. France 1933: 25-29. My.15, 1933. no.86.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger) (410.9So125)
Killian, C.
Développement, biologie et répartition de l' Ambrosinia bassii L. II. Bull. Soc. Hist. Nat. Afr. Nord. 24: 259-294. illus. N.1933. no.8.

Bull. Soc. Sci. Nat. Maroc (Rabat) (515Sol)

Maire, R.

La végétation de l'Anti-Atlas oriental et du Djebel Bani. Bull. Soc. Sci. Nat. Maroc 13: 156-164. Je.30, 1933. no.4/6.

Miège, É. & Crillot, G.

La staurogamie des orges cultivées. Origine de quelques espèces. Bull. Soc. Sci. Nat. Maroc 13: 143-155. pl.iv-vi. Je.30, 1933. no.4/6.

Bull. Torr. Club (451T63B)

Jennings, O. E.

Field work with the cryptogams, its needs and methods. Bull. Torr. Club 61: 89-92. F. 1934. no.2.

Keur, J. Y.

Studies of the occurrence and transmission of virus diseases in the genus Abutilon. Bull. Torr. Club 61: 53-70. pl.1-4. F. 1934. no.2.

Merrill, E. D.

The significance of the compiler's data in field work. Bull. Torr. Club 61: 71-74. F. 1934. no.2.

Pennell, F. W.

How field study can modify older taxonimic concepts. Bull. Torr. Club 61: 85-88. F.1934. No.2.

Ryerson, K. A.

Aims and objectives of plant introduction of the U.S. Department of Agriculture. Bull. Torr. Club 61: 75-79. F. 1934. no.2.

Wherry, E. T.

The box huckleberry as an illustration of the need for field work. Bull. Torr. Club 61: 81-84. illus. (maps). F. 1934. no.2

Canad. Journ. Res. (Ottawa) (330.9C16C)

Broadfoot, W. C.

Studies on foot and root rot of wheat. III-IV. Canad. Journ. Res. 10: 95-114, 115-124. Ja.1934. no.1.

III. Effect of crop rotation and cultural practice on the development of foot rot of wheat. IV. Effect of crop rotation and cultural practice on the relative prevalence of Helminthsporium sativum and Fusarium spp. as indicated by isolation from wheat plants.

Canad. Journ. Res. (cont.)

Dearness, J. Hansbrough, J. R.
Cytospora infection following fire injury in western British Columbia. Canad. Journ. Res. 10: 125-128. Ja. 1934. no.1.
"Cytospora pulcherima sp.nov., possibly a state of Valsella pulcherrima (E. and E.) Berl".

Pavlychenko, T. K. & Harrington, J. B.
Competitive efficiency of weeds and cereal crops. Canad. Journ. Res. 10: 77-94. iii pl. Ja. 1934. no.1.

La Chimica (Modesia) (385C44)

Dragone-Testi, G.
I fenomeni molecolari e la cellula vegetale vivente. La Chimica 9: 489-500. N./D. 1933. no.11/12.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)

Branas, J. & Dulac, J.
Le traitement du mildiou de la vigne par les bouillies cupriques. Compt. Rend. Acad. Agr. France 20: 33-39. Ja.10, 1934. no.1.

Compt. Rend. Acad. Sci. Paris (505P21)

Costantin, J.
Variétés de blé résistantes à la rouille. Compt. Rend. Acad. Sci. Paris 198: 130-133. Ja.8, 1934. no.2.

Hurel-Py, G. Mlle.
Recherches sur les conditions du pH nécessaires pour obtenir la germination des grains de pollen et la coloration vitale de leurs vacuoles. Compt. Rend. Acad. Sci. Paris 198: 195-197. Ja.8,1934. no.2.

Maume, L. & Dulac, J.
Différences variétales dans l'absorption de l'azote de l'acide phosphorique et de la potasse par des blés ayant atteint une même époque physiologique dans un même milieu. Compt. Rend. Acad. Sci. Paris 198: 199-202. Ja.8, 1934. no.2.

Sartory, A., Sartory, R., Meyer, J. & Ernst,
Influence inhibitrice du radium sur la croissance des radicelles de Lens esculenta Moench: modifications de la dose empechante minima sous l'influence d'ions antagonistes. Compt. Rend. Acad. Sci. Paris 198: 197-199. Ja.8, 1934. no.2.

Compt. Rend. Acad. Sci. Paris. (cont.)

Vandendries, R.

Les barrages sexuels chez Lenzites betulina (L) Fr. Compt. Rend. Acad. Sci. Paris 198: 193-195. Ja.8, 1934. no.2

Compt. Rend. Soc. Biol. Paris (442.9P21)

Cornet, P.

Observations cytologiques a propos de Viola hirta parasitée par Puccinia violae (Schum.) (D.C.) Compt. Rend. Soc. Biol. Paris 115: 52-53. 1934. no.1.

Cornet, P.

Résistance comparée a l'anisotonie des plastes des plantes aériennes et des plantes aquatiques ainsi que des portions immergées et aériennes d'une même plante. Compt. Rend. Soc. Biol. Paris 115: 50-52. 1934. no.1.

Miedzyrzecki, Ch.

Etudes cytologiques et stérilité du pollen chez le pommier et le poirier. Compt. Rend. Soc. Biol. Paris 114: 1267-1271. illus. 1933. no.39.

Cyprus Agr. Journ. (21C992)

Nattrass, R. M.

The white rot of onions in Cyprus. Cyprus Agr.Journ. 28: 98-100. illus. D.1933. no.4.

Difesa Piante Torino (464.9D56)

Bongini, V.

Della Phoma eriobotryae (cont.) Difesa Piante Torino 10: 64-70. illus. Ag.1933. no.4.

Additional to her Una malattia del nespolo giapponese.

Bongini, V.

Macchie di seccherecchio delle foglie di edera. Difesa Piante Torino 10: 123-130. illus. D.1933. no.6.

Colletotrichum trichellum (Fries) Vogl.

Beffa, G. della

Piero Voglino, 23 marzo 1864 - 22 ottobre 1933-XI. Difesa Piante Torino 10: 103-106. port. D. 1933. no.6.

Servazzi, O.

Un fungo nuovo del pioppo canadese (Pyrenochaetina variabilis sp.n.) Difesa Piante Torino 10: 113-122. illus. D. 1933. no.6.

Econ. y Técn. Agr. (Spain) (Madrid) (15Ec7)
García Romero, A.
Las semillas partes que las forman, condiciones para su germinación. Econ. y Técn. Agr. (Spain) 2: 475-477. illus. S./N. 1933. no.17/19.

Ernähr. Pflanze (Berlin) (57.8Er6)
Sauerlandt, W.
Zur weissärigkeit des hafers. Ernähr. Pflanze 30: 21-25. Ja.15, 1934.

Floralia (Assen, Netherlands) (80F6613)
Dominicus, J. K.
Is de vingerplant winterhard? Floralia 55: 54. illus. Ja.25, 1934. no.4.
Fatsia japonica.

Flor. Rev. (Chicago) (80W41)
Shippy, W. B.
Treats lily bulbs with disinfectants to eliminate decay. Flor. Rev. 73(1888): 13-15. illus. F.1, 1934.

For. Bull. For. Res. Inst. India (99.9In22B)
Kameson, S.
Testing and selection of commercial wood preservatives. For Bull. For. Res. Inst. India 81. 40 p. illus. 1933.

Gard. Chron. (London) (80G162)
Airy-Shaw, H. K.
Campanula phyctidocalyx or C. phlyctidocalyx. Gard. Chron. III, 95: 50. Ja.20, 1934. no.2456.
Notes also by A. Sigston Thompson & J. Fraser. All seem to agree that the second form of the species name is the only one tenable.

Balls, E. K.
Campanula betulaefolia, C. Koch. Gard. Chron. III, 95: 25. illus. Ja.13, 1934. no.2455.

Balls, E. K.
Plant collecting in Persia. II. Gard. Chron. III, 95: 44-45. illus. Ja.20, 1934. no.2456.

Boothman, H. S.
Aquilegias. (cont.) Gard. Chron. III, 95: 29-30. Ja.13, 1934. no.2455.

Brown, A. G.
Plum rust. Gard. Chron. III, 95: 31. Ja.13, 1934. no.2455.

Gard. Chron. (cont)

Friend, H.

Herbals and herbalists. IV. Dioscorides of Anazarba. Gard. Chron. III, 95:45-46. illus. Ja.20, 1934. no.2456.

Grove, A.

The bulbil-bearing character in lilies. Gard. Chron. III, 95: 28. illus. Ja.13, 1934. no.2455.

Nelmes, W.

Diospyros lotus. Gard. Chron. III, 95: 24. illus. (p.23). Ja.13, 1934. no.2455.

Stout, A. B.

Hemerocallis theron. Gard. Chron. III, 95: 43. illus. Ja.20, 1934. no.2456.

Vernalisation. I. Gard. Chron. III, 95: 35. Ja.20,1934. no.2456.

Gard. Illus. (London) (80G169)

Clay, S.

Variation in cultivated Meconopsis. I. Gard. Illus. 56: 22-23. illus. Ja.13,1934. no.2862.

Gartenfl. (Berlin) (80G19)

Breloer, J.

Die zaubernuss blüht wieder im garten. Gartenfl. 83: 16-18. illus. Ja.1934.

Mueller, A.

Orchideen in Sumatra. Gartenfl. 83: 1-6. illus. Ja.1934.

Schmarse, H.

Zwei seltene und prachtvolle orchideen. Gartenfl. 83: 7-8. illus. Ja.1934.

Euanthe sanderiana, Cycnoches pentadactylum.

Gartenz. (Wien) (80W632)

Svolba, F.

Einige bildungsabweichungen an pflanzen. Gartenz. (Wien) 1933: 123-125. illus. N.1933. no.11.

Gladiolus Rev. (Goshen, Ind.)

McCulloch, L.

Corn treatment in relation to blooming dates. Gladiolus Rev. 10: 242, 249. D.1933. no.12.

Gladiolus Rev. (cont.)

Starrett, L. A.
Gladiolus diseases. Gladiolus Rev. 11: 10-11, 14. Ja. 1934. no.1.

Tilford, P. E.
Corm treatments for the control of scab. Gladiolus Rev. 11: 8-9, 18. Ja.1934. no.1.

Hedwigia (Dresden) (450H35)

Kaiser, P.
Beiträge zur kenntnis der algenflora von Traunstein und dem Chiemgau (Bayern) VI. Hedwigia 73: 223-242. illus. D.20, 1933. no.5/6.

Keissler, K.
Thelopsis lojkana Nyl., eine diskokarpe flechte. Hedwigia 73: 252-54. pl.iv. D.20, 1933. no.5/6.

Krasske, G.
Die diatomeen-vegetation der drei quellen in Erfurt. Hedwigia 73: 243-246. D.20, 1933. no.5/6.

Pilát, A.
Pholiota fulvella (Bull.) Bres. et Pholiota confragosa Fries in Cechoslovakia. Hedwigia 73: 247-251. illus., pl.iii. D.20, 1933. no.5/6.

Japan. Journ. Bot. (Tokyo) (450J27)

Fukuda, Y.
Cyto-genetical studies on the wild and cultivated Manchurian soy beans (Glycine L.) Japan. Journ. Bot. 6: 489-506. illus., pl.xxi-xxii. D.20, 1933. no.4.

Hiura, M. & Kawada, S.
On the overwintering of Peronoplasmopara cubensis (B. et C.) Clinton. Japan. Journ. Bot. 6: 507-513. pl. xxiii. D.20, 1933. no.4.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)

Bruner, S. C. & Jenkins, A. E.
Identity and host relations of the Elsinoe of lima bean. Journ. Agr. Res. 47: 783-789. illus. N.15, 1933. no.10.

Journ. Agr. Res. (cont.)

Ivanoff, S. S.

Stewart's wilt disease of corn, with emphasis on the life history of Phytomonas stewarti in relation to pathogenesis. Journ. Agr. Res. 47: 749-770. illus., pl. 1-3. N.15, 1933. no.10.

Jones, J. W.

Inheritance of characters in rice. Journ. Agr. Res. 47: 771-782. N.15, 1933. no.10.

Lachmund, H. G.

Mode of entrance and periods in the life cycle of Cronartium ribicola on Pinus monticola. Journ. Agr. Res. 47: 791-805. N.15, 1933. no.10.

Journ. Arnold Arb. (Cambridge, Mass.) (451Ar6J)

Anderson, E. & Abbe, E. C.

A quantitative comparison of specific and generic differences in the Betulaceae. Journ. Arnold Arb. 15: 43-49. illus. Ja. 1934. no.1.

Anderson, E. & Whitaker, T. W.

Speciation in Uvularia. Journ. Arnold Arb. 15: 28-42. illus. pl. 82-83. Ja.1934. no.1.

Faull, J.

The biology of Milesian rusts. Journ. Arnold Arb. 15: 50-85. pl.84-86. Ja. 1934. no.1.

Faull, J.

A remarkable rust, Peridermium parksianum, n.sp. Journ. Arnold Arb. 15: 86-87. Ja.1934. no.1.

Palmer, E. J.

The beach plum in Michigan. Journ. Arnold Arb. 15: 88. Ja.1934. no.1.

Prunus maritima.

Palmer, E. J.

Quercus ellipsoidalis in Missouri. Journ. Arnold Arb. 15: 89. Ja.1934. no.1.

Rehder, A.

Notes on the ligneous plants described by Leveille from eastern Asia. (cont.) Journ. Arnold Arb. 15: 1-27. Ja.1934. no.1.

Journ. Linn. Soc. Bot. (London) (451L64J)

Earnest, E. C. M.

The water relations of the plant cell. Journ. Linn. Soc. Bot. 49: 495-502. Ja.3, 1934. no.330.

Experiments with Iris and Ceropegia.

Levyns, M. R.

A revision of Lobostemon Lehm., and a discussion of the species problem. Journ. Linn. Soc. Bot. 49: 393-451. illus., pl.29. Ja.3, 1934. no.330.

Saunders, E. R.

A study of Veronica from the viewpoint of certain floral characters. Journ. Linn. Soc. Bot. 49: 453-493. illus., fold.tab. Ja.3, 1934. no.330.

Journ. N.Y. Bot. Gard. (89N48J)

Alexander, E. J.

Dyed, gilded, and silvered decoratives. Journ. N.Y. Bot. Gard. 35: 9-16. Ja.1934. no.409.

Small, J. K.

Native iris notes. I-II. Journ. N.Y. Bot. Gard. 35: 17-18. Ja. 1934. no.409.

I. On the relative vitality of Louisiana iris.
II. Autumn flowering of Louisiana iris.

Small, J. K.

Ornamental ladies'-tresses. Journ. N.Y. Bot. Gard. 35: 19. illus. Ja.1934. no.409.

Spiranthes odoratum (Ibidium odoratum)

Stout, A. B.

Dwarf daylilies. Journ. N.Y. Bot. Gard. 35:1-8. illus. Ja.1934. no.409.

Kakteenk. Deut. Kakteen-Ges. (451D482)

Bödeker, E.

Echinocactus (Gymnocalycium) rhodantherus Böd., sp.n. Kakteenk. Deut. Kakteen-Ges. 1934: 13-14. illus. Ja.1934. no.1.

Kartoffel, Zeitschr. Kartoffelbauges. (Berlin) (75.8K142)

Koehler, E.

Ueber die blattrollkrankheit und andere abbauursachen. Kartoffel. Zeitschr. Kartoffelbauges. 14: 12-13. Ja.16, 1934. no.2.

Landw. Jahrb. Schweiz. (Bern) (17L23)
Faes, H., Staehelin, M. & Bovey, P.
La lutte contre les ennemis de la vigne en 1932. Landw. Jahrb. Schweiz 47: 1147-1159. 1933. no.10.

Lesnichká Práce (L'Oeuvre For.) (Pisek, Moravia) (99.8L56)
Žabka, J.
Grafiosa jilmů a volba náhradní dřeviny. (Le dégats du Graphium ulmi sur les ormes et le choix des essences suplémentaires.) Lesnická Práce (L'Oeuvre For.) 12: 541-545. 1933. no.11/12.
In Czech.

Louisiana Conserv. Rev. (New Orleans) (279.9L93C)
Glenk, R.
Crop plants of Louisiana; how, when and where they originated. Louisiana Conserv. Rev. 4:23-27, 30-37, 55. illus. Ja.1934. no.1.

Meld. Norges Landbruks (Oslo) (104N762M)
Solberg, P.
Jordartsegenskapenes betydning for reaksjonens virkning pa veksten av enkelte kulturplanter. (Die bedeutung, welche die eigenschaften der bodenarten für die wirkung der reaktion auf das wachstum einzelner kulturpflanzen haben). Meld. Norges Landbruks. 14: 88-172. illus. 1934. no.1.
German summary: p.153-155.

Mikrobiologiia (Moskva) (448.3M582)
Kalinenko, V. O.
Chernyi nekroz na Scorzonera tau-saghys Lipsch. et Bos. (Black necrosis on Scorzonera tau-saghys Lipsch. et Bos.) Mikrobiologiia 2: 210-217. illus. 1933. no.2.
Russian with English summary.
Disease found also on Tragopogon and Dodartia.

Minn. Hort. (Minneapolis) (81M66)
Harvey, R. B.
The conduction of water in trees. Its relation to horticultural practice. Minn. Hort. 62: 10. Ja.1934. no.1.
Includes paragraph on sunscald.

Mycologia (450M99)

Drayton, F. L.

The sexual mechanism of Sclerotinia gladioli. Mycologia 26: 46-72. illus., pl.5-7. Ja./F. 1934. no.1.

Drechsler, C.

A new species of Helicocephalum. Mycologia 26: 33-37. pl.4. Ja./F. 1934. no.1.

Hahn, G. G. & Ayers, T. T.

Dasycyphae on conifers in North American. I. The large-spored, white-excipled species. Mycologia 26: 73-101. pl.8-13. Ja./F. 1934. no.1.

Lange, J. E.

Mycofloristic impressions of a European mycologist in America. Mycologia 26: 1-12. pl.1 (port.) Ja./F. 1934. no.1.

Miller, L. W.

The Hydnaceae of Iowa. II. The genus Odontia. Mycologia 26: 13-32. pl.2-3. Ja./F. 1934. no.1.

Seaver, F. J.

Photographs and descriptions of cup-fungi. XX. A new Lamprospora. Mycologia 26: 102-103. pl. 14. Ja./F. 1934. no.1.

Shear, C. L.

Penicillium glaucum of Brefeld (Carpenteles of Langeron) refound. Mycologia 26: 104-107. illus. Ja./F. 1934. no.1.

Carpenteles asperum nom.nov.

Waksman, S. A. & Reneger, C. A.

Artificial manure for mushroom production. Mycologia 26: 38-45. Ja./F. 1934. no.1.

Naturaliste Canad. (Quebec) (410N216)

Rousseau, J.

Essai de bibliographie botanique canadienne. Nat. Canad. 61: 27-31. Ja. 1934. no.1.

Nature (London) (472N21)

Bancroft, H.

External leaf-characters of the cricket-bat and other willows. Nature 133: 104. Ja.20, 1934. no.3351.

Nature (cont.)

Mitra, A.

A new wound parasite of potato tubers. Nature 133: 67. Ja.13, 1934. no.3350.

Fusarium solani medium Wr. (F. viride Lechm.)

New Jersey State Hort. Soc. News (81N46)

Martin, W. H.

Recommendations upon apple scab and leaf curl control. New Jersey State Hort. Soc. News 15: 543, 545, 549. Ja. 1934. no.1.

Nuovo Giorn. Bot. Ital. (Firenze) (450N92)

Barsali, E.

Agguinte al prodromo della flora Umbra. (cont.) Nuovo Giorn. Bot. Ital. 40: 338-341. 1933. no.3.

Fiori, A.

Località nuove di piante italiane. 3. Nuovo Giorn. Bot. Ital. 40: 327-337. 1933. no.3.

Giambra, R.

Micromiceti dell'alta Savoia. Nuovo Giorn. Bot. Ital. 40: 415-420. 1933. no.3.

Lanzoni, F.

Sul valore della caratteristica del petit quale indice tassonomico. Nuovo Giorn. Bot. Ital. 40: 426-441. pl.xii-xiv. 1933. no.3.

Mattirolo, O.

I funghi ipogei della Campania, del Lazio e del Molise raccolti dal compianto Prof. Carlo Campbell. Nuovo Giorn. Bot. Ital. 40: 313-326. 1933. no.3.

Minio, M.

Le osservazioni fitofenologiche della rete italiana nel 1932 (annata xi). Nuovo Giorn. Bot. Ital. 40: 453-469. 1933. no.3.

Pampanini, R.

Carlo Lacaita (1853-1933). Nuovo Giorn. Bot. Ital. 40: 447-452. port. 1933. no.3.

Rodolico, A.

Appunti sulla cariologia e sull'embriologia delle "inuleae". Nuovo Giorn. Bot. Ital. 40: 421-425. pl. xi. 1933. no.3.

Santarelli, E.

Contribuzione alla flora briological della Alpi Apuane. Nuovo. Giorn. Bot. Ital. 40:342-400. 1933. no.3.

Nuovo Giorn. Bot. Ital. (cont.)

Vaccaneo, R.
La naturalizzazione nel Piemonte del Polygonum cuspidatum Sieb. et Zucc. Nuovo Giorn. Bot. Ital. 40: 442-446. 1933. no.3.

Vaccaneo, R.
La "Nonnea pulla" (L) DC. in Val di Susa (Piemonte) e la sua distribuzione geografica. Nuovo Giorn. Bot. Ital. 40: 401-414. illus. 1933. no.3.

Phytopath, Zeitschr. (Berlin) (464.8P562)

Bechhold, H. & Schlesinger, M.
Grösse von virus der mosaikkrankheit der tabakpflanze. Phytopath. Zeitschr. 6: 627-631. 1933. no.6.

Fehmi, S.
Beiträge zur kenntnis der wechselbeziehungen zwischen kulturpflanzen, ihren parasiten und der umwelt. 5. Untersuchungen über den einfluss der ernährung auf die empfänglichkeit der kartoffelknolle für lagerparasiten und die änderungen des enzymatischen stoffwechselverlaufes während der lagerung. Phytopath. Zeitschr. 6: 543-588. illus. 1933. no.6.

Hoerner, G. R. & Jones, W.
Crown treatments for hop downy mildew control. Phytopath. Zeitschr. 6: 619-626. 1933. no.6.

Schwarz, O. & Vasfi, A.
Beiträge zur pathologie der feige, Ficus carica L. I. Das fruchtfäuleproblem in Kleinasien. Phytopath. Zeitschr. 6: 589-618. 1933. no.6.

Plant. Chron. (Madras) (22P693)

Narasimhan, M. J. & Mayne, W. W.
Report on the disease situation in coffee areas in 1933. Plant. Chron. 28: 585-590. D.30, 1933. no.26.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Freising) (464.8P88)

Böning, K.
Versuche zur bekämpfung der Septoria-blattfleckenkrankheit des selleries mit chemischen mitteln. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 33(n.s. v.11): 231-237. D./Ja.1933/34. no.9/10.

Böning-Seubert, E.
Die mosaikkrankheit der gurken. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 33(n.s. v.11): 215-221. D./Ja.1933/34. no.9/10.

Proc. Nat. Shade Tree Conf. (99.9N218)

Baxter, S. N.
Notable trees and old arboreta in and around Philadelphia. Proc. Nat. Shade Tree Conf. 9(1933): 23-31. [1933]

Beattie, R. K.
How the Dutch elm disease reached America. Proc. Nat. Shade Tree Conf. 9(1933): 101-105. [1933]

Dodge, B. O.
The course of mycelia of Gymnosporangia in the trunks of cedars. Proc. Nat. Shade Tree Conf. 9(1933): 94-101. [1933]
Studies in Gymnosporangium VI.

Hitchcock, A. E., Crocker, W. & Zimmerman, P.W.
Toxicity of illuminating gas in soil. Proc. Nat. Shade Tree Conf. 9(1933): 34-36. [1933]

Rankin, W. H.
Wound gums and their relations to fungi. Proc. Nat. Shade Tree Conf. 9(1933):111-115. [1933]
Gum deposits and tyloses form a barrier, sealing the tissues within and making them less liable to wood decay.

Stout, A. B.
Atumn coloration. Proc. Nat. Shade Tree Conf. 9(1933): 46-49. [1933]

White, R. P.
The Dutch elm disease in New Jersey. Proc. Nat. Shade Tree Conf. 9(1933): 105-110. [1933]

Proc. Crop Sci. Soc. Japan. (22.5C88)

Kondo, M., Okamura, T., Isshiki, S. & Kasawara, Y.
Experimental studies in the photoperiodism of rice plant. II. Proc. Crop Sci. Soc. Japan 5: 369-379. D.1933. no.4.
Japanese.

Tsuda, S.
Physiological significance of the awn in rice plant. Proc. Crop.Sci. Soc. Japan 5: 380-390. D. 1933. no.4.
Japanese.

Proc. Texas Pecan Grow. Assoc. (94.69T31)

Cole, J. R.

Important parasitic diseases of pecans in Texas and their control. Proc. Texas Pecan Grow. Assoc. 13(1933): 56-59. [1933]

Cole, J. R., Alben, A. O., Smith, C. L. & Sitton, B.G.

Pecan rosette: A nutritional disease. Proc. Texas Pecan Grow. Assoc. 13(1933): 52-56. [1933]

Shuhart, D. V.

Pecan pollination. Proc. Texas Pecan Grow. Assoc. 13(1933): 9-14. [1933]

Smith, C. L. & Thorn, C.J.B.

A physiological study of fruit development in the pecan (Hicoria pecan). Proc. Texas Pecan Grow. Assoc. 13(1933): 71-76. [1933]

Smith, C. L. & Romberg, L. D.

Pollination control, period of receptivity and pollen viability in the pecan. I-II. Proc. Texas Pecan Grow. Assoc. 12(1932): 23-34. Jl. 1932; 13(1933): 76-85. [1933]

Progr. Agr. & Vitic. (Montpellier) (14P94)

Lugan, J.

Bouillies et mildiou. Progr. Agr. & Vitic. 101: 44-45. Ja.14, 1934. no.2.

For control of downy mildew of grape.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin)

Eggler, J.

Die pflanzengesellschaften der umgebung von Graz. (cont.) Repert. Spec. Nov. Beih. 73: 97-216. pl.ix-xvi. (2 col.) 2 maps (1 fold.) 1933. no.2.

Rep. Austral. & New Zealand Assoc. Adv. Sci.

Rogers, R. S.

Some developments in orchidology. Rep. Austral. & New Zealand Assoc. Adv. Sci. 21(1932): 330-365. 1933.

Rep. Brit. Assoc. Adv. Sci.

Horwood, A. R.

The flora of Leicestershire, considered botanically, and in relation to human activities. Rep. Brit. Assoc. Adv.Sci. 103(1933):App. p.25-33. 1933.

Rep. Brit. Assoc. Adv. Sci. (cont.)

Kögl, F.
On plant growth hormones (auxin A and auxin B) Rep. Brit. Assoc. Adv. Sci. 103(1933): 600-609. pl. 1933.

Lloyd, F. E.
The types of entrance mechanisms of the traps of Utricularia (including Polypompholyx). Rep. Brit. Assoc. Adv.Sci. 103(1933): 183-218. iv pl. 1933.

Rev. Gén. Bot. (Paris) (450R326)
Famin, A.
Action de la température sur les végétaux. (concl.) Rev. Gén. Bot. 45: 655-682. illus. D. 1933. no.540.

Feldmann, J. & Davy de Virville, A.
Les conditions physiques et la végétation des flaques littorales de la cote des Albères. Rev. Gén. Bot. 45: 621-654. pl.xx-xxiv. D. 1933. no.540.

Guilliermond, A.
Recherches cytologiques sur les pigments anthocyaniques et les composés oxyflavoniques. (cont.) Rev. Gén. Bot. 45: 685-695. D.1933. no.540.

Rev. Industr. y Agr. Tucumán. (Buenos Aires) (9T79)
Schultz, E. F.
Los efectos del hielo sobre los naranjos y el tratamiento de los frutales helados. Rev. Industr. y Agr. Tucumán 23: 165-169. Jl./Ag. 1933. no.7/8.

Rev. Soc. Rur. Brasil. (São Paulo) (9.2B733)
Carneiro, J. G.
Algumas doenças mais graves do abacateiro. Rev. Soc. Rur. Brasil. 13: 282-284. illus. Je. 1933. no.154.
Notes made up from work of Carvalho Barbosa "Do abacateiro e do abacate".

Rev. Vitic. (Paris) (95.8R322)
Veresceaghin, B.
Les ennemisde la vigne et les moyens de les combattre. Rev. Vitic. 80: 37-44, 60-62. Ja.18,25, 1934. no.2064, 2065.

Rhodora (Boston) (450R34)

Bartram, E. B.
Mosses of southern British Honduras and Guatemala. Rhodora 36: 55-58. illus. F. 1934. no.422.

Delisle, A. L.
Anychia canadensis in Hampshire county, Massachusetts. Rhodora 36: 58-59. F.1934. no.422.

Fernald, M. L. & Harris, S. K.
An additional note on the branching tendency in Polygonatum. Rhodora 36: 59-60. F.1934. no.422.
P. commutatum f. ramosum.

Lovell, J. H. & Lovell, H. B.
The pollination of Kalmia angustifolia. Rhodora 36: 25-28. illus. F. 1934. no.422.

Weatherby, C. A.
Epifagus virginiana (L.) Bart.,forma pallida, n.f. Rhodora 36: 59. F. 1934. no.422.

Weatherby, C. A. & Griscom, L.
Notes on the spring flora of the coastal plain of South Carolina north of Georgetown. Rhodora 36: 28-55. illus. F. 1934. no.422.

Rhodesia Agr. Journ. (Salisbury) (24R34)
The "kromnek" disease of tobacco. Rhodesia Agr. Journ. 31: 9-11. Ja. 1934. no.1.

Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.)
(Poznán) (20.5R59)

Terlikowski, F. & Miłkowski, K.
Wpływ zwiazkow boru na rozwój niektórych roslin. (The influence of boron compounds on the development of certain plants). Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) 31: 167-202. illus. Ja. 1934. no.1/2.
English summary: p.201-202;
Experiments with plants of the families Solanaceae and Papilionaceae.

Sci. Rep. Tohoku Imp. Univ. 4. Ser. (Biol.) (Sendai) (513T574Ab)
Jimbo, T.

The diagnoses of the pollen of forest trees. I. Sci. Rep. Tohoku Imp. Univ., 4. ser. (Biol.) 8: 287-296. pl.xi-xii. D. 1933. no.3.

Moore, A. R.

On the cytoplasmic framework of the plasmodium, Physarum polycephalum. Sci. Rep. Tohoku Imp. Univ., 4. ser. (Biol.) 8: 189-192. D. 1933. no.3.

Shibata, M.

Studien über die bildung organischer säuren in grünen pflanzen. I-II. Sci. Rep. Tohoku Imp. Univ., 4. ser (Biol.) 7: 157-179. illus. My. 1932; 8: 205-248. illus. D.1933. no.2, 3.

I. Die reihenfolge des säuregehalts im ganzen körper von Begonia evansiana Andr. II. Das verhältnis zwischen dem stickstoff und dem säurestoffwechsel im ganzen körper von Begonia evansiana Andr.

Scient. Agr. (Ottawa) (75Sci2)
Hanna, W. F. & Popp, W.

Bunt infection of spring wheat by soil-borne spores. Scient. Agr. 14: 257-258. Ja.1934. no.5.

Silva fennica. (Helsinki) (99.9F497)
Brandt, A.

Hiisjärven luonnonpuiston kasvillisuudesta (Ueber die vegetation des naturparks von Hiisjärvi). Silva fennica no.32 108 p. 2 pl., 3 maps. 1933.

Finnish with English summary.

So. African Gard. (Johannesburg) (80Sc87)

Plants new or noteworthy. South African plants cultivated in the National botanic gardens, Kurstenbosch, and in our readers' gardens. So. African Gard. 24: 24-25, 28. illus. Ja. 1934. no.1.

Aloe corifolia, A. immaculata, A. khamiesensis, A. vanbalenii, n.spp.

So. Afr. Journ. Sci. (Johannesburg)
Du Plessis, S. J.

Descriptions of some new species of South African fungi and of species not previously recorded from South Africa. VI. So. Afr. Journ. Sci. 30: 207-211. O. 1933.

So. African Journ. Sci. (cont.)

Goossens, A. P. & Stapelberg, W. J.
A brief note on the macroscopic aspect of some western Transvaal grasses. So. Afr. Journ. Sci. 30: 212-219. illus. O.1933.

Hector, J. M.
The origin of certain of our cultivated plants. So. Afr. Journ. Sci. 30: 46-61. O. 1933.

Obermeijer, A. A.
Notes on the distribution of Copaifera mopane Kirk. So. Afr. Journ. Sci. 30: 266-269. illus. (map) O.1933.

Phillips, E. P.
The flora of Barberton. So. Afr. Journ. Sci. 30: 234-236. O. 1933.

Phillips, E. P.
Newly described and newly recorded genera of South African plants. So. Afr. Journ. Sci. 30: 220-221. O. 1933.
Records since the publication of his "Genera of the South African flowering plants" 1926.

Phillips, E. P.
Some South African place names derived from plants. So. Afr. Journ. Sci. 30: 656-671. O. 1933.

Rimington, C.
The toxic principles of Cucumis africanus L.f., Cucumis myriocarpus (Naud.) emend., and of a new unnamed Cucumis species. So. Afr. Journ. Sci. 30: 505-514. illus. O.1933.
Two bitter principles, cucumin and leptodermin.

Schweickerdt, H. G.
A preliminary account of the vegetation in the neighbourhood of the Zoutpan in the northern Transvaal. So. Afr. Journ. Sci. 30: 270-279. illus. O. 1933.

Steyn, D. G.
Factors concerned in the determination of toxicity of plants. So.Afr. Journ. Sci. 30: 483-502. O. 1933.

So. African Journ. Sci. (cont.)

Thorncroft, G.
Gerbera jamesoni Bolus - The Barberton daisy. So. Afr. Journ. Sci. 30: 237. O. 1933.

Verdoorn, I. C.
The baobab. So. Afr. Journ. Sci. 30: 255-257. O. 1933.

Verwoerd, L., & Du Plessis, S. J.
Descriptions of some new species of South African fungi and of species not previously recorded from South Africa. V. So. Afr. Journ. Sci. 30: 222-233. O. 1933.

Wager, V. A.
Fusarium wilt in tomatoes in South Africa. So. Afr. Journ. Sci. 30: 240-246. O. 1933.

Wager, V. A.
A stem rot of transplanted tomatoes due to Pythium aphanidermatum (Eds.) Fitz. So. Afr. Journ. Sci. 30: 247-249. O. 1933.

Wager, V. A.
A spraying experiment for the control of bacterial black spot in mangoes. So. Afr. Journ. Sci. 30: 250-254. O. 1933.

Young, E. M. & Crocker, C. G.
Chromosome studies in Digitaria species. I. So. Afr. Journ. Sci. 30: 258-265. illus. O. 1933.

Trans. Kansas Acad. Sci. (500K13T)

Bartholomew, E.
Second list of additions to the fungous flora of Kansas. Trans. Kansas Acad. Sci. 36: 71. [1933]

Barton, A. W.
Plant sap and juice. I. Hydrogen ion concentration and other data. Trans. Kansas Acad. Sci. 36: 72-75. [1933]

Bentley, J. R.
Native lespedezas in Kansas. Trans. Kansas Acad. Sci. 36: 78-81. illus. (map) [1933]

Trans. Kansas Acad. Sci. (cont.)

Brennan, L. A., Darland, R., Lee, F. M. & Barton, A.W.
Plant sap and juice. II. Data obtained in the spring of 1933. Trans. Kansas Acad. Sci. 36: 76-77. [1933]

Burgert, I. A.
A study of some factors influencing germination of the spores of Phyllosticta solitaria. Trans. Kansas Acad. Sci. 36: 82. [1933]

Gates, F. C.
Kansas botanical notes. 1932. Trans. Kansas Acad. Sci. 36: 87-88. [1933]

Horn, E.
A summer hay fever plant survey of Manhattan, Kansas. Trans. Kansas Acad. Sci. 36: 91-97. [1933]

Kingsley, E. L.
The relation of certain morphological characters of the host and fungus to the identification of the loose and covered smuts of oats. Trans. Kansas Acad. Sci. 36: 98-104. [1933]

Mix, A. J.
Factors affecting the sporulation of Phyllosticta solitaria in artificial culture. Trans. Kansas Acad. Sci. 36: 105. [1933]

Meyers, H. E. & Johnson, E. W.
The cause and control of chlorosis in western Kansas. Trans. Kansas Acad. Sci. 36: 106-110. illus. [1933]

Trans. Sapporo Nat. Hist. Soc. (410.9Sa6)

Imai, S.
Gloeostereeae S. Ito et Imai, a new tribe of Theleophoraceae. Trans. Sapporo Nat. Hist. Soc. 13: 9-11. illus. 1933. no.1.
Gloeostereum incarnatum.

Miyabe, K. & Tatewaki, M.
Contributions to the flora of northern Japan. I-II. Trans. Sapporo Nat. Hist. Soc. 13: 1-5, 69-73. pl.i. 1933. no.1,2.

Miyabe, K. & Nagai, M.
Laminariaceae of the Kurile Islands. Trans. Sapporo Nat. Hist. Soc. 13: 85-102. 1933. no.2.

Trans. Sapporo Nat. Hist. Soc. (cont.)

Nagai, M.
Meeresalgen aus Kamtschatka. Trans. Sapporo Nat. Hist. Soc. 13:12-19. 1933. no.1.

Sakai, K.-I.
A brief note on the chromosomes in some Aconitum species. Trans. Sapporo Nat. Hist. Soc. 13: 74-77. pl. iv. 1933.

Shimada, S.
Change of pathogenicity shown by the "bakanae" fungus, Gibberella fujikuroi. Trans. Sapporo Nat. Hist. Soc. 13: 6-8. 1933. no.1.

Tokunaga, Y.
Studies on the aquatic chytrids of Japan, I-II. Trans. Sapporo Nat. Hist. Soc. 13: 20-28, 78-84. pl. ii,v. 1933. no. 1, 2.
I. Woroninaceae. II. Olpidiaceae.

Tree Talk. (Stamford, Conn.)

Dodge, A. W.
What salt spray does to trees. Tree talk 9: 7-9. illus. 1934. no.1.

Felt, E. P.
Are our elms going? Tree talk. 9: 3-6. illus. 1934. no.1.

Trop. Agriculture West Indies (Trinidad) (26T754)

Wardlaw, C. W.
Preliminary observations on the storage of avocado pears. Trop. Agriculture West Indies 11: 27-35. illus., 2 pl. F. 1934.

Trudy Prikl. Bot., Gen. i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen.& Plant-breed. Ser. A, Social. Plant Ind.) (451R92S)

Artemov, P. K.
K voprosu o porazhaemosti sortov zernovykh kul'tur gribnymi bolezniami (On the susceptibility of the varieties of grain crops to fungus diseases). Trudy, Prikl. Bot., Gen. i Selek. Ser. A, Sotsial. Rast (Bull. Appl. Bot., Gen.& Plant-Breed. Ser., A. Social. Plant Ind.) 7: 75-90. illus. 1933.
Russian.

Trudy Prikl. Bot., Gen. i Seled. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social Plant Ind.) (cont.)

Basova, A. P.

Skorospelye pshenitsy raznykh stran, kak iskodnyi material dlia selektsionnykh rabot (Early wheats of different countries as intital material for breeding). Trudy Prikl. Bot., Gen. i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social Plant Ind.) 7: 117-128. 1933.

Russian.

Doroshenko, A. V.

Opredelenie vskhozhesti semian zontichnykh kul'tur metodom okrashivaniia (Determination of the germination capacity in the seeds of Umbelliferae by the staining method). Trudy Prikl. Bot. Gen. i Selek, Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social. Plant Ind.) 7:185-193. illus. 1933.

Russian.

Kokin, A. I.

Novye resursy dikikh pishchevykh rastenii Srednei Zaii (New resources of wild food plants in Asia Media). Trudy Prikl. Bot., Gen. i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social. Plant Ind) 7: 137-149. illus. 1933.

Russian.

Kovalenko, G. M. & Sidorov, F. F.

Mezhvidovaia gibridizatsiia kartofelia (Inter-species hybridisation of the potato). Trudy Prikl. Bot., Gen.i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social Plant Ind.) 7: 97-106. 1933.

Russian.

Kovalev, N. V.

K voprosu o selektsii kartofelia na ustoichivost protiv fitoftory (A contribution to the question of breeding the potato for resistance to Phytophthora). Trudy Prikl. Bot., Gen. i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social. Plant Ind.) 7: 91-96. 1933.

Russian.

V.16, no.3, p.30.

Trudy Prikl. Bot., Gen. i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., /Gen. & Plant-breed. Ser. A, Social Plant Ind.) (cont.)

Nassonov, V. A. & Iager, F. Kh.

Anatomicheskie osobennosti steblei i list'ev kholodostoikikh vidov kartofelia (Anatomical peculiarities of stems and leaves in hardy potato varieties). Trudy Prikl. Bot., Gen. i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social. Plant Ind.) 7: 107-116. illus. 1933.

Russian.

Timofeeva, M. T.

K voprosu o metode laboratornogo opredekeniia zasukhoustoichivosti rastinii (On the method of laboratorial determination of the drought resistance of plants). Trudy Prikl. Bot., Gen. i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen.& Plant-breed. ser. A, Social. Plant Ind.) 7: 69-74. 1933.

Russian.

Vict. Nat. (Melbourne.) (410V66)

Bond, R. W.

Ferns in the Creswick district. Vict. Nat. 50: 208-213. Ja. 1934. no.9.

Watson's Micros. Rec. (London) (440.8W33)

Harris, G. T.

The Oedogoniales. I. Watson's Micros. Rec. 31: 14-16. pl. i. Ja.1934.

Zeitschr. Bot. (Jena) (450Z32)

Thren, R.

Jahreszeitliche schwankungen des osmotischen wertes verschiedener ökologischer typen in der umgebung von Heidelberg. Mit. einem beitrag zur methodik der pressaftuntersuchung. Zeitschr. Bot. 26: 449-526. 1934. no.9/10.

Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil. (Leipzig) (384Z343A)

Treschow, C. & Gabrielsen, E. K.

Zur bestimmung von nitrat in pflanzen und boden. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil. 32: 357-376. 1933. no.5/6.

Zeitschr. Pilzk. (Leipzig) (450Z352)

Höfer, K.
Der gestreifte teuerling (Cyathus striatus Huds.) (cont.) Zeitschr. Pilzk. 17(n.s.12): 100-105. illus., pl.15, D.1933. (schlussheft)

Huber, H.
Standorte seltener pilze in der umbegung Wiener-Neustadts (Neiderosterreich und Burgenland). Beitrag zur pilzgeographie. IX. Zeitschr. Pilzk. 17(n.s. 12): 105-107. D.1933(schlussheft)

Kallenbach, F.
Gallen am flachen porling (Polyporus applanatus). Zeitschr. Pilzk. 17(n.s.12): 107-109. pl. 17. D.1933. (schlussheft)

Knauth, B.
Ein seltener ritterling, Tricholoma friesii Bres. Zeitschr. Pilzk. 17 (n.s.12): 109-110. D. 1933. (schlussheft)

Teodorowicz,
Die sand-stinkmorchel, Phallus iosmus Berk. in Polen. Zeitschr. Pilzk. 17(n.s.12): 114-115. D. 1933. (schlussheft)

Wünschmann, K.
Ueber den narzissengelben wulstling (Amanita junquillea). Zeitschr. Pilzk. 17(n.s.12): 122-123. D.1933. (schlussheft)

Zeitschr. Zücht. A. Pflanzenzücht. (Berlin) (450Z36)

Breslavetz, L.
Apparat zur hervorrufung von mutationen bei feldversuchen "inmut". Zeitschr. Zucht. A. Pflanzenzucht. 19: 120-123. illus. Ja.1934. no.1.

Hudson, P. S.
English wheat varieties (concl.) Zeitschr. Zücht. A. Pflanzenzucht. 19: 57-108. illus. Jan. 1934. no.1.

Nicolaisen, W.
Die grundlagen der immunitätszüchtung gegen Ustilago avenae (Pers.) Jens. Zeitschr. Zucht. A. Pflanzenzucht. 19: 1-56. Ja. 1934. no.1.

Roemer, T., Tschermak, E.v. & Husfeld, B.
Erwin Baur. Zeitschr. Zücht. A. Pflanzenzücht. v.19, no.1. 2 p.l. port. (front.) Ja. 1934.

Zeitschr. Zücht. A. Pflanzenzucht. (cont.)

Thumanjan, M. G.

Eine zweischmittige behaarte feldunkrautwicke. Zeitschr. Zücht. A. Pflanzenzücht. 19: 109-119. illus. Ja.1934. no.1.

Der Zuchter. (Berlin) (442.8Z8)

Agerberg, L. S., Schick, R., Schmidt, M. & Sengbusch, R.v.

Die bestimmung des solaningehaltes von pflanzen mit hilfe von Cladosporium fülvum. Der Züchter 5: 272-280. illus. D.1933. no.12.

Ein beispiel für die möglichkeit der verwendung von mikroorganismen in der zuchterischen selektionstechnik.

Heuser, W. & Pfrang, H.

Beiträge zur züchtung der serradella. Der Zuchter 5: 267-272. illus. D.1933. no.12.

Wettstein-Westersheim, W.v.

Die züchtung von Populus. II. Der Züchter 5: 280-281. D.1933. no.12.

Exp. Stat. Publ.

Tullis, E. C. & Cralley, E. M.

Laboratory and field studies on the development and control of stem rot of rice. Arkansas Agr. Exp. Stat. Bull. 295. 23 p. illus. D.1933. (100Ar42)

Valleau, W. D., Fergus, E. N. & Henson, L.

Resistance of red clovers to Sclerotinia trifoliorum Erik., and infection studies. Kentucky Agr. Exp. Stat. Bull. 341:115-131. illus. Je. 1933 (100K41)

Folsom, D.

Apple spraying and dusting experiments 1928 to 1932 in relation to scab, yield, and tree growth. Maine Agr. Exp.. Stat. Bull. 368: 417-501. 4 pl. N.1933. (100M28S)

Stadler, L. J.

On the genetic nature of induced mutations in plants. II. A haplo-viable deficiency in maize. Missouri Agr. Exp. Stat. Res. Bull. 204. 29 p. illus. N.1933 (100M693)

Expt. Stat. Publ. (cont.)

New Jersey agricultural experiment station - Dept. of plant pathology.
Sand culture of Rhododendron ponticum.
Its Nursery Dis. Notes 6: 25-29. Ja.1934.
464.9N46)

New York state agricultural experiment station Division of botany. Its Ann. Rep. 52(1932/33): 27-42. 1934. (100N48)
Includes plant diseases.
F. C. Steward & M. T. Munn chiefs.

New Books.

Arkhimovich, A. Z.
Biologiia zakharnoi svekly [Biology of the sugar beet] pt. I-II. Khar'kov, Kiev, Isdatel'stvo HK Snaba USSR, 1932 (66Uk722)

Arnold Arboretum.
Catalogue of the Library ... vol.3 (Supplement) Cambridge, Cosmos press, 1933 (240.5Ar6)

Chopra, R. N.
Indigenous drugs of India, their medical and economic aspects. Calcutta, The art press, 1933. (396.C45)
Indian medicinal plants: p.456-540. Index of common vernacular names.

Osterhout, W.J.Van L.
The electrical behavior of large plant cells. In Cold Spring Harbor Symposia on quantitative biology 1: 125-130. illus. 1933 (442.9C672C)

Osterhout, W. J. Van L.
Osmotic pressure in relation to permeability in large plant cells and in models. In Cold Spring Harbor Symposia on quantitative biology 1: 166-169. 1933(442.9C762C)

Dahlgren, B. E.
A forest of the coal age. Chicago, 1933. (Field museum of natural history, Geology leaflet 14) (402.1D13)

Herzog, T.
Pflanzengeographie. Potsdam, Akademische verlagsgesellschaft Athenaion, 1933 (452.9H44)
Sonderabdruck aus den Handbuch der geographischen wissenschaft.

New Books (cont.)

Institut international d'agriculture.
Maladies et ennemis des cafeiers. In its Le café en 1931 et 1932.... Rome, 1933, p.185-222. (281.368In8)

Jávorka, S
A Magyar flóra képekben (Iconographie florae hungaricae) pt.18. Budapest, 1933 (f 459.7J32Ma)

Kamprath, J.
Der einfluss der bewässerung auf die wurzelentwicklung verschiedener gräser. Bottrop i W., W. Postberg, 1933, (60.1K12)
Inaug.-diss. Landw. Hochsch. Berlin.

Krieger, W.
Die desmidiaceen Europas mit berucksichtigung der aussereuropäischen arten. lfg. 1. Leipzig, 1933 (Dr. L. Rabenhorsts Kryptogamen-flora von Deutschland, Oesterreich und der Schweiz. 13. bd., Abt. I) (461R11)

Das pflanzenreich heft 98g. Sapindaceae VII, von L. Radlkofer. N.29, 1933. (452.En3P)

Pribram, E.
Klassifikation der schizomyceten. Leipzig & Wien, F. Deuticke, 1933. (461.4P932)

Schütte, K.
Landschaftskunde und pflanzensoziologie in der Lüneburger heide (zwischen Wilseder und Luhe) Hamburg, 1931 (463.82Sch8)
Inaug.-diss. Hamburg.
Reprinted from "Jahrbuch 1933 der Geographischen gesellschaft für das land Braunschweig".

Verplanck, G.
Contribution à l'étude histologique & cytologique d'une maladie de la pomme de terre appelée en Amérique spindle tuber, par. G. Verplanck... Bruxelles, M. Lamertin, 1930 (464.045V59)
Extrait des Mémoires....Académie royale de Belgique (Classe des sciences) Coll. in 8°, 2 sér. t.11.

New Books (cont.)

Veselovskaja, M. A.

Mak, ego klassifikatsiia i znachenie, kak maslichnoi kul'tury (The poppy, its classification and its importance as an oleiferous crop) Leningrad, 1933. (Prilozhenie 56-oe k Trukam op prikladnoi botanike, genetike i selektsii) (77V63)

Russian with English summary.

Wardlaw, C. W.

The storage behaviour of limes. Trinidad, Printed by the government printer, 1933. (280.393W21)

Reprints from publications not yet rec'd or not available.

Haan, I. de.

Protoplasmaquellung und wasserpermeabilität. Reprinted from Recueil Trav. Bot. Néerl. v.30, p.234-335. 1933.

Mekel, J. C.

Die entwicklung des stammes von Matteuccia struthiopteris insbesondere die der Höhlungen. Reprinted from Recueil Trav. Bot. Néerl. v.30, p. 627-724. illus., pl. iii-vii. 1933.

Corrections.

v.15, no.26, p.22.

Last entry under Riv. Patol. Veg.
Vol. &c. are as follows: 23: 371-377. illus.
S./O. 1933. no.9/10.

v.16, no.1, p.8.

first entry under Deut. Landw. Presse
the paging is 60: 641-642.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ MAR 1 1934 ★

Vol. 16, no. 4. Feb. 12-24, 1934.

Acta For. Fenn. (Helsingfors) (99.9F492)

Hintikka, T. J.

Muutamia havaintoja männyn tuulenpestistä. (Beitrage zur kenntnis der kiefern-hexenbesen). Acta For. Fenn. v.39, no.2. 15 p. illus., 2 pl. 1933.

German summary: p.13-15.

Acta Phytotaxon, & Geobot. Kyoto (450Ac83)

Koidzumi, G.

C.P. Thunberg [Notes on his work on Japanese plants] Acta Phytotaxon. & Geobot. Kyoto 2: 291-305. port. (front). N.1933. no.4.

Japanese.

Koidzumi, G.

New Cerasi from Japan. Acta Phytotaxon. & Geobot. Kyoto 2: 288-291. N.1933. no.4.

Prunus hiberniflora, P. shirataki, P. fukudana n.sp.

Japanese with Latin diagnoses of new species.

Ohwi, J.

[Euphrasia in Taiwan]. Acta Phytotaxon. & Geobot. Kyoto 2: 305-307. N.1933. no.4.

Japanese with Latin diagnoses.

E. pumilio, E. bilineata, E. masamuneana n.spp.

Ohwi, J.

Florula shikanensis. III. Acta Phytotaxon. & Geobot. Kyoto 2: 263-287. N. 1933. no.4.

Tatewaki, M. & Kimoto, U.

Florula of the Island of Kaibato (Todomoshiri) II. Acta Phytotaxon, & Geobot. Tokyo 2: 227-262. illus. N.1933. no.4.

Agr. & Live-stock, India. (Calcutta) (22Ag83A)
Bose, R. D.
The effect of frost on some crops at Pusa. Agr. & Live-stock, India 3: 555-563. pl.xxxii-xxxiv. N.1933. no.6.

Joshi, N. V.
Kudzu vine (Pueraria thunbergiana). Agr. & Live-stock, India. 3: 585-592. pl. xxxv-xxxvi. (1 col.) N.1933. no.6.

Agr. Gaz. N.S.W. (Sydney) (23N472)
Magee, C. J.
Tomato leaf mould. A disease new to glasshouse crops in New South Wales. Agr. Gaz. N.S.W. 45: 24-26. illus. Ja.1, 1934. no.1.

Amer. Fruit Grow. (Chicago) (80G85)
Darrow, G. M.
Seven new strawberries introduced by U. S. II. Amer. Fruit Grow. 54(2): 9, 23. F.1934.

Amer. Midl. Nat. (Notre Dame, Ind.) (410M58)
Braun, E. L.
The Lea herbarium and the flora of Cincinnati. Amer. Midl. Nat. 15: 1-75. illus. (map) Ja.1934. no.1.
Herbarium of Thomas G. Lea now at Phila. Acad. Sci.

House, H. D.
Acer saccharum again. Amer. Midl. Nat. 15: 76-77. Ja. 1934. no.1.

Anal. Inst. Biol. Univ. Nac. Mexico. (442.9M57)
Baxter, E. M.
Opuntia bravoana n.sp. Anal. Inst. Biol. Univ. Nac. Mexico. 4: 149-151. illus. 1933. no.3/4.

Sokoloff, D.
Algunas nuevas formas de flagelados del Valle de Mexico. Anal. Inst. Biol. Univ. Nac. Mexico 4: 197-206. illus. 1933. no.3/4.
Chlamydomonas caeca, Phacus asimmetricus. Euglena parasitica, n.spp.

Ann. Rep. Conserv. Dept. N. Y. (279.9N48)
New York. Conservation dept.
White pine blister rust control [& forest investigations] Its Ann. Rep. 22: 125-158. 1933
Includes notes on other diseases.

Arch. Mikrobiol. (Berlin) (442.8Ar26)
Cholodny, N. G.
A soil chamber as a method for the microscopic study of the soil microflora. Arch. Mikrobiol. 5: 148-156. illus. Ja.2, 1934. no.1.

Grundmann, E.
Beitrage zur ökologie von Bacillus mycoides (Flugge). Arch. Mikrobiol. 5: 57-83. Ja.22, 1934. no.1.
Nach untersuchungen im hochgebirge.

Lohmann, G.
Nährstoffwirkung und giftwirkung bei Aspergillus niger. Arch. Mikrobiol. 5: 31-56. Ja.22, 1934. no.1.

Müller, W.
Untersuchungen über die symbiose von tieren mit pilzen und bakterien. III. Ueber die pilzsymbiose holzfressender insektenlarven. Arch. Mikrobiol. 5: 84-147. illus. Ja.22, 1934. no.1.

Rippel, A. & Witter, P.
Untersuchungen an actinomyceten. Arch. Mikrobiol. 5: 24-30. illus. Ja.22, 1934. no.1.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)
Nakarai, S. & Sano, T.
Toxikologische untersuchung über giftige bestandteile von Ryania acuminata. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272: 1-4. 2 pl. Ja. 1934. no.1.

Arch. Suikerind. Nederl. Indie (Meded.) (Soerabaja) (65.8Ar2)
Honert, T. H. v.d.
Onderzoekingen over de voedingsphysiologie van het suikerriet. 2.Proeven over phosphaatopname. Arch. Suikerind. Nederl. Indië 1933, pt. 3. (Meded. 23): 1119-1156. illus. 1933.

Beitr. Biol. Pflanz. Cohn (Breslau) (450C66)
Fietz, A.
Prähistorische pflanzenreste aus der umgebung von Mährisch-Neustadt. Beitr. Biol. Pflanz. Cohn 21: 221-218. pl.xvi. 1933. no.2/3.

Friebel, H.
Untersuchungen zur cytologie der farne. Beitr. Biol. Pflanz. Cohn 21: 167-210. illus., pl. xiii-xv. 1933. no.2/3.

Beitr. Biol. Pflanz Cohn. (cont.)

Katz, N. J.

Die grundprobleme und die neue richtung der phytosoziologie. Beitr. Biol. Pflanz Cohn 21: 133-166. 1933. no.2/3.

Winkler, H.

Bausteine zu einer monographie von Ficaria. 8. Ueber bestäubung, fruchtbildung und keimung bei Ficaria verna von Herbert Wolter. Beitr. Biol. Pflanz Cohn 21: 219-255. 1933. no.2/3.

Winkler, H. & Anton, E.

Studien uber Betula alba L. im anschluss an Morgenthaler und Gunnarsson. Beitr. Biol. Pflanz Cohn 21: 256-299. illus. 1933. no.2/3.

Biochem. Zeitschr. (Berlin) (384B522)

Härdtl, H.

Ueber die stickstoff-assimilation durch Aspergillus niger unter verschiedenen ernahrungsbedingungen. Biochem. Zeitschr. 268: 104-115. Ja.22, 1934. no.1/3.

Müller, D.

Alkoholdehydrase aus hefe. II. Biochem. Zeitschr. 268: 152-157. Ja.22, 1934. no.1/3.

Zeller, A.

Ueber das vorkommen von cholin in meeresalgen. Biochem. Zeitschr. 268: 187-188. Ja.22, 1934. no.1/3.

Blue Anchor (Sacramento) (268.83B62)

Philip, G. L.

Bees and pollination in deciduous orchards. Blue Anchor. 11(2): 6-9. illus. F.1934.

Bot. Mag. Tokyo (450B651)

Akiyama, S.

On the systematic anatomy of the leaves of some Japanese Carices. III-IV. Bot. Mag. Tokyo 47:767-797, 863-881. illus. N., D. 1933. no.563, 564.

Japanese.

Emoto, Y.

Entwicklung der sporangien von myxomyceten. II. Ueber drei arten von Physaraceae. Bot. Mag. Tokyo 47:806-812. illus. N.1933. no.563.

Bot. Mag. Tokyo (cont.)

Hasegawa, N.

Chromosome numbers of some species in Polygonatum. Bot. Mag. Tokyo 47: 901-903. illus. D. 1933. no.564.

Japanese.

Ito, H.

Flora of Mt. Asama (A preliminary note). Bot. Mag. Tokyo 47: 882-900. illus. D.1933.

Japanese with list of scientific names of plants.: p.888-900.

Kitagawa, M.

Contributio ad cognitionen florae manshuricae. I- Bot. Mag. Tokyo 47: 823-841. illus. D.1933. no.564.

Kumazawa, M.

Ein neuer fundort von Tilachlydiopsis nigra. Bot. Mag. Tokyo 47: 903-904. D.1933. no.564.

Japanese.

Miki, S.

On the sea-grasses in Japan. I. Zostera and Phyllospadix, with special reference to morphological and ecological characters. Bot. Mag. Tokyo. 47: 842-862. illus., pl. iii. D.1933. no.564.

Ogura, Y.

On the structure of a fossil fern stem of Cibotium-type from the Upper Cretaceous of Iwate. Bot. Mag. Tokyo 47: 748-754. illus., pl. ii. N. 1933. no.563.

Sakurai, K.

Beobachtungen über japanische moosflora. V. Bot. Mag. Tokyo. 47: 733-747. N. 1933. no.563.

Watanabe, K.

Biologie von Mitrastemon yamamotoi Makino (Rafflesiaceae). I. Früchte und samen. Bot. Mag. Tokyo 47: 798-805. illus. N.1933. no.563.

Japanese with German summary: p.804-805.

Bot. Mag. Tokyo (cont.)
Yasui, K.
General studies in Zea mays L. Bot. Mag. Tokyo 47: 755-766. illus. no.1933. no.563.
Japanese.

Bot. Mus. Leafl. Harvard Univ. (451H262)
Ames, O.
A new Pleurothallis from Honduras. Bot. Mus. Leafl. Harvard Univ. 2: 25-29. pl. F.6, 1934. no.2.

Ames, O.
Notes on Philippine orchids. Bot. Mus. Leafl. Harvard Univ. 2: 31-32. F.6, 1934. no.2.
Renanthera elongata, Podochilus lucescens.

Bot. Jahrb. Engl. (Leipzig) (450En33)
Bornmüller, J.
Aus der flora Afghanistans. Bot. Jahrb. Engl. 66: 216-240. Ja. 25, 1934. no.2.

Smith, J. J.
Neue orchideen Papuasiens aus den sammlungen von Dr. E. Mayr und G. Stein. In Lauterbach, C. Beiträge zur flora von Papuasien. XX. Bot. Jahrb. Engl. 66: 161-215. Ja.25, 1934. no.2.

Stankow, S. S.
Grundzüge der anordnung in der pflanzenwelt der Südrim (von Sewastopol bis Feodosia) (schluss) Bot. Jahrb. Engl. 66: 145-160. Ja.25, 1934. no.2.

Bull. Agence Gén. Colon. France (Paris) (260C71B)
Heim de Balsac, F., Parveaud, A. & Lefèvre, L.
Valeur papetiere de bois du Cameroun , fiches technologiques préliminaires. Bull. Agence Gén. Colon. France. 26: 1432-1437. D.1933. no.297.
Pycnanthus kombo (Myristica kombo)

Bull. Agr. Congo Belge (Bruxelles) (24K83)
Castagne, E.
Le Dialium corbisieri Staner. Contribution à l'étude chimique des Dialium de la flore congolaise. Bull. Agr. Congo Belge. 24: 381-387. illus. S.1933. no.3.

Bull. Alpine Gard. Soc. Gt. Brit. (84A16)
Giuseppi, P. L.
Some alpine plants of Persia. Bull. Alpine Gard. Soc. Gt. Brit. 2: 1-4. 2 pl. Mr. 1933. no.1.

Bull. Alpine Gard. Soc. Gt. Brit. (cont.)
Ingwersen, W. E. Th.
Alpine and arctic willows. Bull. Alpine Gard. Soc. Gt. Brit. 2: 63-67.4 pl. Je. 1933. no.2.

Stafford, D. B.
Gentians from the south Peruvian Andes. Bull. Alpine Gard. Soc. Gt. Brit. 2: 42-44. 2 pl. Je.1933. no.2.
Unnamed.

Woodhead N.
Alpine plants of the Snowdon Range. Bull. Alpine Gard. Soc. Gr. Brit. 2: 12-21, 45-51. 4 pl. Mr., Je.1933. no.1,2.

Some Chinese & Himalayan gentians. Bull. Alpine Gard. Soc. Gt. Brit. 2: 33-42. 7 pl. (1 col.) Je.1933. no.2.

Bull. Amer. Delphinium Soc. (96.527Am3)
Haskins, C. P.
The x-ray treatment of delphiniums. Bull. Amer. Delphinium Soc. 2(2): 6-10. Ja. 1934. no.2.

Heald, F. D. & Burnett, G.
A virous disease of perennial delphiniums. Bull. Amer. Delphinium Soc. 2(2): 14-21. illus. Ja. 1934.

Bull. Cl. Sco. Acad. Roy. Belge. (Bruxelles) (504B83B)
Terby, J.
Cas d'orientation des figures de division les unes par rapport aux autres au sein d'un plasmodium. Bull. Cl. Sci. Acad. Roy. Belg. V,19: 1198-1206. illus. 1933. no.10/11.

Bull, Rubber Grow. Assoc. (78.9R822B)
Taylor, V. A.
Oidium heveae. Bull. Rubber Grow. Assoc. 16: 8-10. Ja.1934. no.1.

Bull. Shanghai Sci. Inst. (513Sh15)
Nakao, M.
Note on "Shao-hsing hsiao-ting ching-shih cheng-lie pei-chi pen-t'sao" (The ancient Chinese materia medica revised in the Sung Dynasty Shao-hsing period (1131-1162). Bull. Shanghai Sci. Inst. 2: 11-121. My. 1933. no.2.
Chinese, index of scientific names of plants
English summary appears in Separate print no.1. from Journ. Shanghai Sci. Inst. Sect. III, v.1, May. 1933. 9 p. (513Sh15J)

Bull. Soc. Bot. France (Paris) (451F84B)

Benoist, R.

La phyllotaxie chez quelques espèces de caryophyllacées et de valériancées. Bull. Soc. Bot. France 80: 563-565. illus. D.23, 1933. no.7/8.

Species of Arenaria, Aretiastrum sedifolium, Phyllactis rigida.

Bertrand, P.

Observations sur le classification des fougères anciennes (Paloeoptéridales) du dévonien et du carvonifère. Bull. Soc. Bot. France 80: 527-537. illus. D.23, 1933. no.7/8.

Bouly de Lesdain, M.

Puccinellia, Poa et Avena des environs de Dunkerque. Bull. Soc. Bot. France 80: 514-522. D.23, 1933. no.7/8.

Carbonel, J.

Liste complète des muscinées observées dans la commune de Thérondels (Aveyron). Bull. Soc. Bot. France 80: 509-514. D.23, 1933. no.7/8.

Chermezon, H.

Cypéracées nouvelles du Gabon. II. Bull. Soc. Bot. France 80: 506-509. D.23, 1933. no.7/8.

Colin, H.

La descendance de l'hybride orge noire et lisse x orge blanche et rugueuse. Bull. Soc. Bot. France 80: 537-542. D.23, 1933. no.7/8.

Cugnac, A. de.

Sur quelques espèces de bromes et leurs hybrides. II. Bromus macrantherus Hack. Note préliminaire. Bull. Soc. Bot. France 80: 561-562. D.23, 1933. no.7/8.

Dauphiné, A.

Gustave Chauveaud (1859-1933). Bull. Soc. Bot. France 80: 555-561. pl. iv(port.) D.23, 1933. no.7/8.

Dughi, R.

Un nouveau pyrénomycète lichénicole Adelococcus nephromicolus, nov. sp. Bull. Soc. Bot. France 80: 570-574. D.23, 1933. no.7/8.

Bull. Soc. Bot. France (cont.)

Fouillade, A.
Suite à ma note sur quelques bromes. (Réponse à M.A. de Cugnac et Mlle. A. Camus). Bull. Soc. Bot. France 80: 497-499. D.23, 1933. no.7/8.
see also p.499 (Une dernière précision en réponse a M.Fouillade, par Antoine de Cugnac et Aimée Camus)

Fournier, Paul abbé
Pour la défense de la phytosociologie. Bull. Soc. Bot. France 80: 501-506. D.23, 1933. no.7/8.

Frémy, Pierre abbé & Guinochet, M.
Contribution à la flore algologique des Alpes dauphinoises. Bull. Soc. Bot. France 80: 576-581. D.23, 1933. no.7/8.

Guillaumin, A.
Materiaux pour la flore de la Nouvelle Calédonie. XXXII i.e. XXXIII. Revision des verbénacées. Bull. Soc. Bot. France 80: 476-480. D.23, 1933. no.7/8.

Gustafsson, C. E.
Rubus apetalus Poir. Bull. Soc. Bot. France 80: 569-570. D.23, 1933. no.7/8.

Hamet, R.
Observations sur le Kalanchoe uniflora (Stapf) Raymond-Hamet.) Bull. Soc. Bot. France 80: 542-548. D.23, 1933. no.7/8.

Hamet, R.
La rubiacée que Good a décrite sous le nom de Pausinystalia mayumbensis n'est pas un Pausinystalia, mais un Coryanthe. Bull. Soc. Bot. France 80: 549-553. D.23, 1933. no.7/8.

Lion. Ho, M.

Un sous-genre nouveau et une espece nouvelle de Litsea au Yunnan. Bull. Soc. Bot. France. 80: 566-568. illus. D.23, 1933. no.7/8.
Litsea (Octolitsea) liyuyingi.

Loubiere, A.
Classification des ptéridospermes fondée sur l'anatomie comparée de leurs seules graines. Bull. Soc. Bot. France. 80: 468-475. D.23, 1933. no.7/8.

Bull. Soc. Bot. France (cont.)

Maire, R.
John Briquet (1870-1931). Notice biographique.
Bull. Soc. Bot. France 80: 442-463. pl. iii (port.)
D.23, 1933. no.7/8.

Moreau, F. & Moruzi, C.
Sur de nouvelles irrégularités de la bipolarité
sexuelle chez les ascomycètes du genre Neurospora.
Bull. Soc. Bot. France 80: 574-576. D.23, 1933.
no.7/8.

Pellegrin, F.
De quelques légumineuses de l'Afrique occidentale.
Bull. Soc. Bot. France 80: 463-467. D.23, 1933.
no.7/8.

Canad. Hort. (Peterboro, Ont.) (80G16)

Mayers, N.
Suggestions for the control of Rhizoctonia.
Canad. Hort. 57: 29. illus. F.1934, no.2.

Cavanillesia (450C31)

Font Quer, P.
De flora occidentale adnotationes. XI.
Cavanillesia 6: 22-24. D.10, 1933. no.1/3.

Codina, J.
Notes sobre la Volvaria bombycina Schaeff.
Cavanillesia 6: 25-28. illus. D.10, 1933. no.1/3.

Maire, R.
Observations sur quelques plantes du Maroc
septentrional. VII. Cavanillesia 6: 5-21.
D.10, 1933. no.1/3.

Mas Guindal, J.
Materiales para la flora de Marruecos. VIII-IX.
Cavanillesia 6: 29-32. D.10, 1933. no.1/3.

Compt.Rend. Acad. Sci. Paris (505P21)

Biecheler, B.
Sur un dinoflagellé à capsule périnucléaire,
Plectodinium, n.gen. nucleovolvatum, n.sp. et
sur les relations des péridiniens avec les
radiolaires. Compt. Rend. Acad. Sci. Paris 198:
404-406. illus. Ja.22, 1934. no.4.

Compt. Rend. Acad. Sci. Paris. (cont.)

Bouges, Mlle.

Sur quelques résultats de la suralimentation et de la sous-alimentation embryonnaires chez l'avoine. Compt. Rend. Acad. Sci. Paris 198: 606-608. illus. F.5, 1934. no.6.

Bruere, P.

Taux et répartition du manganese dans le grain de ble. Compt. Rend. Acad. Sci. Paris 198: 504-507. Ja.29, 1934. no.5.

Colin, H. & Payen, J.

Le sucre de Rivularia bullata. Compt. Rend. Acad. Sci. Paris 198: 384-386. Ja.22, 1934. no.4.

Costantin, J.

Notion nouvelle de l'enroulement doux de la pomme de terre. Compt. Rend. Acad. Sci. Paris 198:299-302. Ja.22, 1934. no.4.

Guerin, P.

L'acide cyanhydrique chez les graminées: Melica et Gynerium, Compt. Rend. Acad. Sci. Paris 198: 383-384. Ja.22, 1934. no.4.

Lavialle, P. & Jaeger, P.

Polymorphisme floral: la gynomonoecie et la gynodioecie chez Knautia arvensis Coult. Compt. Rend. Acad. Sci. Paris 198: 603-606. F.5, 1934. no.6.

Le Blanc, R.Mlle.

Sur la reproduction du Chaetoceros pseudocurvisetum Mangin. Compt. Rend. Acad. Sci. Paris 198: 601-603. illus. F.5, 1934. no.6.

Maublanc, A. & Roger,

Le phthiriose du cafeier. Compt. Rend. Acad. Sci. Paris 198: 391-392. Ja.22, 1934. no.4.

Identical with disease described from Uganda & Kenya and ascribed to Polyporus coffeae. Seems to think that the fungus is more likely Bornetina corium which is connected with phthiriosis of vine, and that Polyporus coffeae developed on dead wood of plant. In either case the fungus is saprophytic, cochenilles being the primary cause.

Compt. Rend. Acad. Sci. Paris (cont.)

Piettre, M.

Maturation des graines de blé. Influence de quelques phénomènes physicochimiques. Compt. Rend. Acad. Sci. Paris. 198: 608-611. F.5, 1934. no.6.

Sartory, A., Sartory, R., Meyer, J. & Ernst,

Influence inhibitrice du radium sur la croissance des radicelles de Lens esculenta Moench: modifications de la dose empêchante minima sous l'influence d'ions favorisants. Compt. Rend. Acad. Sci. Paris 198: 386-388. Ja.22, 1934. no.4.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Gratia, A.

Des analogies entre les virus des plantes et les bacteriophages: rapprochement avec les tumeurs. Compt. Rend. Soc. Biol. Paris 115: 189-192. 1934. no.2.

Lenoir, M.

Observations sur le phénomène de contraction synizésique dans l'anthère du Lilium martagon L. Compt. Rend. Soc. Biol. Paris 115: 168-170. 1934. no.2.

Dokl. Akad. Nauk SSSR (Compt.Rend. Acad. Sci. URSS) (511P444)

Chaĭlakhi͡an, M.

I͡arovizatsii͡a rasteniĭ svetom (Yarovization of plants by the action of light). Dokl. Akad. Nauk SSSR (Compt. Rend.Acad. Sci. URSS) 1933,A: 224-229. illus. no.5.

Russian with English summary.

Experiments with wheat "Ukrainka" (v. erythrospermum), barley 02495 (v. pallidum) rye "Viatka", Ukrainian vetch A-101 and rape no.155.

Chaĭlakhi͡an, M. Kh.

Vozrast rasteniĭ i fotoperiodicheskai͡a reaktsii͡a (The age of plants and the photoperiodic reaction) Dokl. Akad. Nauk SSSR (Compt.Rend. Acad. Sci. URSS) 1933,A: 306-314. illus. no.6.

Russian with English summary.

Experiments with millet (Panicum miliaceum v.effusum)

Dokl. Akad. Nauk SSSR CCompt. Rend. Acad. Sci. URSS) (cont.)

Imshenetskiĭ, A. A. & Kriss, A. E.

Materialy k izucheni͡iu nesovershennykh gribov (Matériaux pour l'étude des fungi imperfecti) 2. Oospora corticalis n.sp. Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) 1933,A: 140-146. 2 pl. no.8.

Russian with German summary.

Rozov, S. A.

Rol pchel v perekrestnom opylenii tsvetov podsolnechnika (The role of the bees in the cross-pollination of the sunflower). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) 1933,A: 303-305. no.6.

Russian with English summary.

Empire For. Journ. (99.8Em72)

Elm disease in Great Britain. Empire For. Journ. 12: 264-265. 1933. no.2.

Harris, C. M.

Stone in Chlorophora excelsa B. & H., Iroko, Empire For. Journ. 12: 229-238. illus., 2 pl. 1933. no.2.

"Stone to be looked for in the wounds and scars of standing trees".

Robertson, C. C.

The cultivation of Mexican pines in the Union of South Africa, with notes on the species and their original habitat, (cont.). Empire For. Journ. 12: 71-90, 241-253. 6 pl. on 3. 1933. no.1,2.

Erdész. Kisérl. (Hungary) (Sapron) (99.9Er22)

Fehér, D.& Besenyei, Z.

Vizsgálatok az erdötalaj gombaflórájáról. (Untersuchungen über die pilzflora der waldböden). Erdész. Kisérl. (Hungary) 35: 55-77. 1933. no.1/2.

German summary: p.75-77.

Forestry (Gt. Brit.) (London) (99.8F767)

Chattaway, M. M.

Ray development in the Sterculiaceae, Forestry (Gt. Brit.) 7: 93-108. illus. D.1933. no.2.

Gard. Chron. (London) (80G162)

Balls, E. K.

Plant collecting in Persia. III. Kuh Bamu and Kuh Ajub. Gard. Chron. III, 95: 78-79. illus. F.3,1934. no.2458.

Friend, H.

Herbals and herbalists. V. Pliny the Elder. Gard. Chron. III, 95: 79-80. F.3, 1934. no.2458.

Green, D. E.

Antirrhinum rust. Gard. Chron. III, 95: 81. illus. F.3, 1934. no.2458.

Grove, A.

Lilies in 1933. Gard. Chron. III, 95: 63-64. illus. Ja.27, 1934. no.2457.

Le Sueur, A.D.C.

The repair of wounds in trees. Gard. Chron. III, 95: 76. F.3, 1934. no.2458.

Roberts, W.

A Bristol catalogue, 1769. Gard. Chron. III, 95: 62-63. Ja.27, 1934. no.2457.

"A catalogue of fruit and forest trees, also flowering shrubs, English and foreign, sold by Thomas King, at his nursery and seed warehouse in Stoke's Croft, Bristol".

Vernalisation. II. Gard. Chron. III, 95:53. Ja.27, 1934. no.2457.

Walther, E.

Banksias in California. Gard. Chron. III, 95: 76-77. illus. F.3, 1934. no.2458.

Gard.Illus. (London) (80G169)

Clay, S.

Variation in cultivated Meconopsis. II. Gard. Illus. 56: 50-52. illus. Ja.27,1934. no.2864.

Gartn.-Tid. (København) (80G192)

Neergaard,P.

Smitteracer hos kartoffelskimmel (Phytophthora infestans). Gartn-Tid. 50: 62-64. Ja.30, 1934. no.5.

Hilgardia (Berkeley,Cal.) (100C12H)
Crafts, A. S.
Sulfuric acid as a penetrating agent in arsenical sprays for weed control. Hilgardia 8:125-147. illus. D.1933. no.4.

House & Gard. (Greenwich, Conn.) (80H81)
Gabrielson, I. N.
Plants from the high Olympics in the far northwest. House and Gard. 65(3): 40-41, 85, 87. illus. Mr.1934.

Stout, A. B.
Better and newer daylilies for all. House and Gard. 65(3): 52-53, 91. illus. Mr.1934.

Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) (Leningrad) (511Sa2B)
Meisel, M. N.
Izmenenii͡a zhivoĭ rastitel'noĭ kletki pod vlii͡aniem khimicheskikh agentov (Veranderungen der lebenden pflanzlichen zellen bei einwirkung chemischer agenzien. I. Ultramikroskopische beobachtungen an zellen von Allium cepa. Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) 1933: 983-996. illus. no. 7.

Izv. Permsk. Biol. Nauchno-Issl. Inst.(Bull. Inst. Rech. Biol.Perm)(442.9P42)
Baranov, V.
Geobotaniskie issledovanii͡a v Ural'skoĭ oblasti (Geobotanical investigations in the Ural province). Izv. Permsk. Biol. Nauchno-Issl.Inst.(Bull. Inst. Rech. Biol. Perm) 8: 283-318. map. 1933. no.6/8.
Russian with English summary.

Baranov, V. I.
K simbolike geobotanicheskoĭ karty (Notes on the symbology of a geobotanical map) Izv. Permsk. Biol. Nauchno-Issl.Inst.(Bull.Inst. Rech. Biol. Perm) 8: 277-282. 1933. no.6/8.
Russian with English summary.

Gusev, S. D.
Floristicheskie zametki (Floristic notes). Izv. Permsk. Biol. Nauchno-Issl. Inst. (Bull. Inst. Rech. Biol. Perm) 8: 253-257. 1933. no.5/8.
Russian with English summary.

Izv. Permsk. Biol. Nauchno-Issl. Inst.(Bull. Inst. Rech. Biol. Perm) (cont.)

Henckel, A. A. & Ostasheva, E. I.

Visi͡achie bolota okrestnosteĭ gory I͡aman-Tau na i͡uzhnom Urale ("Hanging" swamps in the environs of Mount Yuman-Tau, the south Urals). Izv. Permsk. Biol. Nauchno-Issl. Inst.(Bull. Inst. Rech. Biol. Perm) 8: 233-252. 2 pl. 1933. no.6/8.

Russian with English summary.

Khrebtov, A. A. & Dvornikov, V.S.

Sorni͡aki Urala, kak maslichnye rastenii͡a (The weeds of the Ural, as oil-producing plants) Izv. Permsk. Biol. Nauchno-Issl. Inst. (Bull. Inst. Rech. Biol. Perm) 8: 259-264. 1933. no.6/8.

Russian with English summary.

Krasovskii, P. N. & Segreeva, A.M.

Ob oshibochnosti otnesenii͡a k lesostepi Krasnoufimskoĭ i Kungurskoĭ territorii priural'i͡a (Ueber die irrtümlichkeit der zurechnung der territorien Krasnoufimsk und Kungar zur waldsteppe) Izv. Permsk. Biol. Nauchno-Issl. Inst. (Bull. Inst. Rech. Biol. Perm) 8: 265-276. pl.3-7. 1933. no.6/8.

Russian with English summary.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)

Beatus, R.

Der erbgang der pentasepalie bei den zwischenrassen von Veronica tournefortii. Jahrb. Wiss. Bot. 79: 256-295. illus. 1934. no.2.

Bünning, E.

Die mechanik der tagesperiodischen variationsbewegungen von Phaseolus multiflorus. Jahrb. Wiss. Bot. 79: 191-230. illus. 1934. no.2.

Simon, S. V.

Weitere untersuchungen zur keimungsphysiologie der winterknospen von Hydrocharis. II-IV. Jahrb. Wiss. Bot. 79: 296-310. 1934. no.2.

II. Ueber die wirkung der einzelnen spektralbereiche auf das austreiben derknospen. III. Ueber die abstumpfende wirkung der einzelnen spektralbereiche. IV. Ueber die abhängigkeit der grösse der abstumpfung von der während der vorbelichtung herrschenden temperatur.

Jahrb. Wiss. Bot. (cont.)

Söding, H.

Ueber die wachstumsmechanik der haferkoleoptile. Jahrb. Wiss. Bot. 79: 231-255. illus. 1934. no.2.

Wenzl, H.

Untersuchungen über den wasserhaushalt von Marchantia polymorpha. Jahrb. Wiss.Bot. 79: 311-352. illus. 1934. no.2.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)

Humphrey, C.J. & Siggers, P. V.

Temperatur relations of wood-destroying fungi. Journ. Agr. Res. 47: 997-1008. illus. D.15,1933. (Rec'd F.21,1934) no.12.

Journ. Agr. Sci. (London) (10J822)

Thomas, B.

On the composition of common heather (Calluna vulgaris). Journ. Agr. Sci. 24: 151-155. Ja. 1934. no.1.

Journ. Amer. Chem. Soc. (381Am33J)

Adams, M. & Oakberg, F. S.

Essential oil in desert plants. III. Examination of the oil of Artemisia tridentata typica. Journ. Amer. Chem. Soc. 56: 457-459. F.1934. no.2.

Journ. Biol. Chem. (Baltimore) (381J824)

Matlack, M. B. & Sando, C. E.

A contribution to the chemistry of tomato pigments. The coloring matter in American red and purple tomatoes. (Lycopersicum esculentum) Journ.Biol. Chem. 104: 407-414. illus. F.1934. no.2.

Smith, J.H.C. & Milner, H. W.

Carotene, VII. Physical properties of carotenes from different plant resources. Journ. Biol. Chem. 104: 437-447. F.1934. no.2.

Journ. Roy.Hort. Soc. (London)(84L84J)

Blackman, V. H.

Plants in relation to light and temperature. Journ. Roy. Hort. Soc. 59: 1-13. illus., 4 pl. no. 2. 1934. no.1.

Journ. Roy. Hort. Soc. (cont.)

Gates, R. R.
Sterility in plants. Journ. Roy. Hort. Soc. 59: 141-144. 1934. no.1.
A paper presented at the Lily conference but not published in the Lily year book.

Gould, N. K.
The hot water treatment of narcissus bulbs. Journ. Roy. Hort. Soc. 59: 78-81. 8 pl. on 4. 1934. no. 1.

Green, D. E.
Antirrhinum rust. A disease new to Great Britain, caused by the fungus Puccinia antirrhini Diet. & Holw. Journ. Roy. Hort. Soc. 59: 119-126. 2 pl. on 1. 1934. no.1.

Hill, A. W.
Otto Stapf, Ph.D., F.R.S., F.L.S., V.M.H. (1857-1933). Journ. Roy. Hort. Soc. 59: 127-130. pl. (port.) 1934. no.1.

Rohde, E. S.
English gardens in medieval, Tudor and Stuart times. Journ. Roy. Hort. Soc. 59: 37-49. 8 pl. on 4. 1934. no.1.

Soames, A. G.
Autumn colours at Sheffield Park, Sussex. Journ. Roy. Hort. Soc. 59: 97-106. 18 pl. on 9, map. 1934. no.1.

Stearn, W. T.
Colchicum hungaricum Janka. Journ. Roy. Hort. Soc. 59: 67-70. 1934. no.1.

Tincker, M. A. H.
Tests of sodium chlorate as a garden weed killer, at Wisley. Journ. Roy. Hort. Soc. 59: 107-118. 1934. no.1.

Warr, H.E. & Gresham, C.E.
Summer flowers on Mount Troodos, Cyprus. Journ. Roy. Hort. Soc. 59: 71-73. 4 pl. on 2. 1934. no.1.

Journ. Sci. Hiroshima Univ. Ser. B, Div. 2 (Botanu) (451H61)

Shimotomai, N.
~~Zur~~ Zur karyogenetik der gattung Chrysanthemum. Journ. Sci. Hiroshima Univ. Ser. B, Div. 2 (Botany) v.2, no.1. illus., 10 pl. D.1933.

Journ. Washington Acad. Sci. (500W276J)
Ball, C. R.
Two new varieties of Salix scouleriana Barratt. Journ. Washington Acad. Sci. 24: 73-78. illus. F.15, 1934. no.2.
S. scouleriana var.coetanea, S. scouleriana. var. thompsoni.

Kakteenk. Deut. Kakteen-Ges. (451D482)
Bödeker, F.
Mammillaria haehneliana Böd. sp.n. Kakteenk. Deut. Kakteen-Ges. 1934: 27-28. illus. F. 1934. no.2

Huber, J. A.
Praparationsmethoden von sukkulenten. Kakteenk. Deut. Kakteen-Ges. 1934: 23-27. illus. F.1934. no.2.

Kranke Pflanze (Dresden) (464.8K86)
Laubert, R.
Was jeder uber die Plowrightia-krankheit der obstbäume wissen sollte. Kranke Pflanze 11: 3-5. illus. Ja. 1934. no.1.

Lavori R. Ist. Bot. Palermo (451P17L)
Bruno, F.
Contributo allo studio della funzione degli olii essenziali nelle piante. Lavori R. Ist. Bot. Palermo 4: 11-24. 1933.

Bruno, F.
Studio spettroscopico del pigmento verde dei funicoli e dei semi verdi della Yacaranda mimosaefolia Don. Lavori R. Ist. Bot. Palermo 4: 155-167. illus. pl.v. 1933.

Bruno, F.
Sulla struttura anatomica delle spine delle Aloe e delle verruche delle Haworthia. Lavori R. Ist. Bot. Palermo 4: 6-10. illus., pl.i. 1933.

Catalano, G.
La struttura della Oxalis alla luce della dottrina del fillopodio. Lavori R. Ist. Bot. Palermo 4:84-132. illus. 1933.

Lavori R. Ist. Bot. Palermo (cont.)

Ciferri, R.
Associazione tra larve della mosca delle frutta (Ceratitis capitata) e un coccobacillo (Escherichia ellingeri). Lavori R. Ist. Bot. Palermo 4: 168-200. illus., pl.vi-vii. 1933.
Infection following attack of Mediterranean fruit fly.

Ciferri, R.
Sulla formazione di coremi e la proprieta cromogene di un Penicillium. Lavori R. Ist. Bot. Palermo 4: 40-67. pl.ii-iv. 1933.

Gioelli, F.
Embriologia del Mahito esculenta Crantz. Lavori R. Ist. Bot. Palermo 4:256-261. pl.xiv. 1933.

Gioelli, F.
Osservazioni sulla flora microbica del liquido carpellare di Firmiana platanifolia Schott et Endl. Lavori R. Ist. Bot. Palermo 4: 1-5. 1933.

Gioelli, F.
Polimorfismo sessuale e sviluppo del gametofito femmineo e del polline in Nolina longifolia Hemsley. Lavori R. Ist. Bot. Palermo 4: 241-255. pl. xii-xiii. 1933.

Montemartini, L.
Alcune osservazioni sopra la produzione e la circolazione degli assimilati nelle piante. Lavori R. Ist. Bot. Palermo 4: 133-154. 1933.

Montemartini, L.
Ancora sull'azione della luce sopra la forza di attrazione del protoplasma per l'acqua. Lavori R. Ist. Bot. Palermo 4: 68-83. 1933.

Passalacqua, T.
La variegatura patologica del Pelargonium ed altre piante. Lavori R. Ist. Bot. Palermo 4: 201-240. illus., pl.viii-xi bis. 1933.
Caused by Bacterium barkeri.

Vignoli, L.
Studio citologico sul genera Quercus. Lavori R. Ist. Bot. Palermo 4: 25-39. illus. 1933.

Meded. Deli Proefst. Medan, Sumatra (109.5D37)

Jochems, S. C. J.

Overzicht van de ziekten en plagen der Deli-tabak in het jaar 1933. A. Ziekten. Meded.Deli Proefst. Medan-Sumatra II,38: 3-16. 1933.

Mitt. Deut. Dendrol. Ges. (99.9D452)

Bauer, G.

Beiträge zur systematik der gattung Cotoneaster. Mitt. Deut. Dendrol. Ges. 45: 77-80. 1933.

Bauer, G.

Die holzzerstörenden pilze und ihre bekämpfung. Mitt. Deut. Dendrol. Ges. 45: 258-261. 1933.

Bertram, A.

Die heimat der Abies numidica, am Djebel Babor (Kleine Kabylie). Mitt. Deut. Dendrol. Ges. 45: 173-180. 1933.

Boerner, F.

Die immergrünen strauchigen Lonicera-arten. Mitt. Deut. Dendrol. Ges. 45: 91-95. pl.4. 1933.

Boxberger, L.v.

Ueber die waldbildenden holzpflanzen des marokkanischen Rif-gebietes. Mitt. Deut. Dendrol. Ges. 45: 181-183. pl.11-12. 1933.

Bredemann, G.

Untersuchungen zur diagnose von rauchschäden. Mitt. Deut. Dendrol. Ges. 45:212-217. 1933.

Diersche, M.

Blattstudien. Mitt. Deut. Dendrol. Ges. 45: 218-220. 1933.

1. Herbstfärbung. 2. Der herbstliche laubfall.

Fritzsche, E.

Pilz und baum. Mitt. Deut. Dendrol. Ges. 45: 270-272. 1933.

Garbers, F.

Zu dem thema "misshandelte strassenbäume". Mitt. Deut. Dendrol. Ges. 45: 283-285. 1933.

Gessner, F.

Die verbreitung der zwergpalme in Europa. Mitt. Deut. Dendrol. Ges. 45: 96-100. illus. 1933.

Chamaerops humilis.

Mitt. Deut. Dendrol. Ges. (cont.)

Glogau, A.
Immergrüne laubgehölze und zwergnadelhölzer für den staudegarten und den steingarten. Mitt. Deut. Dendrol. Ges. 45: 319-332. 1933.

Harms, H.
Zur kenntnis von Eucommia ulmoïdes Oliv. Mitt. Deut. Dendrol. Ges. 45: 1-4. illus. 1933.

Heineck, K.
Hexenbesen auf einer herzkirsche. Mitt. Deut. Dendrol. Ges. 45: 350-353. pl.31-34. 1933.

Herrmann,
Zapfen-bestimmungstabellen. Mitt. Deut. Dendrol. Ges. 45: 135-143. illus. 1933.

Jahn, E.
Bemerkenswerte gehölze im botanischen garten der forstlichen hochschule in Hann.-Münden. 6. Ueber das genetische verhalten eines schlitzblättrigen silberahorns. Mitt. Deut. Dendrol. Ges. 45: 293-298. illus. 1933.

Kanngiesser, F.
Dendrologische toxicologie. VII. Mitt. Deut. Dendrol. Ges. 45: 299-304. 1933.

Kern, E.
Die eichenarten Transkaukasiens. Mitt. Deut. Dendrol. Ges. 45: 81-83. 1933.

Koch, F.
Die bedeutung der Wegener'schen theorie für die dendrologie. Mitt. Deut. Dendrol. Ges. 45: 184-193. illus.(maps) 1933.

Koch, F.
Ueber das entwicklungsgeschichtlicher alter der bäume und ihre geographische verbreitung in vergangenheit und gegenwart. Mitt. Deut. Dendrol. Ges. 45: 194-199. 1933.

Mitt. Deut. Dendrol. Ges. (cont.)

Kuster, E.

Beiträge zur kenntnis der panaschierten gehölze. XXXVII-XXXXI. Mitt. Deut. Dendrol. Ges. 45: 286-293. illus. 1933.

XXXVII. Periodische progression und regression der panaschierung. XXXVIII. Anthozyanbildung an panaschierten pflanzen. XXXIX. Epinastie an den blättern panaschierter pflanzen. XXXX. Panaschierung an gefiederten blättern von Aralia. XXXXI. Wechselnde panaschierungsbilder an den zweigen eines exemplars.

Laubert, R.

Beobachtungen und fragen über die biologie des mahonienrostes. Mitt. Deut. Dendrol. Ges. 45: 273-275. illus. 1933.

Liese, J.

Weiters metteilungen über die Doulasiennadelschütte. Mitt. Deut. Dendrol. Ges. 45: 268-270. 1933.

Marzell, H.

Die deutschen bäume in der volkskunde. 11. Die rotbuche, Fagus silvatica. Mitt. Deut. Dendrol. Ges. 45: 144-154. 1933.

Pfützenreiter,

Tilia platyphylia.var.cucullifolia Pfützenreiter nov.var. Eine neue varietät der sommerlinde. Mitt. Deut. Dendrol.Ges. 45: 390. pl.51. 1933.

Richli, E.

Die strauchartigen Veronica Neuseelands. Mitt. Deut. Dendrol. Ges. 45: 88-90. pl.3. 1933.

Richter, H.

Krebs und rindenbrand der pappel. Mitt. Deut. Dendrol. Ges. 45: 262-267. pl.21-22. 1933. .

Sprenger, C.

Gehölze mit nutzfrüchten in Griechenland. I. Mitt. Deut. Dendrol. Ges. 45: 158-168. 1933.

Stapp, C.

Vom "ulmensterben". Mitt. Deut. Dendrol. Ges. 45: 276-282. 1933.

Mitt. Deut. Dendrol. Ges. (cont.)

Uphof, J. C. Th.

Die nordamerikanischen arten der gattung Asimina. Mitt. Deut. Dendrol. Ges. 45: 61-76. illus., pl.1-2. 1933.

Voigt, G.

Ueber die suberoza-varietäten der gehölze und verwandte erscheinungen. Mitt. Deut. Dendrol. Ges. 45: 221-238. pl.13-16. 1933.

Eine anregung zu winterlichen beobachtungen.

Wagner, J.

Die linden des historischen Ungarns. II. Mitt. Deut. Dendrol. Ges. 45: 5-60. illus. 1933.

Mitt. Deut. Landw. Ges. (Berlin) (18D48M)

Bremer, H.

Zum stand der frage: krankheitswiderstandsfähige sorten im gemüsebau. Mitt. Deut. Landw. Ges. 49: 112. F.3, 1934. no.5.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)

Rauhut, G.

Alpenpflanzen und felsen-anlagen. I. Moller's Deut. Gärtn.-Zeit. 49: 31. Ja.31, 1934. no.3.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)

Hilgendorff, G.

Ueber Pyrethrum und pyrethrinhaltige mittel. Nachrichtenbl. Deut. Pflanzenschutzd. 14: 11-13. illus. F. 1934. no.2.

Klemm, M.

Ernteschäden durch schwarzrost in Deutschland im jahre 1932. Nachrichtenbl. Deut. Pflanzenschutzd. 14: 9-11. F.1934. no.2.

Laubert, R.

Eine rätselhafte erscheinung an apfeln. Nachrichtenbl. Deut. Pflanzenschutzd. 14: 16. illus. F.1934. no.2.

Nat.Hort.Mag. (Washington, D.C.) (81N219)

Croizat, L.

Three new Euphorbiae from Madagascar. Nat. Hort. Mag. 13: 96-99. illus. Ja.1934. no.1.

Euphorbia bevilaniensis, E. decariana, E. suareziana.

Essig, E. O.

Fuchsias. Nat. Hort. Mag. 13: 1-59. illus. Ja.1934. no.1.

Henry, M. G.

Collecting plants beyond the frontier in northern British Columbia. Nat. Hort. Mag. 13: 60-75. illus. Ja.1934. no.1.

Senior, R.

Botanizing in New Mexico. Nat. Hort. Mag. 13: 100-102. illus. Ja. 1934. no.1.

Spingarn, J. E.

American Clematis for American gardens. Nat. Hort. Mag. 13: 76-95. illus. Ja.1934. no.1.

Naturaliste Canad. (Quebec) (410N216)

Prat, H.

Les mycorhizes de l'if du Canada (Taxus canadensis Marsh) Naturaliste Canad. 61: 57-56. illus. F.1934. no.2.

Rousseau, J.

Essai de bibliographie botanique canadienne. Naturaliste Canad. 61: 57-62. F.1934. no.2.

Nature (London) (472N21)

Caldwell, J.

Possible chemical nature of tobacco mosaic virus. Nature 133: 177. F.3,1934. no.3353.

Chowdhury, K. A.

The so-called terminal parenchyma cells in the wood of Terminalia tomentosa, W. and A. Nature 133: 215. F.10, 1934. no.3354.

Nature Mag. (Washington) (409.6N214)

Woodward, C. H.

Animal into plant. Nature Mag. 23: 115-117. illus. Mr.1934. no.3.

North West. Nat. (Arbroath, Scotland) (410N81)
Murray, J.
Cumberland mosses. (cont.) North West. Nat. 8: 331. D.1933. no.4.

Robert Fisher. North West. Nat. 8: 334-336. pl.28(port.) D.1933. no.4.
Died May 11th, 1933.

Williams, E. G.
Notes on the plankton of small pieces of water. North West. Nat. 8: 293-301. illus. D. 1933. no.4.

L'ortofrutticoltura Italiana (80 Or32)
Bonfiglioli, O.
Della lotta contro la ticchiolatura del pero. L'ortofrutticoltura Italiana 3: 6-7. Ja.1934. no.1.

Parks & Recreation (Rockford, Ill.) (98.8P23)
Walther, E.
Golden Gate Park and its plants. Parks & Recreation 17:153-159. illus. Ja.1934. no.5.

Pflanzenbau (Berlin) (18P48)
Constantinescu, E.
Winterfestigkeitsbestimmungen an rumänischen winterweizen. Pflanzenbau 10: 224-228. D. 1933. no.6.

Wolff, F.
Eine laboratoriumsmethode zur schnellen prüfung von saatgutbeizmitteln (bes.zur Fusariumbekämpfung). Pflanzenbau 10: 228-233. illus. D.1933. no.6.

Philipp. Agr. (Los Baños) (25P542)
Ocfemia, G. O. & Buhay, G. G.
Bunchy-top of abacá, or Manila hemp. II. Further studies on the transmission of the disease and a trial planting of abacá seedlings in a bunchy-top devastated field. Philipp. Agr. 22: 567-581. illus. Ja. 1934. no.8.

Phytopath. (464.8P56)
MacDaniels, L. H. & Burrell, A. B.
The effect of sulphur fungicides, applied during the bloom, on the set of apple fruits. Phytopath. 24: 144-150. F. 1934. no.2.

Pierce, W. H.
Viroses of the bean. Phytopath. 24: 87-115. illus. F.1934. no.2.

Phytopath. (cont.)

Schultz, E. S., Clark, C. F., Bonde, R., Raleigh, W. P. & Stevenson, F. J.
Resistance of potato to mosaic and other virus diseases. Phytopath. 24: 116-132. F.1934. no.2.

Smith, G. M. & Trost, J. F.
Diplodia ear rot in inbred and hybrid strains of sweet corn. Phytopath. 24: 151-157. Illus. F. 1934. no.2.

Sprague, R.
A physiologic form of Septoria tritici on oats. Phytopath. 24: 133-143. illus. F.1934. no.2.

Sprague, R.
The relative importance of Cercosporella herpotrichoides and of Leptosphaeria herpotrichoides as parasites of winter cereals. Phytopath. 24: 167-168. F.1934. no.2.

Stanton, T.R., Murphy, H.C., Coffman, F.A. & Humphrey, H.B.
Development of oats resistant to smuts and rusts. Phytopath. 24: 165-167. F.1934. no.2.

Steiner, G. & Buhrer, E. M.
Disease symptoms produced by Anguillulina pratensis in yams. Phytopath. 24: 164-165. illus. F. 1934. no.2.

Steiner, G., Buhrer, E. M. & Rhoads, A. S.
Giant galls caused by the root-knot nematode. Phytopath. 25: 161-163. illus. F.1934. no.2.
On Thunbergia, Rheum rhaponticum, Begonia.

Steiner, G. & Buhrer, E. M.
Paraphelenchus maupasi attacks hyacinth bulbs. Phytopath. 24: 163-164. illus. F.1934. no.2.

Walker, J. C.
Production of cabbage seed free from Phoma lingam and Bacterium campestre. Phytopath. 24: 158-160. F.1934. no.2.

Proc. Nat. Acad. Sci. (500N21P)

Jones, D. F.
Unisexual maize plants and their relation to dioecism in other organisms. Proc. Nat. Acad. Sci. 20: 39-41. Ja. 1934. no.1.

Proc. Roy Soc. Victoria (Melbourne) (514M482)

Nichols, W. H.

Three species of the genus Prasophyllum R.Br. Proc. Roy. Soc. Victoria 46: 28-35. illus. D.22, 1933. no.1.

P. fuscum, P. alpinus and a new species, P. pallidum.

Patton, R. T.

Ecological studies in Victoria. pt.II. The fern gully. Proc. Roy. Soc. Victoria 46: 117-129. D.22,1933. no.1.

Protoplasma (Leipzig) (442.8P94)

Brauner, L. & Amlong, H.U.

Zur theorie des geoelektrischen effekts. Protoplasma 20: 279-292. illus. N. 1933. no.2.

Huber, V. & Schmidt, H.

Plasmolyse und permeabilität. Protoplasma 20: 203-208. N.1933. no.2.

Experiments with Rhoeo and Gentiana. Vorläufige mitteilung.

Lepeschkin, W. W.

Nekrobiotische strahlen. I. Protoplasma 20: 232-250. N. 1933. no.2.

Pekarek, J.

Absolute viskositätsmessungen mit hilfe der Brownschen molekularbewegung. VI. Der einfluss der temperatur auf die zellsaftviskosität. Protoplasma 20: 251-278. illus. N.1933. no.2.

Zirkle, C.

Aldehydes as cytological fixatives. Protoplasma 20: 169-179. pl.iii-iv. N.1933. no.2.

Rev. Bot. Appl. (Paris) (26R323)

Chevalier, A.

Monographie de l'arachide. I. Rev. Bot. Appl. 13: 689-789. pl.xi-xvii. O./N.1933. no.146/147.

Taschdjian, E.

Note sur les dattiers de la Côte Française des Somalis. Rev. Bot. Appl. 13: 798-801. O./N. 1933. no.146/147.

Rev. Agr. Ile Maurice (Maurice)
Koenig, M.
Recencement des variétés de cannes cultivées à Maurice en 1933. Rev. Agr. Ile Maurice 1933: 191-197. N./D. 1933. no.72.

Rev. de Agr. (Piracicaba) (9.2R324)
Krug, C. A.
Methodos de melhoramento e conhecimentos actuaes da genetica do milho. IV. Resumo sobre os conhecimentos actuaes da genetica e da cytologia do milho e a importancia dos resultados de alguns destes estudos para o seu melhoramento. Rev. de Agr. (Piracicaba) 8: 479-496. N./D. 1933. no.11/12.

Rev. Gén. Bot. (Paris) (450R326)
Beauverie, J.
Le vie d'animaux assurée pendant plusiers années dans des vases de verre hermétiquement clos en présence de plantes vertes. Rev. Gén. Bot. 46: 45-49. Ja.1934. no.541.

Cozic, Mlle.
Etude biochimique de Bacterium xylinum. Rev. Gén. Bot. 46: 1-32. Ja.1934. no.541.

Guilliermond, A.
Recherches cytologiques sur les pigments anthocyaniques et les composés oxyflavoniques. (cont.) Rev. Gén. Bot. 46: 50-62. Ja. 1934. no.541.

Reed, H. S. & Dufrénoy, J.
Effects de l'affection dite "mottle leaf" sur la structure cellulaire des citrus. Rev. Gén. Bot. 46: 33-44. illus. Ja.1934. no.541.

Rev. Soc. Rur. Brasil. (Sao Paulo) (9.2B733)
Vizioli, J.
Um mal biologico do algodoeiro. Rev Soc. Rur. Brasil. 14: 34-36. illus. Ja.1934. no.161.
A antrocnose, sua introducçao em São Paulo, symptomas da molestia e meios de comatel-a,...

Riv. Agr. (Roma)
Cavazza, L.
Esperienze viticole con un nuovo anticrittogamico magnesiaco. Riv. Agr. 39: 53-55. Ja.28, 1934. no.4.

Soil Sci. (Baltimore) (56.8So3)

Sideris, C. P. & Krauss, B. H.

The effect of sulfur and phosphorus on the availability of iron to pineapple and maize plants. Soil Sci. 37: 85-97. F.1934. no.2.

Willis, L. G. & Piland, J. R.

The influence of copper sulfate on iron absorption by corn plants. Soil Sci. 37:79-82. pl. F.1934. no.2.

Sveden. Zemled. (Renseign. Agr.) Sofia (21B87)

Kovachev, I.G.

Lenovata kuskuta (Cuscuta epilinum Weihe) i mierkitie za borba s neia. Sveden. Zemled. (Renseign. Agr.) Sofia 13(11/12): 61-80. illus. 1932. no.11/12.

Bulgarian.

Pavlov, K.

Edin estestven bastard Tr. vulgare x S. cereale. (Ein natürliche bastard Tr. vulgare x S. cereale). Sveden. Zemled. (Renseign. Agr.) Sofia 13(11/12): 81-87. illus. 1932. no.11/12.

Bulgarian with German summary.

Svenska Skogsvårdsfören. Tidskr. (Journ. Swedish For. Soc.) (99.8Sh5)

Lagerberg, T.

Phomopsis pseudotsugae Wilson, en i Sverige obeaktad barrträdsparasit. (Phomopsis pseudotsugae Wilson, a parasite on conifers unregarded in Sweden) Svenska Skogsvårdsfören. Tidskr. (Journ. Swedish For. Soc.) 32: 71-86. illus. 1934. no.1/2.

English summary: p.85-86.

Langlet, O.

Om variationen hos tallen (Pinus silvestris L.) och dess samband med klimatet. (Ueber die variation der kiefer (Pinus silvestris L.) und deren zusammenhang mit dem klima). Svenska Skogsvårdsfören. Tidskr. (Journ. Swedish For. Soc.) 32: 87-110. illus. 1934. no.1/2.

German summary: p.105-110.

Malmström, C.

Almen på sin nordligaste fyndort i Sverige, skikkisjöberget i Åsele Lappmark. (Die ulme auf ihrem nördlichsten standort in Schweden, dem skikkisjöberg in Åsele Lappmark). Svenska Skogsvårdsfören Tidskr. (Journ. Swedish For. Soc.) 32: 111-130. illus. 1934. no.1/2.

German summary: p.128-130.

Svenska Skogsvårdsfören. Tidskr. (Journ. Swedish For. Soc.) (cont.)
Melin, E.
Activities of some fungi in the different horizons of forest duff, as measured by CO_2-evolution. Svenska Skogsvårdsfören. Tidskr. (Journ. Swedish For. Soc.) 32: 147-156. 1934. no.1/2.

Tirén, L.
Några iakttagelser över den naturliga föryngringens uppkomst på Kulbäckslidens försökspark. (Einige beobachtungen über die entstehung der natürlichen verjüngung im den versuchswald Zulbäcksliden). Svenska Skogsvårdsfören. Tidskr. (Journ. Swedish For.Soc.) 32: 251-274. illus. 1934. no.1/2.
German summary: p.273-274.

Tectona (Buitenzorg) (99.8B65)
Schuitemaker, J. P.
Het garoehout van West Borneo (Das "garoe"-holz von West-Borneo) Tectona 26: 851-892. illus., 2 pl. N./D.1933.
German summary: p.889-890.

La Terre Maroc. (Rabat) (24T44)
Miège, E.
Les plantes fourragères du Maroc. (cont.) La Terre Maroc 4(48): 14-29. illus. Ja.15, 1934; 4(49): 11-19. illus. F.1,1934.

Thar. Forstl. Jahrb. (Berlin) (99.8T32)
Prell, H.
Die rechtliche stellung der pflanzenhygiene. III. Das geheimmittelwesen auf dem gebiete der pflanzenhygiene. Thar. Forstl. Jahrb. 85: 1-22. 1934. no.1.

Trop. Agr. (26T751)
Jepson, F. T.
The water hyacinth problem in Ceylon. Trop. Agr. 81: 339-355. D. 1933. no.6.

Trop. Natuur (410.9T75)
Coomans de Ruiter, L.
Nieuwe vindplaatsen van Rafflesia tuan-mudae Becc.in de westerafdeeling van Borneo. I. Trop. Natuur. 22: 165-174, 188-196. illus. S.)., 1933. no.9,10.

Trop. Natuur (cont.)

Docters van Leeuwen, W.M.
Over de bestuiving van Sida rhombifolia L.
Trop. Natuur 22: 150-154. illus. Ag.1933. no.8.

Frey-Wyssling, A.
Over de flora van den Piek van Kerintji (3800 m). Trop. Natuur 22: 1-10. illus. Ja. 1933. no.1.

Pijl, L. van der
De kalkflora von Padalarang. Trop. Natuur 22: 36-35. illus. My.1933. no.5.
West of Bandoeng.

Pijl, L. van der
Welriekende vliegenbloemen bij Alocasia pubera.
Trop. Natuur 22: 210-214. illus. N.1933. no.11.

Polak, B.
Een tocht in het zandsteen gebied bij Mandor (West Borneo) Trop. Natuur 22: 23-28. illus. F. 1933. no.2.

Posthumus, O.
Twee wereldburgers. Trop, Natuur 22: 201-204. illus. N.1933. no.11.
Anogramma leptophylla, Asplenium trichomanes.

Steenis, C.G.G.J. van
Determinatietabel voor de indische zeegrassen.
Trop. Natuur 22: 43-46. illus. Mr.1933. no.3.

Steenis, C.G.G.J. van
Het geslacht Henslowia op Java. Trop. Natuur 22: 97-99. illus. Je.1933. no. 6.

Steenis, C.G.G.J. van
Een klimmende vorm van Euonymus japonicus Thunb. Trop. Natuur 22: 175-176. illus. S.1933. no.9.

Steenis, C.G.G.J. van
Een nieuwe javasche heliotroop. Trop. Natuur 22: 15-16. illus. Ja.1933. no.1.
H.indicum.

Steup, F.K.M.
Botanische aanteekeningen over noord Celebes.
Trop. Natuur 22: 109-111. Je. 1933. no.6.

Trop. Natuur (cont.)
Troll, W.
Over de ademwortels der mangrove-planten. Trop. Natuur 22: 33-39. illus. Mr.1933. no.3.

Voogd, C.N. A.de
Botaniske aanteekeningen unit de residentie Benkoelen. 1-2. Trop. Natuur 21: 218-222. illus. D.1932; 22:224-229. illus. D.1933. no.12,12.

Die Umschau (Frankfurt) (474Um7)
Knoche, W.
Der südlichste palmenwald des amerikanischen kontinents. Die Umschau 38: 110-111. illus. F.4, 1934. no.6.

U.S. Dept. Agr. miscellaneous mimeographed publications.
Gould, H.P.
Oriental persimmons, Washington, D. C. D.1933.
Mimeographed publ. from Div. of fruit and vegetable crops and diseases, Bur. of plant industry. U.S. Dept. Agriculture.

Zeitschr. Immunitätsforsch. (Jena)
Berger, F.
Die phänologischen verhältnisse Wiens als grundlage der behandlung der pollenallergie. Zeitschr. Immunitätsforsch. 78: 284-295. 1933. no.3/4.

Zeitschr. Pflanzenernähr. Düng.u. Bodenk. B, Wirtsch-Prakt. Teil (384Z343B)
Lemmermann, O. & Behrens, W. U.
Ueber den einfluss von wuchsstoffen (hormonen) auf den pflanzenwuchs. Zeitschr. Pflanzenernähr. Düng. u. Bodenk.B, Wirtsch.-Prakt. Teil 13: 9-12. Ja. 1934. no.1.

Zeitschr. Zuckerind. Cechoslovak.Rep. (66.8Z3)
Neuwirth, F.
Oekologie der aufgehenden rübe mit berücksichtigung ihrer krankheiten. Die fakultativen parasiten, ihr gegenseitiges verhältnis und ihre beziehung zur wirtspflanze. II. Zeitschr, Zuckerind. Cechoslovak. Rep. 58: 153-160. Ja.19, 1934. no.21.

Zentralbl. Bakt. Abt.II. (Jena) (448.3C33)
Stapp, C.
Ueber die bakterielle ursache einer blattfleckenkrankheit und fruchtfäule der gurken in Deutschland. Zentralbl. Bakt. Abt.II. 89: 377-386. illus. Ja.30, 1934. no.17/20.
Pseudomonas lachrymans.

Exp. Stat. Publ.
Cornell agricultural experiment station.
Plant pathology. In its Ann. Rep. 46(1933): 120-129. 1934. (100N48C)

Hopkins, E. F.
Manganese an essential element for green plants. Cornell Agr. Exp. Stat. Mem. 151. 40 p. v pl. Ja.1934(100N48C)

Gray, G. F.
Relation of light intensity to fruit setting in the sour cherry. Michigan Agr. Exp. Stat. Techn. Bull. 136. 35 p. illus. Ja.1934. (100M58S)

Wheeler, E. J. & Moore, H. C.
Potato seed treatment tests. Michigan Agr. Exp. Stat. Spec. Bull. 246. 19 p. illus. D. 1933 (100M58S)

Coe, F. M.
Cherry pollination studies in Utah. Utah Agr. Exp. Stat. Bull. 245. 53 p. illus. Ja.1933. (100Ut1)

Huber, G. A. & Jones, L. K.
The Verticillium disease of chrysanthemums. Washington Agr. Exp. Stat. Bull. 290. 14 p. v pl. Ja.1934 (100W27E)

New Books.
Garner, W. W.
Bibliografia selecta sobre el tabaco, por W.W. Garner. Washington, D.C., Union panamericana, 1933 (241G18)

Lecomte, H.
Flore générale de l'Indo-chine v.6, fasc.4, Orchidacées(suite) par F.Gagnepain & A. Guillaumin Paris, O. 1933 (460.13L99)

New Books (cont.)

Lüstner, G.

Krankheiten und feinde der zierpflanzen im garten, park und gewachshaus. Stuttgart, E. Ulmer, 1933 (464.08L97)

Meyer, H.

Buch der holznamen... II (Cé - Ise bubaki) Hannover, M.& H. Schaper, 1933 (452.14M57)

Reprints from publications not yet rec'd or not available.

Papadakis, I. S.

Cold as a positive factor of wheat yield. Reprinted from Acta Phaenologica b.2, p.65-80. 1933 (59.26P19)

Correction.

V.15, no.21, p.7.

Yamura, A. should be Yamaura, A. as author of last article on page.

Non-current indexing.

Bi͡ull. Moskovsk. Obshch. Ispyt. Prirody (Bull. Soc.
Nat. Moscou) (511M85)

Grosset, G.

Geobotanicheskii ocherk severo-vostochnoĭ chasti b. Ul'i͡anovskoĭ gub. (Esquisse géobotanique de la partie nord-est de l'ancien gouvernment d'Uljanovsk) Bi͡ull. Moskovsk. Obshch. Ispyt. Priorody (Bull. Soc. Nat. Moscou) 41: 125-183. illus. (map) 1932. no.1/2.

Russian with French summary. Government of Simbirsk.

Kozhevnikov, A. V.

Stepnye elementy i dubravy v raĭone reki Bezputy (Ivanovskiĭ p Kashirskiĭ raiony Moskovskoĭ oblasti) (Steppenelemente und eichenwälder in der umgegend des flusses Besputa (Kaschira-kreis, Moskauer governement). (Bi͡ull. Moskovsk. Obshch. Ispyt. Prirody (Bull. Soc. Nat. Moscou) 41: 320-350. illus. 1932. no.3/4.

Russian with German summary.

Nouchno-Issl. Inst. I͡uzhn. Plod. i I͡agodn. Khoz. Kiev. [Publ.]

Khomentovsky, Iu. I.

Materialy po vskhozhesti semi͡an, poluchennykh v rezul'tate gibridizatsionnoĭ raboty s i͡abloniani v 1925-1929 g.g. (Contributions to the germinating ability of seeds as resulting from hybridization work on apple trees in 1925-1929). Nauchno-Issl. Inst. I͡uzhn. Plod. i I͡agodn. Khoz. Kiev. [Publ.] no.16 66 p. 1932.

Russian with English summary.

Lc

BOTANY
CURRENT LITERATURE

RECEIVED
MAR 26 1934
U.S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no. 5. Feb.26-Mar.10,1934.

Acta Soc. Bot. Polon. (Warsaw) (451So16)

Dziubałtowski, S. & Kobendza, R.
Etudes phytosociologiques du massif du S-te Croix. II. Les associations végétales de la chaine de Klonów et de la vallée de Wilków. Acta Soc. Bot. Polon. 10: 129-177. pl.iv-ix. 1933. no.2.
Polish with French summary.

Kobendza, R.
Kilka uwag o roślinności płaskowzgórza Pelczańskiego na Wołyniu. (Einige bemerkungen uber die flora des plateaus von Pełcza in Wołhynien). Acta Soc. Bot. Polon. 10: 291-295. 1933. no.2.

Krawiec, F.
Materjaly do flory porostow Pomorza. (Beitrage zur kenntnis der flechten pomerellens). Acta Soc. Bot. Polon. 10: 25-27. 1933. no.1.
German summary: p. 47.

Miczyński, K.
Studja genetyczne nad ordzajem Aegilops. III Dalsze doswiadczenia z Aegilops speltoides Jaub. et Spach. (Genetic studies in the genus Aegilops. III. Further investigations on Aegilops speltoides Jaub. et Spach.) Acta Soc. Bot. Polon. 10: 311-325. illus. 1933.
English summary: -.322-325.

Pryhrodskyj, M.
Dwie nowe rosliny w polsce. (Zwei neue pflanzenarten in Polen). Acta Soc. Bot. Polon. 10:307-309. 1933. no.2.
Brief German summary: p.309.
Erechthites hieraciifolius, Androsace maxima.

Skupieński, F. X.
Influence du milieu de culture sur le développement des myxomycétes. Acta Soc. Bot. Polon. 10: 113-127. pl. iii. 1933. no.1.

Acta Soc. Bot. Polon. (cont.)

Szymkiewicz, D.

Études climatologiques. XXI-XXII. Acta Soc. Bot. Polon. 8: 191-196. 1931. no.3/4.

XXI. Sur le bilan d'énergie chez les végétaux des montagnes. XXII. Comment caractériser le régime des vents?

Telezynski, H.

Cycle évolutif du chromosome somatique. II. Observations sur le matériel fixé (racines d' Haemanthus katharinae Back.) Acta Soc. Bot. Polon. 8: 109-132. illus., pl.v-viii. 1931. no3/4.

Wałek-Czernecka, A.

Grzyby niszczace podkłady kolejowe w Polsce. (Sur les champignons destructeurs des traverses de chemins de fer en Pologne). Acta Soc. Bot. Polon. 10: 179-290. illus., pl.x-xvii. 1933. no.2.

French résumé: p.279-290.

Wóycicki, S.

Badania orjentacyjne nad zawartościa cukrów i kwasów w owocache pospoliciej uprawianych odmian jabłoni. (Orientierende untersuchungen uber den gehalt an zucker und säure in den früchten der bakanntesten apfelsorten). Acta Soc.Bot.Polon. 10: 327-330. 1933. no.2.

German summary: p.330.

Wóycicki, Z.

Nieco szczegółów z zakresu rozwoju pylników i pyłku u niektórych rpzedstawicieli rodzaju Gentiana. (Quelques détails du développement des antheres et du II. Gentiana fetisowi. Rgl. et Winkler). Acta Soc. Bot. Polon. 10: 1-24. illus. 1933. no.1.

French Résumé: p.22-24.

Ziobrowski, S.

Wpływ ciezkiej zimy 1928-29.na roślinność drzewiasta w dolinie rzeki Raby. (Ueber den einfluss des hartens winters 1928/29 auf die holzgewachse im Rabaflusstale). Acta Soc. Bot. Polon. 10: 49-111. illus. 1933. no.1.

German summary: p.91-111.

Agr. Ferrarese (16Ag87)
Minerbi, G.
I danni del gelo verificati nei seminati a frumento nell'anno agrario 1932-33. Agr. Ferrarese 39: 51-60. illus. F.15, 1934. no.3.

Agron. Colon. (Paris) (26Ag812)
Bouriquet, G.
Les maladies du caféier á Madagascar. Agron. Colon. 23: 1-10. pl. i.ii. Ja.1934. no.193
Hemileia vastatrix.

Amer. Journ. Bot. (450Am36)
Hitchcock, Albert S.
New species, and changes in nomenclature, of grasses of the United States. Amer. Journ. Bot. 21: 127-139. illus. Mr.1934. no.3.

La Rue, C. D.
Root grafting in trees. Amer. Journ. Bot. 21: 121-126. illus. Mr.1934. no.3.

Martin, J. N.
The relative growth rates and interdependence of tops and roots of the biennial white sweet clover, Melilotus alba Desr. Amer. Journ. Bot. 21: 140-159. Mr.1934. no.3.

Ocfemia, G. O.
An insect vector of the Fiji disease of sugar cane. Amer. Journ. Bot. 21: 113-120. illus., pl.i. Mr.1934. no.3.
Leaf-hopper, Perkinsiella vastatrix.

Amer. Potato Journ. (75.8P842)
Knoblauch, H. C. & Odland, T. E.
The response of potatoes to magnesium under various soil conditions. Amer. Potato Journ. 11: 35-40. F. 1934. no.2.

Taylor, C. F.
Field experiments on potato-scab control in western New York. Amer. Potato Journ. 11: 40-45. F. 1934. no.2.

Amer. Rose Mag. (80Am327A)
Keays, F. L. Mrs.
Identifying old-fashioned roses. Amer. Rose Mag. 1(2): 7-10. illus. My./Je. 1933.

Ann. Agron. (Paris) (14An75A)

Dufrenoy, J.

Les constituants cytoplasmiques des citrus carencés. Ann. Agron. (Paris) n.s. 4:85-92. illus. Ja./F.1934. no.1.

Fron, G. & Bertrand, R.

Contribution ă l'étude de l'influence des chlorates sur la végétation. Ann. Agron. (Paris) n.s. 4: 1-25. illus. Ja./F. 1934. no.1.

Ann. Mycol. (Berlin) (450An76)

Blochwitz, A.

Die gattung Aspergillus. III. Neue spezies, varianten und mutanten der konidienfarbe, synonyme und interessante standorte. Ann. Mycol. 32: 83-89. 1934. no.1/2.

Bose, S. R.

A short note on the presence of clamps in the sporophore of Ganoderma lucidum (Leyss.) Fries growing in nature. Ann. Mycol. 32: 118. 1934. no.1/2.

Chaudhuri, H. & Sachar, G. S.

A study of the fungus flora of the Punjab soils. Ann. Mycol. 32: 90-100. 1934. no.1/2.

Grove, W. B.

"Spegazzinia ammophila Rostr." Ann. Mycol. 32:109. 1934. no.1/2.

Recorded in his "New or noteworthy fungi" Journ. Bot. 1922. Unfinished growth-state of Sporodesmium myrianum Desm.

Kušan, F.

Zu Gyelniks neuen flechtenformen aus Jugoslavien. Ann. Mycol. 32: 57-66. 1934. no.1/2.

Litschauer, V.

Ueber zwei neue Corticium-arten aus Tirol. Ann. Mycol. 32: 52-56. illus. 1934. no.1/2.

C. sulphureo-marginatum, G. asseriphilum.

Luz, C.

Beitrag zur zitronensaurebildung durch Aspergillus niger. Ann. Mycol. 32: 67-82. 1934. no.1/2.

Ann. Mycol. (cont.)

Petrak, F. & Sydow, H.
Kritisch-systematisch originaluntersuchungen über pyrenomyzeten, sphaeropsideen und melanconieen. V. Ann. Mycol. 32: 1-35. 1934. no.1/2.

Sartory, A., Sartory, R. & Meyer, J.
Etude d'un nouveau Monosporium: Monosporium rubrum n.sp. Ann. Mycol. 32: 105-108. illus. 1934. no.1/2.

Săvulescu, T. & Rayss, T.
Troisième contribution a la connaissance des péronosporacées de Roumanie. Ann. Mycol. 32: 36-51. illus. 1934. no.1/2.

Sydow, H.
Cronartium ribicola: zur autorfrage des pilzes Ann. Mycol. 32: 115-117. 1934. no.1/2.

Toro, R. A. & Chardon, C. E.
Ueber einige neue oder interessante pilze des nordöstlichen Kolumbien. Ann. Mycol. 32: 110-114. 1934. no.1/2.

Zinderen-Bakker, E. M.
Stephanoma tetracoccum spec. nov. Ann. Mycol. 32: 101-104. illus. 1934. no.1/2.

Ann. Appl. Biol. (London) (442.8An72)

Beaumont, A.
On the relation between the stage of development of the potato crop and the incidence of blight (Phytophthora infestans) Ann. Appl. Biol. 21: 23-47. F.1934. no.1.

Campbell, A. H.
Zone lines in plant tissues. II. The black lines formed by Armillaria mellea (Vahl) Quel. Ann. Appl. Biol. 21: 1-22. illus. pl. i-iii. F.1934. no.1.

Cordingley, H., Grainger, J., Pearsall, W. H. & Wright, A.
The effect of mosaic disease upon certain metabolic products in the tobacco plant. Ann. Appl. Biol. 21: 78-89. F.1934. no.1.

Hughes, A. W. M.
Aphides as vectors of "breaking" in tulips. II. Ann. Appl. Biol. 21: 112-119. pl.v. F.1934. no.1.

Ann. Appl. Biol. (cont.)

Samuel, G.
The movement of tobacco mosaic virus within the plant. Ann. Appl. Biol. 21: 90-111. illus. pl.iv. F.1934. no.1.

Whitehead, T.
The physiology of potato leaf-roll. I. on the respiration of healthy and leaf-roll infected potatoes. Ann. Appl. Biol. 21: 48-77. illus. F. 1934. no.1.

Ann. Bot. (London) (450An7)

Alkins, W. E.
Variations in flowers of lesser celandine, Ranunculus ficaria L. Ann. Bot. 48: 311-314. Ja. 1934. no.189

Barkeley, C. J. A.
A simple staining method for elementary anatomical work. Ann. Bot. 48: 310-311. Ja. 1934. no.189.

Chowdhury, K. A.
An improved method of softening hard woody tissues in hydrofluoric acid under pressure. Ann. Bot. 48: 309-310. illus. Ja.1934. no.189.

Cockayne, L. & Allan, H. H.
An annotated list of groups of wild hybrids in the New Zealand flora. Ann. Bot. 48: 1-65. Jan.1934. no.189.

Colson, B.
The cytology and morphology of Neurospora tetrasperma Dodge. Ann. Bot. 48: 211-224. illus., pl.iv-v. Ja. 1934. no.189.

Cook, W. R. I.
Some observations on the genus Cladochytrium with special reference to C. caespitis Griffon and Maublanc. Ann. Bot. 48: 177-185. illus., pl.iii. Jan. 1934. no.189.

Doyle,J.
The columella in the cone of Diselma. Ann. Bot. 48: 307-3. illus. Ja. 1934. no.189.

Ann. Bot. (cont.)

Ernest, E. C. M.
Studies in the suction pressure of plant cells. II. Ann. Bot. 48: 293-305. illus. Ja.1934. no.189.

Findlay, W. P. K.
Studies in the physiology of wood-destroying fungi. I. The effect on nitrogen content upon the rate of decay of timber. Ann. Bot. 48: 109-117. Ja. 1934. no.189.

Gwynne-Vaughan, H. C. I. & Williamson, H. S.
The cytology and development of Ascophanus aurora. Ann. Bot. 48: 261-272. illus., pl.vi-vii. Ja. 1934. no. 189.

Lall, G.
Chemical studies in the physiology of apples. XIV. A method of estimating chemical change and rate of respiration in stored apples. Ann. Bot. 48: 273-292. illus. Ja. 1934. no. 189.

Mason, T. G. & Maskell, E. J.
Further studies on transport in the cotton plant. II. An ontogenetic study of concentrations and vertical gradients. Ann. Bot. 48: 119-141. Ja. 1934. no. 189.

Menon, K. P. V.
Studies in the physiology of parasitism. XIV. Comparison of enzymic extracts obtained from various parasitic fungi. Ann. Bot. 48: 187-210. Ja. 1934. no. 189.

Richards, F. J.
The salt marshes of the Dovey estuary. IV. The rates of vertical accretion, horizontal extension and scarp erosion. Ann. Bot. 48: 225-259. illus. (incl. maps) Ja. 1934. no. 189.

Sen, B.
The electric charge of the colloid particles of protoplasm. Ann. Bot. 48: 143-151. illus., pl. i. Ja. 1934. no. 189.

Ann. Bot. (cont.)

Seth, L. N.

Studies in the genera Cytosporina, Phomopsis, and Diaporthe. V. Analysis of certain chemical factors influencing fungal growth in the apple. Ann. Bot. 48: 69-107. Ja. 1934. no. 189.

Verbrugge, M.

Meiosis and catenation in certain crosses of Cenothera rubricalyx. Ann. Bot. 48: 153-175. illus., pl.ii. Ja. 1934. no. 189.

Warne, L. G. G.

The distribution of potassium in normal and scorched foliage. Ann. Bot. 48: 57-67. Ja.1934. no.189.

Arch. Protistenk. (Jena) (439.8Ar2)

Reynolds, B. D.

Studies on monad flagellates. I-II. Arch. Protistenk. 81: 399-411. illus.,pl.12. 1934. no.3.

I. Historical and taxonomic review of the genus Monas. II. Observations on Monas vestita (Stokes, 1885)

Arch. Rubbercult. Nederl.--Indië (Wageningen) (78.8Ar2)

Ostendorf, F. W.

De groei van jonge Havea-oculaties. (The growth of young Hevea buddings). Arch. Rubbercult. Nederl.--Indie 17; 120-212. Jl./S. 1933. no.7/9,

English summary : p.205-210.

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Arzt, T.

Untersuchungen über das vorkommen einer kutikula in den blättern dikotyler pflanzen . Ber. Deut. Bot. Ges. 51: 470-500. illus. Ja.25, 1934. no.10.

Keller, B.

Ueber den anatomischen bau durre- und hitzeresistenter blätter. Ber. Deut. Bot. Ges. 51: 514-522. illus. Ja.25, 1934. no.10.

Küster, E.

Anisotrope plastiden. Ber. Deut. Bot. Ges. 51: 523-525. Ja.25, 1934. no.10.

Ber. Deut. Bot. Ges. (cont.)

Küster, E.

Ueber zellsart, protoplasma und membran von Bryopsis. (Beitrage zur pathologie des protoplasmas) Ber. Deut. Bot. Ges. 51: 526-536. illus. Ja.25, 1934. no.10.

Leick, E.

Der tau als standortsfaktor. Ber. Deut. Bot. Ges. 51: 409-442. Ja.25, 1934. no.10.

Lepeschkin, W. W.

Zur analyse des turgordrucks. Ber. Deut. Bot. Ges. 51: 455-469. Ja.25, 1934. no.10.

Schmucker, T.

Wiederbesiedlung kahler flächen in geschlossenen bestanden. Ber. Deut. Bot. Ges. 51: 452-454. Ja.25, 1934. no.10.

Schüepp, O.

Ueber spaltungsgesetze der blätter. Ber. Deut. Bot. Ges. 51: 443-451. illus. Ja.25, 1934. no.10.

Werth, E.

Zur kultur der dattelpalme und die frage ihrer herkunft. Ber. Deut. Bot. Ges. 51: 501-514. illus. Ja.25, 1934. no.10.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Asahina, Y. & Fuzikawa, F.

Untersuchungen uber flechtenstoffe. XXXIV-XXXV. Ber. Deut. Chem. Ges. 67: 163-168, 169-170. F.7, 1934. no.2.

XXXIV. Ueber die konstitution der alectoron- und alpha-collatolsaure. XXXV. Ueber die identitat der alpha-collatolsaure mit lecanorolsaure.

Zechmeister, L. & Tuzson, P.

Ueber den farbstoff der sonnenblume II. Ber. Deut. Chem. Ges. 67: 170-173. F.7, 1934. no.2.

Biochem. Journ. (London) (382B52)

Buston, H. W. & Kasinathan, S.

The accessory factor necessary for the growth of Nematospora gossypii. III. The preparation of concentrates of the second accessory factor. Biochem. Journ. 27:1859-1868. 1933 no.6.

Biochem Journ. (cont.)

Haas, P. & Hill, T. G.
The metabolism of calcareous algae. I- Biochem. Journ. 27: 1801-1804. 1933. no.6.

James, W. O. & Cattle, M.
Studies of the physiological importance of the mineral elements in plants. VI. The influence of potassium chloride on the rate of diastatic hydrolysis of starch. Biochem. Journ. 27: 1805-1809. 1933. no.6.

Raistrick, H. & Smith, G.
Studies in the biochemistry of micro-organisms. XXXV. The metabolic products of Byssochlamys fulva Olliver and Smith. Biochem. Journ. 27: 1814-1819. 1933. no.6.

Sansome, F. W. & Zilva, S. S.
Polyploidy and vitamin C. Biochem. Journ. 27: 1935-1941. illus. 1933. no.6.
Experiments with tomato.

Biol. Gen. (Vienna) (442.8B525)

Himmelbaur, W. & Stibal, E.
Entwicklungsrichtungen in der blutenregion der gattung Salvia L. Eine phylogenetische studie. III. Biol. Gen. 10: 17-48. illus., pl.i-ii. 1934. no.1.

Malhotra, R. C.
The effect of immersion in and desiccation of water on the germination of Zea mays seeds. Biol. Gen. 10: 157-166. 1934. no.1.

Malhotra, R. C.
Effect of temperature on air dry Zea mays seeds. Biol. Gen. 10: 139-146. 1934. no.1.

Malhotra, R. C.
Growth of Zea mays as influenced by the type of water. Biol. Gen. 10: 147-156. pl.v. 1934. no.1.

Biol. Zentralbl. (Leipzig) (422.8B523)

Küster, E.
Beiträge zur morphologie der panaschierten gewachse. Biol. Zentralbl. 54: 89-95. illus. 1934. no.1/2.

Bol. Soc. Españ. Hist. Nat. (Madrid) (506M263B)
Ruiz, E. P.
Un Aspergillus nuevo. Bol. Soc. Españ. Hist. Nat. 33: 239-244. illus. O.10, 1933. no.6/7.
A. caballeroi.

Unamuno, L. M.
Notas micológicas. VI. Algunas especies nuevas o poco conocidas de la micoflora española. Bol. Soc. Españ. Hist. Nat. 33: 221-235. illus. O.10, 1933. no.6/7.

Bot. Közlem. (Budapest) (450N85)
Pénzes, A.
Termés-ökológiai megfigyelések. (Oekologische beobachtungen). Bot.Közlem. 31: 28-35. illus. 1934. no.1/2.
German summary: p.34-35.
I. Oekologie der Sternbergia-früchte. 2. Gelegentliche myrmekochorie bei den gramineen. 3. Ueber die rolle der gramineen-granne.

Rapaics, R.
Régi magyar növénynevek egy latin füveskönyvben. (Alte ungarische pflanzennamen in einem lateinischen kräuterbuch). Bot. Közlem. 31: 1-13. 1934. no.1/2.
German summary: p.13.
Theodoricus Dorstenius' Botanicon... 1540.

Szilády, Z.
A Maros melléki diósvpolgyek. (Die nussbaumtäler der Marosgegend). Bot.Közlem. 31: 38-41. 1934. no.1/2.
German summary: p.40-41.

Trautmann, R.
A menták formagazdagságának eredete.(Ueber den ursprung des formenreichtums der minzen). Bot. Közlem. 31: 14-28. 1934. no.1/2.
German summary: p.21-28.

Zólyomi, B.
Dracocephalum austriacum L. a bélkon (adatok az ösmátra flórájához.) (Dracocephalum austriacum L. auf dem bélkö (Beiträge zur flora des ungarischen mittelgebirges). Bot. Közlem. 31: 35-37. 1934. no.1/2.
Brief German summary: p.37.

Bot. Mus. Leafl. Harvard Univ. (451H262)
Ames, O.
Notes on Philippine orchids. II. Bot. Mus. Leafl. Harvard Univ. 2: 39-40. F.20,1934. no.3.
Dendrobium bullenianum.

Smith, L. B. & Harris, S. K.
Three new Andean species of Lepanthes. Bot. Mus. Leafl. Harvard Univ. 2: 33-37. pl. F.20, 1934. no.3.
L. pseudocaulescens, L. polygonoides, L. saccosepala, n.spp.

Brooklyn Bot. Gard. Leafl. (451B79L)
Graves, A. H. & Gundersen, A.
The collection of living cycads at the Brooklyn botanic garden. Brooklyn Bot. Gard. Leafl. 22(1/2); 1-8. illus. F.28, 1934.

Broteria Cienc. Nat.(Lisboa) (410B79C)
Pau, C.
Sobre la Ononis baetica Clemente. Broteria Cienc. Nat. 3:25-27. F.1, 1934. no.1.

Rick, J.
Monographia thelephoracearum resupinatarum riograndensium. Broteria Cienc. Nat. 3:31-48. F.1,1934. no.1.

Torrend, C.
O babassú na Baía. Broteria Cienc. Nat. 3: 28-30. F.1, 1934. no.1.

Bryologist (Pittsburg) (450B84)
Frye, T. C.
John W. Bailey. Bryologist 36: 82-83. N.1933 (Rec'd Mr.1934) no.6.

Nichols, G. E.
Notes on Michigan bryophytes. II. Bryologist 36: 69-78. N.1935. no.6.

Studhalter, R. A.
Riella americana: Disappearance due to floods; two new stations. Bryologist 36: 78-82. N.1933. (Recd Mr.1934) no.6.
Little Aguja Creek & Cherry Creek, Davis Mountains, western Texas.

Bull. Inst. Roy. Colon. Belge (Bruxelles) (504B836)
Wattiez, N.
Examen de quelques écorces de Cinchona de culture coloniale, en vue de la préparation du "totaquina". Bull. Inst. Roy. Colon. Belge 4: 852-857. 1933. no.3.
Note préliminaire.

Bull. Min. Agr. Gt. Brit. (10G794B)
Buddin, W.
The canker and the dry rot diseases of Swedes. Bull. Min. Agr. Gt. Brit. 74. 47 p. 8 pl. Ja. 1934.

Bull. Misc. Inform. Kew (London) (89K51B)
Boergesen, F.
Some Indian Rhodophyceae especially from the shores of the Presidency of Bombay. IV. Bull. Misc. Inform. Kew 1934; 1-30. illus., pl. i-iv. 1934. no.1.

Michelmore, A. P. G.
Botany of the Cambridge expedition to Edge Island, S.E. Spitsbergen, in 1927. I Bull. Misc. Inform. Kew 1934; 30-39. illus. (map) no.1.

Muir, J.
The distribution of Ipomoea pes-caprae and Calystegia soldanella in South Africa. Bull. Misc. Inform. Kew. 1934: 44-45. 1934. no.1.

Sprague, T. A.
Penstemon. Bull. Misc. Inform. Kew 1934: 43-44. 1934. no.1.
Generic name not validated by descritpion supplied by Schmidel.

Sprague, T. A.
The type of Ormocarpum kirkii. Bull. Misc. Inform. Kew. 1934: 42-43. 1934. no.1.

Turrill, W. B.
The occurrence of Fraxinus pallisae in Western Thrace. Bull. Misc. Inform. Kew 1934: 44. 1934. no.1.

O.K.

Bull. Soc. Chim. Biol. (Paris) (383Sol)

Colin, H. & Chaudun, A.

La "scilline" de Scilla maritima et le fructoside de Scilla nutans. Bull. Soc. Chim. Biol. 15: 1520-1526. D.1933. no.10.

Javillier, M. & Colin, Y.

Etudes sur le dosage des principes immédiats phosphorés des végétaux en vue de recherches de physiologie végétale. Bull. Soc. Chim. Biol. 15: 1552-1562. D.1933. no.10.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger) (410.9So125)

Feldmann, J.

Contribution à la flore algologique marine de l'Algérie. 2. Bull. Soc. Hist. Nat. Afr. Nord 24: 360-366. D.1933. no.9.

Bull. Soc. Nat. Acclim. France. (Paris) (410.9P21)

Chouard, P.

La multiplication végétative et le bourgeonnement chez les plantes vasculaires. I-II. Bull. Soc. Nat. Acclim. France 81: 15-28. illus. Ja.1934. no.1.

I. Définitions. II. Description et classement des principaux exemples de multiplication végétative.

Scey-Montbéliard,

Utilisation du Rhamnus pauciflorus en Ethiopie. Bull. Soc. Nat. Acclim. France 80: 466-469. D.1933. no.12.

The "Guécho" from which natives make a kind of beer.

Bull. Torr. Club. (451T63B)

Rice, M. A.

The relation of Uromyces caladii and other rusts to their hosts. Bull. Torr. Club 61: 155-162. pl.6-8. Mr.1934. no.3.

Francis, D. S.

The effects of x-rays on growth and respiration of wheat seedlings. Bull. Torr. Club 61: 119-153. illus. Mr. 1934. no.3.

Levine, M.

A preliminary report on plants treated with the carcinogenic agents of animals. Bull. Torr. Club 61: 103-118. pl.5. Mr.1934. no.3.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Baxter, E. M.

California cacti. X. Opuntia humistrata, sp.nov. Cactus & Succ. Journ. 5: 521-522. illus. F.1934. no.8.

Croizat, L.

A plant known as "Euphorbia cactus". Cactus & Succ. Journ. 5:523-524. F.1934. no.8.

E. conspicua (E. cactus)

Howell, J. T.

Cacti in the Galapagos Islands. I. Cactus & Succ. Journ. 5: 515-518. illus. F.1934. no.8.

Calif. Citrogr. (Los Angeles) (80C125)

Batchelor, L. D. & Schoonover, W.

Present status of citrus mottle leaf studies. Temporary control by the use of zinc sulfate. Calif. Citrogr. 19: 112, 132-133. Mr.1934. no.5.

Shamel, A. D. & Pomeroy, C. S.

Relation of amount of foliage to fruit size in Valencia oranges. Calif. Citrogr. 19: 140-141. Mr.1934. no.5.

Canad. Flor. (Peterboro, Ont.) (80C163)

Roodenburg, J. W.

Red light for hothouse plants. Canad. Flor. 29: 43-44. F.20, 1934. no.4.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Beck, E. C.

The precipitin ring test applied to some Ustilaginaceae. Canad. Journ. Res. 10: 234-238. F.1934. no.2.

Marion, L.

Chemical investigation of the corms of Arisaema triphyllum (L.) Schott. Canad. Journ. Res. 10: 164-169. F. 1934. no.2.

Thompson, W. P.

The causes of the cytological results obtained in species crosses in wheat. Canad. Journ. Res. 10: 190-198. F.1934. no.2.

Circ. Estac. Exp. Agr. La Molina (Lima) (102.5L622)
Weberbauer, A.
Plantas tóxicas que sirven para la pesca en el Perú. Circ. Estac. Exp. Agr. La Molina 22. 16 p. illus. D. 1933.

Citrus Indust. (Tampa, Fla.) (80C49)
Abbott, C. E.
Fruit-bud development in some citrus trees. Citrus Indust. 15(2): 5,20,25. illus. F.1934.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)
Ribéreau-Gayon, J.
Sur le traitement du mildiou de la vigne par les bouilles cupriques. Compt. Rend. Acad. Agr. Franc 20: 184-189. F.7, 1934. no.5.

Compt. Rend. Acad. Sci. Paris (505P21)
Blakeslee, A. F. & Satina, S.
Les plantes diffèrent-elles des animaux par des gamètes léthals? Compt. Rend. Acad. Sci. Paris 198: 768-770. F.19, 1934. no.8.
Experiments with Datura & Drosophila.

Costantin, J.
Cultures de la pommé de terre en hautes altitudes et en hautes latitudes. Compt. Rend. Acad. Sci. Paris 198: 685-689. F.19, 1934. no.8.

Guilliermond, A.
Sur la nature et la signification de l'appareil de Golgi. Compt. Rend. Acad. Sci. Paris 198: 765-767. F.19, 1934. no.8.

Compt. Rend. Soc. Biol. Paris (442.9P21)
Fourcroy, M.
Modifications anatomiques dans des racines dont l'estrémité a été plongée quelques secondes dans l'acide chlorhydrique. Compt. Rend. Soc. Biol. Paris 115: 506-510. illus. 1934. no.5.
Experiments with lupine.

Lenoir, M.
Lignes de force cytoplasmiques observées dans la cellule mère du sac embryonnaire chez le Lilium martagon L. pendant la synizèse; leur signification. Compt. Rend. Soc. Biol. Paris 115: 563-566. 1934. no.5.

Quintanilha, A.
Sur le pouvoir germinatif des spores de Coprinus. Compt. Rend. Soc. Biol. Paris 115: 456-458. 1934. no.4.

OK

Current Science (Bangalore) (475Sci23)
Kadam, B. S.
A specific colour inhibitor gene in rice. Current Science 2:246. Ja. 1934. no.7.

Parandekar, S. A.
An interesting case of the insertion of the leaves and head in Helianthus annuus, Linn. Current Science 2: 2431. illus. Ja.1934. no.7.

Econ. y Técn. Agr. (Spain) (Madrid) (15Ec7)
Garcia Romero, A.
Las semillas. II. Fenómenos morfológicos y fisiológicos de la germinación. Análisis de las semillas. Importancia de tomar bien la muestra media. Econ. y Técn. Agr. (Spain) 2: 543-546. illus. D.1933. no.20.

Empire For. Journ. (99.8Em72)
Hoyle, A. C.
Note on the ayo and the opepe of Nigeria. Empire For. Journ. 12: 267-268. D.1933. no.2.
Holoptelea grandis, Sarcocephalus diderichii.

Empire Journ. Exp. Agr. (Oxford) (10Em7)
Cheesman, E. E.
The vegetative propagation of cacao. Empire Journ. Exp. Agr. 2: 40-50. illus., pl.2. Ja. 1934. no.5.

Farming So. Africa. (Pretoria) (24So842)
Dippenaar, B. J.
Fusarium-rot in potatoes. Farming So. Africa 9: 58. illus. F.1934. no.95.

Du Plessis, S. J.
Pink root and bulb-rot of onions. Farming So. Africa 9: 70. F.1934. no.95.

Steyn, D. G.
The poisoning in human beings by weeds contained in wheat (bread poisoning). Farming So. Africa 9: 45-46. illus. F.1934. no.95.
The weeds Senecio ilicifolius, & S. burchellii; previously attributed erroneously to Lolium temulentum.

Wager, V. A.
Fusarium wilt in tomatoes. Research work in eastern Transvaal. Farming So. Africa 9: 61-63. illus. F.1934. no.95.

Flor. Exch. (N.Y.) (80F666)

Allyn, R. S.

The plant patent law and what it needs. Flor. Exch. 82(9): 11,22. Mr.3, 1934.

Elliott, C. N.

Fruitlands lives again! Flor. Exch. 82(8): 9,16. illus. F.24, 1934.

The nursery extablished by P.J.A. Berckmans in 1857 at Augusta, Ga., becomes the Bobby Jones national golf course.

Mrs. Elizabeth G. Knight Britton. Flor. Exch. 82(9): 13. Mr.3, 1934.

Note of death.

Gard. Chron. (London) (80G162)

Balls, E. K.

Plant collecting in Persia. IV. From Shiraz to Kirman. Gard. Chron. III, 95: 112-113. illus. F.17,1934. no.2460.

Friend, H.

Herbals and herbalists. VI. Pitfalls and dangers. Gard. Chron. III, 95: 130. illus. F.24, 1934. no,2461.

Pellew, C.

Hybrids in Primula. Gard. Chron. III, 95: 94-95. illus. F.10,1934. no.2459.

Staniland, D. N.

Violet eelworm. Gard. Chron. III, 95: 134. F.24, 1934. no.2461.

From Seale-Hayne Agr. Coll. Adv. Leafl. no.45, Ja.1934.

Pratia. Gard. Chron. III, 95: 95. F.10, 1934. no.2459.

Vernalization: A new method of shortening the vegetative period of plants. Gard. Chron. III, 95: 117. F.17, 1934. no.2460.

Gard. Illus. (London) (80G169)

Bartlett, F. M.

Fixation of plant variations. Gard. Illus. 56: 73-74. illus. F.10, 1934. no.2866.

Gartenfl. (Berlin) (80G19)
Lindinger, L.
Wachstumsringe bei monokotylen. Gartenfl. 83: 39-41. illus. F.1934.

Genetics (442.8G28)
East, E. M.
A novel type of hybridity in Fragaria. Genetics 19: 167-174. illus. Mr.1934. no.2.

Emerson, R. A.
Relation of the differential fertilization genes, Ga ga, to certain other genes of the Su-Tu linkage groupe of maize. Genetics 19: 137-156. Mr.1934. no.2.

Immer, F. R.
Calculating linkage intensities from F_3 data. Genetics 19: 119-136. Mr. 1934. no.2.

Sax, K. & Anderson, E.
Interlocking of bivalent chromosomes in Tradescantia. Genetics 19: 157-166. illus. Mr. 1934. no.2.

Helvetica Chim. Acta (Basel) (385H36)
Karrer, P.
Pflanzenfarbstoffe LV-LVII. Helvetica Chim. Acta 17: 7-8, 43-54, 55-57. illus. F.1, 1934. no.1.
O. Walker, joint author LVI, W. Schlientz, LV, LVII.
LV. Zum vorkommen von alpha- und beta-carotin in verschiedenen naturprodukten. LVI. Untersuchungen über die herbstlichen färbungen der blätter. LVII. Caricaxanthin, kryptoxanthin, zeaxinthin-monopalmität.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin) (374Z38)
Zechmeister, L. & Töth, G.
Vergleich von pflanzlichem und tierischem chitin. Hoppe-Seyl. Zeitschr. Phys. Chem. 223: 53-56. F.5, 1934. no.1/2.

Hort. Educ. Assoc. Year Bk. (Wye, Kent) (84H78)
Hodson, W. E. H.
The control of chrysanthemum eelworm. Hort. Educ. Assoc. Year Bk. 2: 85-89. N.1933.

Hort. Educ. Assoc. Year Bk. (cont.)

MacDowall, R. K.
A note on the applications of sulphuric acid spraying to horticulture. Hort. Educ. Assoc. Year Bk. 2: 84. N.1933.

Salaman, R. N.
Virus disease research in relation to the cultivation of the potato. Hort. Educ. Assoc. Year Bk. 2: 45-50. N.1933.

Woodman, R. M.
Weed killers. Hort. Educ. Assoc. Year Bk. 2: 77-83. N.1933.

Indian For. (Dehra Dun) (99.8In2)

Parkinson, C. E.
The Indian species of Xylocarpus. Indian For. 60: 136-143. pl.15-17. F.1934. no.2.
X. gangeticus n.sp.

Intern. Bull. Plant Prot. (464.8In8)

Noble, R. J.
Australia: Summary of plant diseases recorded in New South Wales for the season 1932-1933. Intern. Bull. Plant Prot. 8: 3-5. Ja.1934. no.1.

Iowa State Coll. Journ. Sci. (Ames, Ia.) (470Io9)

Cratty, R. I.
Notes on the immigrant flora of Iowa, I. Iowa State Coll. Journ. Sci. 8: 309-311. Ja. 1934. no.2.

Fults, J. L.
A botanical survey of Lee county, Iowa. Iowa State Coll. Journ. Sci. 8: 251-293. Ja. 1934. no.2.

Martin, J. N. & Watt, J. R.
Irregular sporogenesis and polyembryony in some Leguminosae. Iowa State Coll. Journ. Sci. 8: 303-307. illus. Ja.1934. no.2.
Melilotus alba, Trifolium pratense, T. repens, Medicago sativa, Vicia americana.

Wentz, J. B. & Smith, S. N.
Linkage data on the R-g_1 chromosome of maize. Iowa State Coll. Journ. Sci. 8: 295-301. Ja.1934. no.2.

Journ. Agr. Res. (Washington) (1Ag84J)

Ausemus, E. R.
Correlated inheritance of reaction to diseases and of certain botanical characters in triangular wheat crosses. Journ. Agr. Res. 48: 31-57. illus. Ja.1, 1934 (Rec'd Mr.3) no.1.

Hayes, H.K., Ausemus, E.R., Stakman, E.C. & Bamberg, H.
Correlated inheritance of reaction to stem rust, leaf rust, bunt, and black chaff in spring-wheat crosses. Journ. Agr. Res. 48: 59-66. Ja.1, 1934. (Rec'd Mr.3) no.1.

Hubbell, D. S.
A morphological study of blind and flowering rose shoots, with special reference to flower-bud differentiation. Journ. Agr. Res. 48: 91-95. illus., pl.1-2. Ja.1, 1934 (Rec'd Mr.3) no.1.

Reed, H.S.
Correlations between severity of pruning and subsequent growth and fruit yield of apricot trees. Journ. Agr. Res. 48: 1-30. Ja.1, 1934 (Rec'd Mr.3) no.1.

Journ. Amer. Pharm. Assoc. (Easton, Pa.) (396.9Am33J)

Ballard, C.W.
Shall the relationship of botany to pharmacognosy be maintained? Journ. Amer. Pharm. Assoc. 23: 139-142. F.1934. no.2.

Beath, O.A., Draize, J.H., Eppson, H.F., Gilbert, O.S. & McCreary, O.C.
Certain poisonous plants of Wyoming activated by selenium and their association with respect to soil types. Journ. Amer. Pharm. Assoc. 23: 94-97. F.1934. no.2.
Astragalus bisulcatus, A. grayi and A. pectinatus, Xylorhiza parryi, Oonopsis condensata, Stanleya bipinnata and Mentzelia decapetala.

Journ. Bot. (London) (450J82)

Alston, A. H. C.
Notes on Selaginella. V. The Selaginellae of Trinidad and Tobago. Journ. Bot. 72: 33-40. illus. F.1934. no.854.

British museum (Natural history) Herbarium.
Notes from the British museum herbarium. Journ. Bot. 72: 40-43. F.1934. no.854.
Vigna occidentalis, Combretum youngii, Blyxa senegalensis n.spp.

6K

Journ. Bot. (cont.)

Hall, P. M.

Abnormal flowers in Cephalanthera grandiflora (L.)Bab. and other orchids. Journ. Bot. 72: 49-51. F.1934. no.854.

Novitates africanae. (cont.) Journ. Bot. 72: 43-49. F.1934. no.854.

Pugsley, H. W.

The Irish forms of Neotinea intacta Reichb. fil. Journ. Bot. 72: 54-55. F.1934. no.854.

Ridley, H. N.

Some dispersal notes. Journ. Bot. 72: 52-53. F.1934. no.854.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)

Clarke, G. H.

Important weeds of South Australia. I. St.John's wort (Hypericum perforatum, L., var. angustifolium, DC) Journ. Dept. Agr. So. Australia 37: 695-699, col.pl. Ja.15, 1934. no.6.

Garrett, S. D.

Factors affecting the severity of take-all. I. The importance of soil micro-organisms. Journ. Dept. Agr. So. Australia 37: 664-674. illus. Ja.15, 1934. no.6.

Johnston, W. C.

The occurrence of eelworms on the roots of certain grasses. Journ. Dept. Agr. So. Australia 37: 705-706. Ja.15, 1934. no.6.

Journ. Dept. Agr. Victoria (Melbourne) (23V66J)

Morgan, A.

Hoary cress control. Journ. Dept. Agr. Victoria 32: 1-6, 40. illus. Ja. 1934. no.1.

Journ. Dept. Agr. West. Austral. (Perth) (23W52J)

Gardner, C. A.

Two plants suspected of being poisonous to stock. Journ. Dept. Agr. West. Austral. II, 10: 506-507. illus. D.1933. no.4.

Meadley, G. R. W.

Chemical weed killers. The chlorates of sodium and calcium. Journ. Dept. Agr. West. Austral. II, 10: 481-487. illus. D.1933. no.4

Journ. Helminth. (London) (436.8J32)

Edwards, E. E.

On the chrysanthemum nematode, Aphelenchoides ritzema-bosi Schwartz, 1911 and its control. Journ. Helminth. 12: 23-32. 3 pl.on 2. Ja. 1934. no.1.

Hodson, W. E. H.

Anguillulina dipsaci (Kühn), as a pest of bulbous irises. Journ. Helminth. 12: 33-38. pl. Ja.1934. no.1.

Staniland, L.N. & Goodey, T.

A dwarfing disease of cultivated violets associated with the eelworm, Aphelenchoides olesistus. Journ. Helminth. 12: 13-22. illus. Ja.1934. no.1.

Triffitt, M. J.

Experiments with the root excretions of grasses as a possible means of eliminating Heterodera schachtii from infected soil. Journ. Helminth. 12: 1-12. Ja. 1934. no.1.

Journ. Hered. (Washington) (442.8AM3)

Kempton, J.H.

Heritable characters in maize. XLVII. Branched silkless. Journ. Hered. 25: 29-32. illus. Ja. 1934. no.1.

Zirkle, C.

More records of plant hybridization before Koelreuter. Journ. Hered. 25: 3-18. illus. Ja. 1934. no.1.

Notes concerning Cotton Mather, Thomas Fairchild, Richard Bradley, Thomas Knowlton, Thomas Henchman & Benj. Cooke.

Journ. N.Y. Bot. Gard. (89N48J)

Dodge, B. O.

Witches' brooms on southern white cedars. Journ. N.Y. Bot. Gard. 35: 41-45. illus. Mr.1934. no.411.

Gymnosporangium myricatum.

Studies in the genus Gymnosporangium VIII.

Journ. Roy. Agr. Soc. Engl. (London) (10R81)
Biffen, R. H.
Annual report for 1933 of the botanist. Journ. Roy. Agr. Soc. Engl. 94: 509-514. 1933.
Includes notes on fungus diseases.

Journ. Roy. Micr. Soc. (London) (440.9R81J)
Koshy, T. K.
Chromosome studies in Allium. I. The somatic chromosomes. Journ. Roy. Micr. Soc. III, 53: 299-318. iii pl. D.1933. no.4.

Journ. S.E. Agr. Coll. Wye (103W97J)
Salmon, E. S. & Ware, W. M.
Department of mycology. Journ. S.E. Agr. Coll. Wye. 33: 17-27. Ja.1934.

Journ. Tenn. Acad. Sci. (500T25A)
Cooley, L. M.
A preliminary list of the myxomycetes of eastern Tennessee. Journ. Tenn. Acad. Sci. 9: 84-86. Ja.1934. no.1.

Landbouw, Nederl.-Indië (Buitenzorg) (22.5L23)
Bal, A. J.
De tengkawang in de westerafdeeling van Borneo. Landbouw, Nederl.-Indië 9: 211-278. illus. N.1933.
English summary: p.277-278.
Illipe (species of Shorea)

Lingnan Sci. Journ. (Canton, China) (22.5C16)
Chen, Y-C.A.
A preliminary study of the evidence for the taxonomic value of pollen grains in determining the local plants. Lingnan Sci. Journ. 13: 89-101. Ja.27, 1934. no.1.

Merrill, E. D.
A fifth supplementary list of Hainan plants. Lingnan Sci. Journ. 13: 53-73. Ja.27, 1934. no.1.

Merrill, E. D.
Unrecorded plants from Kwangtung Province. III. Lingnan Sci. Journ. 13: 15-52. pl.4-8. Ja.27, 1934. no.1.

Metcalf, F. P.
Notes on Kwangtung Labiatae including a new species. Lingnan Sci. Journ. 13: 135-136. pl.10. Ja.27,1934. no.1.
Scutellaria microflora n.sp.

Madras Agr. Journ. (22M262)

Gopalaratnam, P.

Studies in Capsicum. I. Anthesis, pollination and fertilisation. Madara Agr. Journ. 21: 493-509. illus. D.1933, no.12.

Ramaswamy, K.

The period of receptivity of rice stigma. Madras Agr. Journ. 21: 514-519. D.1933. no.12

Magyar Bot. Lap. (Budapest) (450M272)

Árpád, D.

Tulipa hellespontica n.sp. Magyar Bot. Lap. 32: 145-146. 1933. no.7/12.

Bornmüller, J.

Ein kleiner beitrag zur hieracienflora des oberen Paznauntals (Tirol) Magyar Bot. Lap. 32: 183-187. 1933. no.7/12.

Latzel, A.

Moose aus dem Bakony- und Vértesgebirge. Magyar Bot. Lap. 32: 153-182. 1933. no.7/12.

Malayan Agr. Journ. (Kuala Lumpur) (22.5F312)

Baker, J. A.

Mushroom growing in province Wellesley & Penang. Malayan Agr. Journ. 22: 25-28. 3 pl. Ja. 1934. no.1.

Malayan For. (99.8M292)

Webber, M. L.

Fruit dispersal. Malayan For. 3: 18-19. Ja. 1934. no.1.

Fruits of trees, Shorea, etc., carried by light wind storms.

Meded. Rijks Herb. Leiden (451L59)

Henrard, J. T.

A critical revision of the genus Aristida being a preliminary study and introduction to the monograph, Supplement. Meded. Rijks. Herb. Leiden no.54c. p. 703-707. illus. S.1, 1933.

Posthumus, O.

Die botanischen ergebnisse der Elbert'schen Sunda-expedition des Frankfurter vereins für geographie und statistik IV. Meded. Rijka Herb. Leiden no.70. 26 p. 1933.

Missouri Bot. Gard. Bull. (St. Louis) (89M69B)

Pring, G.H.

Hybrid Nymphaeas. Missouri Bot. Gard. Bull. 22: 47-90. illus., pl.6-25. (col. except pl.6) F. 1934. no.2.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)

Rauhut, G.

Alpen-pflanzen und felsen-anlagen. II. Möller's Deut. Gärtn.-Zeit. 49: 43-44. F.11, 1934. no.4.

Nature (London) (472N21)

Barton-Wright, E. & McBain, A.M.

Possible chemical nature of tobacco mosaic virus. Nature 133: 260. F.17, 1934. no.3355.

Gates, R. R.

Prof. Erwin Baur. Nature 133: 239-240. F.17, 1934. no.3355.

Rygh, O.

Occurrence of antirachitic vitamin in green plants. Nature 133: 255. F.17, 1934. no.3355.

New Zeal. Journ. Agr. (Wellington) (23N48J)

Allan, H.H.

Notes on recently observed exotic weeds. (6) Saffron thistle and marsh thistle. New Zeal. Journ. Agr. 48: 42-46. illus. Ja.20, 1934. no.1.

Cunningham, G. H.

Effects on apple-trees of lime sulphur following Bordeaux mixture. New Zeal. Journ. Agr. 48: 15-17. Ja.20, 1934. no.1.

No injury provided that lime sulphur is not in excess.

Cunningham, G. H.

Orchard sprays in New Zealand. VII. Combination sprays. New Zeal. Journ. Agr. 48: 1-12. Ja.20, 1934. no.1.

Ohio Journ. Sci. (Columbus) (410Oh3)

Anderson, D. B.

The distribution of cutin in the outer epidermal wall of Clivia nobilis. Ohio Journ. Sci. 34: 9-18. illus., pl. Ja. 1934. no.1.

Orchid Rev. (Richmond, Engl.) (80 Or15)

Carr, C. E.

Coelogyne zurowetzii sp.nov. Orchid Rev. 42: 44-45. illus. F.1934. no.488.

Matschat, C. H.

Vanilla - the orchid of commerce. Orchid Rev. 42: 46-50. illus. F.1934. no.488.

Rupp, J. M. R.

Australian cymbidiums. Orchid Rev. 42: 35-37. F. 1934. no.488.

Perfum. & Essent. Oil.Rec. (London) (308.8P41)

Freise, F. W.

Brazilian plants explored for their coumarin. Perfum. & Essent. Oil Rec. 25: 39-40. F.21, 1934. no.2.

Phil. Trans. Roy. Soc. (London) (501L84Pb)

Gupta, S. N. D.

Studies in the genera Cytosporina, Phomopsis, and Diaporthe. VI. On the conversion of one strain of Diaporthe perniciosa into another. Phil. Trans. Roy. Soc. 223: 121-161. F.7, 1934. no.B497.

Priroda Akad. Nauk SSSR (410P933)

Cholodnyi, N. G.

Gormony rastenii [Plant hormones] Priroda Akad. Nauk SSSR 1933(8/9): 43-54.

Russian.

Danilov, A. N.

Lishaĭnnikovyi simbioz [Lichen symbiosis] Priroda Akad. Nauk SSSR 1933(11): 34-44. illus.

Russian.

Fedchenko, B.A.

Zadachi dostizheni͡ia Sovestskoĭ floristiki [Problems and achievements in Soviet floristics.] Priroda Akad. Nauk SSSR 1934(1): 66-80.

Russian.

I͡akubtsiner, M.

Nakhozhdenie dikoi pshenitsy v SSSR [Discovery of wild wheats in USSR] Priroda Akad. Nauk SSSR 1933(8/9): 98-102. illus. (incl.map)

Russian.

Wild emmer (Triticum dicoccoides ssp. armeniacum, palestinicum, horanum, judaicum), refers also to Triticum persicum, T. macha, T. timopheevi.

Priroda Akad. Nauk SSSR (cont.)

Îakubtsiner, M.

Nakhozhdenie novogo vida pshenitsy v Armîanskom nagor'i (Triticum vavilovi) [The finding of a new species of wheat in Armenia] Priroda Akad. Nauk SSSR 1933(11): 72-73. illus.

Russian.

Var. vaneum, mraviana, mirabile.

Kotov, M. & Cherkasov, VI.

Novoe kauchukonosnoe rastenie - oduvanchuk osennii (Taraxacum gymnanthum D.C.), proizrastaîushchee na Îuzhnom bereru Kryma [A new rubber plant, autumn dandelion, (Taraxacum gymnanthum D.C.) growing on southern coast of Crimea] Priroda Akad. Nauk SSSR 1933(2): 63-65. illus.

Russian.

Loman, A.P.

O novom kauchukonose Kazakstana tau-sagyze [New rubber plants from Kazakstan, tau-saghyz] Priroda Akad. Nauk SSSR 1933(2): 61-63. illus.

Scorzonera tau-saghyz.

Russian.

Michurin, I. V.

O mezhrodovoi gibridizatsii [Intergeneric hybridization] Priroda Akad. Nauk SSSR 1934(1): 61-66. illus.

Russian.

Proc. Nat. Acad. Sci. (500N21P)

Cartledge, J. L. & Blakeslee, A. F.

Mutation rate increased by aging seeds as shown by pollen abortion. Proc. Nat. Acad. Sci. 20: 103-110. illus. F.1934. no.2.

Experiments with Datura.

Creighton, H. B.

Three cases of deficiency in chromosome 9 of Zea mays. Proc. Nat. Acad. Sci. 20: 111-115. F. 1934. no.2.

Johansen, D. A.

Haploids in Hordeum vulgare. Proc. Nat. Acad. Sci. 20: 98-100. illus. F.1934. no.2.

Proc. Penn. Acad. Sci. (Harrisburg) (500p383)

Cartledge, J. L.
Chromosomes of Polygonatum. Proc. Penn. Acad. Sci. 7: 78-79. 1933.

Cartledge, J. L.
Some interesting algae from western Pennsylvania Proc. Penn. Acad. Sci. 7: 79-81. 1933.

Graham, E. H.
New criteria for the taxonomist. Proc. Penn. Acad. Sci. 7: 58-60. 1933.

Hostetter, D. R.& Derickson, S.H.
Preliminary biological survey of Lake Conewago, Mount Gretna, Pennsylvania. Proc. Penn. Acad. Sci. 7: 8-24. illus. 1933.

Jennings, O. E.
Some interrelations of plants and birds on Presque Isle, Erie, Pennsylvania. Proc.Penn. Acad. Sci. 7: 192-195. 1933.

Keener, P. D.
Some characteristics of Darluca in culture. Proc. Penn. Acad. Sci. 7: 130-138. illus., pl. 1933.

Lanfear, L. H.
Preliminary list of hepatics of western Pennsylvania. Proc. Penn. Acad. Sci. 7: 24-28. 1933.

Lutz, H. J.
Unusual sprout development in Magnolia acuminata L. Proc. Penn. Acad. Sci. 7: 28-30. illus. 1933.

Thurston, H. W., jr. & White, W. L.
Notes on the rusts of Pennsylvania. Proc. Penn. Acad. Sci. 7: 140-148. 1933.

Van Dersal, W. R. & Cartledge, J. L.
The blue-green algae of Pennsylvania. Proc. Penn. Acad. Sci. 7: 82-88. 1933.

Wherry, E. T.
Four shale-barren plants in Pennsylvania. Proc. Penn. Acad. Sci. 7: 160-164. illus. (maps) 1933.
Trifolium virginicum, Oenothera argillicola, Convolvulus purshianus, Senecio antennariifolius.

Proc. Penn. Acad. Sci. (cont.)
Zundel, G. L.
The Ustilaginales of Pennsylvania. Proc. Penn. Acad. Sci. 7: 122-129. 1933.

Proc. Roy. Soc. Ser. B. (London) (501L84B)
Thimann, K. V. & Skoog, F.
On the inhibition of bud development and other functions of growth substance in Vicia faba. Proc. Roy. Soc. Ser. B. 114: 317-339. F.1, 1934. no.B789.

Protoplasma (Leipzig) (442.8P94)
Kostoff, D.
Tumor problem in the light of researches on plant tumors and galls and its relation to the problem of mutation. Protoplasma 20: 440-456. D. 1933. no.3.
A critical review from biophysical, biochemical and cytogenetical point of view.

Lepeschkin, W. W.
Zur technik der chemischen analyse des protoplasmas. Protoplasma 20: 321-325. D. 1933. no.3.

Pekarek, J.
Absolute viskositätsmessungen mit hilfe der brownschen molekularbewegung. VII. Der einfluss des lichtes auf die zellsaftviskosität. Protoplasma 20: 359-375. D. 1933. no.3.

Queensl. Agr. Journ. (Brisbane) (23Q33)
White, C. T.
Queensland grasses. Queensl. Agr. Journ. 41: 54-58. Ja.1, 1934. no.1.

Rev. Bot. Appl. (Paris) (26R323)
Chevalier, A.
Les Echinochloa comme plantes fourragères. Rev. Bot. Appl. 13: 900-903. D.1933. no.148.

Chevalier, A.
Etudes sur les prairies de l'Ouest africain. I. Les graminées. Rev. Bot. Appl. 13: 845-892. pl.xx-xxv. D.1933. no.148.

Dop, P.
Les Gmelina arborescents de l'Indochine. Rev. Bot. Appl. 13: 893-897. D.1933. no.148.
G. annamensis n.sp.

Rev. Eaux et For. (Paris) (99.8R322)

Braun-Blanquet, J.

Association végétale climatique et climax du sol dans le midi Méditerranéen. Rev. Eaux et For. 72: 1-7. Ja. 1934. no.1.

Rev. Hort. (Paris) (80R32)

Delaunay, F.

Un nouveau Peuplier d'ornement Populus simonii obtusata. Rev. Hort. 106: 21. illus. Ja.16, 1934. no.1.

Evreinoff, V. A.

Les pêches "peen-too". Rev. Hort. 106: 11-13. illus., col.pl. Ja.16, 1934. no.1.

Jahandiez, E.

Les plantes grasses autres que les cactées. Les aloës et genres voisins. (cont.) Rev. Hort. 106: 14-16. illus. Ja.16, 1934. no.1.

Rhodora (Boston) (450R34)

Fernald, M. L.

Realignments in the genus Panicum. Rhodora 36: 61-87. Mr. 1934. no.423.

Fernald, M. L.

Some critical plants of Greenland. Rhodora 36: 89-97. illus., pl.279-280. Mr.1934. no.423.

Raup, H. M.

A new species of Euphrasia from northwestern Canada. Rhodora 36: 87-88. pl.278. Mr.1934. no.423.

Steyermark, J. A.

Hamamelis virginiana in Missouri. Rhodora 36: 97-100. Mr. 1934. no.423.

Riv. Patol. Veg. (Pavia) (464.8R52)

Ferraris, T.

Piero Voglino 23 Marzo 1864 - 22 Ottobre 1933. Riv. Patol. Veg. 24: 1-10. port. Ja./F.1934. no.1/2.

Montemartini, L.

I parassiti e le malattie delle piante coltivate nella Sicilia occidentale durante il biennio 1932-33. Riv. Patol. Veg. 24: 11-36. illus. Ja./F. 1934. no.1/2.

Riv. Patol. Veg. (cont.)

Pasinetti, L.

Su un caso specifico di deperimento cronico dell'abete bianco e sulla possibilita' di una cura. Riv. Patol. Veg. 24: 37-58. illus. Ja./F. 1934. no.1/2.

Science (470Sci2)

Meyer, S. L.

Deuterium oxide and Aspergillus. Science 79: 210-211. Mr.2, 1934. no.2044.

Deuterium used in dilute concentrations stimulates growth.

Science News Letter (470Sci24)

Grass seeds fly high, airplane traps show. Science News Letter 25: 120. F.24, 1934. no.672.

Described by Mrs. Agnes Chase at meeting of Botanical society of Washington, D. C.

Growth of common fungus speeded by "heavy water". Science News Letter 25:156. Mr.10,1934. no.674.

Experiments of Mr. S.L. Meyer of Vanderbilt university.

Plants retain heavy water in formation of tissues. Science News Letter 25: 148. Mr.10, 1934. no.674.

Experiments of Dr. E.W. Washburn and Dr. E.R. Smith of Bureau of Standards.

Sci. Rep. Tokyo Bunrika Daigaku Sect. B. (513T578B)

Abe, S.

On the syngamy of some Myxomycetes. Sci. Rep. Tokyo Bunrika Daigaku Sect. B 1: 193-202. illus. Ja.23, 1934. no.18.

Scient. Agr. (Ottawa) (7Sci2)

Fitzpatrick, R. E.

The life history and parasitism Taphrina deformans. Scient. Agr. 14: 305-326. illus., pl. i-ii. F. 1934. no.6.

Scient. Monogr. Imp. Counc. Agr. Res. India (Delhi) (22Im7S)

McRae, W. & Shaw, F. J. F.

Influence of manures on the wilt disease of Cajanus indicus Spreng. and the isolation of types resistant to the disease. Scient. Monogr. Imp. Counc. Agr. Res. India no.7. 68 p. plates. N.1933.

Scient. Month. (470Sci23)

Grouth, A.J.
Mosses. Scient. Month. 38: 270-273. Mr.1934. no.3.
Science service radio talk.

Shreve, F.
The problems of the desert. Scient. Month. 38: 199-209. illus. Mr.1934. no.3.

Sitzungsb. Akad. Wiss. Wien. Math.-Naturw. Kl. Abt. IIb. (510V67)

Späth, E. & Boschan, F.
Ueber kakteenalkaloide. X. Die konstitution des pellotins und des anhalonidins. Sitzungb. Akad. Wiss. Wien. Math.-Naturw. Kl. Abt. IIb. 142: 351-363. 1933. no.5/6.

Sovetsk. Botanika (450So8)

Bosse, G. G.
Nado podumat ob introduktsii Landolphia thollani Dew. [Necessary considerations on the introduction ...] Sovetsk. Botanika 1933(3/4): 136-145. illus.
Russian.

Bosse, G. G.
O tselesoobraznosti postanovki opytov introduktsii Raphionacme utilis Broun [Desirability of establishing experiments in the introduction ...] Sovetsk. Botanika 1933(3/4): 145-149. illus.
Russian.

Fedchenko, B. A.
Materialy k vyi͡avlenii͡u dikoratushchikh voloknistykh rasteniĭ sssr [Materials for discovery of wild growing fiber plants of USSR] Sovetsk. Botanika 1933(3/4): 75-108. illus., map.
Russian.
I. Pueraria hirsuta... A.G. Borisova. II... Tiliaceae [Tilia] A.F. Hammerman. III. [Datisca cannabina] A.F. Hammerman. IV..., Asclepiadaceae. V.L. Nekrasova, V... Convolvulaceae... V.L. Nekrasova. VI. [Lythrum salicaria] V.L. Nekrasova. VII... Ulmaceae. N.G. Novikova. VIII. ... Thymelaeaceae [Daphne] I.V. Palibin.

Sovetsk. Botanika (cont.)

Fedchenko, B. A.
Perspektivy ispol'zovanii͡a dikorastushchego rastitel'nogo syr'i͡a Tadzhikskoĭ Respubliki (Prospect for the utilization of the wild-growing vegetation of Tadzhisky Republic] Sovetsk. Botanika 1933(3/4): 36-41.
Russian.

Hammerman, A. F.
K voprosu ispol'zovanii͡a zhirnomaslichnykh rasteniĭ [The question of the utilization of oil plants] Sovetsk. Botanika 1933(3/4): 70-74.
Russian.

Hammerman, A. F., Nekrasova, V.L. & Palibin, I.V.
Novoe rastitel'noe syr'e dli͡a shchetochnogo proizvodstva [New vegetable raw materials for broom manufacture] Sovetsk. Botanika 1933(3/4): 108-136. illus.
Russian.

Keller, B. A. & Shaparenko, K.K.
Materialy k sistematiko-ekologicheskoĭ monografii roda Alhagi Tourn. ex Adans. [Contributions to a systematic, ecological monograph of Alhagi] Sovetsk. Botanika 1933(3/4): 150-185. illus., map.
Russian.

Kozlov, V.
K voprosu o plodonoshenii skokoladnogo dereva v oranzherei͡akh [On the question of the fruiting of the cacao in the greenhouse] Sovetsk. Botanika 1933(3/4): 198-203. illus.
Russian.

Lapin, I. V., Sosnovskaja, N.H. & Shliapnikova, B.D.
Uproshchennyĭ metod opredelenii͡a vesovogo sootnoshenii͡a vidov v travostoi͡akh senokosov i pastbishch. [Simplified method of determining weight relation of various species in hay meadows and pastures] Sovetsk. Botanika 1933(3/4): 267-270.
Russian.

Sovetsk. Botanika (cont.)

Leisle, V. F. & Novikov, G. N.
Scorzonera hispanica L. Sovetsk. Botanika 1933(3/4): 185-191.
Geographical distribution and economic importance.
Russian.

Monteverde, N. N.
Amerikanskiĭ gidrastis na Sovetskoĭ pochve [American Hydrastis on Soviet soil] Sovetsk. Botanika 1933(3/4): 191-198. illus.
Russian.

Palibin, I. V.
Chaĭnoe rastenie v uslovii͡akh sovetskogo narodnogo khozi͡aĭstva [The tea plant under the conditions of Soviet agriculture] Sovetsk. Botanika 1933(3/4): 215-229.
Russian.
Appears to deal also with substitutes.

Palibin, I. V.
Kul'tura pomerantsevykh v SSSR i ee blizhaĭshie zadachi v narodnom khozi͡aĭstven [Cultivation of citrus in USSR and closely related problems in the national agriculture] Sovetsk. Botanika 1933(3/4): 207-214.
Russian.

Pravdin, L. F.
Razvedenie probkovogo duba v SSSR [Cultivation of cork oak in USSR] Sovetsk. Botanika 1933 (3/4): 229-256. illus.
Russian.

Pravdin, L. F.
Vegetativnoe razmnozhenie shokoladnogo dereva [Vegetative multiplication of cacao] Sovetsk. Botanika 1933(3/4): 203-207. illus.
Russian.

Sochava, V. B.
Kormovoe znachenie rasteniĭ kraĭnego severa [Forage value of plants in the far north] Sovetsk. Botanika 1933(3/4): 257-266.
Lichens and plants other than grasses.
Russian.

Sovetsk. Botanika (cont.)

Stankov, S. S., Shalyganova, O. N. & Bokhonov, M.P.
Dikorastushchie maslichnye rasteniia Gor'kovskogo kraia [Wild growing oil plants of the Gor'kovskogo district] Sovetsk. Botanika 1933 (3/4): 42-69. map.
Russian.

Vasil'ev, V. F.
Osnovnye puti izucheniia dikoi poleznoĭ flory SSSR [Basic methods of study of the useful wild flora of the USSR] Sovetsk. Botanik 1933(3/4): 9-36.
Russian.
I. Drug plants. II. Essential oil plants. III. Resins and gums. IV. Tannin plants. V. Oil plants. VI. Fiber plants. VII. Food plants. VIII. Fodder plants. IX. Rubber plants. X. Ornamental plants.

Te Kura Ngahere,Canterbury (N.Z.) Coll. School. For.(99.8T162)

Birch, T. T. C.
Gummosis diseases of Cupressus macrocarpa. Te Kura Ngahere, Canterbury (N.Z.) Coll. School For. 3: 108-113. illus. 1933. no.3.
Due to three fungi Phomopsis (?juniperovora), Pestalozzia funeria, Coryneum sp.

Poole, A. L.
Study of wind damage to 5-year-old stand of insignis pine at Hanmer plantation. Te Kura Ngahere, Canterbury (N.Z.) Coll. School For. 3: 149-153. illus. 1933. no.3.

Le Terre Maroc. (Rabat) (24T44)

Miège, E.
Les plantes fourragères du Maroc. (cont.) La Terre Maroc. 4(50): 10-19. illus. F.15, 1934.

Torreya (450T63)

Croizat, L.
A new Texan Coryphanta. Torreya 34: 15-16. Ja./F.1934. no.1.
Coryphanta nellieae.

Karling, J. S.
New stations for Physoderma and Ligniera. Torreya 34: 13-14. Ja./F.1934. no.1.

Torreya (cont.)

Moldenke, H. N.
A supplementary list of tautonyms and miscellaneous nomenclatural notes. Torreya 34: 5-10. Ja./F.1934. no.1.

Torrey, R. H.
Azolla caroliniana survives in Queens kettle hole pond. Torreya 34: 11-12. Ja./F.1934. no.1.

Wodehouse, R. P.
A tertiary Ephedra. Torreya 34: 1-4. illus. Ja./F.1934. no.1.
Ephedra ?miocenican.

Trans. Amer. Micros. Soc. (440.9Am33)

Cupp, E. E.
Analysis of marine plankton diatom collections taken from the Canal Zone to California during March, 1933. Trans. Amer. Micros. Soc. 53: 22-29. illus. (map) Ja.1934. no.1.

Trans. & Proc. New Zeal. Inst. (Wellington) (514W46)

Sutherland, M.
A microscopial study of the structure of the leaves of the genus Pinus. Trans. & Proc. New Zeal. Inst. 63: 517-568. illus., pl.53-54. D.1933. no.4.

Trans. Roy. Soc. Canada (5170t81)

Baldwin, W. K. W.
The organization of the young sporophyte of Isoëtes engelmanni, A.Br. Trans. Roy. Soc. Canada III,27(sect.V): 11-29. illus., ii pl. 1933.

Bannan, M. W.
Factors influencing the distribution of vertical resin canals in the wood in the larch, Larix laricina (Du Roi) Koch. Trans. Roy. Soc. Canada III, 27(sect.V): 203-217. illus., pl. 1933.

Scarth, G. W., Whyte, J. & Brown, A.
On the cause of night opening of stomata. Trans. Roy.Soc. Canada III, 27(sect.5): 115-117. 1933.
Preliminary note.

Yearbk. Calif. Avocado Assoc. (81C128)

Cobo, B.

Padre Cobo on the avocado. Transl. by Wilson Popenoe. Yearbk. Calif. Avocado Assoc. 1933: 120-121.

In the year 1653.

Horne, W. T.

Latest developments in avocado disease control. Yearbk. Calif. Avocado Assoc. 1933: 28-32.

Dothoriella rot, tip-burn, mottle leaf, sun blotch.

Yearbk. New Engl. Gladiolus Soc. (96.43N44)

Bibby, F. M.

New uses for the Fischer color chart. Yearbk. New Engl. Gladiolus Soc. 1934: [120] - [130]. 1934.

Colburn, C. O.

New England originations. Yearbk. New Engl. Gladiolus Soc. 1934: [33] - [46] illus. 1934.

Fischer, E. N.

The stem of the gladiolus. Yearbk. New Engl. Gladiolus Soc. 1934:[56]-[59]. illus. 1934.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Liepzig) 442.8Z34)

Munerati, O. & Costa, T.

Di alcune forme teratologiche della Beta vulgaris L. e loro eredità. Zeitschr.Indukt. Abstamm. u. Vererbungsl. 66: 463-489. illus. 1934. no.3/4.

Plotnikowa, T. W.

Zytologische untersuchungen an hyperchromosomigen weizen-roggen-bastarden. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 66: 404-424. illus. 1934. no.3/4.

Schick, R. & Stubbe, H.

Die gene von Antirrhinum majus. III. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 66: 425-462. illus. 1934. no.3/4.

Stubbe, H.

Erwin Baur. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 66: v-ix. port. (front.) 1934. no.3/4.

Zeitschr. Pflanzenernähr. Dung. u. Bodenk. A, Wiss. Teil. (Leipzig) (384Z343A)

Kornfeld, A.

Die blattfleckenkrankheit der soja — eine kalimangelerscheinung. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil 32: 201-221. illus. 1933. no.3/4.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)

Köck, G.

Ueber einige bei forstlichen rauchschadenerhebungen häufig begangene fehler und ihre vermeidung. Zeitschr. Pflanzenkr. 44: 81-91. F. 1934. no.2.

Loewel, E. L.

Die auswirkung der kupferschäden zu den einzelnen spritzzeiten. Zeitschr. Pflanzenkr. 44: 71-76. illus. F.1934. no.2.

Der Züchter (Berlin) (442.8Z8)

Mader, W. & Dotzler, F.

Eine maiszuchtmethode in experimenteller prufüng. Der Züchter 6: 12-18. illus. Ja. 1934. no.1.

Schanderl, H.

Die befruchtungsverhältnisse unserer birnensorten. Der Züchter 6: 6-12. Ja.1934. no.1. Sammelreferat.

Sengbusch, R. v.

Die zuchtung von lupinen mit nichtplatzenden hülsen. Der Züchter 6: 1-5. illus. Ja.1934. no.1.

Voss, J.

Die unterscheidung von sommer-und winterweizen. Der Züchter 6: 19-24. illus. Ja.1934. no.1.

Exp. Stat. Publ.

Rudolph, B. A.

Bacteriosis (blight) of the English walnut in California and its control. California Agr. Exp. Stat. Bull. 564. 88 p. illus. D.1933 (Rec'd F.1934) (100C12S)

Expt. Stat. Publ. (cont.)

Tyler, J.
The root-knot nematode. California Agr. Exp. Stat. Circ. 330. 34 p. illus. D.1933 (Rec'd F.1934) (100C12S)

Thornton, B. J. & Durrell, L. W.
Colorado weeds. Colorado Agr. Exp. Stat. Bull.403. 115 p. illus. S.1933 (Rec'd Mr.1934) (100C71S)

Woodroof, N. C.
Pecan mycorrhizas. Georgia Agr. Exp. Stat. Bull. 178. 26 p. illus. N.1933 (Rec'd F.1934) (100G29S)

Vestal, E. F.
Pathogenicity, host response and control of Cercospora leaf-spot of sugar beets. Iowa Agr. Exp. Stat. Res. Bull. 168: 43-72. illus. D.1933. (Rec'd F.1934) (100Io9)

Guba, E. F. & Holland, E. B.
Effect of hydrocyanic acid gas on cucumber plants previously sprayed with copper fungicides. Massachusetts Agr. Exp. Stat. Bull. 303. 16 p. 4 pl. D.1933 (Rec'd Mr.1934) (100M38H)

Krone, P.R., McDaniel, E.I. & Nelson, R.
Gladiolus culture, insects, and diseases. Michigan Agr. Exp. Stat. Circ. Bull.149. 32 p. illus. Ja.1934. (100M58S)

New Jersey agricultural experiment station - Dept. of plant pathology.
Control of boxwood canker. Its Nursery Dis. Notes 6: 30-32. F.1934. no.8. (464.9N46)

South Carolina agricultural experiment station.
Research in plant physiology and plant pathology. In its Ann. Rep. 46:34-50. D.1933 (Rec'd Mr.1934) (100So8)

State Publications.

Condit, I. J.
Fig culture in California. Calif. Agr. Ext. Serv. Circ. no.77. 69 p. illus. O.1933(Rec'd Mr. 1934) (275.29C12C)

State Publications (cont.)

Crosby, C. R. & Chupp, C.

The control of diseases and insects affecting vegetable crops on Long Island. Cornell Ext. Bull. 278. 87 p. illus. Ja. 1934. (275.29N48E)

New Books.

Bartholomew, E.

Handbook of the North American Uredinales. 2d ed. including citations, synonomy and complete index. Morland, Kansas, Morland Monitor, 1933. (462B283H)

Bonnier, G. & Douin, R.

Flore complète illustrée en couleurs de France... Suisses et Belgique... fasc.117. Paris, [1934] (f°459B64)

Dangeard, P. A.

Remarques au sujet de la structure de la cellule végétale et de la cellule animale. Paris, D. 1933. (463.43D21)

Issued with the Botaniste v.25,no.5/6.

Eyma, P. J.

The Polygonaceae, Guttiferae and Lecythidaceae of Surinam. Amsterdam, J.H. de Bussy,1932. (457.5Ey5)

Proefschr. Utrecht.

"Taxonomical part reprinted from the Flora of Surinam" (by Pulle).

Flora of tropical Africa ed. by Sir D. Prain.

v.9, pt.6. Gramineae (Maydeae-Paniceae). London, L. Reeve & Co., 1934. (460.43014)

Grainger, J.

Virus diseases of plants. Oxford, Oxford university press, 1934 (464.32G76)

Jaeger, E. C.

The California deserts. Stanford university, Stanford university press, 1933. (409J17)

Mohave and Colorado deserts and certain contiguous portions of southeastern Nevada and western Arizona "all within the realm of the creosote bush."

Kanash, S. S.

Mezhvidovaia͡ gibridizatsiia͡ v predelakh raznokhromozomnykh vidov khlopchatnika (Interspecific hybridization within the limits of the cotton plant varieties with different chromosomes). Moskva, Tashkent,1932 (72K13)

Russian with English summary.

New Books (cont.)

Novopokrovsky, I. V. & Kosenko, I. S.
Raiony sornoi rastitel'nosti severokakazskogo krai͡a [Regions of weed vegetation in the North Caucasus] Rostov na Donu,1933 (79N85)
Russian.

Tsivinskii, V. I.
K uzuchenii͡u morfologii i fiziologii kornevoĭ sistemy khlopchatnika [A study of the root system of the cotton plant] Moskva, etc. 1933. (72T78)
Russian.

Correction.

v.15, 16. p.9.
The date of last article on page is Ag.1, 1933.

Non-current indexing.

Bull. Sect. Sci. Acad. Roumaine (Bucarest) (512B852)

Alexandri, Al.V.
Montagnites radiosus (Pall.) Holl. in der Dobrogea und in süden von Bessarabien. Bull. Sect. Sci. Acad. Roumaine 15: 192-194. 1932. no.7/8.

Oescu, C. V. & Rădulescu, I. M.
Péronosporacées récoltées dans la dépression de la Rivière Jijia. Bull. Sect. Sci. Acad. Roumaine 15: 181-191. illus. 1932. no.7/8.

Stănescu, P. P., Aronescu, A. & Mihăilescu, I.G.
Observations sur l'évolution diurne de l'accumulation transitoire de l'amidon dans les feuilles des plantes vertes. Bull. Sect. Sci. Acad. Roumaine 15: 80-83. 1932. no.3/4.

Bull. School Fish. Hokkaido Imp. Univ. (414.9H68)

Tokida, J.
The marine algae from Robben Island (Kaihyo-to) Saghalien. Bull. School. Fish. Hokkaido Imp. Univ. 2: 1-34. illus., xi pl. Mr.1932.

Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl. Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind.Ukrain.Res. Inst. Sugar Ind.] (Kiev) (65.9K54)

Korab, I.I. & Butovsky, A.P.
Khlorpikrin,kak noboe sredstvo bor'by so sveklovichnoĭ nematodoĭ (Chloropicrine as a new remedy against beet nematodes). Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl. Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind. Ukrain. Res.Inst. Sugar Ind.] 9(21/22): 149-161. illus. Jl./Ag. 1932.
Russian with English summary.

Non-current indexing. (cont.)

Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl. Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind.Ukrain. Res.Inst. Sugar Ind.] (cont.)

Levits'ka, V.

Reaktsii͡a ozimikh pshenits na vpliv R-prominni͡a (Influence of R-rays on the germination energy of corn [i.e. wheat] seeds). Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl.Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind. Ukrain. Res. Inst. Sugar Ind.] 9(21/22): 213-226. Jl./Ag.1932.

Ukrainian with English summary.

Orlovsky, N. I.

Provpliv chastkovogo zmenshenni͡a kil'kosti listu na vii͡avlenni͡a utilitarnikh oznak u buri͡akiv. (Influence of the artificial reduction of leaves on the development of the sugar in the sugar beet). Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl. Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind. Ukrain. Res. Inst. Sugar Ind.] 9(21/22): 227-238. Jl./Ag.1932.

Ukrainian with English summary.

Sirotina, M.

Kariologicheskoe issledovanie Beta vulgaris L. (Karyologic investigation of Beta vulgaris L.) Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl. Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind. Ukrain. Res. Inst. Sugar Ind.] 9(20): 87-100. illus. Je. 1932.

Russian with English summary.

Sirotina, M.

Tsitologicheskoe izuchenie mozaiki sakharnoĭ svekly (A cytological study of mosaic disease of sugar beet). Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl.Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind. Ukrain. Res.Inst. Sugar Ind.] 9(24): 195-216. illus. O.1932.

Russian with English summary.

Solunskaja, N.

O bakterial'nom zabolevanii sosudov mnogoletnykh bobovykh trav, kak prichine prezhdevremennogo otmiranii͡a ikh kornevoĭ sistemy (Bacterial disease of vascular system of legumes as cause of dying off of roots). Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl. Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind. Ukrain. Res. Inst. Sugar Ind.] 9(18): 141-146. pl. Ap.1932.

Russian. English summary in Rev.Appl.Mycol. 12:571-572. 1933.

Aplanobacter insidiosum on clover, lucerne, sainfoin &c.

Non-current indexing. (cont.)

Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl. Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind.Ukrain. Res. Inst. Sugar Ind.] (cont.)

Verderevsky, D.

Vidy Sclerotinia, vyzyvaîushchie kagatnuîu gnil sakharnoǐ svekly (Species of Sclerotinia causing storage rot of sugar beet). Nauk. Zapiski Tsukr. Prom. Ukrain. Nauk.-Dosl. Inst. Tsukr. Prom. [Sci. Contr. Sugar Ind. Ukrain. Res. Inst. Sugar Ind.] 9(16/17): 247-263. illus. F./Mr. 1932.

Russian with French summary.

S. intermedia?

Trudy Sredne-Aziat. Gosud. Univ. (Acta Univ. Asiae Med.) ser. XII, Geogr. (Tashkent) (511T18Ge)

Kiselev, E. I.

Materialy po rastitel'nosti vodoemov okrestnosteǐ g. Staroi Bukhary (Materialien sur vegetation der wasserbecken in de umgegend der stadt "das alte Buchara" (Staraja Buchara). Trudy Sredne-Aziat. Gosud. Univ. (Acta Univ. Asiae Med.) Ser. XII, Geogr. f.10. 17 p . incl. 3 maps. 1931.

Russian with German summary.

Kiselev. I. A.

Opyt gidrobiologicheskoe kharakteristiki tipovikh vodoemov Srednei Azii (Materialien zur hydrobiologischen charakteristik einiger typischen wasserbecken Mittelasiens). Trudy Sredne-Aziat. Gosud. Univ. (Acta Univ. Asiae Med.) Ser. XII, Geogr., f.9. 85p. 8 pl. 1931.

Russian with German summary.

Diagnosen neuer algae: p.74-79.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

LIBRARY
RECEIVED
★ APR - 2 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 6. Mar.12-24, 1934.

Amer. Fern Journ. (450Am35)

Blomquist, H. L.
The American Welsh polypody in North Carolina. Amer. Fern Journ. 24: 24-26. pl. Ja./Mr. 1934. no.1.
Polypodium virginianum f. cambricoides.

Boydston, K. E.
The fern exhibit at "A Century of progress". Amer. Fern Journ. 23: 117-122. O./D. 1933. no.4.

Ewan, J.
More fern notes from California. Amer. Fern Journ. 24: 1-9. Ja./Mr.1934. no.1.

Harris, S. K.
A second station for Lygodium palmatum in New Hampshire. Amer. Fern Journ. 23: 124-126. O./D. 1933. no.4.
South Hampton, N.H.

House, H. D.
Scott's spleenwort in Duchess county, New York. Amer. Fern Journ. 23: 122-124. pl.6. O./D. 1933. no.4.

Knobloch, I. W.
Notes on ferns from Western New York. Amer. Fern Journ. 24: 26-27. Ja./Mr.1934. no.1.

Maxon, W. R. & Morton, C. V.
A new maidenhair from Peru. Amer. Fern Journ. 24: 15-17. Ja./Mr.1934. no.1.
Adiantum anceps.

Maxon, W. R.
New tropical American ferns. XI. Amer. Fern Journ. 23: 105-108. O./D. 1933. no.4.
Polypodium loretense, Pteris killipii n.spp.

Amer. Fern Journ. (cont.)

Maxon, W. R.
Polystichum acrostichoides in Mexico.
Amer. Fern Journ. 24: 23-24. Ja./Mr.1934. no.1.

Sharpe, M. R.
A new variety? Amer. Fern Journ. 24: 28.
Ja./Mr. 1934. no.1.
Cinnamon fern with a deep reddish-brown rachis.

Weatherby, C. A.
Ferns in bottles. Amer. Fern Journ. 24: 27-28. Ja./Mr. 1934. no.1.

Wherry, E. T.
Fern field notes, 1933. Amer. Fern Journ.
23: 109-112. O./D. 1933. no.4.

Youmans, W. B.
Ferns of the Mammoth Cave national park region.
Amer. Fern Journ. 23: 113-116. O./D. 1933. no.4.

Some folk-lore of ferns. Amer. Fern Journ.
24: 10-15. Ja./Mr.1934. no.1.
Extracts from Sir James George Frazer's
Garnered Sheaves, p.107-109, 124-127. 1931.

Amer. Fruit Grow. (Chicago) (80G85)

Dotton, W. C.
Apple scab in terms of apple varieties.
Amer. Fruit Grow. 54(3): 11,23. Mr.1934.

Shamel, A. D. & Pomeroy, C. S.
The anniversary of the Navel orange. Amer.
Fruit Grow. 54(3): 10,22,30. illus. Mr.1934.

Amer. Nat. (470Am36)

Humphrey, L. M.
The somatic chromosomes of Cypripedium hirsutum
and six species of the genus Habenaria. Amer. Nat.
68: 184-186. illus. Mr./Ap.1934. no.715.

Amer.Nurserym. (Rochester, N.Y.) (80Am371)

Chadwick, L. C.
Key to evergreen Ilex. Amer. Nurseryman
59(6): 5-6. illus. Mr.15, 1934.

Ann. R. Staz. Sper. Agrum. e Frutt. Acireale (80B832A)

Casella, D.
L'apiatura del limone e la selezione gemmaria.
Ann. R. Staz. Sper. Agrom. e Frutt. Acireale n.s.,
1: 47-49. pl.v-ix. 1933.

Ann. R. Staz. Sper. Agrum. e Frutt. Acireale (cont.)

Casella, D.
Un caso di metantesi nell'albicocco. Ann. R. Staz. Sper. Agrum. e Frutt, Acireale n.s., 1: 73-75. pl.xii. 1933.

Casella, D.
Un caso di neocarpia nel pompelmo (Citrus paradisi Macf.) Ann. R. Staz. Sper. Agrum. e. Frutt. Acireale n.s., 1: 77-84. pl. xiii. 1933.

Casella, D.
Il Prunus cocumilia Tenore. Ann. R. Staz. Sper. Agrum. e Frutt. Acireale n.s., 1: 1-8. pl.i-ii (1 col.) 1933.

Casella, D.
Un tumore prodotto da Bacterium tumefaciens Smith e Town au arancia ovale e la selezione gemmaria. Ann. R. Staz. Sper. Agrum.e Frutt. Acireale n.s. 1: 43-45. pl.iv. 1933.

Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A.) (Berlin) (18W76)

Derewitzky, N.
Bearbeitung der ergebnisse von versuchen mit ausfallenden parzellendaten. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 10: 573-585. F.12, 1934. no.4.

Klapp, E., Stählin, A. & Wacker, F. W.
Wiesen und wiesenpflanzen in Mitteldeutschland. IV. Verteilung und zeigerwert der arten und bestände in wiesen verschiedener bodenreaktion. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 10: 533-557. F.12, 1934. no.4.

Müller, H.
Der einfluss von standort und klima auf die zusammensetzung der wiesenbestände in Baden. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 10: 599-641. illus. (map) F.12, 1934. no.4.

Nicholaisen, W.
Dreijährige versuche über heterosis bei spinat. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 10: 586-598. F.12, 1934. no.4.

Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) (cont.)

Rathlef, H. v.

Materialien zur kenntnis des reifen pollenkornes der kartoffel. III. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 10: 558-572. F.12, 1934. no.4.

Wurmbach, H.

Beiträge zur kenntnis der bodenatmung und der kohlensäurekonzentration der bodenluft in landwirtschaftlich genutzten flächen. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 10: 484-532. F.12,1934. no.4.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Orechoff, A., Gurewitch, H. & Norkina, S.

Ueber die alkaloide von Vinca pubescens. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272: 70-74. F. 1934. no.2.

Arizona Prod. (6Ar44)

Finch, A. H., Albert, D.W., & Kinnison, A. F.

Iron for chlorosis. Causes of "citrus decline" discovered to be mineral deficiency. Control in sight. Arizona Prod. 13: 8-10. illus. Mr.15, 1934. no.1.

Arquiv. Inst. Biol. Veg. Rio de Janeiro (442.9R47)

Fagunes, A. B.

O boro em nutriçã̃o vegetal. Arquiv. Inst. Biol. Veg. Rio de Janeiro 1: 3-26. illus. Ja.1934. no.1.

Grillo, H. V.da S.

Sobre a Pestalotia rhipsalidis sp.n. Arquiv. Inst. Biol. Veg. Rio de Janeiro 1: 63-65. illus. Ja. 1934. no.1.

On Rhipsalis pachyptera.

Kuhlmann, J. G.

Notas sobre o genero Duckeodendron. Arquiv. Inst. Biol. Veg. Rio de Janeiro 1: 35-37. illus. Ja. 1934. no.1.

Creates a new tribe Duckeodendron.in Solanaceae.

Kuhlmann, J. G.

O gênero Eichleria sinonimo de Rourea. Arquiv. Inst. Biol. Veg. Rio de Janeiro 1: 39-40. illus. Ja. 1934. no.1.

Arquiv. Inst. Biol. Veg. Rio de Janeiro (cont.)

Milanez, F. R.

Estrutura do lenho do Mimusops huberi. Arquiv. Inst. Biol. Veg. Rio de Janeiro 1: 49-62. 9 pl. Ja. 1934. no.1.

Silveira, F. R.da

Anomalias observadas em Zea mays L. Arquiv. Inst. Biol. Veg. Rio de Janeiro 1: 41-47. illus. Ja. 1934.

Beih. Bot. Centralbl. Abt.I. (Dresden) (450B65B)

Berger-Landefeldt, U.

Die hydratur einiger halophyten in ihrer abhängigkeit von der substratkonzentration. Beih. Bot. Centralbl. Abt.I, 51: 697-710. D.1933. no.3.

Experiments with Honckenya peploides and Triglochin maritima.

Czurda, V.

Experimentelle analyse der kopulationsauslösenden bedingungen bei mikroorganismen. I. Untersuchungen an algen (Spirogyra, Sygnema und Hyalotheca). Beih. Bot. Centralbl. Abt.I, 51: 711-762. pl.v-viii. D.1933. no.3.

Härdtl, H.

Untersuchungen an laubblättern über die beziehungen zwischen stiel und spreite bei verschiedener belastung und resektion. Beih. Bot. Centralbl. Abt.I. 51: 619-672. D.1933. no.3.

Heller, J.

Ueber verholzungen in der blütenregion windblütiger gewächse. Beih. Bot. Centralbl. Abt.I 51: 517-523. illus. D.1933. no.3.

Malhotra, R. C.

Biochemical study of seeds during germination. IV-V. Beih. Bot. Centralbl. Abt.I, 51: 524-530. 531-540. D.1933. no.3.

IV. The distribution of some chemical reserves and calorific energy in the previously isolated endosperm during the germination conditions. V. Successive elongation of shoots and roots in Zea mays seeds and embryo-seedlings with known chemical reserves and calorific energy.

Beih. Bot. Centralbl. Abt.I (cont.)

Pohl, F.

Beiträge zur morphologie und biologie des pollen. IV-V. Beih. Bot. Centralbl. Abt.I, 51: 673-692, 693-696. illus. D.1933. no.3.

IV. Freilandversuche zur bestäubungsökologie der stieleiche. V. Untersuchungen über die bestäubungsverhältnisse der traubeneiche.

Regli, P. E.

Zur kenntnis der saugkraft von laubholzgewächsen. Beih. Bot.Centralbl. Abt.I, 51: 541-618. D.1933. no.3.

Boll. R.Staz. Patol. Veg. Roma (Firenze) (464.9R662)

Ciferra, R.

Esperiencze ed osservazioni sulla clorosi, sulla rosetta e sul mal del piombo nutrizionali del pesco. Boll. R. Staz. Patol, Veg. Roma n.s.13: 431-536. illus., pl.xxii-xxix. 1933. no.4.

Brief English summary: p.532.

Ciferri, R.

La rosetta del frassino coltivato nei pescheti rosettati. Boll. R. Staz. Patol. Veg. Roma n.s., 13: 554-560. illus., pl. xxx-xxxi. 1933. no.4.

Brief English summary.

Curzi, M.

Il deperimento del piretro nell'isola di Cherso. Boll. R. Staz. Patol. Veg. Roma n.s. 13: 537-553. illus. 1933. no.4.

Brief English summary.

Sibilia, C.

La malattia della defogliazione della Pseudo - tsuga da Rhabdocline pseudotsugae Syd. Boll. R. Staz. Patol. Veg. Roma n.s., 13: 591-600. 1933. no.4.

Sibilia, C.

Ulteriori notizie sulla resistenza dell' Ulmus pumila a Ceratostomella ulmi Buis. Boll. R. Staz. Patol. Veg. Roma n.s., 13: 561-565. illus. 1933. no.4.

Brief English summary.

Bull. Agr. Chem. Soc. Japan. (J385Ag8B)

Nishikawa, H.

Biochemistry of filamentous fungi. II-III. Bull. Agr. Chem. Soc.Japan 9: 107-109, 148-151. Jl./S., O./D. 1933. no.7/9, 10/12.

II-III. A metabolic product of Aspergillus melleus Yukawa.

Okano, K. & Ohara, I.

On the two kinds of saponin of soya bean. Bull. Agr. Chem. Soc. Japan 9: 177-180. O./D. 1933. no.10/12.

Sasaki, S.

Studies on the germination of seeds. III. Transformation on carbohydrates during germination of soy-bean seeds. Bull. Agr. Chem. Soc. Japan 9: 181-182. O,/D. 1933. no.10/12.

Yamafuji, K.

Ueber die farbstoffe der tabakblüten (Ueber die chemischen bestandteile des tabaks. Mitt. III) Bull. Agr. Chem. Soc. Japan 9: 136-139. Jl./S. 1933. no.7/9.

Bull. Écon. Indochine (22.5In2)

Dugros, M.

Etude sur les palmiers d'eau de Cochinchine. Bull. Écon. Indochine 36: 1049-1066. 4 pl. N./D. 1933.

Nipa.

Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. (J107.6K995B)

Kôketsu, R. & Fujita, T.

Zum beweis der eignung der Kôketsu'schen pulvermethode durch vegleich der täglichen veränderung des gewichtes und pulvervolumens der trockensubstanz in den blättern. II. Durch die anwendung der einheit zellulosegehalt als standard-wert zum vergleich. Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. 5: 564-577. D.1933. no.5.

Japanese with German summary.

Tamai, T.

Application of liquid air for the preparation of "gewebepulver". Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. 5: 546-653. D.1933. no.5.

Japanese with English summary.

Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. (cont.)

Tamai, T. & Tsuruta, S.

Variation of water content and transpiration of some plants as related to the water content and the water supplying power of the soil, with special reference to the critical point where soil moisture becomes superfluous. Bult. Sci. Fakt. Terkult. Kjûsu Imp. Univ. 5: 590-619. D.1933. no.5.

Japanese with English summary.

Experiments with Glycine, Fagopyrum, Triticum and Vicia.

Yoshii, H.

Pathological studies on watermelon wilt. II. On the migration of microconidia. Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. 5: 578-589. illus. D.1933. no.5.

Japanese with English summary.

Yoshii, H.

Studies on Gloeosporium kawakamii Miyabe.IV. On the anthracnose of Paulownia tomentosa caused by Gloeosporium kawakamii Miyabe. Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. 5: 524-545. illus. D.1933. no.5.

Japanese with English summary.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)

Ducomet, V. & Diehl, R.

La culture da la pomme de terre en montagne et les maladies de dégénérescence. Compt. Rend. Acad. Agr. France 20: 228-238. F.21, 1934. no.7.

Lagatu, H. & Maume, L.

Examen critique du diagnostic foliaire. Compt. Rend. Acad. Agr. France 20:246-257. F.21, 1934. no.7.

Schribaux, E.

Le printanisation des blés. Compt. Rend. Acad. Agr. France 20: 218-220. F.21, 1934. no.7.

Compt.Rend. Acad. Sci. Paris. (505P21)

Chaze, J.

Sur le mode de formation des grains d'aleurone dans les graminées et sur la production dans ceux-ci de composés oxyflavoniques et anthocyaniques. Compt. Rend. Acad. Sci. Paris 198: 840-842. F.26, 1934. no.9.

Compt. Rend. Acad. Sci. Paris (cont.)

Dusseau, A.
Sur une nouvelle lignée hybride durelloide issue du croisement de deux Triticum vulgare. Compt. Rend. Acad. Sci. Paris 198: 847-848. F.26, 1934. no.9.

Gavaudan, P.
Sur les colorations vitales diffuses de quelques flagellés et les affinités chimiques du cytoplasme et de ses divers constituants. Compt. Rend. Acad. Sci. Paris 198: 848-850. F.26, 1934. no.9.

Vandendries, R.
Le cycle conidien haploide et diploide chez les basidiomycètes. Compt. Rend. Acad. Sci. Paris 198: 842-843. F.26, 1934. no.9.
Polyporus squamosus, Trametes cinnabarina, Pleurotus pinsitus.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Skalinska, M.
Les Aquilegia allotétraploides représentent-ils une nouvelle espèce? Compt. Rend. Soc. Biol. Paris 115: 651-653. 1934. no.6.
A. chrysantha x A.flabellata nana.

Contr. Boyce Thomps.Inst. Plant Res. (451B69)

Barton, L. V.
Dormancy in Tilia seeds. Contr. Boyce Thomp. Inst.Plant Res. 6: 69-89. illus. Ja./Mr. 1934. no.1.

Denny, F. E.&Miller, L. P.
Hastening the germination of dormant gladiolus cormels with vapors of ethylene chlorhydrin. Contr. Boyce Thomp.Inst. Plant Res. 6:31-38. Ja./Mr.1934. no.1.

Flemion, F.
Physiological and chemical changes preceding and during the after-ripening of Symphoricarpos racemosus seeds. Contr. Boyce Thomp. Inst. Plant Res. 6: 91-102. illus. Ja./Mr.1934. no.1.

Hitchcock, A. E., Crocker, W. & Zimmerman, P.W.
Toxic action in soil of illuminating gas containing hydrocyanic acid. Contr. Boyce Thomp. Inst. Plant Res. 6: 1-30. illus. Ja./Mr.1934. no.1.

Contr. Boyce Thomps. Inst. Plant Res. (cont.)

Pfeiffer, N. E.

Morphology of the seed of Symphoricarpos racemosus and the relation of fungal invasion of the coat to germination capacity. Contr. Boyce Thomp. Inst. Plant Res. 6: 103-122. illus. Ja./Mr.1934. no.1.

Woods, M. W.

Cellular changes in ring-spot. Contr. Boyce Thomps. Inst.Plant Res. 6: 51-67. illus. Ja./Mr. 1934. no.1.

Of tobacco.

Zimmerman, P. W. & Berg, R. O.

Effects of chlorinated water on land plants, aquatic plants, and goldfish. Contr. Boyce Thomps. Inst.Plant Res. 6: 39-49. illus. Ja./Mr. 1934. no.1.

Deut.Landw. Presse (Berlin) (18D482)

Pieper,

Vorbeugende massnahmen gegen den weizenrost. Deut. Landw Presse 61: 95. illus. F.24, 1934. no.8.

Soltau, F.

Erfahrungen über die eisenfleckigkeit der kartoffel. Deut. Landw. Presse 61: 84. F.17, 1934. no.7.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)

Chaĭlakhi͡an, M. Kh.

Vlii͡anie dliny dni͡a na khlorofillonosnyĭ apparat rasteniĭ (The effect of length of the day upon the chlorophyll apparatus of plants). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) 1934: 37-42. no.1.

Russian with English summary.

Ernähr. Pflanze (Berlin) (57.8Er6)

Merkenschlager, F.

Die konstitution des rotklees. Ernähr. Pflanze 30: 81-89. illus. Mr.1, 1934. no.5.

Floralia (Assen, Netherlands) (80F6613)

Schenk, P.J.

Ziektenbestrijding bij Amaryllis en Gloxinia. Floralia 55: 147-148. illus. Mr.8, 1934. no. .10.

Virus? disease of Gloxinia, mosaic of Amaryllis.

Flor. Exch. (N.Y.) (80F666)

Brownell, W. D.

More plant patent observations. Flor. Exch. 82(10): 13, 19. Mr.10, 1934.

Gard. Chron. (London) (80G162)

Ball, E. K.

Plant collecting in Persia. V.Kirman ro Lalhezar. Gard. Chron. III, 95: 146-147. illus. Mr.3, 1934. no.2462.

Bunyard, E.A.

The introduction of vegetables, Gard. Chron. III, 95: 148-149. Mr.3, 1934. no.2462.

Abstract of lecture given at Horticultural Club.

Ingwersen, W.

Lewisias. Gard. Chron. III, 95: 144. Mr.3, 1934. no.2462.

Hacienda (N.Y.) (6H11)

Cross, W. E.

El florecimiento de la caña de azúcar. Hacienda 29: 74-75. illus. Mr.1934. no.3.

Hawaiian Plant. Rec. (Honolulu) (25H311)

Ayres, A.

Variation of mineral content of sugar cane with age and season. Hawaiian Plant. Rec. 37: 197-206. 1933. no.4.

Hilgardia (Berkeley, Cal.) (100C12H)

Wilson, E. E.

Bacterial canker of stone-fruit trees in California. Hilgardia 8: 83-123. illus. D.1933. no.3.

Isolations from sour sap & gummosis types of cankers yield similar organisms. The green strain identical with Pseudomonas cerasi, the white described as Pseudomonas cerasi var. prunicola.

Horticulture (Boston) (80H787)

Furniss, G. B.

Keeping maidenhair-fern fresh. Horticulture 12: 72. Mr.1, 1934. no.5.

House & Gard. (Greenwich, Conn.) (80H81)

Arai, M.

How the Japanese preserve cut flowers. House and Gard. 65(4): 38-39, 84. illus. Ap.1934.

Gabrielson, I. N.

The Canadian Rockies, a western plant paradise. House and Gard. 65(4):56-57, 92, 97. illus. Ap.1934.

Ital. Agr. (Milan) (16I61)

Ciferri, R.

Recentissime vedute intorno al problema delle ruggini dei cereali. Ital. Agr. 71: 128-139. F.1934. no.2.

Izv. Akad. Nauk SSSR (Bull. Acad.Sci. URSS) (Leningrad) (511Sa2B)

Zalessky, M. D.

O novykh iskopaemykh rasteni͡akh antrakolitovoĭ sistemy Kuznetskogo basseína I. (Sur les nouveaux végétaux fossiles du système anthracolithique du bassin de Kousnetzk) Izv. Akad. Nauk SSSR VII. Ser. Otdel. Mat. i Estestv.Nauk (Bull. Acad. Sci. URSS VII Sér. Cl. Sci. Math. et Nat.) 1933: 1214-1258. illus. no.8.

Russian.

Journ. Agr. Assoc. China (C22.5Ag862)

Tu, Chih

Breeding for disease resistance. Journ.Agr. Assoc. China 114: 159-184. illus. Jl.1933.

Chinese.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)

Artschwager, E. & Starrett, R.C.

The time factor in fertilization and embryo development in the sugar beet. Journ.Agr.Res. 47: 823-843. illus., 6 pl. D.1, 1933(Rec'd Mr.7,1934) no.11.

Brown, L. N.

Flooding to control root-knot nematodes. Journ. Agr. Res. 47: 883-888. illus. D.1,1933. (Recd'd Mr.7,1934) no.11.

Journ. Agr. Res. (cont.)

Cole, J. R.

Liver-spot disease of pecan foliage caused by Gnomonia caryae pecanae, nov.var. Jour. Agr. Res. 47: 869-881. illus. D.1, 1933 (Rec'd Mr.7, 1934) no.11.

Frear, D. E. H.

A study of the iodine content of Pennsylvania potatoes. Journ. Agr. Res. 48:171-182. illus. Ja.15,1934 (Rec'd Mr.16) no.2.

Lehman, S. G.

Frog-eye (Cercospora diazu miura) on stems, pods, and seeds of soybean, and the relation of these infections to recurrence of the disease. Journ. Agr. Res. 48: 131-147. illus. Ja.15, 1934 (Rec'd Mr.16) no.2.

Webber, J. M.

Cytological features of Nicotiana glutinosa haplonts. Journ. Agr. Res. 47:845-867. illus. 4 pl. D.1, 1933 (Rec'd Mr.7, 1934) no.11.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)

Cutler, G. H.

A simple method for making soybean hybrids. Journ. Amer. Soc. Agron. 26:252-254. Mr.1934. no.3.

Jenkins, M. T.

Methods of estimating the performance of double crosses in corn. Journ. Amer. Soc. Agron. 26: 199-204. Mr.1934. no.3.

McClelland, C. K. & Young, V. H.

Seed corn treatments in Arkansas. Journ. Amer. Soc. Agron. 26: 189-195. Mr.1934. no.3.

Martin, J. H.

The practical application of iarovization. Journ. Amer. Soc. Agron. 26; 251. Mr.1934. no.3.

Stewart, G.

Miscellaneous genetic data from wheat crosses. Journ. Amer. Soc. Agron. 26: 249-250. Mr.1934. no.3.

Wilkins, F. S. & Westover, H. L.

Turkestan alfalfa as compared with Grimm for wilt-infected soils in Iowa. Journ. Amer. Soc. Agron. 26: 213-222. Mr.1934. no.3.

Journ. Coll. Agr. Imp. Univ. Tokyo (107.6J27J)
Nohara, S.
Genetical studies on Sesamum indicum L.
Journ. Coll. Agr. Imp. Univ. Tokyo 12: 227-386. illus., x pl. D.1933. no.2.

Journ. Dept. Agr. Porto Rico (Rio Piedras) (8P832J)
Cook, M. T. & Otero, P. M.
Gum-producing organisms in sugar cane.
Journ. Dept. Agr. Porto Rico 17: 271-286. pl.xxi-xxii. O.1933. no.4.

Cook, M. T.
Patho-anatomy of roots attacked by nematodes.
Journ. Dept. Agr. Porto Rico 17: 315-319. pl.xxiii. O.1933. no.4.

Cook, M. T.
The pineapple disease of sugar cane in Puerto Rico. Journ. Dept. Agr. Porto Rico 17: 305-309. O. 1933. no.4.

Cook, M. T.
White spot of pineapples. Journ. Dept. Agr. Porto Rico 17: 311-313. O.1933. no.4.
May be result of weather conditions without any other agency.

Nolla, J. A. B., Guggenheim, J. S. & Roque, A.
A variety of tobacco resistant to ordinary tobacco mosaic. Journ. Dept. Agr. Porto Rico 17: 301-303. O. 1933. no.4.
Var. ambalema.

Journ. Gen. Physiology (Baltimore) (447.8J822)
Uber, F. M. & Goddard, D. R.
Influence of death criteria on the x-ray survival curves of the fungus, Neurospora. Journ. Gen. Physiol. 17: 577-590. Mr.20, 1934. no.4.

Journ. Hered. (Washington) (442.8Am3)
Karper, R. E.
Maternal inheritance of chlorophyll in sorghum.
Journ. Hered. 25: 49-54. illus. F.1934. no.2.

Swingle, C. F.
The easiest plant in the world to propagate.
Journ. Hered. 25: 73-74. illus. F.1934. no.2.
Kalanchoe daigremontiana.

Journ. Min. Agr. Gt. Brit. (10G79J)
Martin, L. D.
Spraying weeds in cereals with sulphuric acid. Journ. Min. Agr. Gt. Brit. 40: 1129-1135. 2 pl. Mr. 1934. no.12.

Journ. Sapporo Soc. Agr. & For. (J22.5Sol)
Enomoto, S.
On the morphological variation of the spores of Ceratophorum setosum Kirchner on culture media. Journ. Sapporo Soc. Agr. & For. 25:346-352. illus. F.1934. no.117.
Japanese.

Journ. Washington Acad. Sci. (500W276J)
Steiner, G.
A new species of the nematode genus Aphelenchoides living in sugar cane. Journ. Washington Acad. Sci. 24: 141-143. illus. Mr.15, 1934. no.3.
A. heterophallus.

Kakteenk. Deut.Kakteen-Ges. (451D482)
Herre, H.
Neuere mesembrianthemen. Kakteenk. Deut. Kakteen-Ges. 1934: 46-56. illus. Mr.1934. no.3.

Schwantes, G.
Die gattung Ophthalmophyllum Dtr. et Schwant. Kakteenk. Deut. Kakteen-Ges. 1934: 58-60. illus. Mr.1934. no.3.

Tischer, A.
Ophthalmophyllum (Conophytum) friedrichiae Dtr. et Schwant. Kakteenk. Deut.Kakteen-Ges. 1934: 42-45. illus. Mr.1934. no.3.

Kranke Pflanze (Dresden) (464.8K86)
Esmarch, F.
Der Nectria-krebs der obstbäume. Kranke Pflanze 11: 15-18. col.pl. F.1934. no.2.

Landw. Jahrb. Bayern (München)
Aufhammer, G. & Steigerwald, E.
Zur sortenkunde der wintergerste. Landw. Jahrb. Bayern v.24, no.1. 68 p. illus. 1934.

Leafl. Mycol. Research Div. Min. Agr. Egypt.

Bahgat, M.
The citrus canker disease. Leafl. Mycol. Research Div. Min. Agr. Egypt no.22. 5 p. 4 pl. (3 col.) diagr. (fold.) 1933.

Doss, H.
Tomato cultivation. Leafl. Mycol. Research Div. Min. Agr. Egypt no.17. 10 p. 3 pl. 1932.
Tomato diseases: p.9-10.

Sirag el Din, A.
Simple cures for rose diseases. Leafl. Mycol. Research Div. Min. Agr. Egypt no.18. 4 p. iv pl. (2 col.) 1932.

Minn. Hort. (Minneapolis) (81M66)

Eide, C. J.
Apple scab. Minn. Hort. 62: 44-45, 48. illus. Mr.1934. no.3.
Control.

Mitt. Deut. Landw. Ges. (Berlin) (18D48M)

Schlumberger, O.
Kartoffelkrebs und sortenfrage. Mitt. Deut. Landw. Ges. 49: 196-197. Mr. 1934. no.9.

Möller's Deut. Gartn.-Zeit. (Erfurt) (80M73)

Rauhut, G.
Alpen-pflanzen und felsen-anlagen. III-IV. Möller's Deut. Gärtn.-Zeit. 49:58-59, 70. F.21,28, 1934. no.5,6.

Uphof, J.C. Th.
Carica papaya. Der melonenbaum im südlichen Florida. I. Möller's Deut. Gärtn.-Zeit. 49: 63. illus. F.28, 1934. no.6.

Nachr. Schädlingsbekämpfung (Leverkusen b.Köln a.Rh.) (464.8N112)

Kordes, H.
Einige massnahmen des pflanzenschutzes im tomatenbau. Nachr. Schädlingsbekämpfung 8: 137-142. illus. D.1933. no.4.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)

Die hauptsächlichsten starken schäden an gemüsepflanzen und obstgewächse im jahre 1933. Nachrichtenbl. Deut. Pflanzenschutzd. 14: 26-29. maps. Mr.1933. no.3.

Nat. & Appl. Sci. Bull. Univ. Philipp. (475P532)
Ocfemia, G.O.
The transmission of the Fiji disease of sugar cane by an insect vector. Nat. & Appl. Sci. Bull. Univ. Philipp. 3: 277-280. N.1933. no.3.

Nature (London) (412N21)
Sreenivasaya, M.
Insect transmission of spike disease. Nature 133: 382. Mr.10, 1934. no.3358.

Virtanen, A. I. & Hausen, S.v.
Effect of yeast extract on the growth of plants. Nature 133: 383. Mr.10, 1934. no.3358.

Nature Mag. (Washington) (409.6N214)
Laing, H. M.
Western skunk cabbage. Nature Mag. 23: 182. illus. Ap.1934. no.4.
Lysichiton camtschatcense.

Northwest Science (Cheney, Washington) (470N81)
Stillinger, C. R.
The biology and symptomology on narcissus of Anguillulina dipsaci Gerv. and v. Ben. in relation to quarantine regulations. Northwest Science 8: 17-28. Mr.1934. no.1.

Obst- u. Gemüseb. (Berlin) (80P7750)
Vogel, F.
Die wirkung des jods auf verschiedene gemüsearten. Obst- u. Gemüseb. 80: 19-21. F.1934. no.2.

Ochrana Rostlin (Prague) (464.80c3)
Kalandra, A. & Rozsypal, J.
Nekolik poznámek o puklici svestkové (Lecanium coryli L.) na jasanech a na ni cizopasicich houbách. (Einige bemerkungen über Lecanium coryli L. auf eschen und über die auf demselben parasitierenden pilze). Ochrana Rostlin 13: 153-176. illus., pl. i-ii. 1933. no.5/6.
German summary: p.175-176.

L'ortofrutticoltura Italiana (800r32)
Egana, M.H.
Il fattore "poliembrionia" nel genere citrus. L'ortofrutticoltura Italiana 3: 21-25. illus. F.1934. no.2.

Ostenia. Coleccion de trabajos botanicos dedicados a Don Cornelio Osten. Montevideo, F.11, 1933. (452.40s7)

Aellen, P.
Nomenklatorische bemerkungen zu einigen chenopodien. In Ostenia. Montevideo, F.11, 1933. p.98-101.

Barros, P.
La sistemática del género Androtrichum. In Ostenia Montevideo, F.11,1933. p.178-180.
Eriophorum montevidense Link referred to A. montevidense.

Beauverd, G.
Précisions sur les Micropsis. In Ostenia. Montevideo, F.11, 1933. p.131-136. illus.

Blochwitz, A.
Tropische schimmelpilze. In Ostenia. Montevideo, F.11, 1933. p.87-90.
Aspergillus.

Boerger, A.
Datos sobre el ciclo vegetativo y la producción de algunos trigos de pan (Triticum vulgare Vill.) cultivados metódicamente en distintas épocas de siembra. In Ostenia. Montevideo, F.11, 1933. p.247-254.

Dutra, J.
Uma orchidacea nova do Rio Grande do Sul. In Ostenia. Montevideo, F.11, 1933. p.172-174. illus.
Cryotophoranthus spicatus.

Dutra, J.
Uma pteridophyta nova do Rio Grande do Sul. In Ostenia. Montevideo, F.11, 1933. p.5-6. illus.
Anogramma osteniana.

Fiebrig, C.
Apuntes de una excursión a Castillos, departamento de Rocha, Uruguay. In Ostenia. Montevideo, F.11, 1933. p.187-192

Ostenia. Coleccion de trabajos botanicos dedicados a Don Cornelio Osten. Montevideo, E.11, 1933. (cont.)

Frenguelli, J.
Diatomeas de Montevideo. In Ostenia. Montevideo, F.11, 1933. p.122-130. illus.
Achnanthes osteni n.sp., var. parva, var. mesogongyla n.var.; A. herteri, Caloneis osteni n.spp.; Caloneis clevei var. uruguayensis, n.var.

Garaventa, A.
Algunas anotaciones sobre plantas con tendencias invasoras. In Ostenia. Montevideo, F.11, 1933. p.208-216.

Girola, C. D.
La toxicidad de los sorgos forrajeros y sorgos azucarados. In Ostenia. Montevideo, F.11, 1933.
Andropogon sorghum (L.) Brot. var. sudanensis, y var.saccharatum.

Goodspeed, T. H.
Notes on Nicotiana tomentosiformis (n.sp.) and N. wigandioides K. Koch & Fint. In Ostenia. Montevideo, F.11, 1933. p.309-314.

Gross, R.
Ueber die grösse einiger pflanzen auf Spitzbergen. In Ostenia. Montevideo, F.11, 1933. p.85-86.

Gustafsson, C. E.
Rubus ulmifolius Schott. In Ostenia. Montevideo. F.11, 1933. p.181-182.

Hassler, E.
Enumeratio malvacearum uruguariensium. In Ostenia. Montevideo, F.11, 1933. p.327-344.

Herter, G.
Apuntos sobre la flora del Palmar de Castillos, departmento de Rocha, república oriental del Uruguay. In Ostenia. Montevideo, F.11, 1933. p.193-204.

Herter, G.
Ensayo de una tabla sencilla decolores. Index colorum II. In Ostenia. Montevideo, F.11, 1933. p.95-97. fold.col.pl.

Ostenia. Coleccion de trabajos botanicos dedicados a Don Cornelio Osten. Montevideo, F.11, 1933. (cont.)

Herter, G.

Florula uruguayensis plantae avasculares. In Ostenia. Montevideo, F.11, 1933. p.7-84. 13 pl. on 11 (8 col.)

Herter, G.

Las plantas uruguayas de Ernesto Gibert. Nomenclator Gibertanus II. In Ostenia. Montevideo, F.11, 1933. p.153-171.

Hoehne, F. C.

Observações e quatro novas especies arborescentes do incipiente Jardim botanico do estado de São Paulo. In Ostenia. Montevideo, F.11, 1933. p.287-308. 7 pl. (2 col.)

Capsicodendron n.gen. (C. pimenteira), Miconia cabucú, Trichilia pauloensis, Chrysophyllum cuspidatum.

Kükenthal, G.

Zur kenntnis der gattung Bulbostylis. In Ostenia. Montevideo, F.11, 1933. p.175-177.

B. junciformis and varieties, B. papillosa.

Looser, G.

Excursión botánica a la Alta Cordillera de las Condes. In Ostenia. Montevideo, F.11, 1933. p.217-246. 2 pl.

In province of Santiago.

Looser, G.

Sobre las ciatcáceas chilenas y en especial sobre Lophosoria quadripinnata. In Ostenia. Montevideo, F.11, 1933. p.141-151. illus., pl.

Mattfeld, J.

Weiteres zur kenntnis der Gunnera herteri Osten. In Ostenia. Montevideo, F.11, 1933. p.102-118. illus.

Mattfeld, J.

Zur kenntnis einiger Senecio-gruppen des Ostenchen herbars aus Uruguay. In Ostenia. Montevideo, F.11, 1933. p.315-326. 3 pl.

S. ostenii spec.nov.

Ostenia. Coleccion de trabajos botanicos dedicados a Don Cornelio Osten. Montevideo, F.11, 1933. (cont.)

Muniez, A. A.
Un árbol frutal sudamericano. In Ostenia. Montevideo, F.11, 1933. p.185-186.
Carica papaya.

Niedenzu, F.
Malpighiaceae von Uruguay. In Ostenia. Montevideo, F.11, 1933. p.255-258.

Robinson, B. L.
Taxonomic notes on several south American Eupatoriums. In Ostenia. Montevideo, F.11, 1933. p.349-358. 2 pl.
E. ostenii spec.nov.

Seckt, H.
Sobre fenómenos de movimientos activos en algas del agua dulce. In Ostenia. Montevideo, F.11, 1933. p.259-286. illus.

Smith, L. B.
Notas on the Bromeliaceae of Uruguay. In Ostenia. Montevideo, F.11, 1933. p.359-362.

Standley, P. C.
Two new species of Rubiaceae from Uruguay and Argentina. In Ostenia. Montevideo, F.11, 1933. p.119-121. 2 pl.
Borreria ostenii, Relbunium ostenianum.

Urban, O.
Litorella australis Griseb. In Ostenia. Montevideo, F.11, 1933. p.205-207. illus.
Also Nachtrag zur arbeit... p.345-347.

Zahlbruckner, A.
Eine neue uruguaysche flechte. In Ostenia. Montevideo, F.11, 1933. p.152.
Pertusaria montevidensis.

Philipp. Journ. Agr. (25P543)
Reyes, G.M., Borja,V. & Torres, J.P.
Observations on two forms of sterility in rice. Philipp. Journ. Agr. 4: 99-118. illus. vii pl. 1933. no.2.

Philipp. Journ. Sci. (Manila) (475P53)

Palo, M. A.

A Sclerotium seed rot and seedling stem rot of mango. Philipp. Journ. Sci. 52: 237-261. 12 pl. N.1933. no.3.

Strain of S. delphinii.

Quisumbing, E.

The identity of Anota violacea and Rhynchostylis retusa. Philipp. Journ. Sci. 52: 271-277. 3 pl. (1 col.) N.1933. no.3.

Tanchico, S. S. & West, A. P.

Colobot essential oil from Citrus hystrix DC var. torosa. Philipp. Journ. Sci. 52: 263-267. pl. N.1933. no.3.

Plant Physiology (450P692)

Benedict, H. M. & Kersten, H.

Effect of soft-x-rays on germination of wheat seeds. Plant Physiology 9: 173-178. illus. Ja.1934. no.1.

Chrysler, H. D.

A mounts of bound and free water in an organic colloid at different degrees of hydration. Plant Physiology 9: 143-155. Ja. 1934. no.1.

Experiments with Elk kelp, Pelagophycus porra.

Clements, H. F.

Significance of transpiration. Plant Physiology 9: 165-172. Ja.1934. no.1.

Edwards, T. O.

Relations of germinating soy beans to temperature and length of incubation time. Plant Physiology 9:1-30. Ja. 1934. no.1.

Flint, L. H.

Hydration of solute ions in relation to acidity alkalinity, and pH. Plant Physiology. 9: 106-126. Ja. 1934. no.1.

Harrison, C. M.

Responses of Kentucky bluegrass to variations in temperature, light, cutting, and fertilizing. Plant Physiology 9: 83-106. illus. Ja.1934. no.1.

Plant Physiology (cont.)

Miller, E. S.

Absorption spectra of alpha and beta carotenes and leaf xanthophyll at room and liquid nitrogen temperatures. Plant Physiology 9: 179. Ja.1934. no. 1.

Tiedjens, V. A.

Factors affecting assimilation of ammonium and nitrate nitrogen particularly in tomato and apple. Plant Physiology 9: 31-57. illus. Ja.1934. no.1.

Tottingham, W. E., Stephens, H. L. & Lease, E. J.

Influence of shorter light rays upon absorption of nitrate by the young wheat plant. Plant Physiology 9: 127-142. illus. Ja.1934. no.1.

Tucker, L. R.

Soluble solids in the watermelon. Plant Physiology 9: 181-182. illus. Ja.1934. no.1.

Tukey, H. B. & Green, E. L.

Gradient composition of rose shoots from tip to base. Plant Physiology 9: 157-163. illus. Ja. 1934. no.1.

Experiments with Rosa multiflora.

Ulvin, G. B.

Chlorophyll production under various environmental conditions. Plant Physiology 9: 59-81. illus. Ja. 1934. no.1.

Poona Agr. Col. Mag. (22P79)

Badami, V. R. K.

X-ray as a new force in plant-breeding. Poona Agr. Coll. Mag. 25: 139-143. F.1934. no.4.

Extract of lecture delivered at meeting of Colloquium, Sugarcane Res. Stat., Padegaon.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Treising) (464.8P88)

Böning, K.

Die fettfleckenkrankheit der bohnen. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 33(n.s. v.11): 265-269. illus. F.1934. no.11.

Pseudomonas medicaginis var. phaseolicola.

Weigert, J. & Weizel, H.

Ueber das auftretender fusskrankheiten bei getreide, vor allem bei winterweizen, unter besonderer berucksichtigung des einflusses der vorfrüchte. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 33(n.s. v.11): 249-261. illus. F. 1934. no.11.

Proc. Imp. Acad. Tokyo (513T576)
Miyake, K., Imai, Y. & Tabuchi, K.
Genetic experiments with cosmos. II. Proc. Imp. Acad. Tokyo 10: 33-36. illus. Ja. 1934. no.1.

Proc. Wash. State. Hort. Assoc. (81W273)
Gerhardt, F. & Ezell, B. D.
Handling of Jonathan apples for storage. Proc. Wash. State Hort. Assoc. 29(1933): 100-103. [1934]

Smith, E., Ryall, A.L., Gross, C.R., Carter, R.H., Murray, C.W. & Fahey, J.E.
The removal of lead, arsenic and fluorine residues from apples. Proc. Wash. State Hort. Assoc. 29(1933): 86-96. [1934]

Rev. Gén. Bot. (Paris) (450R326)
Cozic,
Etude biochemique de Bacterium xylinum. (cont.) Rev. Gén. Bot. 46: 75-87. F.1934. no.542.

Guilliermond, A.
Recherches cytologiques sur les pigments anthocyaniques et les composés osyflavoniques. (concl.) Rev. Gén. Bot. 46: 89-127. F.1934. No.542.

Teodoresco, E. C.
Le développement des algues et la réfrangibilité de la lumiѐre. I-II. Rev. Gén. Bot. 46: 65-74. pl.i. F.1934. no.542.

Rev. Hort (Paris) (80R32)
Chevalier, C.
A propos du Mimulus moschatus. Rev. Hort. 106:32-34. F.16, 1934. no.2.

Guillaumin, A.
Une nouvelle plante grasse de Madagascar: le Notonia madagascariensis Humbert. Rev. Hort. 106: 29. illus. F.16, 1934. no.2.

Jahandiez, E.
Les plantes grasses autres que les cactées Les aloés et genres voisins. (cont.) Rev. Hort. 106: 40-43. illus. F.16, 1934. no.2.

Science (470Sci2)
Lipman, C. B.
Further evidence on the amazing longevity of bacteria. Science 79: 230-231. Mr.9, 1934. no.2045.

Science (cont.)

Skoog, F.

The effect of x-rays on growth substance and plant growth. Science 79: 256. Mr.16, 1934. no.2046.

Young, W. J.

The United States Botanic garden. Science 79: 252-253. Mr.16, 1934. no.2046.

The arboretum of the university of Wisconsin. Science 79: 223. Mr.9,1934. no.2045.

Sci. Proc. Roy. Dublin Soc. (501D85)

Doyle, J. & O'Leary, M.

Abnormal cones of Fitzroya and their bearing on the nature of the conifer strobilus. Sci. Proc. Roy. Dublin Soc. n.s. 21: 23-35. illus., pl. i. F.1934. no.1/5.

Fitzpatrick, H. M.

The trees of Ireland, native and introduced. Sci. Proc. Roy. Dublin Soc. n.s. 20: 597-656. N.1933. no.41.

Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking. (410.9Si62)

Chang, C.

Some new species of Compositae of China. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 3: 201-210. illus. F.1933. no.8.

Crepis scaposa, Inula lanuginosa, Carpesium kweichowense, Hieracium tsiangii, n.spp.

Fröderström, H.

Two new Chinese species of Sedum. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking. 3: 199-200. F.1933. no.8.

S. tsiangii, S. onychopetalum.

Handel-Mazzetti, H.

Plantae novae chingianae. III. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking. 3: 185-198. F.1933. no.8.

So. African Gard. (Johannesburg) (80So87)

Plants new or noteworthy, South African plants cultivated in the Natonal botanical gardens, Kirstenbosch, and in our readers' gardens. So. African Gard. 24: 50,55. illus. F.1934. no.2.

Ornithogalum inclusum, O. angustifolium, O. subcoriaceum, O. aestivum n.spp., O. secundum var. latifolium. n.var.

Spisan. Zemed. Opitni Inst. (Zeitschr.Landw.Versuchsst.
Bulgarien) (Sofiia) (106.3R32)

Khristov, A.

Edna nova bakteriĭna bolest po maka za opium prichiniâvana ot Bacillus (Erwinia) papaveri n.sp. [Bacterial blight of poppy] Spisan. Zemed. Opitni Inst. (Zeitschr. Landw. Versuchsst. Bulgarien) 5(9/10): 1-31. viii pl. 1933.

Bulgarian with English summary.

Trifonova, V.

Petnosvane na tsvětnogo zele. Bacterium maculicola McCulloch (The bacterial spot of cauliflower in Bulgaria) Spisan Zemed. Opitni Inst. (Zeitschr. Landw. Versuchsst. Bulgarien) 5(3/4): 45-58. illus. 1933.

Bulgarian with English summary.

La Terre Maroc. (Rabat) (24T44)

Miége, E.

Les plantes fourragères du Maroc. (cont.) La Terre Maroc. 4(51): 9-27. illus. Mr.1,1934.

Tijdschr. Plantenz. (464.8T44)

Broekhuijsen, M. J.

Wilgenkanker, veroorzaakt door Discella carbonacea (Fries) Berk. et Br. Tijdschr. Plantenz. 40: 62-64. pl. v. F.1934. no.2.

Doyer, L. C.

De gezondheidstoestand van klaverzaad, in verband met de keuring van dit zaad en de invloed van ontsmetting op dezen toestand. Tijdschr. Plantenz. 40: 54-61. illus., pl. iii-iv. F.1934. no.2.

Tropenpfl. (Berlin) (26T75)

Freise, F. W.

Der brasilianische iguape-nussbaum. Tropenpfl. 37: 59-64. F.1934. no.2.

Hinrichs, C. Th.

Die saatölpalme. Tropenpfl. 37: 64-71. illus. F.1934. no.2.

Schmidt, A. W. & Gaupp, K.

Pflanzenöle als Dieselkraftstoffe. Tropenpfl. 37: 51-59. illus. F.1934. no.2.

Trudy Arktich. Inst. Leningrad (Trans. Arctic Inst.) (511L544T)

Shirshov, P. P.

Ocherk raspredeliniia vodoroslei v Krestovoi gute na Novio Zemle (An outline of the distribution of algae in Krestovaya Bay on Novaya Zemlya) Trudy Arktich. Inst. Leningrad (Trans. Arctic Inst.) 7: 9-39. illus. (map) 1933.

Russian with English summary.

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSSSer. 1, Flora et Syst. Plant Vasc.) (451Sa21)

Borisova, A. G.

Kriticheskii obzor roda Calophaca Fisch. (Kritische übersicht der gattung Calophaca Fisch.) Trudy Bot. Inst. Akad. SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. I, Flora et Syst. Plant. Vasc.) 1: 135-141. illus. (incl.map) 1933.

Russian with Latin diagnoses of new spec. (C. tianschanica, C. sericea "in schedis" n.spp.)

Borisova, A. G.

Kriticheskii obzor roda Pseudosedum (Boriss.) Berger (Kritische ubersicht der gattung Pseudosedum) Grudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 105-116. illus. (incl.map) 1933.

Russian with Latin diagnoses (P. longidentatum, P. condesatum, P. bucharicum, P. Ferganense, P. fedtschenkoanum, P. campanuliflorum, n.spp.)

Borisova, A. G.

Novyi rod dlia flory Srednei Azii (Eine für die flora Mittel-Asien neue gattung) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 133-134. 1933.

Russian with very brief German summary.

Hippocrepis biflora.

Fedchenko, B. A. & Noviskii, S. A.

Novye vidy roda Hieracium L. (Einige neue arten der gattung Hieracium L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. I, Flora et Syst. Plant. Vasc.) 1: 207-211. 1933.

Russian with Latin diagnoses of new species (H. almaatense, H. dublitzkii, H. kumbelicum, H. euxinum)

Goncharov, N. F.

Novyi vid roda Orobanche L.iz Turkmenii (Eine neue art der gattung Orobanche L. aus Turkmenien) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. I, Flora et Syst. Plant. Vasc.) 1: 173-174. 1933.

Latin diagnosis (O.ariana.)

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser, I, Flora et Syst. Plant Vasc.) (Cont.)

Goncharov, N. F.
Novyi vid roda Scutellaria L. iz Srednei Azii (Eine neue art der gattung Scutellaria aus Mittel-Asien) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 171-172. 1933.
Latin diagnosis (S. striatella)

Goncharov, N. F.
Novye vidy roda Swertia L. (Zwei neue arten der gattung Swertia L.) Trudy Bot. Inst. Adad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 161-163. 1933.
Latin diagnoses (S. graciliflora, S. erosula)

Grigor'ev, Iu.S.
Novye vidy roda Polygonum L. iz Srednei Azii (Neue arten der gattung Polygonum aus der flora Mittel-Asiens). Trudy Bot. Inst. Akad. SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. 1, Flora et Syst. Plant. Vasc.) 1: 101-104. 1933.
In Latin (P. coriarium, P. bucharicum, P. arianum)

Hammerman, A. F., Nikitin, A. A. & Nikolaeva, T.L.
Rodovye mikroskopicheskie priznaki listvennykh drevesin SSSR (Mikroskopische gattungsmerkmale Russischer laubhölzer). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I Flora et Syst. Plant. Vasc.) 1: 39-96. illus. 1933.
Russian with German summary.

Iljin, M. M.
Dva novykh vida nagolovatok (Two new species of the genus Jurinea L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. I, Flora et Syst. Plant. Vasc.) 1: 185-186. 1933.
Latin diagnoses (J. woronowii, J,stenophylla)

Iljin, M. M.
Kriticheskii obzor Sredneaziatskikh predstavitelei roda Rhaponticum DC (A critical review of the genus Rhaponticum DC in the region of Asia Media). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 203-206. 1933.
Russian with Latin diagnoses (R. aulieatense, R. namanganicum n.spp.)

Trudy Bot. Inst. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. I, Flora et Syst. Plant. Vasc.) (cont.)

Juzepchuk, S. V.
Novye vidy roda Alchimilla L. (Beschreibung neuer arten der gattung Alchimilla L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. I, Flora et Syst. Plant. Vasc.) 1: 117-131. 1933.
Russian with Latin diagnoses.

Juzepchuk, S. V.
O novom vide roda Damasonium Juss. (Uever eine neue art der gattung Damasonium Jouss.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 97-100. illus. 1933.
Russian with German summary and Latin diagnosis (D.constrictum)

Knorring, O. E.
Novyi vid roda Lagochilus Bge. (Eine neue art der gattung Lagochilus Bge.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser . I, Flora et Syst. Plant. Vasc.) 1: 169-170. illus. 1933.
Latin diagnosis (L. subhispidus.)

Krasheninnikov, I. M.
Novye slozhnotsvetnye Azii (Neue Compositae Asiens) Trudy Bot. Inst. Akad. Nauk. SSSR (Acta Insr. Bot. Acad. Sci. URSS Ser. I, Flora et Syst. Plant. Vasc.) 1: 175-184. 1933.
Russian with Latin diagnoses.

Nevskii, S. A.
Agrostologischeskie etiudy (Agrostologische etuden). IV. Ueber das system der tribe Hordeeae Benth. Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. I, Flora et Syst. Plant. Vasc.) 1: 9-32. 1933.
Russian with German Summary.

Nikitin, S. A.
Gornye vidy roda Tragopogon L. Srednei Azii (Die Tragopogon-arten der gebirge Mittel-Asiens) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Scil URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 191-201. 1933.
Russian with Latin diagnoses of new species (T. krascheninnikovii, T. angustissimum, T. turkestanicum, T. songoricum, T. paradoxum)

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc. (Cont.)

Palibin. I. V.

K izucheniiu iskopaemio flory Ashutasa (Contribution à l'étude de la flore fossile de l'Achoutass) Trudy Bot. Inst. Adad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 33-38. 1933.

Russian with French summary.

Poiarkova, A. I.

Botaniko-geograficheskii obzor klenov SSSR v sviazi s istoriei vsego roda Acer L.(Botanico-geographical survey of the maples in USSR, in connection with the history of the whole genus Acer L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 225-374. illus. (incl. maps), xiv maps. 1933.

Russian with English summary.

Poiarkova, A. I.

Novye i maloizvestnye vidy roda Acer L. (Neue und wenig bekannte arten der gattung Acer L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 143-155. illus. 1933.

Russian with German summary and Latin diagnoses (Acer assyriacum, A. persicum, A. stevenii, A. subintegrum n.sp.)

Rodin, L. E.

Novyi vid oduvanchika (Eine neue art der gattung Taraxacum L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 187-190. illus. 1933.

Russian with Latin diagnosis (T.kok-saghyz)

Rusanov, F. N.

K sistematike Apocynum L. s.l. (Zur systematik von Apocynum venetum) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.I, Flora et Syst. Plant. Vasc.) 1: 165-168. 1933.

Russian with Latin diagnoses of new species (A. scabrum, A. lancifolium.

Tanamshian, S.

Novyi dlia SSSR rod Actinolema Fenzi (Eine neue fur U.d. S.S.R. gattung Actinolema Fenzl) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS: Ser.I, Flora et Syst. Plant. Vasc.) 1: 157-160. illus. 1933.

Russian with German summary.

Trudy Bot.Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant Crypt.) (cont.)

Gutner, L. S.

Griby - parazity opranzhereĭnykh rasteniĭ gorodov Leningrada i Detskogo Sela (Die parasitischen pilze der gewächshauspflanzen in Leningrad und Detskoje SSelo). Trudy Bot.Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II Plant Crypt.) 1: 285-323. ii pl. 1933.

Russian with German summary and Latin diagnoses of new species. Arranged by hosts.

Kosinskai͡a, E. K.

Kriticheskiĭ spisok presnovodnykh vodorosleĭ sobrannykh V.P. Savichem v Arkticheskoĭ pravitel'stvennoĭ ekspeditsii 1930 g. (Kritisches verzeichnis der im jahre 1930 während der Arktischen staatexpedition von V.P. Savicz gesammelten süsswasseralgen) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 35-52. vi pl. incl. map. 1933.

Russain with German summary incl. Latin diagnoses of new species and varieties.

Kuprevich, V. F.

Vidy Thekopsora na vidshne i cheremukhe (Die arten Thekopsora auf Prunus cerasus L. und Prunus padus L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 405-409. 1933.

Russian with German summary.

T. psuedo-cerasi, T. padi.

Lebedeva, L. A.

Griby i miksomitsety Sovetskoĭ Karelii (Fungi et Myxomycetes Kareliae Rossicae). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 389-403. 1933.

Russian with German summary and Latin diagnoses of new species (Ascospora botrychii, Trichophysalospora saviczii, Clitopilus jaczewskii, Phomopsis heraclei, Stagonospora tofjeldiae.)

Leont'ev, A. M.

Sfagnovye mkhi Sysol'skogo raĭona avtonomnoĭ oblasti Komi (Die torfmoose des SSyssolsk kreises der autonomen provinz Komi) Trudy Bot.Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 247-258. 1933.

Russian with German summary.

Trudy Bot.Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant Crypt.) (cont.)

Morochkovskii, S. F.

Novye griby Ukrainy (Neue pilze der Ukraine) Trudy Bot.Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant Crypt.) 1: 275-279. illus. 1933.

Russian with Latin diagnoses.

Nine new species collected about Kiev.

Nikolaeva, T. L.

O nekotorykh gribkakh, vstrechai͡ushchikhsi͡a na kauchukonosakh iz roda Chondrilla (Ueber einige auf den vertretern der gattung Chondrilla vorkommende pilze). Trudy Bot.Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 263-266. illus. 1933.

Russian with German summary.

Leveillula taurica, f. chondrillae, Puccinia chondrillina, Phomopsis lactucae f. chondrillae, Falcispora chrondrillae (n.sp.) Latin diagnosis of latter.

Nikol'skii, P. N.

Novinki dli͡a flory lishaĭnikov Kamchatki (Neue flechten für die flora Kamtschatkas) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant Crypt.) 1: 261-262. 1933.

Russian with German summary.

Petrov, M. P.

Neskol'ko novykh vidov iz gruppy nesovershennykh gribov Gor'kovskogo kraia (Einige neue arten aus der gruppe der fungi imperfecti gesammelt im vormaligen gouv. Wjatka) Trudy Bot.Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 281-284. 1933.

Russian with German summary and Latin diagnoses of new species (Phoma aquilegiicola, P.galiorum, P. thalictri, Aposphaeria silenes, Rhabdospora buniadis, R. carlinae, Coniothyrium aconiti)

Savicz, L.I.

Dicranum robustum Blytt na Sakhaline. Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant, Crypt.) 1: 243-246. illus. 1933.

Russian with German summary.

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant Crypt.) (cont.)

Savicz, V. P.

Neskol'ko lishaĭnikov s Shantarskikh ostrovov (Einige flechten der Schantar-inseln (Ochotskisches meer). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 259. 1933.

Russian with brief German summary.

Shirshov, P. P.

Ocherk fitoplanktona reki Tulomy (Zur kenntnis des phytoplanktons des flusses Tuloma). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, 1: 97-114. 1933.

Russian with German summary.

Shirshov, P. P.

Sravnitel'nyĭ ocherk tsenozov reofil'nykh vodorosleĭ R. Tulomy i nekotorykh drugikh vodoemor (Vergleichende übersicht der coenose der rheophilalgen im flüsse Tuloma und verschiedenen anderen wasserbecken) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 65-88. ii pl. 1933.

Russian with German summary.

Shirshov, P. P.

Zametka o reofil'nykh vodorosli͡akh reki Strelki (okrestnosti Leningrada) (Notiz über die reophilalgen des flusses Strelka (umgegen von Leningrad) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant Crypt.) 1: 93-95. 1933.

Russian with very brief German summary.

Transhel, V.

Novye vidy rzhavchinnykh gribov iz Sibiri (Uredinalium species novae ex Sibiria) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant Crypt.) 1: 267-273. illus. 1933.

Latin diagnoses (Uromyces ustalis, Puccinia phyllachoroides, P. isopyri, P. baicalensis, P. murashkinskii, P. ivanitzkiae, Phragmidium boreale, n.spp., Puccinia lapponicum subsp.(?) P. jenissejensis)

Troitskai͡a, O. V.

K morfologii i sistematike protokokkovykh vodorosleĭ (Ueber die morphologische variabilität bei den Protococcales). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.II, Plant. Crypt.) 1: 115-224. ix pl. 1933.

Russian with German summary.

Trudy Bot. Inst. Akad.Nauk SSSR (Acta Inst Bot. Acad. Sci.
URSS Ser.II, Plant Crypt.) (cont.)

Voronikhin, N. N.

Zemtaka o tsistakh khrizomonad v planktone rek Nevy i Bol'shoĭ Nevki (Notiz über chrysomonadencysten im plankton der flüsse Newa und Boljschaja Newka) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci.URSS Ser.II, Plant, Crypt.) 1: 7-10. illus. 1933.

Russian with German summary.

Trudy Tsentr.Nauchno-Issl. Khim. Pishch. Sred.Nark SSSR
(Schrift. Zentr. Forschungsinst. Lebensmitt.-chem.) (389,9M85)

Gudlet, M. A.

O belke shliapnykh gribov (Ueber das pilzeneiwisses der hutpilze). Trudy Tsentr. Nauchno-Issl.Khim. Pishch. Sred. Nark. SSSR (Schrift. Zentr. Forschungsinst. Lebensmitt.-chem.) 4: 8-19. 1933.

Russian with German summary.

U. S. Dept.Agr. Ext. Path.

Elliott, C.

The present status of bacterial wilt of sweet corn. U.S. Dept. Agr. Ext. Path. 11: 9-11. F. 1934.

Mimeographed.

U. S. Dept. Agr. Techn. Bull. (1Ag84Te)

Caldwell, J. S.

Hydrion concentration changes in relation to growth and ripening in fruits. U.S. Dept. Agr. Techn. Bull. 403. 53 p. F. 1934.

Wood, M. N.

Pollination and blooming habits of the Persian walnut in California. U. S. Dept. Agr. Techn. Bull. 387. 56 p. illus. Ja.1934.

U. S. Dept. Agr. Miscellaneous mimeographed publications.

Pieters, A. J.

An extra early strain of Korean Lespedeza. Washington, D.C., F.1934.

L. stipulacea.

Mimeographed publ. from Div. Forage Crops & Diseases, U.S. Dept. Agr.

U. S. Dept. Agr. Miscellaneous mimeographed publications (cont.)
Westover, H. L.
Ladak alfalfa. Washington, D. C., F. 1934.
Mimeographed publ. from Div. Forage Crops and Diseases, U. S. Dept. Agr.

Vict. Nat. (Melbourne.) (410V66)
Barrett, C.
An orchid picture gallery. Vict. Nat. 50: 225-228. illus. F.1934. no.10.
Mr. T. Green's collection of stereo-photographs of Australian orchids.

Nicholls, W. H.
A new species of the genus Thelymitra, Forst. Vict. Nat. 50: 219. col.pl.xxxv. F.1934. no.10.
Thelymitra murdochae.

Nicholls, W. H.
Our rarer orchids. 9. Thelymitra nuda, R. Br. Vict. Nat. 50: 236-238. illus. F.1934. no.10.

Pescott, E. E.
Orchids of sunshine. Vict. Nat. 50: 219-224. pl.xxxvi-xxxviii. F.1934. no.10.
Thelymitra.

Rupp, H. M. R.
A new species of Calochilus. Vict. Nat. 50: 239-240. illus. F.1934. no.10.
Calochilus grandiflorus.

Virginia Fruit (81V81B)
Groves, A. B.
Early spraying and scab control. Virginia Fruit 22(3): 12-14. Mr.1934.

Wingard, S. A.
Control of peach leaf curl in orchards where fruit buds have been killed. Virginia Fruit 22(3): 14. Mr.1934.

Wingard. S. A.
Winter injury to fruit trees. Virginia Fruit 22(3): 8-12. Mr.1934.

Yearbk. Bur. Entom. Chekiang (Hangchow) (C423.92C44Y)

Chu, H.

Observations on the physiological characters of Phoma glumarum, the causal fungus of grain-blight of rice-plant. Yearbk. Bur. Entom. Chekiang 1932: 192-198. illus. Ag.1933.

Chinese with brief English abstract.

Chu. V.

Notes on the presence of Sclerotinia miyabeana in China, with special reference to the comparison of this fungus with Sclerotinia arachidis. Yearbk. Bur. Entom. Chekiang 1932: 1-58. incl. viii pl. Ag.1933.

Two distinct fungi causing stem rot of peanut.

Zeitschr. Pflanzenernähr, Düng. u. Bodenk. A,Wiss. Teil. (Leipzig) (384Z343A)

Grundmann, W.

Die wasseraufnahme der pflanzen durch die blätter. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A. Wiss. Teil. 33: 88-90. 1934. no.1/2.

Schmalfuss, K.

Beobachtungen über wasserhaushalt und wasserverbrauch von kalimangelndem hafer. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A. Wiss. Teil. 32:28-38. 1934. no.1/2.

Schropp, W.

Die eisenversorgung der pflanzen bei wasserkulturversuchen. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A. Wiss. Teil 33: 38-79. illus. no.1/2. 1934.

Der Züchter (Berlin) (442.8Z8)

Rave, L.

Heterosis beim tabak. Der Züchter 6: 25-30. F. 1934. no.2.

Schick, R.

Ueber einige für den pflanzenzüchter interessante mutanten von Antirrhinum majus. Der Züchter 6: 30-33. illus. F.1934. no.2.

Schiemann, E.

Zur geschichte der lupine in Deutschland. Der Züchter 6: 33-39. illus. F.1934. no.2.

Exp. Stat. Publ.

Clinton, G. P. & Singleton, W. R.
Stewart's bacterial wilt on sweet corn. Connecticut Agr. Exp. Stat. Circ. 96: 25-36. illus. F.1934. (100C76St)

Connecticut Agricultural experiment station.
Botany. In its Rep.1932/33 (Bull.357): 122-123. Ja.1934 (100C76St)

Late blight of tomato, Dutch elm diseases, Chestnut blight, Stewart's bacterial disease.

Dunlap, A. A.
Late blight of tomatoes. Connecticut Agr. Exp. Stat. Circ. 98: 43-46. illus. Mr.1934. (100C76St)

A new peach trouble. Connecticut Agr. Exp. Stat. In Its Rep.1932/33 (Bull.357): 137-138. Ja.1934 (100C76St)

Cause undetermined. Characterized by premature yellowing and ripening of foliage on part of branches at midseason or later and usually by falling of leaves and fruit from these particular branches.

Johnston, S.
Some promising and unpromising new peach varieties. Michigan Agr. Exp. Stat. Quart. Bull. 16: 185-188. F.1934. no.3. (100M58S)

Goss, R. W. & Frink, P. R.
Cephalosporium wilt and die-back of the white elm. Nebraska Agr. Exp. Stat. Res. Bull. 70. 24 p. illus. Ja.1934 (100N27)

Gloyer, W. O.
Crown gall and hairy root of apples in nursery and orchard. New York Agr. Exp. Stat. Bull. 638. 30 p. illus. Ja.1934(100N48)

Kertesz, Z. I.
The oxidase system of non-browning yellow peach. New York Agr. Exp. Stat. Techn. Bull. 219. 14 p. D.1933(100N48)

Nebel, B. R.
Chromosome structure in Tradescantiae. V. Optical analysis of a somatic telophase chromosome. New York Agr. Exp. Stat. Techn. Bull. 220. 9 p. illus., col. pl. D.1933. (100N48)

Exp. Stat. Publ. (cont.)

Yeager, A. F.

Tomato breeding. North Dakota Agr. Exp. Stat. Bull. 276. 20 p. illus. N.1933 (100N813)

State Publications

Butterfield, H. M.

Bush berry culture in California. California Agr. Ext. Serv. Circ. 80. 53 p. illus. D.1933. (275.29C12C)

This Circ. supersedes Ext. Circ.25, Bush Fruit Culture in California, by A.H. Hendrickson.

NEW BOOKS

Dewar, A. H.

Dry rot. Some experiments in the development, treatment and eradication of dry rot in floors. London, The linoleum and floorcloth manufacturers' association, 1933. (300D51)

Green, G. R.

Trees of North America (exclusive of Mexico) vol. 1. Conifers. Ann. Arbor, 1933. (454G82)

Mimeographed.

Khristov, A.

"Sěchenoto" na iglolistniia razsad i sredstvata za borba s nego (The damping-off of coniferous seedlings and its control). Sofiia, Kooperativna pechatnitsa "Gutenberg" 1934. (464.07K52)

Bulgarian with English summary([2] p.)

Reprinted from the Journal "Gorski pregled" XIX, (9-12), 1933.

Komarov, V. L. ed.

Flora URSS (Flora Unionis rerumpublicarum sovieticarum socialisticarum). v.1. Leningrad, Editio Academiae scientiarum URSS, 1934. (459.2L54)

Russian.

Stevens, G. A.

Garden flowers in color. A picture cyclopedia of flowers. New York, Macmillian Co., 1934. (96.025St43)

Thurston, V.

The use of vegetable dyes for beginners. Leicester, England, The Dryad press, 1930. (306T42)

British dye plants; p.13-28.

New Books (cont.)

Wehmeyer, L. E.

The genus Diaporthe Nitschke and its segregates. Ann Arbor, University of Michigan press, 1933 (c1934) (University of Michigan studies. Scientific series vol. IX) (462.05W42)

Zade, A.

Pflanzenbaulehre für landwirte. Berlin, P. Parey, 1933. (452.8Z1)

Reprints from publications not yet rec'd or not available.

Akemine, M.

Kinds of crop plants under cultivation in the world. Reprinted from Agr. & Hort. (Japan) 8: 19-75. 1933.

Japanese with English summary: p.73.

Barry, G.

Tussian science explores the world. Separate from Travel 62(5): 12-16, 47-48. illus. Mr.1934. (452.9B27)

Some account of Michurin's work.

Bovey, P.

Floraison et frutification des arbres fruitiers. Reprint from Rev. Hort. Suisse no.10. 10 p. illus. O.1933.

Thung, T. H.

Smetstof en plantengen bij enkele virusziekten van de tabaksplant. Reprint from Nederl.-Indisch. Natuurwetensch.Congres 6th, 1931, Handel, p.450-463. pl.

Lc

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ APR 1 1934 ★
U. S. [illegible] nt of Agriculture

Vol. 16, no. 7. Mar.26-Apr.7, 1934.

Agr. & Live-stock, India. (Calcutta) (22Ag83A)
Banerjee, B.N., Karmarkar, D. V. & Row, G. R.
Investigations on the storage of mangoes. Agr. & Live-stock, India 4: 36-53. Ja. 1934. no.1.

Agron. Colon. (Paris) (26Ag812)
Bouriquet, G.
Les maladies du caféier à Madagascar. Agron. Colon. 23: 42-48. F. 1934. no.194.

Amer. Journ. Bot. (450Am36)
Karling, J. S.
Dendrograph studies on Achras zapota in relation to the optimum conditions for tapping. Amer. Journ. Bot. 21: 161-193. illus. Ap.1934. no.4.

Smith, G. H.
Anatomy of the embryonic leaf. Amer. Journ. Bot. 21: 194-209. illus. Ap. 1934. no.4.

Amer. Potato Journal. (75.8P842)
MacLeod, D. J. & Howatt, J. L.
Soil treatment in the control of certain soil-borne diseases of potatoes. Amer. Potato Journ. 11: 60-61. Mr.1934. no.3.

Ann. Ecole. Nat. Agr. Montpellier (105.3M76)
Bonniol, J. & Kuhnholtz-Lordat, G.
Un cas de fanaison d'allure apoplectique sur une jeune plantation de pêchers. Ann. Ecole Nat. Agr. Montpellier. n.s.22: 325-330. illus. [1934] no. 4.

Ann. Ecole Nat. Agr. Montpellier (cont.)

Branas, M. & Bernon, G.

Note sur deux cas de dépérissement et leur relation avec la présence de certains champignons dans le vieux bois de la vigne. Ann. Ecole Nat. Agr. Montpellier n.s.,22: 331-334. [1934] no.4.

Lagatu, H. & Maume, L.

Recherches sur le diagnostic foliaire. Ann. Ecole Nat. Agr. Montpellier n.s.,22: 257-306. [1934] no.4.

Ann. Gembloux (Brussels) (13G28)

Hacquart, A.

A propos de sisal. Ann. Gembloux 40: 116-123. Mr. 1934. no.3.

Ann. Inst. Pasteur. (Paris) (448.3An75)

Bertrand, G. & Andreitcheva, M.

Sur la teneur comparée en zinc des feuilles vertes et des feuilles étiolées. Ann. Inst. Pasteur 52: 249-251. Mr. 1934. no.3.

Ann. Chim. Appl. (Roma) (385An7)

Nuccorini, R.

La mannite nelle olive. Ann. Chim. Appl. 24: 20-25. Ja. 1934. no.1.

Nuccorini, R.

Presenza della norleucina nei semi di Ricinus communis L. Ann. Chim. Appl. 24: 25-32. Ja.1934. no.1.

Ann. Missouri Bot. Gard. (St. Louis) (451M69)

Darlington, J.

A monograph of the genus Mentzelia. Ann. Missouri Bot. Gard. 21: 103-226. pl.4-6. F.1934. no.1.

Goodman, G. J.

A revision of the North American species of the genus Chorizanthe. Ann. Missouri Bot. Gard. 21: 1-102. illus., pl. 1-3. F.1934. no.1.

Eriogonella n.gen. (E. membranacea (Benth.) E. spinosa (Wats.)

Ann. Missouri Bot. Gard. (cont.)
Steyermark, J. A.
Studies in Grindelia. I. New species, varieties, and combinations of Grindelia. Ann. Missouri Bot. Gard. 21: 227-230. F, 1934. no.1.

Ann. Rep. Counc. Scient. & Indust. Res. Australia (514Au72An)
Australia. Council for scientific and Industrial research.
Plant investigations. In its Ann. Rep. 7(1932/33):21-26. 1933.
Including plant diseases.

Arch. Zool. Exp. et Gén. (Paris) (410Ar24)
Hollande, A. Ch.
Remarques au sujet de la structure cytologique de quelques cyanophycées. Arch. Zool. Exp. et Gén. 75: 145-184. illus., col. pl.ii. Mr.30, 1933. no.8.

Homès, M. V.
Recherches sur la perméabilité cellulaire des algues marines. Arch. Zool. Exp. et Gén. 75: 75-101. illus. F.15,1934. no.5.

Ark. Bot. (Stockholm) (451Sv2)
Borge, O.
Schwedisch-chinesische wissenschaftliche expedition nach den nordwestlichen provinzen Chinas unter leitung von Dr. Sven Hedin und Prof. Sü Ping-chang. Ark. Bot. v.25, no.17. 18 p. 2 pl. 1934(S.11,1933)
Algen, gesammelt von schwedischen arzt der expedition, Dr. David Hummel.

Florin, R.
Die spaltöffnungsapparate der Williamsonia-, Williamsoniella- und Wielandiella-blüten (Bennettitales). Ark. Bot. v.25, no. 15. 20 p. illus. pl. 1934(S.13,1933).

Florin, R.
Ueber Nilssoniopteris glandulosa n.sp., eine bennettitacee aus der juraformation Bornholms. Ark. Bot. v.25, no.20. 19 p. illus. 2 pl. 1934(S.13,1933)

Ark. Bot. (cont.)

Florin, R.

Zur kenntnis der paläozoischen pflanzengattungen Lesleya Lesquereux und Megalopteris Dawson. Ark. Bot. v.25, no.19. 23 p. illus., 3 pl. 1934. (S.14, 1933).

Malme, G. O. A.

Die gattung Schistogyne Hook. et Arn. Ark. Bot. v.25, no.14, 15 p. illus. 1934 (Ag.14, 1933)

Naumann, E.

Notizen zur Ökologie der süsswasseralgen. V. Ueber algenaufwuchs an Leptomitus lacteus (Roth) C. A. Agardh. Ark. Bot. v.25, no.18. 4 p. illus., pl. 1934 (Jl.13,1933)

Palm, B. T.

On parasitic and epiphyllous algae. II. Stomatochroon, a genus of stomaticolous Chroolepideae. Ark. Bot. v.25, no.16, 16 p. illus. 1934(O.6,1933)

Redinger, K.

Die graphidineen der ersten Regnell'schen expedition nach Brasilien 1892-94. I. Glyphis, Medusulina and Sarcographa. Ark. Bot. v.25, no.13. 20 p. illus., pl. 1934(Ag.17,1933)

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Bachmann, E.

Scheingallen auf Physcia stellaris (L) Nyl. Ber. Deut. Bot. Ges. 52: 80-86. illus. F.22,1934. no.1.

Bergdolt, E.

Zur geschichte der botanik im Orient. II. Ueber einige pfropfungen. Ber. Deut. Bot. Ges. 52: 87-94. pl. ii. F.22, 1934. no.1.

Germ, H.

Ueber den mycorrhizaprotoplasten der orchideen. Ber. Deut. Bot. Ges. 52: 26-42. illus. F.22, 1934. no.1.

Heinricher, E.

Zur frage der artbildung bei Cytinus hypocistis nebst anderen bemerkungen. Ber. Deut. Bot. Ges. 52: 48-53. F.22, 1934. no.1.

Ber. Deut. Bot. Ges. (cont.)

Markgraf, F.

Genetische beziehungen der Mittelmeerflora. Ber. Deut. Bot. Ges. 52: 68-79. illus. F.22, 1934. no.1.

Moissejewa, M.

Einfluss der veränderung der geotropischen lage der zwiebelwurzel auf die verteilung der mitosen in der selben. Ber. Deut. Bot. Ges. 52: 6-15. F.22, 1934. no.1.

Zur theorie der mitogenetischen strahlung.

Prät, S.

Die erblichkeit der resistenz gegen kupfer, Ber. Deut. Bot. Ges. 52: 65-67. illus. F.22, 1934. no.1.

Vorläufige mitteilung.

Roberg, M.

Weitere untersuchungen über die stichstoffernährung der erle. Ber. Deut. Bot. Ges. 52: 54-64. pl. i. F.22, 1934. no.1.

Steiner, M.

Die kryoskopische bestimmung des osmotischen wertes der bodenlösung. Ber. Deut. Bot. Ges. 52: 16-25. F.22, 1934. no.1.

Wulff, H. D.

Untersuchungen an pollenkörnern und pollenschläuchem von Impatiens parviflora. Ber. Deut. Bot. Ges. 52: 43-47. illus. F.22, 1934. no.1.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Asahina, Y. & Hashimoto, A.

Untersuchungen über flechtenstoffe. XXXVI-XXXVII. Ber. Deut. Chem. Ges. 67: 411-416, 416-420. 1934. no.3.

XXXVI. Ueber fumar-protocetrarsäure. XXXVII. Ueber die konstitution des sphaerophorins.

Biochem. Zeitschr. (Berlin) (384B522)

Deleano, N. T. & Dick, J.

Eine neue methode zur bestimmung des chlorophylls. Biochem. Zeitschr. 268: 317-321. F.25, 1934. no.4/6.

Biochem. Zeitschr. (cont.)

Iljin, G.
Die umwandlung des nicotins beim reifen der tabaksamen. Biochem. Zeitschr. 268: 253-259. F.25, 1934. no.4/6.

Der Biologe (München) (442.8B527)

Graebner, P.
Die wichtigste floristische literatur Deutschlands. Der Biologe 3: 65-71. Mr.1934. no.3.

Blumen u. Pflanzenb. (Berlin) (80B623)

Rehnelt, F.
Das ulmensterben in anderem lichte. Blumen u. Pflanzenb. 38: 146. Mr.16, 1934. no.11.

Bot. Gaz. (Chicago) (450B652)

Allen, W. E.
Marine plankton diatoms of Lower California in 1931. Bot. Gaz. 95: 485-492. illus.(map) Mr.1934. no.3.

Billings, F. H.
Male gametophyte of Atriplex hymenelytra. Bot. Gaz. 95: 477-484. illus. Mr.1934. no.3.

Birkeland, J. M.
Serological studies of plant viruses. Bot. Gaz. 95: 419-436. Mr. 1934. no.3.

Flowers, S.
Vegetation of the Great Salt Lake region. Bot Gaz. 95: 353-418. Mr.1934. no.3.

Graham, R.
Pennsylvanian flora of Illinois as revealed in coal balls. I. Bot. Gaz. 95: 453-476, illus., pl. viii-ix. Mr.1934. no.3.

McVeigh, I.
Vegetative reproduction in Camptosorus rhizophyllus. Bot. Gaz. 95: 503-510. illus. Mr. 1934. no.3.

Bot. Gaz. (cont.)

Nightingale, G. T.
Ammonium and nitrate nutrition of dormant delicious apple trees at 48° F. Bot. Gaz. 95: 437-452. Mr. 1934. no.3.

Sherff, E. E.
A study in the genus Tetramolopium Nees (family: Compositae). Bot. Gaz. 95: 498-502. Mr. 1934. no.3.
T. filiforme, T. polyphyllum, T. rockii n.spp.

Thomson, R. B. & Hull, K. L.
Physical laws and the cellular organization of plants. Bot. Gaz. 95: 511-514. illus. Mr. 1934. no.3.

Tilden, J. E.
Standardization of method for drawing algae for publication. Bot. Gaz. 95: 515-518. illus. Mr. 1934. no.3.

Tukey, H. B.
Anomalous embryos of cultivated varieties of Prunus with particular reference to fruit breeding. Bot. Gaz. 95: 493-497. illus. Mr. 1934. no.3.

Brit. Guiana Dept. Agr. Div. Rep. (9.6B774D)

Martyn, E. B.
Report of the botanical and mycological division for the year 1932. British Guiana Dept. Agr. Div. Rep. 1932: 115-121. 1934.

Bull. Agence Gén. Colon. France. (Paris) (260C71B)

Castagne, E.
Sur la composition chimique des fruits de deux Dialium. Bull. Agence Gén. Colon. France 26: 1315-1323. pl. N. 1933. no.296.

Bull. Dept. Agr. United Prov. Agra & Oudh. (Allahabad) (22N81)

Dey, P. K.
The red rot of sugarcane. Bull. Dept. Agr. United Prov. Agra & Oudh. 66. 4 p. pl. 1933.

Bull. Jard. Bot. Buitenzorg (89B86B)

Bakhuizen van den Brink, R. C.
Orobanchaceae in India Batava orientali crescentes. Bull. Jard. Bot. Buitenzorg III, 13: 77-90. illus. D.1933. no.1.
Contributions a l'étude de la flore des Indes Néerlandaises XXIII.

Bull. Jard. Bot. Buitenzorg (cont.)

Boedijn. K. B.
The genera Phillipsia and Cookeina in Netherlands India. Bull. Jard. Bot. Buitenzorg III, 13: 57-76. illus. D.1933. no.1.

Boedijn, D. B.
Ueber einige phragmosporen dematiazeen. Bull. Jard. Bot.Buitenzorg III, 13:,120-134. illus. D. 1933. no.1.
Curvularia nov.gen.

Posthumus, O.
Second note on ferns from Java. Bull. Jard. Bot. Buitenzorg. III, 13: 91-98. D.1933. no.1.

Skottsberg, C.
The Philydraceae of Netherlands India. Bull. Jard. Bot. Buitenzorg III,13: 110-113. D.1933. no.1.
Contributions a l'étude de la flore des Indes Néerlandaises. XXVIII.

Steenis, C.G.G.J.van
Corynocarpaceae - Ceratophyllaceae - Zygophyllaceae - Droseraceae. Bull. Jard. Bot. Buitenzorg III, 13: 99-101, 102-103, 104-105, 106-109. illus. D. 1933. no.1.
Contributions a l'étude de la flore des Indes Néerlandaises XXIV, XXV, XXVI, XXVII.

Steenis, C. G. G. J. Van.
The interpretation of the locality "Andor" Bull. Jard. Bot. Buitenzorg. III, 13: 114-116. illus. (map) D. 1933. no.1.
Andor may be Condor, an island S. W. of Indo-China.

Steenis, C.G.G.J. van
Report of a botanical trip to the Ranau region, South Sumatra. Bull. Jard. Bot. Beitenzorg III, 13; 1-56. illus. (incl. maps), pl.1. D.1933 . no.1.

Steenis, C.G.G.J. van
Validity of publications. Bull. Jard. Bot. Buitenzorg III,13: 117-119. D.1933. no.1.

Bull. Jard. Bot. État Bruxelles (89B83)

Boulenger, G. A.

Revision des roses d'Asie de la section des Synstylae. Bull. Jard. Bot. État Bruxelles 9: 203-279. D.1933. no.4.

Frémy, P.

Seconde contribution a le flore algologique du Congo Belge d'aprés les récoltes du R.P.H. Vanderyst. Bull. Jard. Bot. État Bruxelles 9: 323-347. illus. D. 1933. no.4.

Lebrun, J.

Revision des espèces congolaises du genre Cynometra Linn. Bull. Jard. Bot. État Bruxelles 9: 281-302. D. 1933. no.4.

C. dacremontii n.sp.

Normand, D.

Note sur les bois d'Enantia (annonacées). Bull. Jard. Bot. État Bruxelles 9: 317-322. pl.iv. D. 1933. no.4.

Robyns, W. & Ghesquière, J.

Revision du genre Enantia Oliv. (annonacées). Bull. Jard. Bot. État Bruxelles 9: 303-316. D.1933. no.4.

E. lebrunii, E.atrocyanescens, E. olivacea, E. kwiluensis n.spp.

Bull. Mens. Soc. Linn. Lyon (505L992B)

Bachrach, E. & Jouvent, A.

Sur la pigmentation bleue de certaines diatomées Bull. Mens. Soc. Linn. Lyon 2: 36-37. Mr. 1933. no.3.

Gombault, R.

Und reconnaissance botanique dans le Djebel-el-Amiri (Syrie du Nord). Bull. Mens. Soc. Linn. Lyon 2: 157-161. D.1933. no.10.

Kühner, R.

A propos du genre Melanophyllum Velenovsky. Bull. Mens. Soc. Linn. Lyon 2: 75-77. My.1933. no.5.

Melanophyllum canali & M. collariatum=Lepiota echinata.

Bull. Mens. Soc.Linn. Lyon (cont.)

Queney, S.
Note sur la flore de l'atlas de Blida (Algérie)
Bull. Mens. Soc. Linn. Lyon 2: 137-138. N.1933.
no.9.

Queney, S.
Note sur la flore des environs d'Alger.
Bull. Mens. Soc. Linn. Lyon 2: 120-122. O.1933.
no.8.

Queney, S.
Note sur Mercurialis ambigua L. ses variations.
Bull. Mens. Soc. Linn. Lyon 2: 89-91. Je.1933.
no.6.

Vandendries, R.
Nouveau critère spécifique des basidiomycètes.
Bull. Mens. Soc. Linn. Lyon 2: 105-108. Jl.1933. no.7.

Bull. Min. Agr. Gr. Brit. (10G794B)

Great Britain. Ministry of agriculture & fisheries
Fruit production: soft fruits. Its Bull. 4.
63 p. illus. 1934.

Bull. Soc. Bot. France (Paris) (451F84B)

Benoist, R.
Contribution à la connaissance des Barleria
malgaches (acanthacées). Bull. Soc. Bot. France
80: 789-790. F.26, 1934. no.9/10.
B. leandri n.sp.

Benoist, R.
Nouvelles espèces du genre Strobilanthes.
Bull. Soc. Bot. France 80: 730-732. F.26, 1934.
no.9/10.
S. pierrei, S. microcephalus, S.evrardi, S.
petelotii, S. sulfureus.

Bourdouil, C.
Sur quelques anomalies héréditaires de la
fleur de Pisum sativum L. Bull. Soc. Bot. France
80: 831-833. illus. F.26,1934. no.9/10.

Braun-Blanquet, J.
L'association végétale climatique, unité
phytosociologique et le climax du sol dans le
Midi méditerranéen. Bull. Bot. Soc. France
80: 715-722. F.26, 1934. no.9/10.

Bull. Soc. Bot. France (cont.)

Braun-Blanquet, J.
Genre nouveau et espèces nouvelles pour la flore de France et leur signification phytohistorique. Bull. Soc. Bot. France 80: 823-829. F.26, 1934. no.9/10.

Bugnon, P.
Accélération basifuge et phylogénie des plantes à graines. Bull. Soc. Bot. France. 80: 826-833. F.26, 1934. no.9/10.
In reply to Dauphiné "Au sujet d'une critique...."
See also his Dernière réponse: p.840-841.

Burollet, P. A.
Note sur le Carpobrotus acinaciformis (L.) L. Bol. et sur le Carpobrotus edulis (L.) L. Bol. Bull. Soc. Bot. France 80: 722-726. F.26, 1934. no.9/10.

Camus, A.
Description d'espéces nouvelles appartenant aux genres Agropyrum, Cenchrus et Tristachya. Bull Soc. Bot. France 80: 773-775. F.26, 1934. no.9/10.
A. pachyrhizum, C. leptacanthus, T. coarctata.

Chevalier, A.
Nouvelles observations sur les Spartina et specialement sur le S. townsendi. Bull. Soc. Bot. France 80: 779-788. pl.viii. F.26, 1934. no.9/10.

Chemin, E.
Sur le mode de reproduction de Gymnogongrus griffithsiae Mart. et de quelques espèces du même genre. Bull. Soc. Bot. France 80: 755-770. illus. F.26, 1934. no.9/10.

Dauphiné, A.
Au sujet d'une critique récente de l'accélération basifuge. Bull. Soc. Bot. France. 80: 834-836. F.26, 1934. no. 9/10.
Refers to Bugnon's criticism of Chauveaud's "L'appareil conducteur des plantes vasculaires..." Bugnon's criticism appeared in Bull. Sci. de Bourgoyne v.3, 1933.
See also his Nouvelles observations... p.839 (in response to Bugnon's Accélération basifuge...")

Bull. Soc. Bot. France (cont.)

Deflandre, G.
Formations énigmatiques du squelette chez quelques silicoflagellés. Bull. Soc. Bot. France 80: 809-814. pl.ix-x. F.26, 1934. no.9/10.

Dop, P. & Gaussen, H.
Sur une solanée américaine en Vendée. Bull. Soc. Bot. France 80: 732-734. F.26, 1934. no.9/10.
Solanum rostratum.

Gaussen, H.
Coup d'oeil sur la végétation des Pyrénées de l'Ariège, de Cerdagne et de l'Aude. Bull. Soc. Bot. France 80: 841-848. F.26, 1934. no.9/10.

Gaussen, H.
Note sur les endémiques pyrénéo-cantabriques dans la région orientale des Pyrénées. Bull. Soc. Bot. France 80: 849-855. F.26, 1934. no.9/10.

Gavaudan, P. & Gavaudan, Mme. N.
Quelques remarques sur la cytologie des oscillariées. Bull. Soc. Bot. France 80: 706-712. pl.v. F.26, 1934. no.9/10.

Jovet, P.
Le Trichomanes radicans (Sw.) et l'Hymenophyllum tunbridgense (Sm.) en Pays basque français. Bull. Soc. Bot. France 80: 797-809. illus. F.26, 1934. no.9/10.

Killian, C. & Faurel, L.
Observations sur la pression osmotique des végétaux désertiques et subdésertiques de l'Algérie. Bull. Soc. Bot. France 80: 775-778. F.26, 1934. no.9/10.

Lefèvre, M.
Etude comparative du comportement de la membrane au moment de la division chez quelques algues unicellulaires. Bull. Soc. Bot. France 80: 790-797. illus. F.26, 1934. no.9/10.

Bull. Soc. Bot. France (cont.)
Le Brun, P.
Contribution à l'étude de la flore du sud-est de la France (cont.) Bull. Soc. Bot. France 80: 770-773. F.26, 1934. no.9/10.

Lemée, G.
Etudes phytogéographiques sur les plaines jurassique normandes. II. Les buttes calloviennes des environs d'Alençon. Bull. Soc. Bot. France. 80: 814-823. F.26, 1934. no.9/10.

Mugnier, L.
Roses de Bourgogne et du Jura. Bull. Soc. Bot. France. 80: 727-730. F.26, 1934. no.9/10.

Pellegrin, F.
Les Pachylobus (burséracées) de la Côte d'Ivoire. Bull. Soc. Bot. France 80: 712-715. illus. F.26, 1934. no.9/10.
P. deliciosa (Haematostaphis barteri A. Chev.)

Sauvage, C.
Apercu sur la végétation du Zerhoun. Bull. Soc. Bot. France 80: 742-755. map. F.26, 1934. no.1/10.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger) (410.9So125)
Maire, R.
Cinquiéme contribution à l'étude de la flore du Sahara occidental Bull. Soc. Hist. Nat. Afr. Nord 25: 10-20. Ja. 1934. no.1.

Bull. Soc. Vaud. Sci. Nat. (Lausanne) (508L37)
Meylan, C.
Recherches sur le myxomycètes du Jura 1930-31-32. Bull. Soc. Vaud. Sci. Nat. 58: 81-90. illus. 1933. no.233.

Bull. Torr. Club. (451T63B)
Bergner, A. D. & Blakeslee, A. F.
Cytology of a translocation of the 1 2 chromosome in Datura. Bull. Torr. Club. 61: 197-209. illus. Ap. 1934. no.4.

Bull. Torr. Club. (cont.)

Gleason, H. A. & Smith, A. C.

Plantae krukovianae. II. Bull. Torr. Club. 61: 191-196. Ap.1934. no.4.

Livingston, B. E.

Possible importance of respiration water to young wheat seedlings. Bull. Torr. Club. 61: 217-223. Ap.1934. no.4.

Meier, D.

A cytological study of the early infection stages of the black rot of cabbage. Bull. Torr. Club 61: 173-190. pl.9-12. Ap.1934. no.4.

Weatherwax, P.

Flowering and seed production in Amphicarpon floridanum. Bull. Torr. Club. 61: 211-215. illus. Ap. 1934. no.4.

Calif. Citrogr. (Los Angeles) (80C125)

Johnston, J. C.

Experiments in mottle leaf control. Calif. Citrogr. 19: 148, 159. Ap. 1934. no.6.

Citrus Indust. (Tampa, Fla.) (80C49)

Barrett, C. A.

"Copper leaf" not a new disease. Citrus Indust. 15(3): 3. Mr.1934.

Compt. Rend. Acad. Sci. Paris (505P21)

Corsin, P.

Caractères du Grammatopteris rigolloti B. Renault. Compt.Rend. Acad. Sci. Paris 198: 1062-1064. Mr.12, 1934. no.11.

Costantin, J.

Extériorisation des dégénérescences par l'action de l'altitude. Compt. Rend. Acad. Sci. Paris 198: 1095-1097. Mr.19, 1934. no.12.

Dauphiné, A

Différents modes d'épaississement de la membrane chez les plantes vasculaires. Compt. Rend. Acad. Sci. Paris. 11: 1064-1066. Mr.12, 1934. no.11.

Compt. Rend. Acad. Sci. Paris (cont.)

Davy de Virville, A.
Observations et expériences sur les variations de l'alcalinité dans les flaques littorales. Compt. Rend. Acad. Sci. Paris 198: 1178-1179. Mr.19, 1934. no.12.

Emberger, L.
La végétation du massif des Saksaoua (Grand-Atlas occidental) Compt. Rend. Acad. Sci. Paris 198: 968-970. Mr.5, 1934. no.10.

Gosset, A., Magrou, J. & Tchakirian, A.
Action de divers éléments sur les tumeurs bactériennes du Pelargonium. Compt. Rend. Acad. Sci. Paris 198: 1097-1100. Mr. 19, 1934. no.12.

Hamet, R.
Sur le présence de faisceaux surnuméraires exclusivement libériens dans de parenchyme cortical des Echeveria. Compt. Rend. Acad. Sci. Paris 198: 1169-1170. Mr.19, 1934. no.12.

Janot, M. M.
Action des hormones cristallisées femelles sur le développement de quelques végétaux. Compt. Rend. Acad. Sci. Paris 198: 1175-1178. Mr.19, 1934. no.12.

Joyet-Lavergne, Ph.
Sur la sexualisation cytoplasmique chez les levures à conjugaison hétérogamique. Compt. Rend. Acad. Sci. Paris. 198: 1071-1073. Mr.12, 1934. no.11.

Lefèvre, M.
Sur la division et l'élongation des cellules dans le genre Closterium Nitzsch. Compt. Rend. Acad. Sci. Paris 198: 1166-1168. Mr.19, 1934. no.12.

Maige, A.
Remarques sur le métabolisme du noyau et des plastes dans les cellules végétales . Compt. Rend. Acad. Sci. Paris 198: 971-973. Mr.5, 1934. no.10,

Compt. Rend. Acad. Sci. Paris. (cont.)

Manzoni, L. & Puppo, A.

Sur la transpiration du blé en fonction des facteurs du climat. Compt. Rend. Acad. Sci. Paris. 198: 1066-1068. Mr. 12, 1934. no.11.

Maublanc, A. & Roger, L.

Une nouvelle rouille du caféier au Cameroun. Compt. Rend. Acad. Sci. Paris. 198: 1069-1070. Mr.12, 1934, no.11.

Uredo coffeicola.

Prat, H.

Remarques sur les caractères épidermiques des espèces américaines du genre Agropyrum P. B. Compt. Rend. Acad. Sci. Paris 198: 1170-1172. Mr.19, 1934. no.12.

Simonet, M.

Sur la régularité de la réduction chromatique et la parfaite constitution pollinique d'un hybride entre espèces à nombres inégaux et aneuploïdes de chromosomes (Iris autosyndetica nob.) Compt. Rend. Acad. Sci. Paris. 198: 1173-1175. Mr.19, 1934. no.12.

Compt. Rend. Congr. Nancy 1932 Union Intern. Inst. Rech. For.

Coster, C.

Wuchs und form des wurzelsystems tropischer holzarten und sträucher. (Growth of the root system of tropical woody and shrubby species). Compt. Rend. Congr. Nancy 1932 Union Intern. Inst. Rech. For. p.545-552. illus. 1933.

English & French summaries.

Delevoy, G.

L'emploi du chlorate de soude comme herbicide. (Use of sodium chlorate as weed-destroyer). Compt. Rend. Congr. Nancy 1932 Union Intern. Inst. Rech. For. p. 600-604. 1933.

German and English summaries.

Korstian, C. F.

Physico-chemical properties of leaves and leaf sap as indices of the water relations of forest trees. Compt. Rend. Congr. Nancy 1932 Union Intern. Inst. Rech. For. p.312-325. 1933.

German and French summaries.

Current Science (Bangalore) (475Sci23)

Anandan, M.

Effect of environment on owning in rice. Current Science 2: 284-285. illus. F.1934. no.8.

Balaji Rao, T. K.

Partial sterility in the first generation plants of crosses between wide varieties of the common egg plant (Solanum melongena). Current Science 2: 285-286. illus. F.1934. no.8.

Cheema, G. S. & Bhat, S. S.

A study of the citrus varieties of the Bombay Presidency. Current Science 2: 298-304. illus. (map) F.1934. no.8.

Deut. Landw. Presse (Berlin) (18D482)

Feucht, W.

Blitzschlagschaden an zu futterrüben Deut Landw. Presse 61: 122. illus. Mr.10,1934. no.10.

Roth, H.

Fortschritte der Deutschen kartoffelzucht, Deut.Landw. Presse 61: 119. illus. Mr.10,1934. no.10.

Dokl. Adad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)

Dubrunov, L. G.

Osobennosti rosta konopli pri nedostatochnom kolichestve pitale'nykh veshchestv v pochve (Growth peculiarities of hemp as a result of a lack of nutritive substances in the soil) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1: 281-286. F.11, 1934. no.5.

Russian with English summary.

Kolomiets, I. A.

K voprosu o "kriticheskom periode" u pshenits (On "critical period" in development of wheat) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1: 272-280. illus, F.11, 1933. no.5.

Russian with English summary.

Kostov, D.

Eksperimental'noe poluchenie poligenomnykh gibridov (Polygenom hybrids experimentally produced) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n. s. 1: 217-222. F.11,1933.

Russian with English summary.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (cont.)

Novikov. V. A.

Nakoplenie kauchuka v korni͡akh tau-sagyza kak rezul'tat ottoka iz list'ev (The accumulation of rubber in the roots of tau-sagyz as a result of its disappearance from the leaves). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1: 205-209. F.1, 1934. no.4.

Russian with English summary.

Sabinin, D.

Obmennai͡a adsorbtsii͡a na kornevykh sistemakh (Exchange adsorption in root systems) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1; 136, 138-139. Ja.1934. no.3.

Russian and English.

Sabinin, D.

O vlii͡anii tekhniki i srokov vnesenii͡a udobreniĭ na prirodu rasteniĭ (On the influence of the technique and time of the introduction of fertilizers on the nature of plants). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1: 137-138, 139-140. Ja. 1934. no.3.

Russian and English. Experiments with maize.

Shkol'nik, M.

K fiziologicheskoĭ roli bora (On the physiological role of boron) Dokl. Akad. Nauk SSSR (Compt. Rend Acad. Sci. URSS) n.s., 1: 141-146. Ja.1934.

Soldatenkov, S. V. & Kubli, M. G.

Vlii͡anie etilovogo spirta na sozrevanie tomato (The effect of ethyl alcohol on the ripening of tomatoes). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1: 85-90. 1934.

Russian and English.

Tsivinskii, V. I.

O kholodostoĭkosti khlopchatnika (Capacity of cotton to withstand cold). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1: 147-150. Ja. 1933. no.3.

Russian and English.

Econ. y Técn. Agr. (Spain) (Madrid) (15Ec7)

Garcia Romero, A.

Las semillas. III. Semillas puras, distintas clases de impurezas. Determinación de la pureza de una muestra de semilla. Idem del origen o procedencia. Identidad botánica. Econ. y Técn. Agr. (Spain) 3: 9-12. illus. Ja.1934. no.21.

Mas Guindal, J.

Las plantas parásitas. Econ. y Técn. Agr. (Spain) 3: 23-26. illus. Ja. 1934. no.21.

Fauna & Flora (Uppsala)

Euler, H. v.

Omsötrönnbärens halt av C-vitamin. Fauna & Flora 1933: 231-233. no.5.

Sorbus aucuparia dulcis

Flor. Exch. (N.Y.) (80F666)

Robb, H. C. sr.

The purpose and interpretation of plant patent law. Flor. Exch. 82(14): 11, 14-15. Ap.7, 1934.

Wyman, D.

Winter injury of trees and shrubs. Flor. Exch. 82(14): 23,24. Ap.7, 1934.

Forstarchiv. (Hannover) (99.8F7723)

Rohde, T.

Das weitere vordringen der Rhabdoclineschütte in Deutschland. Forstarchiv. 10: 68-69. illus. (map) Mr.1, 1934. no.5.

Fruit World Australasia (Melbourne) (80F948)

Pollination of Packham's triumphpear. Fruit World Australasia 35: 63. F.1, 1934. no.2.

Report of investigations of R.E.P. Dwyer & F.T.Bowman, N.S.W. Dept. of agriculture.

Summer "spot" on pears. Successful control methods demonstrated. Fruit World Australasia 35: 74-75. F.1, 1934. no.2.

Summary of report of Mr. S. Fish in charge of investigations of Dept. agriculture, Victoria.

Williams, W. J.

The cold storage of apples (cont.) Fruit World Australasia 35: 77-78. F.1, 1934. no.2.

Gard. Chron. (London) (80G162)

Balls, E. K.
Plant collecting in Persia. VI. Kuh-i-Lalhezar. Gard. Chron. III, 95: 180-181. illus. Mr.17, 1934. no.2464.

Balls, E. K.
Some coastal plants around Trebizond. Gard. Chron. III, 95: 163. illus. Mr.10,1934. no.2463.

Behaviour of garden plants. XII. Sea buckthorn. Gard. Chron. III, 95: 155. Mr.10,1934. no.2463.
Hippophaë rhamnoides.

Grove, A.
Lilium brownii. Gard. Chron. III, 95: 164-165. illus. Mr.10,1934. no.2463.

Ingwersen, W.
High alpine Ranunculi. Gard. Chron. III, 95: 162-163. Mr.10,1934. no.2463.

Vernalization: A new method of shortening the vegetative period of plants. (concl.) Gard. Chron. III, 95: 183-184. Mr.17, 1934. no.2464.

Warne, L.G.G.
Rootstocks for apples. Gard. Chron, III, 95: 164. Mr.10, 1934. no.2463.

Weston, T. A.
Antirrhinum rust. Gard. Chron. III, 95: 178. Mr.17, 1934. no.2464.

William Cuthbertson, V.M.H. Gard. Chron. III, 95: 187. port. Mr.17, 1934. no.2464.

Gartenfl. (Berlin) (80G19)

Ilnitzky, R.
Die spatzen und das ulmensterben. Gartenfl. 83: 76-77. Mr.1934.

Gartn.-Tid. (København) (80G192)

Paludan, H.
Moderne champignonkultur. Gartn.Tid. 50: 163-166. Mr.20,1934. no.12.

Gentes herbarum (450B15)

Bailey, L. H.

Certain northern blackberries. In his Gentes herbarum 3: 245-271. illus. Mr.15, 1934. no.5.

Rubus bigelovianus, R. honorus, R. impar, R. tennesseanus n.spp.

Bailey, L. H.

The species of grapes peculiar to North America. In his Gentes herbarum 3: 149-244. illus. Mr.15, 1934. no.4.

Vitis sola n.sp.

Hereditas (Lund) (442.8H42)

Fagerlind, F.

Beiträge zur kenntnis der zytologie der rubiaceen. Hereditas 19: 223-232. illus. 1934. no.1/2.

Heilborn, O.

On the origin and preservation of polyploidy. Hereditas 19: 233-242. 1934. no.1/2.

Lamprecht, H.

Beiträge zur genetik von Phaseolus vulgaris. VII-VIII. Hereditas 19: 163-176, 177-222. illus. 1934. no.1/2.

English summary.

VII. Zwei weitere gene für sameneigenschaften. VIII. Ueber farbenverteilung und vererbung der teilfarbigkeit der testa.

Nilsson, F.

Studies in fertility and inbreeding in some herbage grasses. Hereditas 19: 1-162. 1934. no.1/2.

Hojas Divulg. Serv. Publ. Agr. Dir. Gen. Agr. y Montes. Spain.

Más y Guindal, J. (15H68)

El muerdago (Planta parasita). Hojas Divulg. Serv. Publ. Agr. Dir. Gen. Agr. y Montes. Spain 27(24): 1-5. illus. D. 1933.

Indian For. (Dehra Dun) (99.8In2)

Gorrie, R. M.

Recent studies on tree roots. Indian For. 60: 179-185. Mr. 1934. no.3.

Indian Journ. Agr. Sci. (Calcutta) (22Ag831)

Afzal, M. & Hutchinson, J. B.

The inheritance of "lintless" in Asiatic cottons. Indian Journ. Agr. Sci. 3: 1124-1132. D. 1933. no.6.

Ayyar, V. R. & Balasubrahmanyan, R.

Inheritance of pollen colour in Asiatic cottons. Indian Journ. Agr. Sci. 3: 1116-1123. col.pl.xcii. D.1933. no.6.

Ayyangar, G. N. R., Wariar, U. A. & others.

Inheritance of characters in ragi, Eleusine coracana (Gaertn.) The finger millet, VII-VIII. Indian Journ. Agr. Sci. 3: 1072-1079, 1080-1084. pl. lxxxi. D. 1933. no.3.

VII. Fist-like earheads. VIII. Earhead colour factors.

Bose, R. D. & Joglekar, R. G.

Studies in Indian pulses. 6. The root systems of green and black grams. Indian Journ. Agr. Sci. 3: 1045-1056. pl. lxxvii-lxxviii. D.1933. no.3.

Dastur, R. H. & Pirzada, A. R.

The relative growth rate, the carbohydrate contents and the yield of the rice plant (Oyrza sativa L.) under different treatments. Indian Journ. Agr. Sci. 3: 963-1012. D. 1933. no.6.

Krishna Ayyar, P. N.

Further experiments on the root-gall nematode, Heterodera marioni (Cornu) Goodey in south India. Indian Journ. Agr. Sci. 3: 1064-1071. pl. lxxix-lxxx. D.1933. no.6.

Mehta, K. C.

Rusts of wheat and barley in India. A study of their annual recurrence, life-histories and physiologic forms. Indian Journ. Agr. Sci. 3: 939-963. map, pl.lxxv. D.1933. no.6.

Indian Journ. Agr. Sci. (cont.)

Panje, R. R.

Saccharum spontaneum L. A comparative study of the forms grown at the Imperial sugarcane breeding station, Coimbatore. Indian Journ. Agr. Sci. 3: 1013-1044. illus., pl.lxxvi. D. 1933. no.6.

Roy, B.

Studies in the development of the female gametophyte in some leguminous crop plants of India. Indian Journ. Agr. Sci. 3: 1098-1107. pl. lxxxiv-xci. D.1933. no.6.

Pachyrhizus angulatus, Cajanus indicus, Dolichos lablab, Pisum sativum and Lathyrus sativus.

Intern. Bull. Plant Prot. (464.8In8)

Dey, P. K.

India: A disease of guava fruits in the United Provinces. Intern. Bull. Plant Prot. 8: 30. F. 1934, no.2.

Colletotrichum psidii.

Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) (Leningrad) (511Sa2B)

Krasil'nikov, N. A.

Obrazovanie ras u Sporobolomyces philippovi n.sp. (Rassenbildung bei Sporobolomyces philippowi) Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) VII Sér. Cl. Sci. Math. et Nat.) 1933: 1469-1491. illus. no.10.

Russian with German summary.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)

Meyer, W.

Bau und beanspruchung des leitungssystems einiger krautiger pflanzen. Jahrb. Wiss. Bot. 79: 385-405. F. 1934. no.3.

Mosebach, G.

Die fruchstielschwellung der oxalidaceen und geraniaceen. Jahrb. Wiss. Bot. 79: 353-384. illus. F.1934. no.3.

Roberg, M.

Ueber den erreger der wurzelknöllchen von Alnus und den elaeagnaceen Elaeaghus und Hippophäe. Jahrb. Wiss. Bot. 79: 472-494. F.1934. no.3.

Strugger, S.

Beiträge zur physiologie des wachstums. I. Zur protoplasmaphysiologischen kausalanalyse des streckungswachstums. Jahrb. Wiss. Bot. 79: 406-471. illus. F. 1934. no.3.

Journ. Amer. Pharm. Assoc. (Easton, Pa.) (396.9Am33J)

Leonard, C. S. & Arthur, J. M.

The reputed influence of ultraviolet light on the yield of Digitalis glucosides. Journ. Amer. Pharm. Assoc. 23: 224-228. Mr.1934. no.3.

No significant difference between plants grown under glass having a higher ultraviolet transmission & those grown under ordinary window glass.

Journ. Bacteriol. (Baltimore) (448.3J82)

Duggar, B. M. & Hollaender, A.

Irradiation of plant viruses and of micro-organisms with monochromatic light. I-II. Journ. Bacteriol. 27: 219-239, 241-256. illus. Mr.1934. no.3.

I. The virus of typical tobacco mosaic and Serratia marcescens as influenced by ultraviolet and visible light. II. Resistance to ultraviolet radiation of a plant virus as contrasted with vegetative and spore stages of certain bacteria.

Journ. Bot. (London) (450J82)

Albrecht, J. H.

Synopsis of the European species of Pogonatum and Polytrichum. Journ. Bot. 72: 75-80. illus. Mr. 1934. no.855.

Praeger, R. L.

The standing of certain plants in Ireland. Journ. Bot. 72: 68-75. Mr. 1934. no.855.

Rendle, A. B.

Dukinfield Henry Scott (1854-1934). Journ. Bot. 72: 83-88. Mr.1934. no.855.

Thompson, A.

New moss records. 1-2. Journ. Bot. 72: 81-83. Mr.1934. no.855.

1. New Vice-county records for Sphagna, mostly North country. 2. New moss records for Moray and Inverness.

Westbrook, M. A.

Antithamnion spirographidis Schiffner. Journ. Bot. 72: 65-68. illus. Mr.1934. no.855.

Journ. Counc. Sci. & Industr. Res. Austral. (Melbourne) (514Au72J)

Dadswell, H. E. & Eckersley, A. M.
A note on the wood structure of Acradenia frankliniae Kipp. Journ. Counc. Sci. & Industr. Res. Austral. 7: 39-42. illus. F.1934. no.1.

Thomas, J. E.
The diagnostic value of the chlorine content of the vine leaf. Journ. Counc. Sci. & Industr. Res. Austral. 7: 29-38. illus. F.1934. no.1.

Journ. Ecol. (Cambridge, Engl.) (450J829)

Bates, G. H.
The relation of leaf size to root structure in Trifolium repens. Journ. Ecol. 22: 271-278. pl. xxiii-xxiv. F.1934. no.1.

Buxton, L. H. Dudley
The willows of the western part of the Isle of Wight. Journ. Ecol. 22: 304-305. F.1934. no.1.

Clements, F. E.
The relict method in dynamic ecology. Journ. Ecol. 22: 39-68. pl.i-v. F.1934. no.1.

Davis, T. A. W. & Richards, P. W.
The vegetation of Moraballi Creek, British Guiana: an ecological study of a limited area of tropical rain forest. II. Journ. Ecol. 22: 106-155. illus., pl.xii-xiv. F. 1934. no.1.

Michelmore, A. P. G.
Botany of the Cambridge expedition to Edge Island, S. E. Spitsbergen, in 1927. II. The vegetation. Journ. Ecol. 22: 156-176. pl. xv-xvii. F.1934. no.1.

Michelmore, A. P. G.
Vegetation succession and regional surveys, with special references to tropical Africa. Journ. Ecol. 22: 313-317. F.1934. no.1.

Rayner, M. C.
The mycorrhiza of conifers: A review. Journ. Ecol. 22: 308-312. F.1934. no.1.

Journ. Ecol. (cont.)

Robbins, C. R.

Northern Rhodesia; an experiment in the classification of land with the use of aerial photographs. Journ. Ecol. 22: 88-105. illus. (maps), pl.vi-xi, fold.map. F. 1934. no.1.

Growth types: p.97-103; List of species [with scientific and native names]: p. 104-105.

Scott, J. D.

Ecology of certain plant communities of the Central Province, Tanganyika Territory. Journ. Ecol. 22: 177-229. illus., pl. xviii-xxii. F. 1934. no.1.

Stamp, L. D.

Vegetation formulae. Journ. Ecol. 22: 299-303. F.1934. no.1.

Watt, A. S.

The vegetation of the Chiltern Hills, with special reference to the beechwoods and their seral relationships. Journ. Ecol. 22:230-270. illus. (incl.map) F. 1934. no.1.

Wood, J. G.

The physiology of xerophytism in Australian plants. The stomatal frequencies, transpiration and osmotic pressures of sclerophyll and tomentose-succulent leaved plants. Journ. Ecol. 22: 69-87. F. 1934. no.1.

Journ. Genetics (London) (442.8J823)

Huskins, C. L. & Smith, S. G.

Chromosome division and pairing in Fritillaria meleagris: The mechanism of meiosis. Journ. Genetics 28: 397-406. illus. Mr.12, 1934. no.3.

Huskins, C.L. & Smith, S. G.

A cytological study of the genus Sorghum Pers. II. The meiotic chromosomes. Journ. Genetics 28: 387-395. illus. Mr.12, 1934. no.3.

Hutchinson, J. B.

The genetics of cotton. X. The inheritance of leaf shape in Asiatic Gossypiums. Jour. Genetics 28: 437-513. illus.,4 tab. Mr.12, 1934. no.3.

Journ. Genetics (cont.)

Lindegren, C. C.

The genetics of Neurospora. V. Self-sterile bisexual heterokaryons. Journ. Genetics 28: 425-435. Mr.12, 1934. no.3.

Skovsted, A.

Cytological studies in cotton. II. Two interspecific hybrids between Asiatic and new world cottons. Journ. Genetics 28: 407-424. illus. Mr.12, 1934. no.3.

Journ. Indian Inst. Sci. (Madras) (513In2)

Iyengar, A. V. V.

Contributions to the study of spike-disease of sandal (Santalum album, Linn.) XV. The role of plant acids in health and disease. Journ. Indian Inst. Sci. 16A: 139-152. illus. 1933. no.13.

Sreenivasa Rao, Y V

Contributions to the study of the spike-disease of sandal(Santalum album, Linn.) XIII-XIV. Journ. Indian Inst. Sci. 16A: 91-95. 1933. no.8.

XIII. Investigation of the hexone bases. XIV. Study of mosaics associated with spiked areas.

Varadachar, K. S.

Synthesis of proteins in plants. I. Conversion of nitrates into protein in Helianthus annuus, Linn. Journ. Indian Inst. Sci. 16A: 129-138. illus. 1933. no.12.

Journ. Pharm. & Chim. (Paris) (383J825)

Hamet, R.

Sur une nouvelle rubiacée à yohimbine: Le Corynanthe paniculata Welwitsch. Journ. Pharm. & Chim. VIII,19: 209-214. Mr.1, 1934. no.5.

Journ. Pomol. & Hort. Sci. (London) (80J825)

Abdel-Salam, M. M.

Botrytis disease of lettuce. Jour. Pomol. & Hort. Sci. 12: 15-35. pl. 1. Mr.1934. no.1.

Hoblyn, T. N. & Palmer, R.C.

A complex experiment in the propagation of plum rootstocks from root cuttings. Journ. Pomol. & Hort. Sci. 12: 36-56. illus., 2 pl. on 1, tab. Mr. 1934. no.1.

Journ.Pomol. & Hort. Sci. (cont.)
Moore, M. H.
Spraying and dusting experiments on the control of apple scab (Venturia inaequalis) and apple mildew (Podosphaera leucotricha) at East Malling in 1931-1932. Journ. Pomol. & Hort. Sci. 12: 57-79. 4 pl. on 2. Mr. 1934. no.1.

Khimiz. Sotsial. Zemled. (Moskva) (385C424)
Shchepetil'nikova, A. M.
Khlopikrin kak sredstvo bor'by s l'noutomleniem i sorniakami (Chlorpikrin as an agent for combatting flax sickness of soil and weeds). Khimiz. Sotsial. Zemled 1933: 128-135. illus.
Russian with English summary.

K. Landtbr. Akad. Handl. o Tidskr. (Stockholm) (104Sw3)
Lind, G.
Sötrönnen. K. Landtbr. Akad. Handl. o Tidskr. 72: 946-949. 1933. no.8.
Sorbus aucuparia var.

Landbouwk. Tijdschr. Wageningen (105.20r3)
Hell, W. F. v.
Voorloopige mededeeling omtrent het onstaan en den bouw van z.g.n. stomata-vlekken bij bananen. (Stomata spots on ripening bananas). Landbouwk. Tijdschr. Wageningen 46: 16-29. illus. Ja.1934. no.555.
Brief English summary: p.29. The name stomata spot is proposed.

Landw. Jahrb. (Berlin) (18L23)
Köck, G.
Ueber einige bei rauchschädenerhebungen an landwirtschaftlichen kulturpflanzen häufig begangene fehler und ihre vermeidung. Landw. Jahrb. 79: 197-204. 1934. no.2.

Madras Agr. Journ. (22M262)
Ayyangar, G. N. R.
Recent work on the genetics of millets in India. Madras Agr. Journ. 22: 16-26. Ja. 1934. no.1.

Satyanarayana, P.
Identification of sex in ganja (Cannabis indica Lamk) by botanical characters. Madras Agr. Journ. 22: 3-6. illus. Ja. 1934. no.1.

Mem. Coll. Agr. Kyoto Imp. Univ. (107.6R994)
Hirayama, S.
Studies on the anaerobiosis of plant disease fungi. I. A comparative study on the anaerobic respiration of the fungi. Mem. Coll. Agr. Kyoto Imp. Univ. 30. 17 p. Ja. 1934.

Minn. Conserv. (412.6F492A)
Olson, T. A.
Sunlight. Its effect on aquatic plant life and fishes. Minn. Conserv. 10: 6-7, 17-19. illus. Mr.1934.

Missouri Bot. Gard. Bull. (St. Louis) (89M69B)
Pring, G. H.
The Amazon water-lily (Victoria cruziana) Missouri Bot. Gard. Bull. 22: 108-110. Mr.1934. no.3.

Pring, G. H.
Hybrid nymphaeas - their creation, propagation and cultivation. Missouri Bot. Gard. Bull. 22: 93-108. illus., pl. 26-32. Mr.1934. no.3.

Mitt. Deut. Landw. Ges. (Berlin) (18D48M)
Köhler, E.
Kartoffelabbau und viruskrankheiten. Mitt. Deut. Landw. Ges. 49: 260-261. Mr.1934. no.12.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)
Rauhut, G.
Alpenpflanzen und felsen-anlagen. V. Möller's Deut. Gartn.-Zeit. 49:80. Mr.11, 1934. no.7.

Mycologia (450M99)
Cherry, W. F.
Mycotypha microspora isolated from Chaenomeles legenaria. Mycologia 26: 133-134. Mr./Ap. 1934. no.2.

Dodge, B. O.
Gymnosporangium myricatum in relation to host parenchyma strands. Mycologia 26: 181-190. illus., pl.24-25. Mr./Ap.1934. no.2.
Studies in the genus Gymnosporangium IX.

Mycologia (cont.)

Drechsler, C.
Organs of capture in some fungi preying on nematodes. Mycologia 26: 135-144. Mr./Ap. 1934. no.2.

Hahn, G. G. & Ayers, T. T.
Dasyscyphae on conifers in North America. II. D. ellisiana. Mycologia 26: 167-180. pl.21-23. Mr./Ap. 1934. no.2.

Hedrick, J.
New genera and species of lichens from the herbarium of Bruce Fink. II. Mycologia 26: 153-166. Mr./Ap. 1934. no.2.

Hotson, J. W.
Mushroom poisoning at Seattle. Mycologia 26: 194-195. Mr./Ap. 1934. no.2.
Amanita pantherina.

Kevorkian, A. G.
The structure and development of a new aquatic phycomycete. Mycologia 26: 145-152. illus. Mr./Ap.1934. no.2.
Araiospora streptandra.

Mains, E. B.
Angiopsora, a new genus of rusts on grasses. Mycologia 26: 122-132. pl.17-20. Mr./Ap. 1934. no.2.
A lenticularis n.sp.

Müller, A. S.
A note on mycology in Brazil today. Mycologia 26: 192. Mr./Ap. 1934. no.2.

Schwartz, D.
Pilobolus crystallinus in pure culture. Mycologia 26: 192-194. Mr./Ap.1934. no.2.

Vorhees, R. K.
Rhopographus zeae on corn. Mycologia 26: 115-117. pl.15-16. Mr./Ap. 1934. no.2.
Clasterosporium longisporum n.sp. imperfect stage.

Wolf, F. A.
William H. Weston, jr., first President of the Mycological society of America. Mycologia 26: 113-114. port. Mr./Ap.1934. no.2.

Natur u. Mus. (Frankfurt a.M.) (509F856)

Baas, J.
Der wald im unteren Maintal vor 500,000 jahren. Natur u. Mus. 63: 289-298. illus. S.1, 1933. no.9.

Eberle, G.
Das gewöhnliche lebermoos. Natur u. Mus. 63: 320-324. illus. S.1, 1933. no.9.
Marchantia polymorpha.

Hennig, Br.
Der halskrausen-erdstern. Natur u. Mus. 63: 335-339. illus. O.1, 1933. no.10.

Mosebach, G.
Der sumpf-haubenpilz (Mitrula phalloides), ein beispiel schiessender pflanzen Natur u. Mus. 63: 380-382. illus. N.1, 1933. no.11.

Wassermann, J.
Pilzkranke berberitzenblätter. Natur u. Mus. 63: 348-349. illus. O.1, 1933. no.10.

Naturaliste Canad. (Quebec) (410N216)

Rousseau, J.
Essai de bibliographie botanique canadienne. (cont.) Naturaliste Canad. 61: 69-73. Mr. 1934. no.3.

Nature (London) (472N21)

Anderson, E.
Origin of the angiosperms. Nature 133: 462. Mr.24, 1934. no.3360.

Heilbron, I. M., Phipers, R. F. & Wright, H. R.
Chemistry of the brown algae. Nature 133; 419. Mr.17, 1934. no.3359.

Russell, E. J.
Prof. Sven Odén. Nature 133: 438-439. Mr.24, 1924. no.3360.
Died Jan.16, in 47th year.

Naturforsch. (Berlin) (410N219)

Michaelis, P.
Entwicklung und aufzucht der orchideen. Naturforsch. 10: 425-430. illus., pl.xxxi. Mr.1934. no.12.

New Jersey State Hort. Soc. News (81N46)

Blake, M. A.
Additional facts about winter injured peach trees. New Jersey State Hort. Soc. News 15: 571-572. illus. Mr.1934. no.3.

Blake, M. A.
Low temperature injury to apple buds and spurs. New Jersey State Hort. Soc. News 15: 573-574. illus. Mr.1934. no.3.

Robbins, W. R.
Celery chlorosis on an alkaline soil. New Jersey State Hort. Soc. News 15: 580. illus. Mr. 1934. no.3.

New Phytol. (London) (450N42)

Bhâradwâja, Y.
A new species of Nostochopsis (Nostochopsis radians sp.nov.) New Phytol. 33: 1-7. illus. Mr.2, 1934. no.1.

Härdtl, H.
Ueber die gestalt der bäume. New Phytol. 33: 45-52. illus. Mr.2, 1934. no.1.

James, W. O.
The dynamics of photosynthesis. New Phytol. 33: 8-40. Mr.2, 1934. no.1.

Joshi, A. C.
Variations in the medullary bundles of Achyranthes aspera L. and the original home of the species. New Phytol. 33: 53-57. illus. Mr.2, 1934. no.1.

Saunders, E. R.
A note on the floral anatomy of Rivina humilis L. New Phytol. 33: 66-67. Mr.2, 1934. no.1.

Thomson, R. B.
Heterothally and the seed habit versus heterospory. New Phytol. 33: 41-44. Mr.2, 1934. no.1.

Wanscher, J. H.
Secondary (chromosome) associations in Umbelliferae and Bicornes. New Phytol. 33: 58-65. illus. Mr.2, 1934. no.1.

New Zeal. Journ. Sci. & Techn. (Wellington) (514N48)

Allan, H. H.

The specific identity of ratstail grass. New Zeal. Journ. Sci. & Techn. 15: 255-257. illus. Ja. 1934. no.4.

Sporobolus indicus Brown.(Agrostis indicus Linn.) New Zealand species is correctly named S. capensis Kunth.

Oesterr. Bot. Zeitschr. (Wien) (4500s7)

Geitler, L.

Beitrag zur kenntnis der aërophytischen mikroflora Griechenlands. Oesterr. Bot. Zeitschr. 83: 17-22. F.20, 1934. no.1.

Hruby, J.

Mykologische beiträge aus der west-Slowakei. Oesterr. Bot. Zeitschr. 83: 62. F.20,1934. no.1.

Lämmermayr, L.

Beobachtungen über höhengrenzen von pflanzen in der umgebung von Graz. III. Oesterr. Bot. Zeitschr. 83: 23-28. F.20, 1934. no.1.

Rohrhofer, J.

Der buchsbaum im oberösterreichischen Ennstal. Oesterr. Bot. Zeitschr. 83: 1-16. illus. F.20, 1934. no.1.

Rosenkranz, F.

Die eibe in Niederösterreich. Oesterr. Bot. Zeitschr. 83:29-48. F.20, 1934. no.1.

Wagner, R.

Ueber das vorkommen von inversblüten in der gattung Acantholimon Boiss. Oesterr. Bot. Zeitschr. 83:49-56. illus. F.20, 1934. no.1.

Wenzl, H.

Beiträge zur physiologie von Azotobacter. Oesterr. Bot. Zeitschr. 83: 57-61. F.20, 1934. no.1.

Orchid Rev. (Richmond, Engl.) (800r15)

Hurst, C. C.

Orchids in the Cambridge botanic garden. Orchid Rev. 42: 68-71. illus. Mr.1934. no.489.

Oxford For. Mem. (99.90x22)
Day, W. R. & Peace, T. R.
The experimental production and the diagnosis of frost injury on forest trees. Oxford For. Mem.16. 60 p. 10 pl. 1934.

Pflanzenbau (Berlin) (18P48)
Tamm, E.
Weitere untersuchungen über die keimung und das auflaufen landwirtschaftlicher kulturpflanzen. II. Pflanzenbua 10: 297-312. F.1934. no.8.

Pharm. Zentralh. (Dresden) (396.8P492)
Richter, J.
Chlorophyllhaltige parasiten. (concl.) Pharm. Zentralh. 75: 176-179. Mr.15, 1934. no.11.

Proc. Ann. Meet. Amer. Cranberry Grow. Assoc. (81Am35M)
Wilcox, R. B.
Cranberry fruit rots in New Jersey. Proc. Ann. Meet. Amer. Cranberry Grow. Assoc. 64(1934): 12-17. 1934.

Proc. Biol. Soc. Washington (500W272)
Blake, S. F.
A new Mutisia from Peru. Proc. Biol. Soc. Washington 46: 191-192. O.26, 1933.
Mutisia venusta.

Proc. Roy. Soc. Ser. B. (London) (501L84B)
Gregory, F. G. & Pearse, H. L.
The resistance porometer and its application to the study of stomatal movement. Proc. Roy. Soc. Ser. B 114: 477-493. illus.,pl. 33. Mr.2, 1934. no.B790.

Proc. State Hort. Assoc. Penn. (81P38)
Kirby, R. S.
A five-year study of Pennsylvania apple disease conditions. Proc. State Hort. Assoc. Penn. 75: 86-101. illus. 1934.

Queensl. Agr. Journ. (Brisbane) (23Q33)
Lewcock, H. K.
Yeasty rot of pineapples and its control. Queensl. Agr. Journ. 41: 128-131. illus. F.1, 1934. no.2.
Species of Saccarhomyces.

Queensl. Agr. Journ. (cont.)

Mandelson, L. F.

Barn Spot of tobacco. Preliminary investigations and flue-curing experiments. Queensl. Agr. Journ. 41: 132-147. illus. F.1, 1934 no.2.

Queensl. Nat. (Brisbane) (410Q3)

White, C. T.

The Eucalyptus or gum trees of the Brisbane district. 20. Eucalyptus creba (narrow-leaved ironback) Queensl. Nat. 9; 8-9. pl. F.1934. no.1.

Repert. Spec. Nov. Fedde (Berlin) (450R29)

Burret, M.

Bactris und verwandte palmengattungen. I-II. Repert. Spec. Nov. Fedde 34: 167-184, 185-254. D.31,1933, F.15, 1934. no.10/12, 13/20.

Knoblauch, E.

Revision der oleaceengattung Haenianthus. Repert. Spec. Nov. Fedde 34: 139-142. D.31,1933. no.10/12.

Knuth, R.

Geraniaceae novae. Repert. Spec. Nov. Fedde 34: 143-147. D.31, 1933. no.10/12.

G. cuatrecasasii, Pelargonium eberlanzii n.spp.

Malm, J. v.

Die phanerogamenflora der kleinen Sunda-Inseln und ihre beziehungen. Repert. Spec. Nov. Fedde 34: 255-307. F.15, 1934. no.13/20.

Pilger, R.

Beiträge zur kenntnis der gattung Plantago. (cont.) Repert. Spec. Nov. Fedde 34: 147-166. D.31, 1933. no.10/12.

Schulz, O. E.

Nasturtium microspermum DC. und verwandte arten. Repert. Spec. Nov. Fedde 34: 137-138. D.31,1933. no.10/12.

Rep. Bd. & Dept. Agr. Bermuda (8B45)

Russell, T. A.

Report of the plant pathologist, 1933. Rep. Dept. Agr. Bermuda 1933: 28-36. 1934.

Rep. Librarian of Congress (243.7Un3)

Swingle, W. T.

Notes on early Chinese records of maize, on natural products and on medicine. Rep. Librarian of Congress 1932/33: 119-124. 1934.

Notes also on sweet potato and tobacco.

Rev. Bot. Appl. (Paris) (26R323)

Chevalier, A.

Etude sur les prairies de l'Ouest africain. I. Les graminées (cont.) Rev. Bot. Appl. 14: 17-48. Ja. 1934. no.149.

Chevalier, A.

Nouveaux documents sur les euphorbes cactiformes de l'Ouest et du centre africain. Rev. Bot. Appl. 14: 63-66. Ja. 1934. no.149.

Kern, E.

Sur la culture du chene-liège en U.R.S.S. Rev. Bot. Appl. 14: 13-16. Ja. 1934. no.149.

Vuillet, J.

A propos de la rosette de l'arachide: Controle des pucerons par les insectes auxiliaires. Rev. Bot. Appl. 14: 8-12. Ja.1934. no.149.

Rev. Path. Vég. & Entom. Agr. (Paris) (464.9Sol)

Français, J.

Sur la présence d'amidon dans les renflements écidiens de la rouille du poirier (Roestelia cancellata Rabenh.) Rev. Path. Vég. & Entom. Agr. 20: 261-263. pl. x. Je./Jl.1933(Rec'd Ap5.,1934) no.6/7.

Observations mycologiques et essais microphotographiques. [I]

Français, J.

Sur les périthèces de l'Uncinula spiralis Berk. Rev. Path. Vég. & Entom. Agr. 20: 263-266. pl.ix. Je./Jl. 1933 (Rec'd Ap. 5, 1934) no.6/7.

Observations mycologiques et essais microphotographiques. [II]

Rev. Path. Vég. & Entom. Agr. (cont.)

Français, J.

Uncinula salicis (D.C.) Wint. Rev. Path. Vég. & Entom. Agr. 20: 266-268. pl.ix. Je./Jl. 1933 (Rec'd Ap.5, 1934) no.6/7.

On Salix purpurea.

Observations mycologiques et essais microphotographiques. [III]

Guyot, A. L.

Rapport sur l'excursion de la Société à Mantes (S. et O.), les 23 et 24 juin1933. Rev. Path. Vég. & Entom. Agr. 20: 197-207. illus., pl.viii. Je./Jl. 1933 (Rec'd Ap.5,1934) no.6/7.

Petit, A.

Résultats expérimentaux sur la préservation des céréales contre les parasites cryptogamiques, en Tunisie. Rev. Path. Vég. & Entom. Agr. 20: 210-260. Je./Jl. 1933 (Rec'd Ap.5, 1934) no.6/7.

Rust & smut.

Sur la présence en France de Tuburcinia leimbachii (Oertel) Liro. Rev. Path. Vég. & Entom. Agr. 20: 208-209. Je./Jl. 1933 (Rec'd Ap.5, 1934) no.6/7.

On root of Ranunculus arvensis.

Rev. Zool. Et Bot. Afr. (410R326)

Bouriquet, G.

Les maladies du caféier à Madagascar. (cont.) Agron. Colon. 23: 42-48. F.1934. no.194.

Hauman, L.

Notes sur les lobélias géants du Congo belge. Rev. Zool. et Bot. Afr. 25 Suppl. (Bull. Cercle Bot. Congol. v.2): [13]-[20]. 3 pl., map. F.17, 1934. no.1.

Rhodora (Boston) (450R34)

Anderson, W. A.

Notes on the flora of Tennessee: The genus Trillium. Rhodora 36: 119-128. Ap.1934. no.424.

Fernald, M. L.

Gaultheria procumbens L., forma accrescens, f.nov. Rhodora 36: 129. pl.283. Ap.1934. no.424.

Rhodora (cont.)

Fernald, M. L.
A new Primula from the Grand Canyon of the Colorado. Rhodora 36: 117-118. pl.282. Ap.1934. no.424.
Primula hunnewellii.

Goodman, G. J.
Glottidium vesicarium in Oklahoma. Rhodora 36: 118-119. Ap.1934. no.424.

Malte, M. O.
Antennaria of arctic America. Rhodora 36: 101-117. pl.281. Ap.1934. no.424.
A. alaskana, A. arenicola, A. burwellensis, A. compacta, A. subcanescens, A. hudsonica n.spp.

Quimby, M. W.
Lobelia dortmanna in Aroostook county, Maine. Rhodora 36: 128-129. Ap.1934. no.424.

Ricker, P. L.
The origin of the name Lespedeza. Rhodora 36: 130-132. Ap.1934. no.424.

Riv. Biol. (Milan) (442.8R52)

Arnaudi, C. & Venturelli, G.
L'azione del radio sui tumori vegetali. Riv. Biol. 16:61-79. pl. Ja./F. 1934. no.1.

Bruun, A.Fr.
The life and work of Professor Johannes Schmidt. Riv. Biol. 16: 215-234. illus. Ja./F. 1934. no.1.

Schweiz. Landw. Monatsh. (Bern) (17Sch93)

Gäumann, E. A.
Ueber gewebetemperaturen kranker kartoffelknollen. Schweiz. Landw. Monatsh. 12: 1-4. 1934. no.1.

Science (470Sci2)

Brink, R. A.
A non-bitter variety of Melilotus. Science 79: 301. Mr.30, 1934. no.2048.
F.P.I. no.90753 (probably variant of M. suaveolens)

Kleiner, I. S.
The use of Solanum indicum in diabetes. Science 79: 273. Mr.23, 1934. no.2047.

Science (cont.)

Phifer, L. D.
Continuous phytoplankton collection. Science 79: 298-299. illus. Mr.30,1934. no.2048.

Ramsey, G.B.
Pleospora lycopersici E. and E. March, a tomato pathogen in the United States. Science 79: 294. Mr. 30, 1934. no.2048.

Scient. Agr. (Ottawa) (7Sci2)

Johnson, T., Newton, M. & Brown, A.M.
Further studies of the inheritance of spore colour and pathogenicity in crosses between physiologic forms of Puccinia graminis tritici. Scient. Agr. 14: 360-373. Mr.1934. no.7.

Strachan, C. C.
Colour strains of the Delicious apple. Scient. Agr. 14: 384-399. illus. Mr.1934. no.7.

Scient. Month. (470Sci23)

Buchholz, J. T.
Seeds. Scient. Month. 38: 367-369. Ap. 1934. no.4.

Colley, R. H.
The telephone pole and the mushroom. Scient. Month. 38: 378-383. illus. Ap.1934. no.4.

Jackson, V. W.
The New Zealand forest. Scient. Month. 38:323-331. illus. Ap.1934. no.4.

Seed World (Chicago) (61.8Se52)

Lagomarsino, J. B.
The development or rust resistant snapdragons. Seed World 35: 9. illus. Mr.30, 1934. no.7.

Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking (410.9Si62)

Chiao, C. Y.
A new species of Ormosia from Kiangying. Sinensia Contr. Metrop. Mus.Nat.Hist. Nanking 3: 349-351. illus. Je. 1933. no.12.
Ormosia taiana.

Ching, R. C.
The Pteridophyta of Kiangsu Province. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 3: 319-348. Je. 1933. no.12.

Soil Research (Berlin?) (56.9In82S)

Kivinen, E.

Ueber die reaktionsverhältnisse in den Sphagnum fuscum-bülten. (Conditions of the reaction of sphagnum-fuscum peats). Soil Research 3: 196-201. 1933. no.4.

Soil Sci. (Baltimore) (56.8So3)

Clark, H. E. & Shive, J. W.

The influence of the pH of a culture solution on the rates of absorption of ammonium and nitrate nitrogen by the tomato plant. Soil Sci. 37: 203-225. Mr. 1934. no.3.

So. African Gard. (Johannesburg) (80So87)

Plants new or noteworthy. South African plants cultivated in the National botanic gardens, Kirstenbosch. (cont.) So. African Gard. 24: 71. illus. Mr.1934. no.3.

Agapanthus campanulatus, A. longispathus, A. hollandii, n.spp.

Sovetsk. Botanika (450So8)

Avrorin, N. A.

O khozi͡aistvennoĭ inventarizatsii flory [The taking of a vegetation inventory from an agricultural standpoint] Sovetsk. Botanika 5: 91-95. 1933.

Russian.

Borisova, A. G., Petrov, V. T. & Shipchinskii, N.V.

Tsvetovodstvo na novyi put [Floriculture in a new way] Sovetsk. Botanika 5: 20-31. 1933.

Russian.

Borisova, A.

Zametka o syshke sochnykh rasteniĭ [Notes on drying succulent plants] Sovetsk. Botanika 5: 144-145. 1933.

Russian.

Chaĭlakhi͡an, M.

K problem i͡arovizatsii rasteniĭ [The problem of the iarovization of plants] Sovetsk.Botanika 5: 111-133. 1933.

Russian.

Sovetsk. Botanika (cont.)

Il'inski, A. P.

Areal i ego dinamika [Area and its dynamics[Sovetsk. Botanika 5: 3-11. 1933.

Russian. Age and area.

Komarov, N. F.

Temperatura melovykh sklonov chernozemnoi pološy v svi͡azi s usloviiami razivitii͡a na nikh endemichnoi flory [Temperature of the chalky slopes of the chernozen belt in connection with the condition of development of the endemic flora] Sovetsk. Botanika 5: 32-50. 1933.

Russian.

Kri͡uger, E. V.

Opyty razmnozhenii͡a Phlox perennis decussata listovymi cherenkami [Experiments in propagating Phlox perennis decussata by leaf cuttings] Sovetsk. Botanika 5: 141-142. illus. 1932.

Russian.

Kunitsyn, A. G.

K voprosu o metode kolichestvennogo ucheta elementov polupustynnogo kompleksa [Method of quantitative study of elements of a semi-desert complex] Sovetsk. Botanika 5: 71-81. illus. (maps) 1933.

Russian.

Lepchenko, Ia.F.

Neskol'ko soobrazheniĭ po voprosu uglubleniia i utochaeniia metodiki issledovaniia bolot v tseliakh sel'skozhoziaistvennogo ikh ispol'zovaniia i ob osushchestvlenii kompleksnosti rabot [Some considerations on the question of perfecting the method of investigating swamps for the purpose of agricultural utilization...] Sovetsk. Botanika 5: 81-91. 1933.

Russian.

Maleev, V. P.

Amurskiĭ barkhat (Phellodendron amurense Rupr.) i raĭony ego kul'tury v Evropeĭskoĭ chasti SSSR [The Amurian velvet tree and the region of its culture in USSR] Sovetsk. Botanika 5: 11-19. illus. (map) 1933.

Russian.

Sovetsk. Botanika (cont.)

Monteverde, N. N., Belova-Lebedeva, T.A. & Ordovskaia͡, M.A.

Itogi rabot po naturalizatsii nekotorykh efironosov v Botanicheskom institute Akademii nauk SSSR [Summary of work in naturalization of some essential oil plants at Botanical institute of the Academy of sciences, URSS] Sovetsk. Botanika 5: 133-141. illus. 1933.

Russian.

Nikolaeva, T. L.

Rod Merulius v SSSR [Merulius in USSR] Sovetsk. Botanika 5: 96-111. illus. 1933.

Russian.

Polianskaia͡, O. S.

Geobotanicheskaia͡ ekspeditsiia͡ dlia͡ ovsledovaniia͡ podshefnykh Botanicheskomu institutu kolkhozov v Krestetskom raĭone Leningradskoĭ oblasti [Geobotanical expedition for investigation of the collective farms, belonging to the Botanical institute, in the Krestetz region of the Leningrad district] Sovetsk. Botanika 5: 50-71. 1933.

Russian.

Pugacheva, A.

Ob iskopaemom pliu͡shche (Hedera eichwaldii Palib.) iz Timskikh peschanikov [Fossil ivy (Hedera eichwaldii Palib.) from Timsk sandstone] Sovetsk. Botanika 5: 145-147. 1933.

Russian.

Sukachev, V. N.

Pamia͡ti Valeriia͡ Ivanovicha Talieva (1872-1932) Sovetsk. Botanika 5: 148-152. 1933.

Russian.

Trans. Penin. Hort. Soc. (Dover, Dela.) (81P37)

Adams, J. F.

Weather conditions and apple scab prevalence during 1933. Trans. Penin. Hort. Soc. 1933: 67-68. [1934]

Hester, J. B.

The influence of soil acidity upon the relative availability of plant nutrients and crop yields in three coastal plains soils. Trans. Penin. Hort. Soc. 1933: 61-66. [1934]

Trans. Penin. Hort. Soc. (cont.)
Jehle, R. A. & Heuberger, J. W.
The apple scab situation in Maryland in 1933. Trans. Penin. Hort. Soc. 1933: 39-42. [1934]

Trop. Agr. (26T751)
Pieris, W. V. D.
Studies on the coconut palm. I. Trop. Agr. 82: 75-97. F.1934. no.2.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)
Mackie, W. W.
New hosts for charcoal rot in California. U.S. Dept. Agr. Plant Dis. Rep. 18: 20. Mr.15, 1934. no.2.
Rhizoctonia bataticola

Macmillan, H. G.
Note on the Long Beach earthquake and plants. U.S. Dept. Agr. Plant Dis. Rep. 18: 16-18. Mr.15, 1934. no.2.
No appreciable effect on growing crops.

Records of agricultural projects known to have failed through plant diseases. U.S. Dept. Agr. Plant Dis. Rep. 18: 7-16. Mr.15, 1934. no.2.

Welch, D. S.
Nectria canker on hardwoods in northeastern United States. U.S. Dept. Agr. Plant Dis. Rep. 18: 21-22. Mr.15, 1934. no.2.

U.S. Dept. Agr. Miscellaneous mimeographed publications.
Quisenberry, K. S.
Comparison of winter-wheat varieties grown in cooperative plot and nursery experiments in the hard red winter-wheat region in 1933. Washington, D. C., Mr.1934.
Mimeographed publ. from Div. of Cereal crops and diseases, Bur. of plant industry, U.S. Dept. of Agriculture.

Zeitschr. Bot. (Jena) (450Z32)
Ahrens, A.
Untersuchungen über die optimale reizlage bei der geotropischen reaktion. Zeitschr. Bot. 26: 561-569. illus. 1934. no.11/12.

Zeitschr. Bot. (cont.)

Bleier, H.

Neuere karyologische probleme und ergebnisse. II. Arbeiten über bastardzytologie. Zeitschr. Bot. 26: 597-626. illus. 1934. no.11/12.

Sammelreferat.

Zeitschr. Ver. Deut. Zuck.-Ind. (Berlin) (66.8Z33)

Lippmann, E. O. von

Nachträge und ergänzungen zu der festschrift: "Geschichte der rübe (Beta) als kulturpflanze". Zeitschr. Ver. Deut. Zuck.-Ind. 84: 15-67. Ja. 1934.

Zeitschr. Pflanzenernähr. Düng. u.Bodenk. B, Wirtsch.-Prakt. Teil. (384Z343B)

Popp, M., Contzen, J.& Gericke, S.

Das rätsel der dörrfleckenkrankheit. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. B. Wirtsch.-Prakt. Teil 13: 66-73. F.1934. no.2.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)

Gäumann, E., Roth, C. & Anliker, J.

Ueber die biologie der Herpotrichia nigra Hartig. Zeitschr. Pflanzenkr. 44: 97-116. illus. Mr.1934. no.3.

Reinmuth, E.

Ein weitere beitrag zur frage der eisenfleckigkeit der kartoffel. Zeitschr. Pflanzenkr. 44: 117-119. Mr.1934. no.3.

Zentralbl. Bakt. Abt.II (Jena) (448.3C33)

Neumann, G.

Ueber die mykorrhiza in der gattung Gentiana. Zentralbl. Bakt. Abt.II, 89: 433-458. illus. F.26, 1934. no.21/24.

Exp. Stat. Publ.

Garcia, F.

Reduction of chile wilt by cultural methods. New Mexico Agr. Exp. Stat. Bull.216. 15 p. illus. D.1933 (Rec'd Mr.1934) (100N465)

Blake, M. A.

Relative hardiness of 157 varieties of peaches and nectarines in 1933 and of 14 varieties in 1934 at New Brunswick, N.J. New Jersey Agr. Exp. Stat. Circ. 303. [7] p. F.1934. (100N46S)

Expt. Stat. Publ. (cont.)

Heald, F. D.

Division of plant pathology. Ann. Rep. Agr. Exp. Stat. Washington 43(1932/33, its Bull.291): 42-44. Ja. 1934 (100W27E)

New Books

Barley blight control conference, Dubuque, Iowa Sept. 20-21, 1933.

A report of a conference ... for the purpose of working out plans for reducing losses from scab, blight and other diseases of barley. (1.9P69Bb)

Mimeographed.

Carnegie institution of Washington. Yearbook no.32. 1933(500C21)

Div of plant biology. (H.A. Spoehr): p.179-211. (Photosynthesis - Investigations on cambium...- Growth in trees - Experimental taxonomy - Desert investigations - Ecology - Paleobotany - Cycadeoid investigations - Climatological researches)

Chalk, L.

Twenty West African timber trees. By L. Chalk, J. Burtt Davy, H.E. Desch, A.D. Hoyle... Oxford, Clarendon press, 1933. (Forest trees and timbers of the British Empire. Ed. by L. Chalk and J. Burtt Davey. II) (99.790x2)

Küster, E.

Hundert jahre Tradescantia. Jena, G. Fischer 1933 (463.5K96)

Mairet, E. M.

Vegetable dyes, being a book of recipes and other information useful to the dyer. Ditchling, Hassocks, Sussex, St. Dominic's Press, 1931. (306M282V)

Michurin, I. V.

Vyvedebie novykh uluchshennykh sortov plodovykh i i͡agodnykh rasteniĭ [Investigations of new varieties of fruits and berries] Moskva, Sel'khozgiz, 1933. (93.28M58V)

Russian.

Is new ed. of his Itogi poluvekovkh rabot po vyvednii͡u novykh sortov plodovykh rastenii.

New Books (cont.)

Society of American bacteriologists

Bergey's manual of determinative bacteriology; a key for the identification of organisms of the class Schizomycetes, by David H. Bergey, 4th ed. Baltimore, Williams & Wilkins, 1934. (448.2So12)

Schoeller, W. & Goebel, H.

Method of influencing plant growth. Patented 0.3, 1933. U.S. Patent Off. 1,929,079. 2 p. 1933. (Pamph. 90.11Sch)

Welsh plant breeding station

An account of the organization and work of the station from its foundation in April, 1919 to July, 1933. Aberystwity, Cambrian news, 1933 (103Un322A)

Pests and plant diseases: p.65-71.

Translations filed in Library of Bur. of Plant Industry.

Bally, W.

Over de Hollandsche iepenziekte. (The Dutch elm disease). Bergcultures 3: 645-647. D.29, 1928.

Bavendamm, W.

Neue untersuchungen über die lebensbedingungen holzzerstörender pilze. Ein beitrag zur frage der krankheitsempfänglichkeit unserer holz pflanzen. I. Gasversuche. (New investigations into the life conditions of wood-destroying fungi. A contribution to the problem of the susceptibility to disease of our trees and shrubs. I. Gas experiments) Centralbl. Bakt. Abt.II. 75: 426-452, 503-533. S./O. 1928.

Beekman, H. & Malsch, F. W.

Bestrijding van de iepenziekte. (Fighting the Dutch elm disease). Meded.Nederl. Boschbouwer. no.20. [2] p. N.17, 1931.

Betrem, J. G.

De iepenziekte en de iepenspintkevers. (The elm disease and the elm sapwood beetles). Tijdschr. Plantenz. 35: 273-288. N.1929.

Bondartzev, A.

Polyporus imberbis (Bull.) Fr. [as a parasite on trees] Bolezn. Rast. (Morb. Plant.) 13: 124-128. 1924.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ MAY 1 - 1934 ★
U. S. Department of Agriculture

Vol.16, no.8. April 9-21,1934.

Agricultural History (30.98Ag8)
Hendry, G. W.
The source literature of early plant introduction into Spanish America. Agricultural History 8:64-71. Ap.1934. no.2.

Amer. Orchid Soc. Bull. (80Am329)
Ames, O.
Ernst Hugo Heinrich Pfitzer, 1846-1906. Amer. Orchid Soc. Bull. 2:57-58. port. Mr. 1934. no.4.

Knudson, L.
Storage and viability of orchid seed. Amer. Orchid Soc. Bull. 2:66. Mr.1934. no.4.

Warne, R. E.
Orchid culture in the Philippines. I- Amer. Orchid Soc. Bull. 2:59-65. illus. Mr.1934. no.4.
I. Climate of the Philippines and its relation to orchids.

Wherry, E. T.
Native orchids. Our eastern orchids and their cultivation. 5. The spurred orchids, pt.2. Amer. Orchid Soc. Bull. 2:67-68. illus. Mr.1934. no.4.

Hybrid orchids of American origin. I- Amer. Orchid Soc. Bull. 2:71. Mr.1934. no.4.
With names and parentages of all hybrids, names of originators and dates of registration.

Angew. Bot. (Berlin) (450An4)

Scheibe, A.

Die schoss- und reifeperiode des hafers in ihrer abhängigkeit von der physiologischen konstitution des saatgutes. Angew. Bot. 16:58-100, illus. Ja./F.1934. no.1.

Schmidt, E.

Experimentelle untersuchungen über die auswuchsneigung und keimreife als sorteneigenschaften des getreides. Angew. Bot. 16:10-50. illus. Ja./F.1934. no.1.

Schmidt, E. W.

Die wurzelbildmethode. Angew. Bot. 16:1-9. illus. Ja./F.1934. no.1.

Voss, J.

Ueber den sortensystematischen wert der deckspelze und vorspelze von Triticum vulgare. Angew. Bot. 16:50-57. illus. Ja./F.1934. no.1.

Ann. Rep. Dept. Agr. Assam (22As7Rp)

Assam, India. Dept. of agriculture

Mycology In its Ann. Rep. 1932/33:51-53. 1933.

Arch. Koffiecult. Nederl.-Indië (Soerbaia) (68.28Ar2)

Haan, J. T. de

Korte gegevens betreffende de cacao-cultuur. Arch. Koffiecult. Nederl.-Indië 7:1-74. D.1933.

Ziekten en plagen: p.45-64.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Dieterle, H., Leonhardt, H. & Dorner, K.

Ueber einige inhaltsstoffe der stammrinde von Lophopetalum toxicum. II. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272:172-190. illus. Mr.1934. no.3.

Dieterle, H. & Salomon, A.

Ueber onocerin, das phytosterin der hauhechel, Ononis spinosa L. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272:142-151. Mr.1934. no.3.

Jaretzky, R. & Axer, B.

Beiträge zur pharmakognosie von Sarothamnus scoparius Koch und paraellelodrogen. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272:152-167. Mr.1934. no.3.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (cont.)

Keller, O.
Untersuchungen über Orthosiphon stamineus Benth. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272:242-256. Mr.1934. no.3.

Kofler, L. & Steidl, G.
Ueber das vorkommen und die verteilung von saponien in pflanzlichen drogen. II. Blätter, früchte, rinden, hölzer, wurzeln und rhizome. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272:300-312. Mr.1934. no.3.

Küssner, W.
Ergoclavin, ein neues spezifisches alkaloid des mutterkorns. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272:503-504. Mr.1934. no.3.

Wasicky, R., Rotter, G. & Thumer, A.
Einbeitrag zur kenntnis der hesperidinartigen verbindungen und flavone in den pflanzen. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272:290-296. Mr.1934. no.3.

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Boas, F.
Beiträge zur wirkungsphysiologie einheimscher pflanzen. I. Ber. Deut. Bot. Ges. 52:126-131. Mr.22,1934.

Donat, A.
Zur begrenzung des Magellanischen florengebietes. Ber. Deut. Bot. Ges. 52:131-152. illus.(maps). Mr.22,1934. no.2.
Vorläufige mitteilung.

Koch, H.
Ein profil aus dem Bourtanger Moor als beispiel zur moor- und waldgeschichte an der Mittelems. Ber. Deut. Bot. Ges. 52;101-109. Mr.22,1934. no.2.

Schneider, E.
Einer vortrag über chlorophyllartige farbstoffe bei den purpurbakterien. Ber. Deut. Bot. Ges. 52:96-100. Mr.22,1934. no.2.

Ber. Deut. Bot. Ges. (cont.)

Söding, H.

Ueber die bedingungen für die entstehung der sonnenblätter. Ber. Deut. Bot. Ges. 52:110-120. illus. Mr. 22,1934. no.2.

Ber. Ohara Inst. Landw. Forsch. (Kurashiki) (107.60hl)

Itano, A. & Matsuura, A.

Influence of iodine on physiological activities of microorganisms. Ber. Ohara Inst. Landw. Forsch. 6:73-81. pl.vii. 1933. no.1.

Itano, A.

Reports on general survey and investigation on agar. Ber. Ohara Inst. Landw. Forsch. 6:59-72. pl.iv-vi. 1933. no.1.

Kondo, M. & Isshiki, S.

Spontane entstehung von zwei missgestaltenen reispflanzen und ihre vererbungsverhältnisse. Ber. Ohara Inst. Landw. Forsch. 6:1-12. illus. 1933. no.1.

Kondo, M. & Kasahara, Y.

Versuche bezüglich der aufbewahrung der sporen von shiitake, Cortinellus shiitake Schroet. Ber. Ohara Inst. Landw. Forsch. 6:27-40. 1933. no.1.

Kondo, M. & Kasahara, Y.

Vorkommen anormaler keimlinge in den melonensamen. Ber. Ohara Inst. Landw. Forsch. 6:13-26. illus. 1933. no.1.

Nisikado, Y., Matsumoto, H. & Yamauti, K.

Reports on the physiological specialization of Fusarium. I-II. Ber. Ohara Inst. Landw. Forsch. 6:113-130, 131-147. 1933. no.1.

I. On the differentiation of the pathogenecity among the strains of rice-"bakanae"-fungus. II. Temperature relations to the growth of the rice-"bakanae"-fungus.

Biochem. Journ. (London) (382B52)

Clutterbuck, P. W., Haworth, W. N. & others

Studies in the biochemistry of micro-organisms. XXXVI. Biochem. Journ. 28:94-110. 1934. no.1.

XXXVI. The metabolic products of Penicillium charlesii G. Smith.

Biochem. Journ. (cont.)

Pollard, A. & Chibnall, A. C.

The proteins of grasses. III. The cystine content of certain grasses and other pasture plant proteins. Biochem. Journn. 28:326-336. 1934. no.1.

Yuill, J. L.

The acids produced from sugar by a Penicillium parasitic upon Aspergillus niger. Biochem. Journ. 28:222-227. 1934. no.1.

Biochem. Zeitschr. (Berlin) (384B522)

Rimington, C. & Quin, J. J.

Das vorkommen eines methämoglobinämie erzeugenden prinzips bei einigen arten der pflanzenfamilie Tribulus. Biochem. Zeitschr. 269:4-13. Mr.17, 1934. no.1/3.

Bol. Union Panamer. (Washington) (150.9M76B)

Vinall, H. N.

Importantes pastos tropicales. II. (concl.) Bol. Union Panamer. 68:278-291. illus. Ap. 1934. no.4.

No.92, Ser. de Impresos sobre agricultura.

Boll. Sez. Ital. Soc. Intern. Microbiol. (Milano) (448.3Sol)

Curzi, M.

La maladie de l'encre sur le noyer (Juglans regia). Boll. Sez. Ital. Soc. Intern. Microbiol. 5:341-344. D.1933. no.12.

Bot. Mag. Tokyo (450B651)

Aishima, T.

Chromosome numbers in the genus Cirsium. I- Bot. Mag. Tokyo 48:150-151. F.1934. no.566.

Akiyama, S.

Systematic anatomy of the leaves of some Japanese Carices. V. Bot. Mag. Tokyo 48:143-149. illus. F.1934. no.566.

Japanese.

Emoto, Y.

Entwicklung der sporangien von myxomyceten. III-IV. Bot. Mag. Tokyo 48:61-67, 152-158. illus. Ja.,F.1934. no.565,566.

III. Ueber drei arten von Stemonitaceae. IV. Ueber einige arten von Heterodermaceae und Reticulariaceae.

Japanese with brief German summaries.

Bot. Mag. Tokyo (cont.)

Hiratsuka, N.
On some new species of Milesina. Bot. Mag. Tokyo 48:39-47. illus. Ja.1934. no.565.

Kanehira, R.
New or noteworthy trees from Micronesia. V. Bot. Mag. Tokyo 48:116-130. illus. F.1934. no.566.

Kitagawa, M.
Contributio ad cognitionem florae Manshuriae. II-III. Bot. Mag. Tokyo 48:1-38, 91-115. illus. Ja., F.1934. no.565,566.

Maekawa, F.
Alabastra diversa. III. Bot. Mag. Tokyo 48:48-53. illus. Ja.1934. no.565.

Miki, S.
On the sea-grasses in Japan. II. Cymodoceaceae and marine Hydrocaritaceae. Bot. Mag. Tokyo 48:131-142. illus. F.1934. no.566.

Tatuno, S.
Ueber die chromosomenzahlen bei drei anthocerotaceen, mit besonderer rücksicht auf ihre heterochromosomen. Bot. Mag. Tokyo 48:54-60. illus. Ja.1934. no.565.
Japanese with German summary.

Bot. Arch. (Leipzig) (450B6526)

Fehér, D. & Kiss, L.
Untersuchungen über die pflanzenassoziationsverhältnisse einiger mittel- und nordeuropäischer waldböden mit besonderer berücksichtigung der jahreszeitlichen schwankungen der bodenazidität. Bot. Arch. 36:53-98. Mr.1934. no.1/2.

Glage, U.
Funktion und entwicklung des öffnungsmechanismus der hülsen von Lathyrus niger. Bot. Arch. 36:1-52. illus. Mr.1934. no.1/2.

Peterhänsel, H.
Experimentelle untersuchungen über die beziehungen zwischen bodenfeuchtigkeit und wasserverbrauch der pflanzen. Bot. Arch. 36:99-151. illus. Mr.1934. no.1/2.

Bot. Not. (Lund, Sweden) (450B656)

Allander, H.
Rubus axillaris Lejeune = R. Leyi F. = R. scanicus Aresch. Bot. Not. 1934:145-148. Mr.15,1934. no.1/2.

Haglund, G. E.
Nagra nya eller i Sverige nyfunna Taraxacum-arter. Bot. Not. 1934:1-42. illus. Mr. 15,1934. no.1/2.

Kjellmark, S.
Einige neue chromosomenzahlen in der familie Chenopodiaceae. Bot. Not. 1934:136-140. illus. Mr.15,1934. no.1/2.
Vorläufige mitteilung.

Lange, T.
Calypso bulbosa (L.) Oakes i Sverige. Bot. Not. 1934:43-63. illus.(map). Mr.15,1934. no.1/2.

Mauritzon, J.
Ein beitrag zur embryologie der phytolaccaceen und cactaceen. Bot. Not. 1934:111-135. illus. Mr.15,1934. no.1/2.

Naumann, E.
Georg Lönnerblad, 1903-1933. Bot. Not. 1934:155-171. port. Mr.15,1934. no.1/2.

Norlindh, T. & Weimarck, H.
Beiträge zur kenntnis der flora von Süd-Rhodesia. II. Bot. Not. 1934:64-110. illus. Mr.15,1934. no.1/2.

Sylvén, N.
Selim Birger, 1879-1931. Bot. Not. 1934:150-154. port. Mr.15,1934. no.1/2.

Botaniste (Paris) (450B657)

Yen-An, F.
Recherches cytologiques sur la caryocinèse, la spermatogénèse et la fécondation chez les caprifoliacées. Botaniste 26:1-84. viii pl. F.1934. no.1.
En particulier sur la présence de centrosomes présidant à la caryocinèse dans les Lonicera.

Bulet. Acad. Stud. Agron. Cluj (21C62)

Miron, G.
Saugkraftmessungen en nelken. Bulet. Acad. Stud. Agron. Cluj 4:321-335. 1933. no.1.

Pater, B.
Neuere beobachtungen über den heilwert von Leonurus cardiaca L. Bulet. Acad. Stud. Agron. Cluj 4:254-258. 1933. no.1.

Prodan, I.
Conspectul sociologic si sistematic al florei acvatice şi palustre din România. (Ein soziologisch systematischer konspekt der wasser- und sumpfpflanzen Rumäniens). Bulet. Acad. Stud. Agron. Cluj 4:158-253. 1933. no.1.

Saulescu, N.
Contributiuni la genetica grâului (Beiträge zur genetik des weizens. I-). Bulet. Acad. Stud. Agron. Cluj 4:11-33. viii pl. 1933. no.1.

Bull. Misc. Inform. Kew (London) (89K51B)

Bruce, E. A.
The giant Lobelias of East Africa. Bull. Misc. Inform. Kew 1934:61-88. illus., pl.v. 1934. no.2.

Fischer, C. E. C.
Plants new to Assam. VI. Bull. Misc. Inform. Kew 1934:90-94. 1934. no.2.

Rickett, H. W.
Specimens collected by Bradbury in Missouri territory. Bull. Misc. Inform. Kew 1934:49-61. 1934. no.2.

Sprague, T. A.
Ochrocarpos madagascariensis. Bull. Misc. Inform. Kew 1934:88-90. pl.vi. 1934. no.2.

Stapf, O.
Lilium, Notholirion and Fritillaria. Bull. Misc. Inform. Kew 1934:94-96. 1934. no.2.

Bull. Soc. Nat. Acclim. France (Paris) (410.9P21)

Chouard, P.

La multiplication végétative et le bourgeonnement chez les plantes vasculaires. (cont.) Bull. Soc. Nat. Acclim. France 81:55-75. illus. F. 1934. no.2.

Bull. Soc. Sci. Nat. l'Ouest France (505N15)

Amossé, A.

Diatomées de la Loire-Inférieure. Bull. Soc. Sci. Nat. l'Ouest France 42(V,v.2):1-57. pl.1. Ag.31,1933. no.1/3.

Carpentier, A.

Description d'un sol fossile de végétation de lépidodendrées découvert dans la pierre carrée du bassin de la Basse-Loire. Bull. Soc. Sci. Nat. l'Ouest France 42(V, v.2):59-64. illus., pl. ii-iv. Ag.31,1933. no.1/3.

Carpentier, A.

Empreintes de lépidodendrées des schistes de Saint-Géréon (Loire-Inférieure). Bull. Soc. Sci. Nat. l'Ouest France 42(V, v.2):65-68. pl.v-vi. Ag.31,1933. no.1/3.

Butler Univ. Bot. Stud. (Indianapolis) (451B97)

Coffing, C.

Additions to the algal flora of Marion county, Indiana. Butler Univ. Bot. Stud. 3:99-101. Ap.1934. no.2/5.

Friesner, R. C. & Potzger, J. E.

Climax conditions and ecological status of Pinus strobus, Taxus canadensis and Tsuga canadensis in the pine hills region of Indiana. Butler Univ. Bot. Stud. 3:65-83. illus. Ap.1934. no.2/5.

Montgomery & Parke counties, Ind.

Palmer, C. M.

Algae of Steuben county, Indiana. I. Butler Univ. Bot. Stud. 3:102-103. Ap.1934. no.2/5.

Potzger, J. E. & Friesner, R. C.

Some comparisons between virgin forest and adjacent areas of secondary succession. Butler Univ. Bot. Stud. 3:85-98. Ap.1934. no.2/5.

Small area of undisturbed forest, six miles southwest of Holland in Dubois Co., Indiana.

Cactus & Succ. Jour. (Los Angeles) (451C11)

Howell, J. T.

Cacti in the Galapagos Islands. II. Cactus & Succ. Journ. 5:531-532. illus. Mr.1934. no.9.

Lahman, M. S.

Notes on Oklahoma cacti. Cactus & Succ. Journ. 5:537. illus. Mr.1934. no.9.

Poindexter, R. W.

Some remarks on Mesembryanthemums. Cactus & Succ. Journ. 5:533-536. illus. Mr.1934. no.9.

Smith, A.

What grows where. Cacti listed in accordance with their geographical origin. Compiled and copyrighted for Mrs. John D. Wright, Santa Barbara, Calif., 1933.(cont.) Cactus & Succ. Journ. 5:541-543. Mr.1934. no.9.

Canad. Field Nat. (Ottawa) (410.90t8)

Adams, J.

Some additions to the vascular flora of Anticosti Island. Canad. Field Nat. 48:63-65. Ap.1934. no.4.

Canad. Hort. (Peterboro, Ont.) (80C16)

Davis, M. B.

Balanced fertilizer practice as an aid to better keeping quality of fruit. Canad. Hort. 57:83-85. illus. Ap.1934. no.4.

Howitt, J. E.

The critical time in scab control. Canad. Hort. 57:86. illus. Ap.1934. no.4.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Sanford, G. B. & Broadfoot, W. C.

On the prevalence of pathogenic forms of Helminthosporium sativum and Fusarium culmorum in the soil of wheat fields and its relation to the root rot problem. Canad. Journ. Res. 10:264-274. Mr.1934. no.3.

Compt. Rend. Acad. Sci. Paris (505P21)

Colin, H. & Carles, J.

Affinités chimiques et hybridations chez les Iris. Compt. Rend. Acad. Sci. Paris 198:1257-1258. Mr.26,1934. no.13.

Costantin, J., Magrou, J., Bouget, & Jaudel, V.

Production expérimentale de mycorhizes chez la pomme de terre. Compt. Rend. Acad. Sci. Paris 198:1195-1197. Mr.26,1934. no.13.

Echevin, R.

L'évolution des phospholipides des feuilles au cours du jaunissement automnal. Compt. Rend. Acad. Sci. Paris 198:1254-1256. Mr.26,1934. no.13.

Gautheret, R.

Recherches sur la réduction du nitrate d'argent par les chloroplastes. Compt. Rend. Acad. Sci. Paris 198:1252-1254. Mr.26,1934. no.13.

Reduction due to presence of formaldehyde.

Malençon, G.

Nouvelles observations concernant l'étiologie du bayoud. Compt. Rend. Acad. Sci. Paris 198: 1259-1261. Mr.26,1934. no.13.

Due to a cycle of Fusarium, F. albedinis (Killian & Maire) Malençon.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Biecheler, B.

Sur le réseau argentophile et la morphologie de quelques péridiniens nus. Compt. Rend. Soc. Biol. Paris 115:1039-1042. illus. 1934. no.10.

Gyrodinium pavillardi n. sp.

Chatton, E.

L'existence d'un réseau ectoplasmique chez les Polykrikos et les précision qu'il fournit à la morphologie péridinienne. Compt. Rend. Soc. Biol. Paris 115:1036-1039. illus. 1934. no.10.

Davy de Virville, A.

Sur la coloration des membranes d'une hépatique (Alicularia compressa Nees.) par absorption d'un pigment rouge. Compt. Rend. Soc. Biol. Paris 115:1061-1063. illus. 1934. no.10.

Compt. Rend. Soc. Biol. Paris (cont.)

Eichhorn, A.
Le noyau et sa division chez le lupin. Compt. Rend. Soc. Biol. Paris 115:1064-1065. 1934. no.10.

Gilles, E. & Lafay, A.
Technique de l'irradiation des levures pour l'étude de leur sensibilité vis-a-vis de l'ultra-violet. Compt. Rend. Soc. Biol. Paris 115:1115-1117. 1934. no.10.

Yen-An, F.
Sur la technique employée a la recherche de la présence de centrosomes chez les Lonicera. Compt. Rend. Soc. Biol. Paris 115:1087-1088. 1934. no.10.

Deut. Landw. Presse (Berlin) (18D482)

Heuser, W.
Zur zuchtung von bodensäure-unempfindlichen weizen- und gerstensorten. Deut. Landw. Presse 61:141, 142. Mr.24,1934. no.12.

Meyer-Hermann, K.
Die tomatenfäule und ihre bekämpfung. Deut. Landw. Presse 61:141. Mr.24,1934. no.12.
Didymella lycopersici.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)

Bartsinskii, P. M.
O prorastanii semi͡an zarazikhi, porazhai͡ushchei podsolnechnik (On the germination of the seeds of Orobanche cumana). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1:340-346. F.21, 1934. no.6.
Russian and English.

Li͡ashchenko, I. F.
O tsvetenii roda Cucurbita (Ueber eigentümliche blütenformbildung bei einigen arten der gattung Cucurbita). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1:416-419. illus. Mr.1, 1934. no.7.
Russian and German.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (cont.)
Val'ter, O. A. & Lilienstern, M. F.
K diagnostike roda u konopli (Contributions to the diagnosis of sex in hemp). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 1:515-521. Mr.11,1934. no.8.
Russian and English.

Ecology (Brooklyn, N. Y.) (410Ec7)
Bowman, P. W.
Pollen analysis of Kodiak bogs. Ecology 15:97-100. Ap.1934. no.2.

Griggs, R. F.
The edge of the forest in Alaska and the reasons for its position. Ecology 15:80-96. illus. Ap.1934. no.2.

Purer, E. A.
Foliar differences in eight dune and chaparral species. Ecology 15:197-203. Ap.1934. no.2.
San Diego county, California.

Runyon, E. H.
The organization of the creosote bush with respect to drought. Ecology 15:128-138. illus. Ap.1934. no.2.

Schomer, H. A.
Photosynthesis of water plants at various depths in the lakes of northeastern Wisconsin. Ecology 15:217-218. Ap.1934. no.2.

Young, V. A.
Plant distribution as influenced by soil heterogeneity in Cranberry lake region of the Adirondack mountains. Ecology 15:154-196. illus. Ap. 1934. no.2.

Empire Cotton Grow. Rev. (London) (72.8Em7)
Mason, T. G. & Phillis, E.
A tentative account of the movement of food materials during the development of the cotton plant. Empire Cotton Grow. Rev. 11:121-124. Ap.1934. no.2.

Évkönyve Magyaróvári M. Kir. Gazd. Akad. (105.9M27)

Göllner, J.

Adatok a Diplodina agaves Moesz et Göllner fejlödésének ismeretéhez (Beiträge zur kenntnis der entwickelung der Diplodina agaves). Evkönyve Magyaróvári M.Kir. Gazd. Akad. 1931/32-1932/33: 95-101. illus. 1933.

Hungarian with short German summary.

Gróf, B.

Adatok a cukorrépa Gyökérfarok-rothadásának ismeretéhez (Beiträge zur rübenschwanzfäule der zuckerrübe). Evkönyve Magyaróvári M.Kir. Gazd. Akad. 1931/32-1932/33:22-40. illus. 1933.

Hungarian with short German summary.

Bacillus betae.

Farming So. Africa (Pretoria) (24So842)

Steyn, D. G.

The camel-thorn tree and other Acacia species as stockfeed. Farming So. Africa 9:89-90, 106. illus. Mr.1934. no.96.

Risk of stock being poisoned.

Steyn, D. G.

Senecio poisoning in animals. Farming So. Africa 9:97-99. illus. Mr.1934. no.96.

Flora (Jena) (450F66)

Bergdolt, E.

Ueber die bedingungen der phyllodienbildung bei Acacia und über licht-reizbewegungen an Oxalis rusciformis-phyllodien. Flora 127(n.s.27):362-379. illus. Mr.1934. no.4.

Eber, E.

Karpellbau und plazentationsverhältnisse in der reihe der Helobiae. Mit einem anhang über die verwandtschaftlichen beziehungen zwischen Ranales und Helobiae. Flora 127(n.s.27):273-330. illus. Mr.1934. no.4.

Höfler, K.

Regenerationsvorgänge bei Griffithsia schousboei. Flora 127(n.s.27):331-344. illus. Mr.1934. no.4.

Kaule, A.

Ueber die cephalodien der flechten. 2. Flora 127(n.s.27):345-361. Mr.1934. no.4.

Flow. Grow. (Calcium, N. Y.) (80M72)

Shull, J. M.

Comments on the "breaking" of tulips. Flow. Grow. 21:164. Ap.1934. no.4.

Flor. Rev. (Chicago) (80W41)

Changes of air lengthen carnation life. Flor. Rev. 63(1898):21. Ap.12,1934.

Results of experiments conducted under sponsership of Middle Atlantic carnation growers' association.

Friesia Nord. Mykol. Tidsskr. (København) (450F91)

Bjørnekaer, K. & Buchwald, N. F.

Om kløvblad (Schizophyllum alneum [L.] Schröt.) i Danmark. (On Schizophyllum alneum (L.) Schröt. in Denmark). Friesia Nord. Mykol. Tidsskr. 1:95-108. D.1933. no.2.

English summary: p.106-107.

Ferdinandsen, C.

Ove Rostrup 1864-1933. Friesia Nord. Mykol. Tidsskr. 1:137-138. port. D.1933. no.2.

Ferdinandsen, C.

Russula solaris F. & W. Til diskussionen om artens systematik og nomenklatur. (Zur systematik und nomenklatur der Russula solaris F. & W.). Friesia Nord. Mykol. Tidsskr. 1:109-117. D.1933. no.2.

German summary: p.114-116.

Hintikka, T. J.

Ueber die verbreitung von Phallus impudicus L. in Finnland. Friesia Nord. Mykol. Tidsskr. 1:88-90. illus.(map). D.1933. no.2.

Horn, K.

Mykorrhizasopp som hekseringdanner. (A mycorrhizal fungus forming fairy rings). Friesia Nord. Mykol. Tidsskr. 1:81-83. illus. D.1933. no.2.

English summary: p.83.

Hebeloma crustuliniforme, forms mycorrhiza on Betula lenta.

Møller, F. H.

Pasthyra typhae (Kalchbr.) Fr. dunhammerstribehat. (Psathyra typhae (Kalchbr.) Fr., der rohrkolben-mürbling). Friesia Nord. Mykol. Tidsskr. 1:84-87. illus. D.1933. no.2.

German summary: p.87.

Friesia Nord. Mykol. Tidsskr. (cont.)

Robak, H.

Pholiota mutabilis (Schaeff.) Quel. som råresopp på tremasse. (Pholiota mutabilis (Schaeff.) Quél. as a rot fungus on wood pulp). Friesia Nord. Mykol. Tidsskr. 1:91-94. illus. D.1933. no.2.

English summary: p.93.

Gard. Chron. (London) (80G162)

Balls, E. K.

Plant collecting in Persia. VII. Kuh-i-Hazar. Gard. Chron. III, 95:214-215. illus. Mr.31, 1934. no.2466.

Friend, H.

Herbals and herbalists. VII. The age of transition. Gard. Chron. III, 95:198. Mr.24,1934. no.2465.

Ogilvie, L.

Antirrhinum rust. Gard. Chron. III, 95:217. Mr.31,1934. no.2466.

Ogilvie, L. & Mulligan, B. O.

The Fusarium wilt of China asters in England. Gard. Chron. III, 95:215-216. illus. Mr.31, 1934. no.2466.

F. conglutinans var. callistephi & var. majus.

Roach, W. A.

Budding and grafting razors. Gard. Chron. III, 95:196-197. illus. Mr.24,1934. no.2465.

Ward, F. K.

The big-leafed Vaccinium. Gard. Chron. III. 95:212-213. Mr.31,1934. no.2466.

Ward's no.9197, not V. glauco-album.

Helvetica Chim. Acta (Basel) (385H36)

Karrer, P. & others

Pflanzenfarbstoffe. LVIII-LIX. Helvetica Chim. Acta 17:412-416,417-419. 1934. no.2.

LVIII. Ueber ein neues vorkommen des astacins. Ein beitrag zu dessen konstitution. LIX. Vorläufige mitteilung über neue oxydationsprodukte aus alpha-carotin und physalien. Alpha-carotin-dijodid.

Helvetica Chim. Acta (cont.)

Rupe, H., Clar, G., Pfau, A. & Plattner, P.
Zur kenntnis der flüchtigen pflanzenstoffe. II. Ueber thurmeron, den riechstoff des curcumaöls. Helvetica Chim. Acta 17:372-389. 1934. no.2.

Intern. Sugar Journ. (London) (65.8In8)

Leake, H. M.
The sugar cane and weather. Intern. Sugar Journ. 36:147-151. Ap.1934. no.424.

Journ. Agr. Prat. (Paris) (14J82)

Fron, G.
Les chlorates et leur emploi en agriculture. Journ. Agr. Prat. 8(2):241-244. illus. Mr.24, 1934. no.12.

Journ. Amer. Chem. Soc. (381Am33J)

Adams, M. & Adams, G. R.
Essential oil in desert plants. IV. Examination of the oil of Tetrademia glabrata. Journ. Amer. Chem. Soc. 56:991-992. Ap.1934. no.4.

Strong, F. M. & Peterson, W. H.
The chemistry of mold tissue. IV. The lipids of Aspergillus sydowi. Journ. Amer. Chem. Soc. 56:952-955. Ap.1934. no.4.

Journ. & Proc. Roy. Soc. N.S.W. (Sydney) (514Sy24)

Harrison, T. H.
Brown rot of fruits and associated diseases of deciduous fruit trees. I. Historical review and critical remarks concerning taxonomy and nomenclature of the causal organisms. Journ. & Proc. Roy. Soc. N. S. W. 67:132-177. 0.13,1933. no.1.

Journ. Bot. (London) (450J82)

Albrecht, J. H.
Synopsis of the European species of Pogonatum and Polytrichum. (concl.) Journ. Bot. 72:104-110. Ap.1934. no.856.

Ardagh, J.
"Catalogue of trees, shrubs [&c] in the gardens near London," 1730. Journ. Bot. 72:110-111. Ap.1934. no.856.

Journ. Bot. (cont.)

Dandy, J. E.

The identify of Lassonia Buc'hoz. Journ. Bot. 72:101-103. Ap.1934. no.856.

Magnolia heptapeta (Buc'hoz) Dandy (Lassonia); M. quinquepeta (Buc'hoz) Dandy (Lassonia).

Pearsall, W. H.

Viola lepida Jord. Journ. Bot. 72:113-114. Ap.1934. no.856.

Rendle, A. B.

George Russell Bullock-Webster (1858-1934). Journ. Bot. 72:111-112. Ap.1934. no.856.

Vermeulen, P.

Orchis latifolia L. Journ. Bot. 72:97-101. illus., pl.603. Ap.1934. no.856.

Author concludes O. latifolia var. majalis Kittel does not occur in England, but perhaps in Scotland; O. latifolia junialis Vermeulen and O. praetermissa Druce not two different species.

Journ. Dept. Agr. Kyushu Imp. Univ. (Fukuoka, Japan) (107.6K995)

Kosaka, H.

Die beziehungen zwischen den verschiedenen physiologischen erscheinungen der pflanzen und den an verschiedenen vegetationsorganen in erscheinung tretenden farbstoffen. VI. Ueberblick bisher erhaltener ergebnisse und erwägungen ueber ihre anwendbarkeit auf praktischen gebieten. Journ. Dept. Agr. Kyushu Imp. Univ. 4:127-160. Mr.10,1934. no.3.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)

Clarke, G. H.

Important weeds of South Australia. 2-3. The star and saffron thistles. (Centaurea calcitrapa L., and Carthamus lanatus, L.) Journ. Dept. Agr. So. Australia 37:855-858. col.pl. F.15,1934. no.7.

Garrett, S. D.

Factors affecting the severity of take-all. 2. Soil temperature. Journ. Dept. Agr. So. Australia 37:799-805. illus. F.15,1934. no.7.

Warren, A. L.

Black-eyed Susan, or rock lily, Ornithogalum thyrsoides (Jacq.). Journ. Dept. Agr. So. Australia 37:974-975. illus. F.15,1934. no.7.

Journ. For. (Washington) (99.8F768)

Hansbrough, J.R.

Occurrence and parasitism of Aleurodiscus amorphus in North America. Journ. For. 32: 452-458. illus. Ap.1934. no.4.

Horton, G. S. & Hendee, C.

A study of rot in aspen on the Chippewa national forest. Journ. For. 32:493-494. Ap.1934. no.4.

Fomes igniarius & F. applanatus.

Landhart, D. Y.

Initial root development of longleaf pine. Journ. For. 32: 459-461. Ap.1934. no.4.

McComb, A. L.

The relation between acorn weight and the development of one year chestnut oak seedlings. Journ. For. 32: 479-484. illus. Ap. 1934 no.4.

Journ. Washington Acad. Sci. (500W276J)

Berry, E. W.

A pine from the Potomac Eocene. Journ. Washington, Acad. Sci. 24:182-183. illus. Ap.15,1934. no.4.

Pinus lynni n. sp.

Berry, E. W.

Pliocene in the Cuenca Basin of Ecuador. Journ. Washington Acad. Sci. 24:184-186. illus. Ap.15,1934.

Griggs, R. F.

The problem of arctic vegetation. Journ. Washington Acad. Sci. 24:153-175. Ap.15,1934. no.4.

Kakteenk. Deut. Kakteen-Ges. (451D482)

Bödeker, F.

Ueber Mammillaria (Neomall.) jaliscana Britt. & Rose. Kakteenk. Deut. Kakteen-Ges. 1934:75. illus. Ap.1934. no.4.

Kosmos (Stuttgart) (474K842)

Wulfert, K.

Das geheimnis des aronstabes. Kosmos 31: 124-126. illus., col.pl. Ap.1934. no.4.

Arum maculatum.

Landw. Jahrb. (Berlin) (18L23)

Dix, W.

Zuchtungsversuche mit getreide. Landw. Jahrb. 79:335-369. illus. 1934. no.3.

Profft, E. & Körting, A.

Untersuchungen über pyrethringehalt und insektizide wirkung von dalmatinischem Pyrethrum. Landw. Jahrb. 79:415-430. illus. 1934. no.3.

Madrono (San Francisco) 450M26)

Abrams, L.

The dwarf Gaultherias in California. Madrono 2:121-122. Ap. 1934. no.15.

G. humifusa & G. ovatifolia.

Ball, C. R.

Teratology in willows. Madrono 2:122-123. Ap. 1934. no.15.

Ewan, J.

Anstruther Davidson: An appreciation. Madrono 2:124-128. port. Ap.1934. no.15.

Bibliography of the botanical writings of A. Davidson: p.126-128.

Meded. Boschbouwproefst. Nederl.-Indië (Botavia) (99.9Ea72)

Eidemann, F. E.

Kiemingsonderzoek bij een 55-tal wildhoutsoorten en groenbemesters. Meded. Boschbouwproefst. Nederl.-Indië no.26. 156 p. illus. 1933.

Mid west dahlia news (80M585)

Allen, H. F.

Causes and effects of dahlia mosaic. Mid west dahlia news 2(3):6-8. illus. Ap.1934.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)

Rauhut, G.

Alpen-pflanzen und felson-anlagen. VI. (concl.) Möller's Deut. Gärtn.-Zeit. 49:90-91. Mr.21, 1934. no.8.

Monatsh. Chem. (Vienna) (384M74)

Bisko, J. & Zellner, J.

Zur chemie der rinden. IX. mitteilung. Monatsh. Chem. 64: 12-16. Mr.1934. no.1.

Beiträge zur vergleichenden pflanzenchemie XXV. Zizyphus vulgaris, Fraxinus excelsior.

Brunner, O. & Wiedemann, G.

Ueber die inhaltsstoffe der weissbuchenrinde. Monatâsh. Chem 63: 368-373. Ja. 1934. no.5/6.

Is no.I of his Zur chemie der rindenstoffe.

Brunner, O. & Wöhrl, R.

Zur chemie der rindenstoffe. II. Ueber die inhaltsstoffe der haselrinde. Monatsh. Chem. 64: 21-27. Mr. 1934. no.1.

Zellner, J.

Zur chemie der flechten III. Parmelia physodes L. Monatsh. Chem. 64: 6-11. Mr. 1934. no.1.

Nature (London) (472N21)

Jane, F. W.

Terminal and initial parenchyma in wood. Nature 1933: 534. Ap.7, 1934. no.3362.

In Cedrela odorata, Swietenia mahagoni and others.

Lang, W. D.

Dr. F.A. Bather, F.R.S. Nature 133: 485-486. Mr.31, 1934. no.3361.

Ledingham, G. A.

Zoospore ciliationin the Plasmodiophorales. Nature 122: 534. illus. Ap.7, 1934. no.3362.

Nature Mag. (Washington) 409.6N214)

Lovell, J. H.

Our honey plants. Some of the royalty that supply the bees. Nature Mag. 23: 231-234. Illus. My.1934. no.5.

Pflanzenbau (Berlin) (18P48)

Sostarić-Pisaćić,K, v.

Einfluss der warme auf den keimungsprozess bei sudangras. Pflanzenbau. 10: 331-350. Mr.1934. no.9.

Philipp. Journ. Sci. (Manilla) (473P53)

Ames, O. & Quisumbing, E.
New or noteworthy Philippine orchids. IV. Philipp. Journ. Sci. 52:443-473. 17 pl. (3 col.) D. 1934. no.4.

Santos, J. K.
Morphology of the flower and mature grain of Philippine rice. Philipp. Journ. Sci. 52: 475-503. illus., 7 pl. D.1933. no.4.

Phytopath. (464.8P56)

Allen, T. C., Pinckard, J.A. & Riker, A.J.
Frequent association of Phytomonas melophthora, with various stages in the life cycle of the apple maggot, Rhagoletis pomonella. Phytopath. 24: 228-238. illus. Mr.1934. no.3.

Burnett, G.
The longevity of the latent and veinbanding viruses of potato in dried plant tissue. Phytopath. 24: 215-227. Mr. 1934. no.3.

Cochran, L. C.
The host specificity of Septoria petroselini and S. apii-graveolentis. Phytopath. 24: 309-310. Mr. 1934. no.3.

Dahl, A. S.
Snowmold of turf grasses as caused by Fusarium nivale. Phytopath. 24: 197-214. illus. Mr.1934. no.3.

Esau, K.
Cell degeneration in relation to sieve-tube differentiation in curly-top beets. A preliminary note. Phytopath. 24: 303-305. illus. Mr.1934. no.3.

Ezekiel, W. N. & Taubenhaus, J.J.
Variety tests in the differentiation of two cotton wilts. Phytopath. 24: 292-295. Mr. 1934. no.3.
Fusarium vasinfectum and an apparently different wilt designated temporarily as Waxahachie.

Fawcett, E. H. & Bryan, M. K.
Color in relation to virulence in Aplanobacter michiganense. Phytopath. 24: 308-309. Mr.1934. no.3.

Phytopath. (cont.)

Henderson, R. G.
Occurrence of tobacco ring-spot-like viruses in sweet clover Phytopath. 24: 248-256. illus. Mr.1934. no.3.

Magistad, O. C. & Oliveria, J.M.
Changes in plant-food intake caused by a population of Heterodera marioni (Cornu) Goodey on Ananas comosus. Phytopath. 24: 276-283. illus. Mr. 1934. no.3.

Mehrlich, F. P.
Control of Phytophthora heart rot of pineapple plants. Phytopath. 24: 173-196. illus. Mr. 1934. no.3.

Rumbold, C. T.
A new species of Graphium causing lumber stain. Phytopath. 24: 300-301. illus. Mr. 1934. no.3.
G. rubrum n.sp.

Small, C. G.
Quantitative determination of sulphur on leaves by titration. Phytopath. 24: 296-299. illus. Mr.1934. no.3.

Smith, C. O.
Olive knot on Olea chrysophylla. Phytopath. 24: 307-308. illus. Mr. 1934. no.3.

Walker, J. C. & Murphy, A.
Onion-bulb decay caused by Aspergillus alliaceus. Phytopath. 24: 289-291. illus. Mr. 1934. no.3.
Causing decay of imported garlic bulbs, is also pathogenic to onion tho not found upon the latter in nature.

Weimer, J. L.
Studies on alfalfa mosaic. Phytopath. 24: 239-247. illus. Mr.1934. no.3.

Winters, R. & Small, C. G.
An automatic moisture-recording device. Phytopath. 24: 284-288. Mr. 1934. no.3.

Phytopath. (cont.)
Young, P. A.
Fungi and bacteria as indicators of the effects of petroleum oils on apple leaves. Phytopath. 24: 266-275. illus. Mr.1934. no.3.

Zeller, S. M. & Lund, W. T.
Yellow rust of Rubus. Phytopath. 24: 257-265. Mr. 1934. no.3.
Authors convinced it is caused by Phragmidium rubi-ideai.

Planta Arch. Wiss. Bot. (Berlin) (450P693)
Cholodny, N.
Ueber die bildung und leitung des wuchshormons bei den wurzeln. Planta Arch. Wiss. Bot. 21: 517-530. illus. Mr.8, 1934. no.4.
Experiments with Avena and Zea mays.

Czaja, A. T.
Untersuchungen über metachromatische färbungen von pflanzengeweben. II. Basische farbstoffe. Planta Arch. Wiss. Bot. 21: 531-601. illus. Mr.8, 1934. no.4.

Dahlgren, K. V. O.
Die embryosackentwicklung von Echinodorus macrophyllus und Sagittaria sagittifolia. Planta Arch. Wiss. Bot. 21: 602-612. illus. Mr.8, 1934. no.4.

Kerstan, G.
Eine methode zur bestimmung des glukosidzuckers und der ubrigen kohlehydrate in pflanzen, besonders. in Aesculus und Salix. Planta Arch.Wiss. Bot. 21: 657-676. Mr.8, 1934. no.4.

Kerstan, G.
Zur physiologischen bedeutung der glukoside in Aesculus und Salix im rahmen der übrigen kohlehydrate. Planta Arch. Wiss. Bot. 21: 677-698. Mr.8, 1934. no.4.

Polster, H.
Eine neue mikrozuckerbestimmungsmethode durch manometrische bestimmung der gärungskohlensäure nach Warburg. Planta Arch. Wiss. Bot. 21: 699-700. Mr. 8, 1934. no.4.

Planta Arch. Wiss. Bot. (cont.)
Winkler, H.
Ueber zwei Solanum-chimären mit burdonen-epidermis. Planta Arch. Wiss. Bot. 21: 613-656. illus. Mr.8, 1934. no.4.

Proc. Nat. Acad. Sci. (500N21P)
Allen, C. E.
A diploid female gametophyto of Sphaerocarpos. Proc. Nat. Acad. Sci. 20: 147-150. illus. Mr.1934. no.3.

Cooper, D. C.
Development of the embryo sac of Lilium henryi. Proc. Nat. Acad. Sci. 20: 163-166. illus. Mr. 1934. no.3.

East, E. M.
Norms of pollen-tube growth in incompatible matings of self -sterile plants. Proc. Nat. Acad. Sci. 20: 225-230. Ap.1934. no.4.
Experiments with Nicotiana sanderae, N. alata and their hybrids.

Proc. N.Y. State Hort. Soc. (81N484)
Gloyer, W. O.
Fruit diseases of the past season. Proc. N.Y. State Hort. Soc. 79(1934): 7-11. 1934.

Hamilton, J. M.
Further studies with fungicides for scab control in the Hudson Valley. Proc. N.Y. State Hort. Soc. 79(1934): 197-201. 1934.

Rankin, W. H.
Practical points on controlling diseases in raspberries. Proc. N.Y. State Hort. Soc. 79(1934): 182-186. 1934.

Rankin, W. H.
Raspberry disease control in the Hudson Valley, Proc. N.Y. State Hort. Soc. 79(1934): 276-282. 1934.

Quart. Journ. For. (London) (99.8Q2)
Day, W. R. & Peace, T. R.
Poplar canker: A preliminary note. Quart. Journ. For. 28: 32-43. illus. Ja.1934. no.1.

Rec. Trav. Néerl. (Amsterdam) (451N28R)

Abbema, T. v.
Das transfusionsgewebe in den blättern der Cycadinae, Ginkgoinae und Coniferae. Rec. Trav. Bot. Néerl. 31: 309-390. illus. 1934. no.1/2.

Bremekamp, C. E. B.
Notes on the Rubiaceae of Surinam. Rec. Trav. Bot. Néerl. 31: 248-308. illus. 1934. no.1/2.

Danser, B. H.
The Loranthaceae of the Oxford university expedition to Sarawak in 1932. Rec. Trav. Bot. Néerl. 31: 237-247. illus. 1934. no.1/2.

Danser, B. H.
Miscellaneous notes on Loranthaceae. 1-6. Rec. Trav. Bot. Néerl. 31: 223-236. illus. 934. no.1/2.

Dijkman, M. J.
Wuchsstoff und geotropische krummung bei Lupinus. Rec. Trav. Bot. Néerl. 31: 391-450 illus. 1934. no.1/2.

Harreveld-Lako, C. H. van
Water-cultures with clay suspensions and with nutrient solutions. Rec. Trav. Bot. Néerl. 31: 27-112. pl.ii-iv. 1934. no.1/2.

Pijl, L. van der
Ueber die polyembryonie bei Eugenia. Rec. Trav. Bot. Néerl. 31: 113-187. illus. 1934. no.1/2.

Pont, J. W.
Inverted polarity in Salix babylonica L. Rec. Trav. Bot. Néerl. 31: 210-222. pl.v-vi. 1934. no.1/2.

Schoute, J. C.
Zur erinnerung an Heinrich Wydler, 24. April 1800 - 6. Dezember 1883. Rec. Trav. Bot Néerl. 31: 1-26. pl.i (port) 1934. no.1/2.

Sobels, J. C.
Ueber die entwicklung und bewurzelung ruhender meristeme bei Bryophyllum calycinum, B. crenatum und B. proliferum. Rec. Trav. Bot. Néerl. 31: 188-209. illus. 1934. no.1/2.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin) (450R29B)
Cufodontis, G.
Kritische revision von Senecio sectio Tephroseris. (cont.) Repert. Spec. Nov. Beih. v.70, no.3. p.193-266. v. pl. D.31, 1934.

Schlechter, R.
Blütenanalysen neuer orchideen. IV. Indische und malesische orchideen.heft.2. Repert. Spec. Nov. Beih. v.74. p.3-9. pl.49-85. F.15, 1934.

Rep. Agri. Dept. Bihar & Orissa (22B48R)
Bihar and Orissa, India. Agr. Dept.
Note on work done by the imperial mycologist during the year ending 31st March 1933. In its Rep. 1932/33: 192-194. 1933.

Rep. Dept. Agr. Gov't Res. Inst. Formosa (J22.5F764N)
Sawada, K.
Descriptive catalogue of the Formosan fungi. part.VI. Rep. Dept. Agr. Gov't Res. Inst. Formosa no.61. 99 p. illus., 2 pl. N.1933.
Japanese.

Rev. de Agr. (Piracicaba) (9.2R324)
Krug, C. A.
Pollenisacao controllada no milho. Rev. de Agr. (Piracicaba) 9:42-44. 4 pl. Ja./F. 1934. no.1/2.

Wright, C. & Moreira, S.
Experiencia de pulverizacao para se combater a verrugose da laranja doce (Sphaceloma fawcetti - var. viscosa) Rev. de Agr. (Piracicaba) 9: 3-9. Ja./F. 1934. no.1/2.

Rev. Hort. (Paris) (80R32)
Chevalier, C.
A propos du Begonia scharffiana Reg. Rev. Hort. 106:66-68. Mr.16,1934. no.3.
B. haageana = B. scharffiana.

Evreinoff, V. A.
Actinidia arguta Planch, nouvel arbuste fruitier. Rev. Hort. 106: 69-70. illus. Mr.16, 1934. no.3.

Girard, H.
Félicien Lesourd. Rev. Hort. 106: 51-52. Mr.16, 1934. no.3.

Rev. Hort. (cont.)
Jahandiez, E.
Les plantes grasses autres que les cactées. Les asclépiadacées. Rev. Hort. 106: 64-65, illus. Mr.16, 1934. no.3.

Riv. Patol. Veg. (Pavia) (464.8R52)
Verona, O.
Di una notevole infezione di Mycosphaerella brassicicola (Fr.) Lindau su cavolfiore. Riv. Patol. Veg. 24: 109-111. pl. Mr./Ap. 1934. no.3/4.

Rose Ann. Nat. Rose Soc. Gt. Brit. (84N21)
Bewley, W. F.
Rose disease investigations. Rose Ann. Nat. Rose Soc. Gt. Brit. 1934: 79-82.

School Sci. & Math. (275.8Sch63)
Hull, E. D.
Terraria and their plants. School Sci. & Math. 34: 372-379. illus. Ap. 1934. no.4.

Schweiz. Landw. Monatsh. (Bern) (17Sch93)
Suter, P.
Erfolge systematischer baumbespritzung. Schweiz. Landw. Monatsh. 11: 269-277. illus. 1933. no.10.

Stain Techn. (442.8St1)
Margolena, L. A.
Bismarck brown for pollen grain walls. Stain Techn. 9: 71. Ap. 1934. no. 2.

Snyder, M. A.
A modification of the Dorner spore stain. Stain Techn. 9: 71-72. Ap. 1934. no.2.

Studies Plant Phys. Lab. Charles Univ. Prague. (451P88)
Němec, B.
Ueber bakteriensymbiose bei Ardisia crispa. Studies Plant Phys. Lab. Charles Univ. Prague v.4, no.3 23 p. illus. 1933.
Reprinted from Věstník K.České Společn. Nauk Tř. Mat.-Přír. I^{I},1932.

Svensk Bot. Tidskr. (450Sv2)
Dahlgren, K. V. O.
Die embryologie von Impatiens roylei. Svensk Bot. Tidskr. 28: 103-125. illus. Mr.19,1934. no.1.
English summary: p.123-124.

Svensk Bot. Tidskr. (cont.)

Ekman, E.
Contribution to the Draba flora of Greenland. VII. Svensk Bot. Tidskr. 28: 66-83. illus. Mr.19, 1934. no.1.

Erikson, J.
Albin Gottfrid Eliasson. 1860-1933. Svensk Bot. Tidskr. 28: 152-154. port. Mr.19,1934. no.1.

Mauritzon, J.
Zur embryologie einiger Gruinales. Svensk. Bot. Tidskr. 28: 84-102. illus. Mr.19, 1934. no.1.

Skårman, J. A. O.
Havsstrandväxter vid Vänern och Göta Älv. Svensk Bot. Tidskr. 28: 34-65. illus. (maps) Mr.19, 1934. no.1.

Wistrand, G.
Bidrag till kännedomen om floran i Pite lappmarks barrskogsregion. Svensk Bot. Tidskr. 28: 1-33. illus. Mr.19, 1934. no.1.

K. Svenska Vetensk. Akad. Handl. (Stockholm) (502St6H)

Florin, R.
Studien über die Cycadales des mezozoikums nebst erörterungen über die spaltöffnungsapparate der Bennettitales. K. Svenska Vetensk. Akad. Handl. III, v.12, no.5. illus., 16 pl. Ap.12, 1933.

Halle, T. G.
The structure of certain fossil spore-bearing organs believed to belong to Pteridosperms. K. Svenska Vetensk. Akad. Handl. III,v.12, no.6. illus., 15 pl. Je.1933.

Technol. Bull. Indian Centr. Cotton Comm. Ser. B.

Ahmad, N. & Sen, D. L.
A note on the wax content of Indian cottons with special reference to their feel. Technol. Bull. Indian Centr. Cotton Comm. Ser. B, 18. 6 p, D. 1933

Techn. Commun. Imp. Bur. Fruit Prod. (84Im72)

Akenhead, D.

The "degeneration" of the strawberry. I.The pomological aspect of strawberry degeneration. Techn. Commun. Imp. Bur. Fruit Prod. 5:4-10. F.1934.

Berkeley, G. H.

The "degeneration" of the strawberry. III. The phenomenon of root rots in connection with strawberry degeneration. Techn. Commun. Imp. Bur. Fruit Prod. 5: 16-19. F. 1934.

Harris, R. V.

The "degeneration" of the strawberry. II. Virus as one cause of strawberry degeneration. Techn. Commun. Imp. Bur. Fruit Prod. 5: 11-15. F.1934.

La Terra Maroc. (Rabat) (24T44)

Miege, E.

Les Plantes fourragères du Maroc. (concl.) La Terre Maroc. 4(52): 13-31. illus. Mr.15,1934.

Tijdschr. Plantenz. (464.8T44)

Buisman, C.

Verslag van de onderzoekingen over de iepenziekte, verricht in het Phytopathological laboratorium Willie Commelin Scholten te Baarn gedurende 1933. Tijdschr. Plantenz. 40: 65-87. Mr.1934. no.3.

See also Korte verslag van het iepenziekte-onderzoek p.88-90.

Roepke, W. K. J.

Kort verslag van het iepenziekte-onderzoek verricht op het Laboratorium voor entomologie te Wageningen gedurende het jaar 1933. Tijdschr. Plantenz. 40: 91-93. Mr.1934. no.3.

Tropenpfl. (Berlin) (26T75)

Lange, F. J.

Ole und fette in der wirtschaft der eingeborenen tropisch-afrikas. I-III. Tropenpfl. 37: 93-125. Mr.1934. no.3.

I. Verbreitung der tierischen fette und ihre verwendung im eingeborenenhaushalt. II. Die verbreitung der fettpflanzen in tropisch-afrika. III. Die stellung der ölpflanzen in der eingeborenenwirtschaft.

Trudy Prikl. Bot., Gen.i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem. & Anat. Plants) (451R92P)

Bystrikov, F. V.

Len i ryzhik v bor'be za vlagu, svet i udobrenie (Flax and Camelina in their struggle for moisture, light and fertilizers) (Trudy Prikl. Bot., Gen. i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem. & Anat. Plants) 3: 115-130. illus. 1933.

Russian with English summary.

Krasnosel'skai͡a-Maksimova, T. A. & Kondo, I. N.

Fiziologicheskiĭ analiz zakhvata pri pomoshchi ikusstvennogo sukhovei͡a (Physiological analysis of wind burn by means of artificial dry wind). Trudy Prikl. Bot., Gen. i Selek. Ser. III (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem. & Anat. Plants) 3: 191-215. illus. 1933.

Russian with English summary.

Krasnosel'skai͡a-Maksimova, T. A., Brovtsyna, V. L. & Kotel'nikova, O. L.

Raspoznavanie ozimykh i i͡arovykh form khlebnykh zlakov v laboratornykh uslovii͡akh (Determination of winter and summer forms of cereals in laboratory conditions). Trudy Prikl. Bot., Gen. i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem. & Anat. Plants) 3: 165-170. 1933.

Russian with English summary.

Lebedintseva, E. V.

Znachenie dliny dni͡a dli͡a vykolashivanii͡a ozimykh (The significance of the day length for the earing of winter cereals). Trudy Prikl. Bot., Gen. i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem. & Anat. Plants) 3: 141-154. 1933.

Russian with English summary.

Maksimov, N. A.

Ob upravlenii dlinoĭ vegetatsionnogo perioda u rasteniĭ (On the regulation of the length of the vegetation period of plants) Trudy Prikl. Bot., Gen.i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem. & Anat. Plants) 3: 3-16. 1933.

Russian with English summary.

Trudy Prikl. Bot., Gen. i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem. & Anat. Plants) (cont.)

Oleinikova, T. V.

K voprosu o vlii͡anii dliny dni͡a i nochi na vremi͡a vykolashivanii͡a u ozimykh (A contribution to the question of the influence of the length of day and night on the heading of winter cereals). Trudy Prikl. Bot., Gen. i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser. Phys., Biochem. & Anat. Plants) 3: 155-160. illus. 1933.

Russian with English summary.

Rasumov, V. I.

Znachenie kachestvennogo sostava sveta v fotoperiodicheskoĭ reaktsii (The significance of the quality of light in photoperiodical response). Trudy Prikl. Bot., Gen. i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem. & Anat. Plants) 3: 217-251. illus. 1933.

Russian with English summary.

Richter, A.

K voprosu zasukhovynoslivosti podvoev plodovykh derev'ev (Contribution to the question of drought resistance of the stocks of fruit trees.) Trudy Prikl. Bot., Gen. i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser. Phys., Biochem. & Anat. Plants) 3: 170-190. illus. 1933.

Russian with English summary.

Timofeeva, M. T.

Dinamika morozoustoĭchivosti ozimykn rasteniĭ v techenie zimy i kharakteristika morozovstoĭchivosti vosti sortov ozimoĭ pshenitsy i osimoĭ rzhi (The dynamics of frost resistance in winter cereals and the characteristics of varieties from the point of view of their hardiness). Trudy Prikl. Bot., Gen. i Selek. Ser. III...(Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys., Biochem & Anat. Plants) 3: 253-272. 1933.

Russian with English summary.

Volkov, I. A.

Vlii͡anie prorashchivanii͡a v rastvorakh sakharov i glitserina na dal'neĭshee razvitie nekotorykh kul'turnykh rasteniĭ (The influence of germination in sugar solutions and in glycerine on the further development of some cultivated plants). Trudy Prikl. Bot., Gen. i Selek. Ser. III... (Bull. Appl. Bot., Gen. & Plant-breed. III. Ser., Phys. Biochem. & Anat. Plants) 3: 131-140. illus. 1933.

Russian with English summary.

Trudy Tsentr. Nauchno-Issl. Biokhim. Inst. Pishch. i Vkus. Promyshl. Nark. SSSR (Schrift. Zentr. Biochem. Forschungsint. Nahr. u. Genussmittelind.) (Moskvá) (389.9M85)

Obergrad, I. A. & Nechaev, D. A.

Materialy k polucheniîu letsitina iz soi (Beiträge zur gewinnung von lecithin aus soja). Trudy Tsentr. Nauchno-Issl. Biokhim. Inst. Pishch. i Vkus. Promyshl. Nark SSSR (Schrift. Zentr. Biochem. Forschungsinst. Nahr. u. Genussmittelind.) 2: 400-409. 1933. no.9.

Russian with German summary.

U.S. Dept. Agr. Circ. (1Ag84C)

Russell, P.

The oriental cherries. U.S. Dept. Agr. Circ. 313. 72 p. illus. Mr.1934(Ap.)

U.S. Dept. Agr. Techn. Bull. (1Ag84Te)

Caldwell, J. S.

Hydrion concentration changes in relation to growth and ripening in fruits. U.S. Dept. Agr. Techn. Bull. 403. 53 p. F.1934.

Apples, citrus fruits, cherries, berries, tomatoes.

Stanton, T. R., Coffman, F. A. & Tapke, V. F.

Field studies on resistance of hybrid selestions of oats to covered and loose smuts. U.S. Dept. Agr. Techn. Bull. 422. 9 p. Ap. 1934.

Věstník Českosl. Akad. Zeměd. (Prague) (19.5C332)

Chmelar, F. & Mostovoj, K.

Pokus o jarovisaci červeného jetele nízkou teplotou a použití nepřetržiteho osvětlováni pro jeho šlechtění. (Experiment about jarovization (vernalization) by means of low temperature and application of permanent light to selection of red clover). Věstník Ceskosl. Akad. Zeměd. 10: 157-163. illus. 1934. no.2/3.

English summary.

Stoklasa, J.

Nové objevy o fysiologickém působeni draslíku na vitální děje v bunce chlorofylové a chlorofylu prosté. (Neue entdeckungen über die physiologische wirkung des kaliums aud die vitalvorgänge der chlorophyllhaltigen und chlorophyllosen zelle) Vestník. Českosl. Akad. Zeměd. 10: 146-151. 1934. no.2/3.

German summary.

Vestnik Dal'nev Fil. Akad. Nauk SSSR. (Bull. Far East. Br. Acad. Sci. OSSR) (511V843)

Treumann, I.

Problema dal'nevostochnogo agar-agara. (Agar-agar aus den rotalgen des kustengebietes des Fernen Ostens). Vestn. Dal'nev. Fil. Akad. Nauk SSSR (Bull. Far East. Br. Acad. Sci. UssR) 1933(1/3): 109-114.

Russian with German summary.

Vict. Nat. (Melbourne) (410V66)

Coleman, E.

Pollination of Pterostylis acuminata R. Br. and Pterostylis falcata Rogers. Vict. Nat. 50: 248-252. illus., pl. xl-xli. Mr.1934. no.11.

Washington Hist. Quart. (Seattle) (134.8W27)

Oliphant, J. O.

The botanical labors of the Reverend Henry H. Spalding. Washington Hist. Quart. 25:93-102. Ap.1934. no.2.

Reagan, A. B.

Various uses of plants by West Coast Indians. Washington Hist. Quart. 25: 133-137. Ap.1934. no.2.

Yearbk. Amer. Amaryllis Soc. (81Am394)

Fischer, E. N.

Origin of the Fisher (sic) color chart. Yearbk. Amer. Amarylis Soc. 1:28-29. 1934.

Adopted officially by Amer. Amaryllis Soc.

Mead, T. L.

Henry Nehrling as I knew him. Yearbk. Amer. Amaryllis Soc. 1:10-14. 1934.

Shepardson, F. O.

The Fisher (sic) color chart. Yearbk. Amer. Amaryllis Soc. 1: 29-30. 1934.

Zeitschr. Forst- u. Jagdw. (Berlin) (99.9Z3)

Rohde, T.

Zur biologie der douglasienschütte. Zeitschr. Forst- u. Jagdw. 66: 151-156. Mr.1934. no.3.

Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) (Kiev) (450J8212)

Cholodny, N. G.
Materiali do kritika teorii fototropizmu Bli͡au (Contributions to Blaauw's theory of phototropism) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 43-65. 1933.
Ukrainian with English summary.

Cholodny, N. G.
Problemi reguli͡uvannia zhitt'ovikh i͡avishch roslini (Probleme der regulierung der lebenserscheinungen bei den pflanzen) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 3-13. illus. 1933.
Ukrainian.

Kleopov, Iu. & Lavrenko, E.
Suchasniĭ stank kli͡asifikatsiï Ukraïns'kikh stepiv (Ueber die gegenwärtige lage der klassifikation der Ukrainischen steppen) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(5/6): 7-21. 1933.
Ukrainian with German Summary.

Kleopov, Iu.
Zalishki stepovoï roslinnosti na kiïvs'kii visochini (Ueberreste einer steppenvegetation auf der sogenannten Kyjiwer anhöhe) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(5/6): 135-156. 1933.
Ukrainian with German summary.

Kolomiets, I. A.
V'i͡anenni͡a u riznikh sortiv i͡arogo i͡achmeni͡u i sprobi kharakteristiki posukhovitrivalosti ïkh (Welken bei verschiedenen sorten der sommergerste und versuch deren dürreresistenz zu charakterisieren) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 123-150. illus. 1933.
Ukrainian with German summary.

Kuz'menko, A. A.
Do metodiki vegetatsiĭnoï sprobi v zv'i͡azku z doslidzhenni͡ami posukhovitrivalosti roslin (Zur methodik des vegetationsversuches im zusammenhang mit den untersuchungen über die dürreresistenz der pflanzen) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 105-111. illus. 1933.
Russian with German summary.

Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine (cont.)

Lavrenko, E. & Dokhman, G.
Roslinnist Starobil's'kikh stepiv (Die vegetation der Starobilsker steppen) Zhurn. Biobot. Tsilku Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(5/6): 23-133. illus. (incl. map) 1933.
Ukrainian with German summary.

Lazarenko, A. S.
Do briogeografiï skhidnoï Aziï (Zur bryogeographie Ostasiens). Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 177-184. 2 pl. 1933.
Ukrainian with German summary.

Levina, F.
Zalishki tsilinnoi stepovoï roslinnosti na kyp'i͡anshchini u Velinko-burluts'komu raĭoni (Ueberreste von neuland-steppen-vegetation im vormaligen bezirk Kupjansk (rayon Welykij-Burlitzk) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(5/6): 185-200. 1933.
Ukrainian with German summary.

Li͡ubins'kiĭ, M. A.
Novi dani do teoriï i praktiki gorizontal'nogo porometra v svitli zagal'nykh problem porometrichnoĭ metodiki (Beiträge zur theorie und praxis des horizontal-porometers im lichte der allgemeinen probleme der porometrischen methodik) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk. (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 67-104. illus. 1933.
Ukrainian with German summary.

Margara, I. V.
"Stikanni͡a" i͡ak odnoa z prichin zmenshenni͡a urozhainosti cernovykh kul'tur (Das abfliessen als eine der ursachen der ertragsabnahme bei gräsern) Zhurn. Biobot. Tsiku Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 15-28. illus. 1933.
Ukrainian with German summary.

Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk. (Journ. Cycle Bot. Acad. Sci. Ukraine (cont.)

Moissejewa, M. N.

Vplov zmini geotropichnogo polozhennia na rozpodil mitozuu koreni tsibuli (The effect of alterations of the root's geotropical position on the distribution of mitoses). Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 117-121. 1933.

Experiments with onion.

Ukrainian with English summary.

Oksner, A. N.

Novi vidi obrisnikiv z Aziï (Species lichenum novae ex Asia) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 167-172. 1933.

Ukrainian with Latin diagnoses (Cetraria annae, C. potaninii, Buellia gorjaginii, Parmelia tominii, Aspicilia transbaicalica, also f. pallida of last named)

Oleksiiv, A.

Stepovi tsilini Grishins'kogo raionu na Artemivshchini (Steppenneuland des rayons Grischin (des vormaligen bezirks Artemiw) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(5/6): 201-206. 1933.

Ukrainian with German summary.

Votchal, E. P.

Rozpodil tsukru v elementakh riznykh tkanin tsukrov ykh buriakiv (Ueber die zuckerverteilung in verschiedenen gewebeelementen der zuckerrübe) Zhurn. Biobot. Tsikul Vuan Bseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 209-210. 1933.

Ukrainian.

Votchal, E. P.

Teoriia pokhodzhennia nevrozhaiu v umovakh posukhi ta posukhovitrivalist S.-G. roslin (Missernte als folge der dürre und die dürreresistenz der landwirtschaftlichen gewächse). Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 207-208. 1933.

Ukrainian.

Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk. (Journ. Cycle Bot. Acad. Sci. Ukraine (cont.)

Zankevich, E. Kh.

Pro deiaki patologichni i fiziologichni iavishcha u Zygnemaceae sposterezhuvani v nezrivonovazhenikh rozchinakh solei (Ueber einige pathologische und physiologische erscheinungen bei zygnemaceen, die in nichtäquilibrierten salzlösungen beobachtet wurden) Zhurn. Biobot. Tsiku Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 29-42. ii pl. 1933.

Ukrainian with German summary.

Zerov, D. K.

Do vivchennia sfagnovoi flori Usuriis'kogo kraiu (Zur kenntnis der torfmoose des Ussuri-gebiets). Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukarine) 2(7/8): 173-176. 1933.

Ukrainian with German summary.

Zerova, M.Ia.

Khvorobi Scorzonera tau-saghyz Lipsch. et Bosse Ukraini (Ueber die krankheiten der Scorzonera tau-saghyz in der Ukraine). Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine) 2(7/8): 151-165. illus. 1933.

Ukrainian with German summary and Latin diagnoses of new species (Phyllosticta tau-saghyziana, Macrosporium tau-saghyzianum, Myrothecium transchelianum)

Zoz, I.

Roslinnist Mikhailivs'koï tslini na Sumshchini (Die vegetation des Michailiwschen neulandes (vormals bezirk Sumy) Zhurn. Biobot. Tsiklu Vuan Vseukraïns. Akad. Nauk (Journ. Cycle Bot. Acad. Sci. Ukraine 2(5/6): 157-184. 1933.

Ukrainian with German summary.

Der Züchter (Berlin) (442.8Z8)

Laibach, F.

Zum wuchsstoffproblem. Der Züchter 6: 49-53. illus. Mr.1934. no.3.

Safta, I.

Ein beitrag zur züchtung des rotklees auf geringen blattverlust. Der Züchter 6: 61-62. Mr. 1934. no.3.

Der Züchter (cont.)

Schreiber, F.

Zur genetik der weissen samenfarbe bei Phaseolus vulgaris. Der Züchter 6: 53-61. illus. Mr. 1934. no.3.

Sengbusch, R.v.

Die prufung des geschmacks und der giftigkeit von lupinen und anderen leguminosen durch tierversuche unter besonderer berücksichtigung der züchterisch brauchbaren methoden. Der Züchter 6: 62-72. illus. Mr.1934. no.3.

Expt. Stat. Publ.

Arizona agricultural experiment station.

Notes on plant diseases. In its Ann. Rep. 44(1932/33(Aiding Arizona's agriculture): 73-75. 1933. (100Ar4)

J.G. Brown plant pathologist.

Blodgett, F. M. & Howe, F. B.

Factors influencing the occurrence of potato scab in New York. Cornell Agr. Exp. Stat. Bull. 581. 12 p. illus. F. 1934. (100N48C)

New Jersey agricultural experiment station - Dept. of plant pathology.

Leaf spot of Aucuba. Its Nursery Dis. Notes 6: 35-36. Mr.1934. (464.9N46)

Phyllosticta aucubae.

New Jersey agricultural experiment station - Dept. of plant pathology.

White mold of sweet pea. Its Nursery Dis. Notes 6: 34-35. Mr.1934. (464.9N46) no.9.

Cladosporium album.

New Mexico agricultural experiment station.

Biology In its Ann. Rep. 44(1932/33): 36-44. 1933 (100N465)

Includes notes on diseases. R. F. Crawford biologist.

Shoemaker, J. S.

A note on the hardiness of buds of peach varieties. Ohio Agr. Exp. Stat. Bi-month. Bull. 19(166): 18-21. Ja./F.1934. (100Oh3S)

Fairburn, D. C.

Growth responses of the gladiolus as influenced by storage temperatures. Iowa Agr. Exp. Stat. Res. Bull. 170: 93-119, illus. F.1934(100Io9)

Expt. Stat. Publ. (cont.)

Sleeth, B.

Fusarium niveum, the cause of watermelon wilt. West Virginia Agr. Exp. Stat. Bull. 257. 23 p. illus. F.1934(100W52)

New Books

Baker, C. E.

Water conductivity in the apple tree as affected by pruning and drought. Urbana, Ill., 1933. (93.5B17)

Abstract of thesis (Ph.D) Univ. of Illinois, 1931.

Bukasov, S. M.

Revoliutsiia v selektsii kartofelia [Revolutionary methods in the breeding of potatoes] Leningrade, Izdanie Vsesoiuznogo instituta rastenievodstva, 1933. (75B86)

Russian.

Chardon, C. E. & Toro, R. A,

Exploraciones micologicas en Venezuela. Caracas, Lit. y Tip. del Comercio, 1932. (Pamph.462,17C)

Reprinted from Bol. Soc. Venezolana de Cienc. Nat. no.8. p.281-294.

Doak, C. C.

The long shoot and the dwarf shoot of pines. Urbana, Ill., 1933 (463.5D65)

Summary of thesis (Ph.) Univ. of Illinois, 1933.

Dordevic, P.

Bolest brestova Slavovskim shumana [The elm disease in Slavonic forests] Beograd, 1933 (464.07D72Bo)

Elwes, H. J.

A supplement to Elwes Monograph of the genus Lilium by A. Grove... illustrated by Lilian Snelling. pt.1. London, Dulau, Jl. 1933 (f°452.3E18M)

Kirchner, O. von.

Lebengeschichte der blütenpflanzen Mitteleuropas... Fortgeführt von W. Wangerin, C. Schröter ... lfg. 46 (bd.1, abt.3: Iridaceae (schluss) von F. Buxbaum) Stuttgart, E. Elmer, 1934 (459K633)

Lemée, A.

Dictionnaire descriptif et sysnonymiques des genres de plantes phanérogames. v.5 (Pal-Sci) Brest, Imp. commerciale et administrative, 1934. (452L542)

New Books (cont.)

Patel, Z. H.
Cause of seed abortion in soybeans and other crop plants. Urbana, Ill., 1933 (60.3P272)
Abstract of thesis, Univ. Illinois.

Schenk, P. J.
Albumbladen van plantenziekten en -beschadigingen. Haarlem, Floralia, 1930 (464.08Sch2)

Schnarf, K.
Embryologie der gymnospermen. Berlin, Borntraeger, 1933 (Handbuch der pflanzenanatomie... hrsg. von K. Linsbauer. II. Abt., 2. teil, bd.10/2 (1fg.30) (463.4H194)

Shoemaker, J. S.
Small-fruit culture. Philadelphia, Blakiston 1934 (94Sh7)

Sinskaia, E. N..
Ekologicheskaia sistema selektsii kormovykh rastenii (Ecological system of breeding forage plants) Leningrad, Izdanie Vsesoiuznogo instituta rastenievodstva, 1933. (60Si6)
Russian.

Sredneaziatskii nauchno-issledovatel'skii institut po khlopkovodstvu - Tsentral'naia selektsionnaia stantsiia.
Genetika, selektsiia i semenovodstvo khlopchatnika. Moskva, Leningrad, 1933. (72Sr22)
Russian.

Taylor, G.
An account of the genus Meconopsis. London, New Flora and Silva, 1934. (452.3T21)

Non-current indexing.

Acta Horti Bot. Latv. (Riga) (451135)
Briedis, A.
Laboulbeniaceae in Latvia. Acta Horti Bot. Latv. 7: 131-133. 1932. no.1/3.
Preliminary note.

Non-current indexing. (cont.)

Acta Horti Bot. Latv. (cont.)

Malta, N.

A survey of the Australasian species of Ulota. Acta Horti Bot. Latv. 7: 1-24. illus. 1932. no.1/3.

U. breviseta, U. laticiliata, U. bellii, U. dixonii n.spp.

Mühlenbach, V.

Die adventivflora des Rigaer eisenbahn knotens. Acta Horti Bot. Latv. 7: 87-130. 1932. no.1/3.

Skuja, H.

Beitrag zur algenflora Lettlands. I. Acta Horti Bot. Latv. 7: 25-85. 1932. no.1/3.

Acta Soc. Bot. Polon. (Warsaw) (451So16)

Kozłowski, A.

Krystaliczny zwiazek miedziowy glutationu. (A crystallized copper compound of the glutathion of yeast). Acta Soc. Bot. Polon. 8: 181-182. 1931. no.3/4.

Very brief English summary: p.182.

Skupienski, F. X.

Influence du rouge neutre sur le développement de certain myxomycètes. Acta Soc. Bot. Polon. 8: 133-140. 1931. no.3/4.

Szarska, S. C.

Uwagi o kilku krytycznych turzycach polskich. (Rémarques critiques sur quelques Carex polonais) Acta Soc. Bot. Polon. 8: 183-189. illus. 1931. no.3/4.

French résumé: p.188-189.

Szymańska, S.

Budowa aparatu szparkowego u Polytrichaceae. (Structure de l'appareil stomatique chez les Polytrichaceae). Acta Soc. Bot. Polon. 8: 141-156. illus. 1931. no.3/4.

French résumé: p.154-156.

Non-current Indexing. (cont.)

Acta Soc. Bot. Polon. (cont.)

Wiśniewska, E.

Rozwój ziarn pyłku u Potamogeton perfoliatus L. (Die entwicklung der pollenkörner bei Potamogeton perfoliatus L.) Acta Soc. Bot. Polon. 8: 157-174. illus. 1931. no.3/4.

German summary: p.171-174.

Wodziczko, A. & Pustoła, B.

Betula nana L.in the district of Święciany (northeastern Polan). Acta Soc. Bot. Polon. 8: 175-179. illus. 1931. no.3/4.

Wóycicki, Z.

O procesie kiełkowania nacion i o charakterze wyrodneinia zalązków u Haemanthus katharinae. (Ueber den keimungsprozess der samen und den degenerationscharakter der samenanlagen bei Haemanthus katharinae). Acta Soc. Bot. Polon. 8: 85-108. illus., pl. iii-iv. 1931. no.3/4.

German summary: p.103-108.

Rev. Col. Nac. Vicente Rocafuerta (Guayaquil) (516G93)

Campos,R,F.

Afecciones vegetales el hongo Ustilago maydis (D.C.) Corda causante del"tizon" o "carbon" del maíz. Rev. Col. Nac. Vicente Rocafuerte 13(44): 113-115. pl. 1931.

Harms, H.

Contribucion al conocimiento de Lysiloma guachapeli (H.B.K.) Benth. Rev. Col. Nac. Vicente Rocafuerte 12(42/43): 27-31. 1930.

Pseudosamanea nov.gen. P.guachapeli.

Sodiro, L.

Sertula florae ecuadorensis ser. 4a. Gramineas ecuatorianas. 2.parte. Rev. Col. Nac. Vicente Rocafuerte 12(40/41): 55-96. 4 pl. 1930.

Trudy Tomsk. Gosud. Univ. (Bull. Tomsk State Univ.) (511T59)

Chekov, V. P. & Kartashova, N. N.

Kario-sistematicheskoe issledovanie tribusov Loteae Benth. i Phaseoleae Bronn. sem. Leguminosae Juss. (Karyo-systematische untersuchung der tribus Loteae und Phaseoleae...) Trudy Tomsk. Gosud. Univ. (Bull. Tomsk State Univ.) 85: 1-22. 4 pl. 1932.

Russian with German summary.

Non-current Indexing. (cont.)

Trudy Tomsk. Gosud. Univ. (Bull. Tomsk State Univ.) (cont.)

Chekov, V. P.

Luga reki Tomi i ikh khoziaistvennaia otsenka po dannym 1926 g. (Die wiesen des flusses Tomj und ihre wirtschaftliche abschätzung den ergebnisse des jahres 1926 nach) Trudy Tomsk. Gosud. Univ. (Bull. Tomsk State Univ.) 85: 36-44. 2 tab. 1932.

Russian.

Chekov, V.

Materialy po kharakteristike sortov tomat pri kul'ture ikh v usloviiakh nechernozemnoi polosy Tomskogo raiona (Materialien über die charakteristik der tomatensorten bei ihrer kultur unter bedingunen keiner schwarzerdezone de bezirkes von Tomsk) Trudy Tomsk. Gosud. Univ. (Bull. Tomsk. State Univ.) 85: 127-135. illus. 1932.

Russian with German summary.

From Botanicheskii sad T.G.U. (Signed V. Chekov, & N.N. Kartasheva)

Chekov, V. P. & Zameraeva, I.K.

Vliianie X luchei na rasteniia. Orientirovochnyi opyt leta 1930 g. (Einfluss der X-strahlen auf die pflanzen. (Orientierungsversuch des sommers 1930) Trudy Tomsk. Gosud. Univ. (Bull. Tomsk. State Univ.) 85: 23-35. 4 pl. 1932.

Russian.

Nikitina, E. V.

Botanicheskii analiz torfa iz torfianika Kuznetskogo uezda (Botanische torfanalyse eines torfmoors des Kusnetzker kreises). Trudy Tomsk. Gosud. Univ. (Trans. Tomsk. State Univ.) 75: 240-241. 1925.

Russian.

Reverdatto, V. V.

Lugovaia rastitel'nost doluny r. Tomi v predelakh Kuznetskogo i Shcheglovskogo uezdov (Die wiesenvegetation des tales des flusses Tomj innerhalb des Kusnezker und Schtscheglowsker dreises). Trudy Tomsk Gosud. Univ. (Trans. Tomsk State Univ.) 74: 153-199. 3 pl. 1924.

Russian.

Non-current indexing. (cont.)

Trudy Tomsk. Gosud. Univ. (Bull. Tomsk State Univ.) (cont.)

Savostin, P. V.

O vliianii kisloroda na energiiu fotosinteza (Ueber den einfluss des sauerstoffes auf die energie der photosynthese) Trudy Tomsk. Gosud. Univ. (Bull. Tomsk State Univ.) 85: 59-66. 1932.

Russian with German summary.

Tomsk. Gosudarstvennyi universitet - Kafedra selektsii tsitologii i genetiki rastenii TGU.

Vliianie X-luchei na rasteniia (Einfluss der X-strahlen auf pflanzen) Trudy Tomsk. Tosud. Univ. (Bull. Tomsk. State Univ.) 85: 65-126. 5 pl. 1932.

Kurzer vorläufiger bericht über arbeiten X, 1930-x.1931) Vorstand des Katheders W. Tschechov (Chekov)

Russian with German summary.

Translations filed in Library of Bur. of plant industry.

Bos, H.

Het af- en insterven van bomen (The dying-down and in-dying of trees) Tijdschr. Plantenz. 30: 132-142. 1924.

Buisman, C.

Overzicht van de soorten van iepen, in verband met het iepenziekteonderzoek (Survey of the elm varieties in connection with the elm disease investigation) Tijdschr. Plantenz. 37: 111-116. 1931.

Cieslar, A.

Ueber das auftreten des hallimasch (Agaricus melleus Vahl) in laubholzwaldungen (On the appearance of the hallimasch (Agaricus melleus in hardwood forests) Centralbl. Ges. Forstw. 22: 19-26. 1896.

Dörries, W.

Ueber ein laubblatt-spektroskop (On a leaf spectroscope) Ber. Deut. Bot. Ges. 50: 47-52. Mr.29, 1932.

Faes, H.

Les dommages causés aux cultures par les usines d'électro-chimie (Damage caused to cultures by electrochemical factories) Lausanne, Payot &c,1921.

Abstract in English.

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON

LIBRARY
RECEIVED
★ MAY 21 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 9. Apr.23-May 5, 1934.

Acta Bot. Fenn. (Helsingfors) (451H36A)

Lemberg, B.

Ueber die vegetation der flugsandgebiete an den küsten Finnlands. Acta Bot. Fenn. 12. 143 p. illus., viii pl. 1933.

Acta Geographica (Helsingfors) (511H367A)

Auer, V.

Verschiebungen der wald- und steppengebiete Feuerlands in postglazialer zeit. Acta Geographica v.5, no.2. 313 p. illus., 10 pl. incl. map. 1933.

Acta Phytogeogr. Suecica (Upsala) (451Ac82)

Osvald, H.

Vegetation of the Pacific coast bogs of North America. Acta Phytogeogr. Suecica no.5. 32 p. illus. (incl. map), iv pl. on 2. 1933.

Peat bogs mainly in Fraser Riv. Valley, one in Whatcom Co., Washington and one on Vancouver Isl. near Somenos.

Addisonia (New York) (450Ad2)

Addisonia. v.18, no.3. col.pl. 593-600. Mr. 1934.

Erythronium albidum, Jacquemontia reclinata, Hemerocallis exaltata, Cleistes divaricata, Samodia ebracteata, Parnassia caroliniana, P. grandifolia, Macleania cordifolia.

Agr. et Elev. Congo Belge. (26Ag84)

Wildeman, E. de

Le chaulmoogra et la lutte contre la lèpre. Agr. et Elev. Congo Belge 8: 56-57. Ap. 1934. no.4.

319131

Amer. Potato Journ. (75.8P842)

Stevenson, F.J. & Clark, C. F.

New potato varieties. Amer. Potato Journ. 11: 85-92. Ap.1934. no.4.

Ann. Inst. Pasteur (Paris) (448.3An75)

Chargaff, E.

Etude des pigments caroténoïdes de quelques bactéries. Ann. Inst. Pasteur 52: 415-423. Ap. 1934. no.4.

Sixième communication sur la chimie des bactéries.

Ann. Bot. (London) (450An7)

Adamson, R. S.

Anomalous secondary thickening in Compositae. Ann. Bot. 48: 505-514. illus. Ap. 1934. no.190.

Shrubby members of Compositae from south-western Cape region of South Africa.

Barnes, B.

Spore discharge in Basidiobolus ranarum Eidam. Ann. Bot. 48: 453-457. Ap. 1934. no.190.

Berry, W. E. & Steward, F. C.

The absorption and accumulation of solutes by living plant cells. VI. The absorption of potassium bromide from dilute solution by tissue from various plant storage organs. Ann.Bot. 48: 395-410. illus. Ap. 1934. no.190.

Carter, F. M.

Investigation of factors affecting advance of certain 'apple-spot' fungi within the host tissue. Ann. Bot. 48: 363-394. Ap. 1934. no.190.

Cartwright, K. St.G.& Findlay, W.P.K.

Studies in the physiology of wood-destroying fungi. II. Temperature and rate of growth. Ann. Bot. 48: 481-495. pl.x. Ap. 1934. no.190.

Crookall, R.

The relationship between the floras of the British coal measures and those of the Stephanian and Permian. Ann. Bot. 48: 433-439. Ap.1934. no.190.

Ann. Bot. (cont.)

Duerden, H.
On the occurrence of vessels in Selaginella.
Ann. Bot. 48: 459-465. pl.ix. Ap.1934. no.190.

Haines, F. M.
Plegetropism and the statolith theory.
Ann. Bot. 48: 335-346. illus. Ap.1934. no.190.

Hicks, P. A.
Interaction of factors in the growth of Lemna. V. Some preliminary observations upon the interaction of temperature and light on the growth of Lemna. Ann. Bot. 48: 515-525. Ap. 1934. no.190.

Lefebvre, C. L.
Penetration and development of the fungus, Beauveria bassiana, in the tissues of the corn borer. Ann. Bot. 48: 441-452. illus., pl.viii. Ap. 1934. no.190.

Levyns, M. R.
The cytology of Lobostemon and Echiostachys in relation to taxonomy. Ann. Bot. 48: 355-362. illus. Ap.1934. no.190.

Mason, T.G. & Phillis, E.
Studies on the transport of nitrogenous substances in the cotton plant. VI. Concerning storage in the bark. Ann. Bot. 48: 315-333. Ap.1934. no.190.

Parija, P. & Saran, A. B.
The effect of light on the respiration of starved leaves. Ann. Bot. 48: 347-354. illus. Ap. 1934. no.190.

Richards, F. J.
On the use of simultaneous observations on successive leaves for the study of physiological change in relation of leaf age. Ann. Bot. 48: 497-504. Ap. 1934. no.190.

Saxton, W. T.
Notes on conifers. VIII-IX. Ann. Bot. 48: 411-427, 429-431. illus. Ap.1934. no.190.
VIII. The morphology of Austrotaxus spicata Compton. IX. The ovule and embryogeny of Widdringtonia.

Ann. Bot. (cont.)

Woodhead, N.

Studies in growth and differentiation. V. Histological and metabolic changes during wound-healing in Kleinia articulata Haw. Ann. Bot. 48: 467-480. illus. Ap. 1934. no.190.

Ann. Rep. Pom. & Fruit Grow. Soc. Quebec. (82Q3)

Hockey, J. F.

Some effects of sprays on apple quality. Ann. Rep. Pom. & Fruit Grow. Soc. Quebec 39(1932): 49-55. [1933?]

Arch. Protistenk. (Jena) (439.8Ar2)

Bachmann, E.

Pilz-, tier- und scheingallen auf flechten. I. Arch. Protistenk. 82: 1-22. illus. 1934. no.1.

Bachmann, E.

Ueber den lagerbau moosbewohnender flechten. II. Arch. Protistenk. 82: 23-44. illus. 1934. no.1.

Geitler, L.

Beiträge zur kenntnis der flechtensymbiose. IV-V. Arch. Protistenk. 82: 51-85. illus., col. pl. 1934. no.1.

Wagner, J.

Beiträge zur kenntnis der Nitzschia putrida Benecke, insbesonderer ihrer bewegung. Arch. Protistenk. 82: 86-113. illus. 1934. no.1.

Ark. Bot. (Stockholm) (451Sv2)

Redinger, K.

Die graphidineen der ersten Regnell'schen expedition nach Brasilien 1892-94. II. Graphina und Phaeographina. Ark. Bot. v.26, no.1. 105 p. illus., 7 pl. 1934 (S.14,1933)

Austral. Journ. Exp. Biol. & Med. Sci. (Adelaide) (442.8Au7)

Dadswell, I. W.

The chemical composition of some plants used by Australian aborigines as food. Austral. Journ. Exp. Biol. & Med. Sci. 12: 13-18. Mr.16,1934. no.1.

Collected in neighborhood of Mt. Liebig, Northern Terr.

Biochem. Zeitschr. (Berlin) (384B522)
Blagowestschenski, A. V. & Schubert, T. A.
Bestimmung einiger aminosäuren in globulin der sonnenblumensamen. Biochem. Zeitschr. 269: 375-378. Mr.31, 1934. no.4/5.

Olsen, C.
Ueber die manganaufnahme der pflanzen. Biochem. Zeitschr. 269: 329-348. illus. Mr.31, 1934. no.4/6.

Der Biologe. (München) (442.8B527)
Eddelbüttel, H.
Ein einfaches atmometer für vegetationskundliche schülerübungen. Der Biologie 3: 93-97. illus. Ap.1934. no.4.

Lehmann, E. & Maier, W.
Vererbungsversuche an pflanzen in der schule. Der Biologe 3: 98-101. Ap.1934. no.4.

Blumen u. Pflanzenb. (Berlin) (80B623)
Blossfeld, H.
Interessantes um die befruchtung bei Ficus elastica. Blumen u. Pflanzenb. 38: 185. illus. Ap.6, 1934. no.14.

Kache, P.
Zur eigenen anzucht von palmen. Blumen u. Pflanzenb. 38: 175-176. Ap.6, 1934. no.14.

Boll. R. Uffic. Serv. Agrari Tripolit. (24T733)
Cairno, V. di
Anguillula e mezzi di lotta. Boll. R. Uffic. Serv. Agrari Tripolit. 3: 95-98. Mr. 1934. no.3.

Bulet. Cult. şi Ferm. Tutun. (Bull. Inst. Cult. & Ferm. Tabac) (Bucurest) (69.8B87)
Ghimpu, V.
Afecţiunile patologice şi inamicii tutunului din România in 1933.(Les affections pathologiques et les ennemis des tabacs en Roumanie pendant l'année 1933) Bulet. Cult. şi Ferm. Tutun. (Bull. Inst. Cult. & Ferm. Tabac.) 22: 396-401. O./D. 1933. no.4.
French résumé: p.400-401.

Bulet. Grad. Bot. Univ. Cluj (Roumania) (451C62)

Borza, A.

Despre Artemisia caucasica, cu observatiuni critica asupra artemisiilor alpine eurasiatice. (Artemisia caucasica, nebst kritischen bemerkungen über eurasiatische hochgebirgsartemisien). Bulet. Grad. Bot. Univ. Cluj 13: 20-46. illus., pl. ii-iv. 1934. no.1/4.

German summary: p.43-46.

Borza, A.

Mimulus moschatus si guttatus in flora Romaniei. (Mimulus moschatus und guttatus in der flora Rumäniens). Bulet. Grad. Bot. Univ. Cluj 13: 52-53. 1934. no.1/4.

German summary: p. 53.

Buturá, V.

Plante de leac din reguinea Mocanilor de pe Aries. Notite etnobotanice. Bulet. Grad. Bot. Univ. Cluj 13: 106-110. 1934. no.1/4.

Homieu, V.

Galinsoga parviflora Cav. si G. aristulata Bickn. in Romȃnia. (Galinsoga parviflora Cav. und G. aristulata Bickn. in Rumänien). Bulet. Grad. Bot. Univ. Cluj 13: 47-50. 1934.

German summary: p.49-50.

Nyárády, E. J.

Adnotatiuni la flora Romȃniei. VIII. (Glossary zur flora Rumäniena. VIII) Bulet. Grad. Bot. Cluj 13: 67-77. illus. 1934. no.1/4.

Nyárády, E.J.

Despre grupa "Auricomus" a genului Ranunculus. Bulet. Grad. Bot. Univ. Cluj 13: 85-101. illus. 1934. no.1/4.

Nyárády, E. J.

Noutǎti din Cheia Turzii. (Novitäten aus der Turdaer-schlucht). Bulet. Grad. Bot. Univ. Cluj 13: 57-58. 1934. no.1/4.

Nyárády, E. J.

Peloria la kickxia spuria (L.) Dunn. din tinutul Clujilui (Pelorie bei Kickxia spuria (L.) Dunn. aus der umgebung von Cluj) Bulet. Grad. Bot. Univ. Cluj 13: 54-56. illus. 1934. no.1/4.

Bulet. Grad. Bot. Univ. Cluj (cont.)

Pop, E.

Analize de polen in turba din Bucegi si Caehlău. (Analyse de pollen dans la Tourbe des Bucegi et du Ceahläu). Bulet. Grad. Bot. Univ. Cluj 13: 1-19. pl. i (fold.tab.) 1934. no.1/4.

French summary: p.15-18.

Pop, E.

Equisetum maximum Lam. din Roumânia. Note sistematuce. I. Bulet. Grad. Bot. Univ. Cluj 13: 78-83. illus. 1934. no.1/4.

German summary: p.83-84.

Pop, E.

Notite teratologice. Bulet. Grad. Bot. Cluj 13: 102-106. illus. 1934. no.1/4.

German summary: p.105-106.

Wachner, H.

Ein fundort von Linaria alpina (L.) Miller in den rumänischen Karpathen. Bulet. Grad. Bot. Univ. Cluj 13: 51-52. 1934. no.1/4.

Zahn, K. H.

Neue beiträge zur Hieracium-flora Rumaniens. Bulet. Grad. Bot. Univ. Cluj 13: 59-67. 1934. no.1/4.

Bull. Agr. Congo Belge (Bruxelles) (24K83)

Lejeune, J.B.H.

Contribution à l'étude des plantes textiles cultivées au Congo Belge. Bull. Agr. Congo Belge 24: 475-480. illus. D.1933. no.4.

Pynaert, L.

L'ambrevade. Bull. Agr. Congo Belge 24: 459-474. illus. D.1933. no.4.

Cajanus cajan.

Bull. Assoc. Chim. Sucrerie & Distill. France & Colon. (Paris) (383As7)

Bougy, E.

Recherches sur des hybrides de betteraves 1925-1933. Bull. Assoc. Chim. Sucrerie & Distill. France & Colon. 51: 25-33. Ja.1934. no.1.

Bull. Soc. Centr. For. Belgique (99.9B83)

Delevoy, G.

La nomenclature des essences forestieres. Bull. Soc. Centr. For. Belgique 1934: 107-127. Mr.1934. no.3.

Bull. Torr. Club (451T63B)

Baldwin, H. I.

Some physiological effects of girdling northern hardwoods. Bull. Torr. Club 61: 249-257. My. 1934. no.5.

Berry, E. W.

Pleistocene plants from Cuba. Bull. Torr. Club 61: 237-240. pl.14. My.1934. no.5.

Saeger, A.

Spirodela oligorrhiza collected in Missouri. Bull. Torr. Club 61: 233-236. pl.13. My.1934. no.5.

Steinberg, R. A.

The so-called "chemical stimulation" of Aspergillus niger by iron, zinc, and other heavy metal poisons. Bull. Torr. Club 61: 241-248. My. 1934. no.5.

Thayer, G. B.

Inheritance of cotyledonary characters in Cucurbita pepo. Bull. Torr. Club 61:263-269. illus. My.1934. no.5.

Williams, L.

Field and herbarium studies. II. Bull. Torr. Club 61: 259-262. My.1934. no.5.

Lepidium nelsonii, L. tenellum, L. tortum, Potentilla albiflora, P. rubida and Parosela paysoniae, n.spp.

Bull. U.S. Golf Assoc. Green Sect. (Washington, D.C.) (60.18Un3)

Conover, T.

Weeding Bermuda grass out of creeping bent grass. Bull. U.S. Golf Assoc. Green Sect. 13: 179-182. illus. D.1933. no.6.

Dahl, A. S.

Relationship between fertilizing and drainage in the occurrence of brownpatch. Bull. U. S. Golf Assoc. Green Sect. 13: 136-139. O.1933. no.5.

Bull. U. S. Golf Assoc. Green Sect. (cont.)

Grau, F. V.
Use of sodium chlorate and other chemicals in controlling turf weeds. Bull. U.S. Golf Assoc. Green Sect. 13: 154-179. illus. D.1933. no.6.

Monteith, J. & Welton, K.
Use of peat and other organic materials on golf courses. Bull. U.S. Golf Assoc. Green Sect. 13: 90-110. illus. Ag.1933. no.4.

Reid, M. E.
Effect of variations in concentration of mineral nutrients upon the growth of several types of turf grasses. Bull. U. S. Golf Assoc. Green Sect. 13: 122-131. illus. O.1933. no.5.

Reid, M. E.
Effects of shade on the growth of velvet bent and Metropolitan creeping bent. Bull. U. S. Golf Assoc. Green Sect. 13: 131-135. illus. O.1933. no.5.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Baxter, E. M.
California cacti. XI. Coryphantha. Cactus & Succ. Journ. 5: 556-560. illus. Ap.1934. no.10.

Jones, M. E.
A new species of Lophocereus. Cactus & Succ. Journ. 5: 546. Ap.1934. no.10.
Lophocereus gatesii.

Pierce, W. M.
Raising cacti from seed. Cactus & Succ. Journ. 5: 547-550. illus. Ap.1934. no.10.

Poindexter, R. W.
Some remarks on Mesembryanthemums. (cont.) Cactus & Succ. Journ. 5: 553-555. illus. Ap. 1934. no.10.

Schnalge, K. G.
Theolocactus ysabelae, a new species. Cactus & Succ. Journ. 5: 551. illus. Ap.1934. no.10.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Henry, A. W.

Observations on the variability of Polyspora lina Lafferty. Canad. Journ. Res. 10: 409-413. ii pl. Ap.1934. no.4.

McCalla, A. G.

Amide nitrogenin germination seeds. Canad. Journ. Res. 10: 430-434. Ap.1934. no.4.

Newton, R. & McCalla, A. G.

Effect of frost on wheat at progressive stages of maturity. I. Physical characteristics of the kernels. Canad. Journ. Res. 10: 414-429. Ap.1934. no.4.

Chinese Journ. Physiol. (Pieping) (447.8044)

Kao, H.-C.

Nitrogen distribution in the leaf proteins of Chinese cabbage during growth. Chinese Journ. Physiol. 7: 379-386. F.15, 1934. no.4.

Tang, P.-S. & French, C. S.

The rate of oxygen-consumption by Chlorella pyronoidosa as a function of temperature and of oxygen tension. Chinese Journ. Physiol. 7: 353-377. F.15, 1934. no.4.

Compt. Rend. Acad. Sci. Paris (505P21)

Dubois, G. & Dubois, C.

Sur les modifications forestières flandriennes de la région parisienne. Compt. Rend. Acad. Sci. Paris 198: 1445-1446. Ap.16, 1934. no.16.

Malençon, G.

Nouvelles observations concernant l'étiologie du bayoud. Compt. Rend. Acad. Sci. Paris 198: 1367-1370. Ap.9, 1934. no.15.

Moret, L.

Sur les algues cariantes du groupe des cyanophycées à propos d'observations nouvelles faites au Lac de Marinet, dans le massif de Chambeyron (Basses-Alpes) Compt. Rend.Acad. Sci. Paris 198: 1449-1451. Ap.16, 1934. no.16.

Palfray, L.& Lepesqueur, A. M.

Sur la constitution de l'essence de carotte. Compt. Rend. Acad. Sci. Paris 198: 1365-1367. Ap.9, 1934. no.15.

Compt. Rend. Acad. Sci. Paris (cont.)

Truffaut, G. & Pastac, S.

De l'influence sur les végétaux de l'application par contacts de courants électriques. Compt. Rend. Acad. Sci. Paris 198: 1363-1365. Ap.9, 1934. no.15.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Gratia, A.

Identification sérologique et classification des virus des plantes. Distinction entre l'antigène mosaïque et l'antigène végétal. Compt. Rend. Soc. Biol. Paris 115: 1239-1241. 1934. no.11.

Current Science (Bangalore) (475Sci23)

Joshi, A. C.

Croton sparsiflorus reaches United Provinces. Current Science 2: 344-345. Mr. 1934. no.9.

Richharia, R. H.

The number of microsporangia in each stamen in Asclepiadaceae. Current Science 2: 340-342. Mr. 1934. no.9.

Seshadri, T. R.

Colour of cotton flowers. Current Science 2: 343-344. Mr. 1934. no.9.

Tiwary, N. K. & Rao, V. S.

A preliminary note on the embryosac development of Callistemon linearis. Current Science 2: 339-340. illus. Mr. 1934. no.9.

Deut. Landw. Presse (Berlin) (18D482)

Grosse, A.

Auf unkrautbekämpfung eingestellte bodenbearbeitung. Deut. Landw. Presse 61: 169. illus. Ap.7, 1934. no.14.

Blitzschäden im kartoffelfelde. Deut. Landw. Presse 61: 154. illus. Mr.31,1934. no.13.

Ulmentod noch nicht besiegt. Deut. Landw. Presse 61: 154. Mr.31, 1934. no.13.

Deut. Zuckerind. (Berlin) (65.8D48)

Kaufmann, O.

Die verwendung von bor zur bekämpfung der herz- und trockenfäule der rüben. Deut. Zuckerind. 1: 305-306. Ap.14, 1934. no.15.

Econ. y Técn. Agr. (Spain) (Madrid) (15Ec7)
García Romero, A.
Las semillas. IV. Determinación de su poder germinativo. Germinadores. Econ. y Técn. Agr. (Spain) 3: 87-90. illus. F.1934. no.22.

Erdész. Kisérl. (Hungary) (Sapron) (99.9Er22)
Fehér, D. & Besenyei, Z.
Minöségi és mennyiségi vizsgalátok az erdötalaj makroszkopikus gombaflórájáról. II. (Qualitative und quantitative untersuchungen über die makroskopische pilzflora der waldböden). Erdész. Kisérl. (Hungary) 35: 261-278. 1934. no.3.

Kalabay, D.
Adatok a magyar erdök zuzmóflórájához. (Beiträge zu der flechten-flora der ungarischen wälder). Erdész. Kisérl.(Hungary) 35: 279-286. illus. 1934. no.3.
Die wälder der umgebung von Sopron.
German summary: p.285-286.

Magyar, P.
A homokfásítás és növényszociológiai alapjai. (Die pflanzensoziologischen grundlagen der sandaufforstung). Erdész. Kisérl. (Hungary) 35: 139-227. illus. 1934. no.3.
German summary: p.199-227.

Ernähr. Pflanze (Berlin) (57.8Er6)
Loew, O.
Zur physiologie von kalium und kalzium. Ernähr. Pflanze 30: 141-144. Ap.15, 1934. no.8.

Estate Mag. (10Es8)
Hodson, W. E. H.
Stem eelworm in potato. Estate Mag. 34: 275-276. Ap. 1934. no.4.

Flor. Exch. (N.Y.) (80F666)
Dorner, H. B.
Handling cut flowers to prolong their keeping qualities. I-II. Flor. Exch. 82(16): 15-16; 82(17): 16-23. port. Ap.21,28,1934.

Forstarchiv. (Hannover) (99.8F7723)
Liese, J.
Absterben von kiefernsämlingen durch Moniliopsis-befall. Forstarchiv. 10: 101-103. illus. Ap.1, 1934. no.7.
M.klebahni.

Forstarchiv. (cont.)

Wettstein-Westersheim, W. v.

Welche pappeln können zur forstlichen pflanzung illus. Ap.1, 1934. no.7.

Fruit Grow., Fruiterer, Flor. & Mark. Gard. (London) (80F941)

Wormald, H.

The incidence of plant diseases. Occurrences in 1933. Fruit Grow. Fruiterer, Flor. & Mark. Gard. 77: 649-650. Ap.12, 1934. no.2000.

Gard. Chron. (London) (80G162)

Bagenal, N. B.

Twenty-one years work at East Malling research station. I. History of the station. Gard. Chron. III, 95: 262. illus. Ap.21, 1934. no.2469.

Balls, E. K.

Plant collecting in Persia. VIII. Schir Kuh and Dionysias. Gard. Chron. III, 95: 246-247. illus. Ap.14, 1934. no.2468.

Claes, F.

The Arracacha. Gard. Chron. III, 95: 236. illus. Ap.7,1934. no.2467.

Arracacha esculenta, or Peruvian carrot.

Claes, F.

The re-discovery of Cattleya labiata var. autumnalis. Gard. Chron. III, 95: 244-245. Ap.14,1934. no.2468.

Friend, H.

Herbals and herbalists. VIII. The new age. Gard. Chron. III, 95: 264. Ap.21, 1934. no.2469.

Heaton, I. W.

Vegetative propagation of Amaryllis. Gard. Chron. III, 95: 229. Ap.7,1934. no.2467.

Johnson, A. T.

Some Ericaceae in spring. Gard. Chron. III, 95: 247-248. Ap.14, 1934. no.2468.

Redgrove, H. S.

Notes on artemisias, more especially those of economic importance. Gard. Chron. III, 95: 231-233. Ap.7, 1934. no.2467.

Gard. Chron. (cont.)

Schneider, C.

Dr. Fritz Count von Schwerin. Gard. Chron. III, 95: 238. Ap.7, 1934. no.2467.

Souillet, Abbé.

Lilium candidum and its varieties. Gard. Chron. III, 95: 230-231. illus. Ap.7,1934. no.2467.

Stoker, F.

Lilium candidum. Gard. Chron. III, 95: 261. Ap.21, 1934. no.2469.

Comments on Abbé Souillet's article.

Todd, E. E.

Iris fontanesii, Godr., and other irises of the Xiphium group. Gard. Chron. III, 95:248-249. Ap.14,1934. no.2468.

Ward, F. K.

Some new and rare gentians. Gard. Chron. III, 95: 263-264. Ap.21, 1934. no.2469.

Gard, Illus. (London) (80G169)

Elliott, C.

Majorcan plants. Gard. Illus. 56: 212. illus. Ap.14, 1934. no.2875.

Gartenfl. (Berlin) (80G19)

Meyer, Fr.

Hellfarbige cypripedien. I. Paphiopedilum. Gartenfl. 83:92-98. illus. Ap.1934.

Gartn.-Tid. (København) (80G192)

Weber, A.

Den nye tulipansygdom. Gartn.-Tid. 50: 209-212. illus. Ap.17,1934. no.16.

Phytophthora cryptogea or P. erythroseptica.

De danske mycelium. Gartn.-Tid. 50: 218-220. illus. Ap.17, 1934. no.16.

Genetica (The Hague) (442.8G282)

Buchinger, A.

Vegetative spaltung an dem haferartbastard: Avena sativa L. x Avena strigosa Schreb. Genetica 15: 393-424, incl. plates. 1934. no.5/6.

Haan, H. de

Gibt es polymere faktoren? Genetica 15: 529-543. 1934. no.5/6.

Genetica (cont.)

Leliveld, J. A.

Cytological studies in the genus Ulmus. L. I. The supposed hybrid nature of the common Dutch elm. Genetica 15: 425-432. illus. 1934. no.5/6.

Medwedewa, G. B.

Zur zytologie des hanfes. Die pollenentwicklung beim italienischen hanfe. Genetica 15: 353-391, incl. plates. 1934. no.5/6.

Moffett, A. A.

Cytological studies in cultivated pears. Genetica 15: 511-518. illus., pl. 1934. no.5/6.

Tammes, T.

Die übereinstimmung zwischen entwicklungsstadien und phaenotypen verschiedener genotypen. Genetica 15: 519-528. illus. 1934. no.5/6.

Experiments with Linum usitatissimum.

Gloucestershire Farmer. (10G512)

Marsh, R. W.

Apple scab. Gloucestershire Farmer 1: 103-105. Ap./Je.1933. no.2.

Redington, G.

Poisonous plants. I. Gloucestershire Farmer 2: 89-90. Ap./Je.1933. no.2.

House & Gard. (Greenwich, Conn.) (80H81)

Gabrielson, I. N.

The fire-born Cascades, where vast mountains give foothold to countless gem-like flowers. House and Gard. 65(5): 66-67, 92,94. illus. My.1934.

Indian For. (Dehra Dun) (99.8In2)

Parkinson, C. E.

On a botanical visit to Mulayit Peak, with a sketch of the vegetation of the Tenasserim hilltops. Indian For. 60: 256-269. pl.25-26. Ap.1934. no.4.

Intern. Bull. Plant Prot. (464.8In8)

Gt. Britain. Ministry of agriculture and fisheries.

England and Wales: New and interesting phytopathological records for the year 1933. Intern. Bull. Plant Prot. 8: 51. Mr.1934. no.3.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)

Brewbaker, H. E.

Self-fertilization in sugar beets as influenced by type of isolator and other factors. Journ. Agr. Res. 48:323-337. illus. F.15, 1934 (Rec'd Ap.24) no.4.

Davis, R. L.

Maize crossing values in second-generation lines. Journ. Agr. Res. 48: 339-357. F.15, 1934. no.4. (Rec'd Ap.24)

Holland, E. B. & Jones, C. P.

The relation of "dark center" to the composition of rutabagas. Journ. Agr. Res. 48: 377-378. F.15, 1934(Rec'd Ap.24) no.4.

Lauritzen, J. I. & Wright, R. C.

Factors affecting gladiolus in storage. Journ. Agr. Res. 48: 265-282. F.1, 1934 (Rec'd Ap.24) no.3.

McCall, M. A.

Developmental anatomy and homologies in wheat. Journ. Agr. Res. 48: 283-321. illus., pl.1-2. F.15, 1934(Rec'd Ap.24) no.4.

Thomas, H. E.

Studies on Armillaria mellea (Vahl.) Quel., infection, parasitism, and host resistance. Journ. Agr. Res. 48: 187-218. pl. 1-11. F.1,1934. no.3.

Tysdal, H. M.

Determination of hardiness in alfalfa varieties by their enzymatic responses. Journ. Agr. Res. 48: 219-240. F.1, 1934(Rec'd Ap.24) no.3.

Journ. Agr. Sci. (London) (10J822)

Brady, J.

Some factors influencing lodging in cereals. Journ. Agr. Sci. 24: 209-232. Ap.1934. no.2.

Journ. Amer. Pharm. Assoc. (Easton, Pa.) (396.9Am33J)

Mollett, C. E. & Christensen, B. V.

Coptis occidentalis Salisbury (fam. Ranunculaceae) western Coptis, western goldthread. Journ. Amer.Pharm. Assoc. 23: 310-316. illus. Ap. 1934. no.4.

Journ. Amer. Pharm. Assoc. (cont.)
Richards, L. W. & Lynn, E. V.
An examination of Ceanothus velutinus. Journ. Amer. Pharm. Assoc. 23: 332-336. Ap.1934. no.4.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)
Brink, R. A.
Self-incompatibility in yellow sweet clover, Melilotus officinalis. Journ. Amer. Soc. Agron. 26: 307-312. Ap.1934. no.4.

Coffman, F. A. & Davis, L. L.
Heterosis or hybrid vigor in oats. Journ. Amer. Soc. Agron. 26: 318-327. Ap.1934. no.4.

Koehler, B., Dungan, G. H. & Burlison, W. L.
Maturity of seed corn in relation to yielding ability and disease infection. Journ. Amer. Soc. Agron. 26: 262-274. Ap.1934. no.4.

Reynolds, E. B. & Rea, H. E.
Effect of fertilizers on the yield of cotton and on the control of the root-rot disease of cotton on the Blackland Prairie soils of Texas. Journ. Amer. Soc. Agron. 26: 313-318. Ap.1934. no.4.
No effect on the disease.

Sutherland, J. L. & Jodon, N. E.
Resistance of wheat varieties to bunt at Moccasin, Montana, and North Platte, Nebraska. Journ. Amer. Soc. Agron. 26: 296-306. Ap.1934. no.4.

Journ. Arnold Arb. (Cambridge, Mass.) (451Ar6J)
Faull, J. H.
Blister rust of Pinus longifolia Roxb. Journ. Arnold Arb. 15: 154-157. Ap.1934. no.2.
A review of K. Bagchee's Investigations on the infestation of Peridermium himalayense... The reviewer thinks the correct name of the causal fungus should be Cronartium opheliae (Sydow) nc.comb. not Cronartium himalayense as author has named it."

Palmer, E. J.
Notes on some plants of Oklahoma. Journ. Arnold Arb. 15: 127-134. Ap.1934. no.2.

Rehder, A.
Notes on the ligneous plants described by Leveille from eastern Asia. (cont.) Journ. Arnold Arb. 15: 91-117. Ap.1934. no.2.

Journ. Arnold Arb. (cont.)

Whelden, C. M.

Studies in the genus Fraxinus. I. A preliminary key to winter twigs for the sections Melioides and Bumelioides. Journ. Arnold Arb. 15: 118-126. illus., pl.87-89. Ap.1934. no.2.

Whitaker, T. W.

Chromosome constitution in certain monocotyledons. Journ. Arnold Arb. 15: 135-143. illus. Ap.1934. no.2.

Whitaker, T. W.

The occurrence of tumors on certain Nicotiana hybrids. Journ. Arnold Arb. 15: 144-153. illus. pl.90. Ap.1934. no.2.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)

Clarke, G. H.

Important weeds of South Australia. 4.The apple of Sodom. Solanum sodamaeum, L., var. hermannii, Dunal. Journ. Dept. Agr. So. Australia 37: 1015-1019. illus., col.pl. Mr.15, 1934. no.8.

Garrett, S. D.

The effect of crop rotation on the eelworm (Heterodera schachtii) disease of cereals. Journ. Dept. Agr. So. Australia 37: 984-987. illus. Mr.15, 1934. no.8.

Garrett, S. D.

Factors affecting the severity of take-all. 3. The climatic factor. Journ. Dept. Agr. So. Australia 37: 976-983. Mr.15, 1934. no.8.

Journ. Exp. Biol. (London)

Steward, F. C. & Berry, W. E.

The absorption and accumulation of solutes by living plant cells. VII. The time factor in the respiration and salt absorption of Jerusalem artichoke tissue (Helianthus tuberosus), with observations on ionic interchange. Journ. Exp. Biol. 11: 103-119. Ap.1934. no.2.

Journ. Pharm. Soc. Japan (J396.9P49)

Kariyone, T. & Kashiwagi, K.

Ueber die bestandteile von Coriaria japonica A. Gray. IV. Journ. Pharm. Soc. Japan 54: 31-32. Mr.1934. no.3.

Journ. Soc. Trop. Agr. Japan (Taiwan) (26So13)

Adachi, M.
Untersuchungen über die rhizosphäre der pflanzen. Journn. Soc. Trop. Agr. Japan 5: 277-278. O.1933. no.3.
Vorläufige mitteilung.

Gotoh, K. & Okura, E.
A preliminary note on cytological studies of Oryza. Journ. Soc. Trop. Agr. Japan 5: 363-364. illus., pl. O. 1933. no.3.

Gotoh, K.
Sclerotium rolfsii Sacc. in perfect stage. II. (concl.) Studies on S. rolfsii of foreign origin in comparison with some strains of Formosa. Journ. Soc. Trop. Agr. Japan. 5: 374-382. illus. D.1933. no.4.

Hosokawa, T.
Notulae leguminosarum ex Asiae-orientali.V. Journ. Soc. Trop. Agr. Japan 5: 287-289. O. 1933. no.3.

Ishii, M.
On the carotinoids of cane stem. Journ. Soc. Trop. Agr. Japan 5: 275-276. O.1933. no.3.
Japanese.

Kanehira, R. & Sasaki, S.
An enumeration of Formosan trees in the Taihoku herbarium. VII-VIII. Journ. Soc. Trop. Agr. Japan 5: 302-307, 398-404. O.,D., 1933. no.3,4.

Matsumoto, T., Yamamoto, W. & Hirane, S.
Physiology and parasitism of the fungi generally referred to as Hypochnus sasakii Shirai. II-III. Journ. Soc. Trop. Agr. Japan 5: 332-345, 367-373. illus. O., D.1933. no.3,4.
II. Temperature and humidity relations. III. Histological studies in the infection by the fungus.

Miyake, S. & Ohno, S.
Ueber den schleim von Ficus awkeotsang Makino. Journ. Soc. Trop. Agr. Japan 5: 270-272. O.1933. no.3.
Japanese.

Journ. Soc. Trop. Agr. Japan (cont.)

Ohno, S.

Ueber den schleim von Machilus thunbergii Sieb. et Zucc. Journ. Soc. Trop. Agr. Japan 5: 431-435. D.1933. no.4.

Japanese.

Yamamoto, R. & Kato, A.

On the colouring matter of Hibiscus sabdariffa L. Journ. Soc. Trop. Agr. Japan 5: 273-274. O. 1933. no.3.

Japanese.

Yamamoto, Y.

Observationes ad floram Formosanam. VIII-IX. Journ. Soc. Trop. Agr. Japan 5:346-356, 405-407. illus. O., D. 1933. No.3,4.

Kolloid-Beih. (384Z315K)

Samec, M. & Knop, L.

Studien über pflanzenkolloide. XXXV. Lösungszustand der iso-hexosane. Kolloid-Beih. 39: 259-264. Ap.1, 1934. no.5/7.

Kühn-Arch. (Berlin) (105.8H15Ku)

Becker, H.

Zur immunitätszüchtung des weizens gegen Puccinia glumarum und Puccinia triticina. Kühn-Arch. 38: 293-305. 1933.

Fuchs, W. H.

Zur analyse des physiologischen zustandes der pflanzen im zusammenhang mit temperatureinflüssen. Kühn-Arch. 38: 232-286. 1933.

Kiessling, L. E.

Biologische massnahmen zur unterdrückung des kartoffelschorfes. Kühn-Arch. 38:184-201. illus. 1933.

Krümmel, H.

Untersuchungen über die befruchtungsverhältnisse bei kirschen. III. Kühn-Arch. 38: 202-222. 1933.

Nicolaisen, W. & Isenbeck, K.

Probleme, methoden und ergebnisse der pflanzenzuchtstation der Universität Halle. Kühn-Arch. 38: 306-377. 1933.

Kühn-Arch. (cont.)
Schreiber, F.
Resistenz-züchtung bei buschbohnen. Kühn-Arch. 38: 287-292. 1933.

Landbouwk. Tijdschr. Wageningen (105.2 Or3)
Koeslag, J. D.
De beteekenis van de phaenologie voor den landbouw. Landbouwk. Tijdschr. Wageningen 46: 230-241. Ap.1934. no.558.

Rozanova, M. A.
De jarowizatie der landbouwgewassen. Landbouwk. Tijdschr. Wageningen 46: 224-229. Ap.1934. no.558.
Bull. Jarowizatsii, n.1,2,3. Odessa 1932. (Russisch). Dr. H. Bos, "Het vegetatierhythme van de rogge", Landb. Tijdschr. no. 547,1933.

Latvijas Univ. Raksti Lauks. Fak. Ser. (Acta Univ. Latviensis Agron. Ord. Ser.) (Riga) (20L353)
Kiršteins, K. & Eiche, V.
Baltā skābarža (Carpinus betulus L.) dabiskā izplatība un oikoloģija Latvijā. (Das naturliche vorkommen und die ökologie der hainbuche (Carpinus betulus) in Lettland). Latvijas Univ. Taksti Lauks. Fak. Ser. (Acta Univ. Latviensis Agron. Ord. Ser.) 2: 343-448. illus. 1933. no.9/13.
German summary: p.436-448.

Leafl. West. Bot. (San Francisco) (450L47)
Abrams, L.
Notes on some type specimens of Arctostaphylos. Leafl. West. Bot. 1: 84-87. Ja.30, 1934. no.9.

Bellue, M. K.
Centaurea iberica Trevir. Leafl. West. Bot. 1: 95-96. Ja.30, 1934. no.9.

Cockayne, L.
[Variability of Pittosporum tenuifolium]. Leafl. West. Bot. 1: 94. Ja.30, 1934. no.9.

Eastwood, A.
Cheiranthus grandiflorus, a correction. Leafl. West. Bot. 1: 87-89. Ja.30, 1934. no.9.

Eastwood, A.
Escallonias in Golden Gate Park. II. (concl.) Leafl. West. Bot. 1: 81-82. Ja.30, 1934. no.9.

Leafl. West. Bot. (cont.)

Eastwood, A.

Gentiana copelandi Eastwood, Proc. Calif. Acad. Sci. ser.4, 20: 150. 1931. Leafl. West. Bot. 1: 96. Ja.30,1934. no.9.

Name untenable, G. eximia substituted.

Eisen, G. A.

[Ledum palustre]. Leafl. West. Bot. 1: 95. Ja.30, 1934. no.9.

Ledum used in brewing beer.

Howell, J. T.

Lepidium oreganum, a hybrid-suspect. Leafl. West. Bot. 1: 92-94. Ja.30, 1934. no.9.

Keck, D. D.

A new Penstemon from Utah. Leafl. West. Bot. 1: 82-83. Ja.30, 1934. no.9.

Penstemon bracteatus.

Sutliffe, D.

Ricciocarpus natans in California. Leafl. West. Bot. 1: 96. Ja.30, 1934. no.9.

Madras Agr. Journ. (22M262)

Dutt, N. L. & Krishnaswami, M. K.

The breeding of the thick type of canes for India. Madras Agr.Journ. 22: 93-96. Mr.1934. no.3.

Jacob, K. C.

South Indian bananas. Madras Agr.Journ. 22: 41-57. F. 1934. no.2.

Tentatively classified list of South Indian bananas so far studied: p.49-57.

Malayan Agr. Journ. (Kuala Lumpur) (22.5F312)

Henderson, M. R.

The sources of "tuba" in the Malay Peninsula. Malayan Agr. Journ. 22: 125-130. 2 pl. Mr. 1934. no.3.

Derris.

Missouri Bot. Gard. Bull. (St. Louis) (89M69B)

Beilmann, A. P.

How to feed a shade tree. Missouri Bot. Gard. Bull. 22: 113-126. illus.,pl.33-37. Ap. 1934. no.4.

Mitt. Landw. (Berlin) (18D48M)

Kaufman, O.

Die bekampfung der herz- und trockenfäule der rüben mit bor. Mitt. Landw. 49: 304-305. illus. Ap.7,1934. no.14.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)

Fric, A. V.

Zur hormon-frage. Irrige auffassungen über den einfluss der wirkstoffe bei treib-pflanzen. Möller's Deut. Gärtn.-Zeit. 49:110. illus. Ap.11, 1934. no.10.

Liebe, C.

Der einfluss von hormonen auf die blütenentwicklung. Möller's Deut. Gärtn.-Zeit. 49: 73-74. Mr.1, 1934. no.7.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)

Bremen, H.

Die mehlkrankheit der zwiebeln (Sclerotium cepivorum Berk.) Nachrichtenbl. Deut. Pflanzenschutzd. 14: 37-38. illus. Ap.1934. no.4.

Pfankuch, E.

Zur biochemie des kartoffelabbaues. I. Nachrichtenbl. Deut. Pflanzenschutzd. 14: 38. Ap.1934. no.4.

Nat. Hist. (N. Y.) (500N483J)

Alexander, E. J.

Water plants for home cultivation. Nat. Hist. 34: 207-220. illus. My./Je.1934. no.3.

Naturaliste Canad. (Quebec) (410N216)

Rousseau, J.

Essai de bibliographie botanique canadienne. (cont.) Naturaliste Canad. 61: 120-123. Ap. 1934. no.4.

Index ... (Abies-Bidens)

Nature (London) (472N21)

Cockerell, T. D. A.

An ancient foxtail pine. Nature 133: 573-574. illus. Ap.14, 1934. no.3363.

Pinus aristata crossii.

Darlington, C. D.

Determination of sex. Nature 133: 579. Ap.14, 1934. no.3363.

Prof. Sydney H. Vines, F.R.S. Nature 133: 558. Ap.14, 1934. no.3363.

Died Ap.4th.

New Flora & Silva (London) (80N422)

Bean, W. J.

Nothofagus, southern beeches. I. New Flora & Silva 6: 160-167. pl. lxi. Ap. 1934. no.3.

Cox, E. H. M.

Sodium chlorate. New Flora & Silva 6: 213-216. Ap. 1934. no.3.

Dalrymple, G. H.

Auriculas. New Flora & Silva 6: 148-154. pl.lv-lvii. Ap.1934. no.3.

Johnson, A. T.

Notes on Vacciniums. New Flora & Silva 6: 155-159. pl. lviii. Ap.1934. no.3.

Nelmes, E.

Cultivated plants and their introduction. I. Japan. (concl.) New Flora & Silva 6: 205-212. Ap.1934. no.3.

Unwin, C. W. J.

The modern trend in dahlias. New Flora & Silva 6: 178-183. pl. lxviii. Ap.1934. no.3.

Wyatt, J. W.

Notes on the flowering plants of East Jotunheim, Norway. New Flora & Silva 6: 168-176. pl. lxii-lxvii. Ap. 1934. no.3.

New Jersey Agr. (275.28N46)

Blake, M.A. & Nightingale, G. T.

Effects of temperature on apple trees. New Jersey Agr. 16(2): 2-3. Mr./Ap. 1934.

New Zeal. Journ. Agr. (Wellington) (23N48J)

Aston, B. C. & Bruce, J. A.

The chemistry of weed-killers (cont.) New Zeal.Journ. Agr. 48: 172-173. Mr.20,1934. no.3.

Brien, R. M.

The fungi causing rots of stored apples in New Zealand. New Zeal. Journ. Agr. 48: 143-149. illus. Mr.20,1934. no.3.

Neill, J. C.

The control of stinking smut of wheat. Experiments on seed treatment with various dusts. New Zeal. Journ. Agr. 48: 170-171. Mr.20,1934. No.3.

New Zeal. Journn. Agr. (cont.)

Neill, J. C.

Effect of excess of disinfectant dusts on the field germination of seed wheat. New Zeal. Journ. Agr. 48: 174. Mr.20,1934. no.3.

Northwest Fruit Grower (Wenatchee) (80W48)

Overholser, E. L., Overley, F. L. & Claypool, L. L.

Factors affecting size of apples in 1933. Northwest Fruit Grower 6(1): 4,7. Ja.1934.

Notizbl. Bot.Gart.Berlin (451B45N)

Burret, M.

Palmae neogeae. V. Notizbl. Bot. Gart. Berlin 11: 1037-1050. Ja.20, 1934. no.110.

Francey, P.

Uebersicht über die gattung Sessea. Notizbl. Bot. Gart. Berlin 11: 978-990. Ja.20,1934. no.110.

Fritsch, K.

Zur kenntnis der gattung Besleria. Notizbl. Bot. Gart. Berlin 11: 961-977. Ja.20,1934. no.110.

Knoblauch, E.

Eine neue oleaceen-gattung der Comoren. Notizbl. Bot. Gart. Berlin 11: 1032-1033. Ja.20, 1934. no.110.

Comoranthus obconica.

Knoblauch, E.

Neue und seltene oleaceen aus dem tropischen Afrika, Neu-Guinea, China und Indo-China. Notizbl. Bot. Gart. Berlin 11: 1027-1031. Ja.20, 1934. no.110.

Olea pervilleana, Linociera ovalis n.spp.

Knuth, R.

Ueber die gattung Asteranthos. Notizbl. Bot. Gart. Berlin 11: 1034-1036. Ja.20, 1934. no.110.

Establishes a new family, Asteranthaceae with Asteranthos as type.

Mansfeld, R.

Ueber die orchideengattung Pachites Lindl. Notizbl. Bot. Gart. Berlin 11: 1051-1057. Ja.20, 1934. no.110.

Notizbl. Bot. Gart. Berlin (cont.)

Mattick, F.

Die gattung Astronium. Notizbl. Bot. Gart. Berlin 11: 991-1012. Ja.20,1934. no.110.

A. gardneri, A. glaziovii n.spp.

Melchior, H.

Die theaceen des tropischen Afrikas. Notizbl. Bot. Gart. Berlin 11: 1093-1100. Ja.20, 1934. no.110.

Ternstroemia polypetala, Adinandra schliebenii n.spp.

Mildbraed, J.

Neue und seltene arten aus Ostafrika (Tanganyika-Territ. mandat) leg. H.J. Schlieben. V. Notizbl. Bot. Gart. Berlin 11: 1058-1092. Ja.20, 1934. no.110.

Sleumer, H.

Beiträge zur kenntnis der flacourtiaceen Südamerikas. I. Notizbl. Bot. Gart. Berlin 11: 951-960. Ja.20, 1934. no.110.

Abatia canescens, Banara glabrata, B. magnifolia n.spp. and seven new species of Casearia.

Sleumer, H.

Ueber die zugehorigkeit der gattung Mesaulosperma v. Slooten. Notizbl. Bot. Gart. Berlin 11: 1024-1026. illus. Ja.20,1934. no.110.

Itoa orientalis Hemsley (Mesaulosperma vieillardii (Gagnepain) v. Slooten; I. stapfii (Mesaulosperma stapfii (Koorders) v. Slooten.

Stojanoff, N. & Stefanoff, B.

Sedum tuberiferum Stoj. et Stef. sp. nova aus Bulgarien. Notizbl. Bot. Gart. Berlin 11: 1013-1023. illus. Ja.20, 1934. no.110.

Orchid Rev. (Richmond, Engl.) (80 Or15)

Cradwick, W.

Orchid growing in Jamaica. Orchid Rev. 42: 115-119. illus. Ap. 1934. no.490.

Hurst, C. C.

Unique collection of hybrid albino Cattleyas in the United States. Orchid Rev. 42: 108-111. Ap.1934. no.490.

Mousley, H.

Habenaria orbiculata. Orchid Rev. 42: 112-113. illus. Ap.1934. no.490.

Orchidee (Bandoeng) (80 Or18)

De oostersche Dendrobium weelde. Orchidee (Bandoeng) 3: 53-59. illus. Mr.1934. no.3.

L'ortofrutticoltura Italiana (80 Or32)

Curzi, M.

Il male del piombo da necrosi e carie del legno in Italia. L'ortofrutticoltura Italiana 3: 45-51. illus. Mr.1934. no.3.

Papers Mich. Acad. Sci. (500M582)

Arnold, J. D.

A comparative taxonomic study of forms of Collybia tuberosa Fr. and Collybia cirrata Fr. Papers Mich. Acad. Sci. 19: 55-58. pl.i. 1934.

Clark, I. M.

Two new paleobotanical records for the Antrim shale of Michigan. Papers Mich. Acad. Sci. 19: 59-64. pl. ii-iii. 1934.

Callixylon erianum Arnold?,Bothrodendron antrimense, sp.nov.

Baxter, D. V.

Some resupinate polypores from the region of the Great Lakes V. Papers Mich. Acad. Sci. 19: 305-332. pl. lviii-lxv. 1934.

Gustafson, F. G.

The effect of a decrease in the amount of transpiration on the growth of certain plants. Papers Mich. Acad. Sci. 19: 65-82. pl.iv. 1934.

Jao, C.-C.

New Oedogonia collected in China. Papers Mich. Acad. Sci. 19: 83-92. pl.v-vii. 1934.

O. spiralidens, O. orientale, O. costatosporum, O. excavatum, n.spp.

Kanouse, B. B.

Notes on new or unusual Michigan Discomycetes I. Papers Mich. Acad. Sci. 19: 93-106. pl.viii-xii. 1934.

Psilopezia albida n.sp.

Kenoyer, L. A.

Forest distribution in southwestern Michigan as interpreted from the original land survey (1826-32) Papers Mich. Acad. Sci. 19: 107-111. map. 1934.

LaRue, C. D. & MacNeill, M.

The behavior of decapitated seedlings. Papers Mich. Acad. Sci. 19: 113-131. 1934.

Papers Mich. Acad. Sci. (cont.)

Lohman, M. L.

A cultural and taxonomic study of Hysteriumhyalinum. Papers Mich. Acad. Sci. 19: 133-140. pl.xiii. 1934.

Suggests that H. hyalinum be accepted as valid name and that it be removed from synonomy of Hysterographium gloniopsis.

Lowe, J. L.

Notes on some species of Polyporus. Papers Mich. Acad. Sci. 19: 141-148. pl.xiv-xv. 1934.

Merrill, E. D.

New Sumatran plants. I. Papers Mich. Acad. Sci. 19:149-203. pl.xvi-xxxv. 1934.

Smith, A. H.

Unusual agarics from Michigan. Papers Mich. Acad. Sci. 19: 205-216. pl.xxxvi-xliv. 1934.

Taylor, W. R.

The fresh-water algae of Newfoundland. pt.I. Papers Mich. Acad. Sci. 19: 217-278. pl. xlv-lvii. 1934.

Thorpe, F. J.

Bryophytes from Greenland. Papers Mich. Acad. Sci. 19: 281-291. 1934.

Pharm. Zentralbl. (Dresden) (396.8P492)

Kolle, F. & Gloppe, K. E.

Ueber die alkaloide von Narcissus poeticus L. Pharm. Zentralh. 75: 237-239. Ap.12, 1934. no.15.

Phosphorsäure (57.8P562)

Höhne, E. & Chelard, G.

Hat die düngung einen einfluss auf die schorfbildung bei kartoffeln? Phosphorsäure 4: 161-167. 1934. no.3.

Stoklasa, J.

Aufschliessung der rohphosphate durch die wurzelausscheidungen einzelner kulturpflanzen. Phosphorsäure 4: 129-148. 1934. no.3.

Phytopath. (464.8P56)

Blodgett, F. M. & Mader, E. O.

A method of recording the distribution of copper dusts or sprays on leaves. Phytopath. 24: 418-422. illus. Ap.1934. no.4.

By means of prints of sprayed leaves.

Phytopath. (cont.)

Burgert, I. A.
Some factors influencing germination of spores of Phyllosticta solitaria. Phytopath. 24: 384-396. Ap.1934. no.4.

Carter, W.
Mealy-bug wilt and green spot in Jamaica and Central America. Phytopath. 24: 424-426. Ap.1934. no.4.

Drayton, F. L.
The gladiolus dry rot caused by Sclerotinia gladioli (Massey) n.comb. Phytopath. 24:397-404. illus. Ap.1934. no.4.

Grant, T. J.
The host range and behavior of the ordinary tobacco-mosaic virus. Phytopath. 24: 311-336. illus. Ap.1934. no.4.

Harris, M. R.
A phytophthora disease of snapdragons. Phytopath. 24: 412-417. illus. Ap.1934. no.4.
"... organism here described is closely allied to if not identical with Phytophthora cactorum (Lebert & Cohn) Schrot."

Mains, E. B.
Host specialization of Puccinia sorghi. Phytopath. 24: 405-411. Ap.1934. no.4.
Andropogon rust with aecia on Oxalis, which has been placed in P. sorghi, should be considered a race of P. andropogonis.

Shands, H. L.
Temperature studies on stripe of barley, Phytopath. 24: 364-383. illus. Ap.1934. no.4.

Tu, C.
Physiologic forms of Puccinia graminis tritici in Kwangtung, southern China. Phytopath. 24: 423-424. Ap.1934. no.4.

Wolf, F. A., Dixon, L. F., McLean, R. & Darkis, F.R.
Downy mildew of tobacco. Phytopath. 24: 337-363. illus. Ap.1934. no.4.

Phytopath. Zeitschr. (Berlin) (464.8P562)

Gassner, G. & Hassebrauk, K.
Der einfluss der mineralsalzernährung auf das anfälligkeitsverhalten der zur rassenbestimmung von getreiderosten dienenden standardsortimente. Phytopath. Zeitsch. 7: 63-72. 1934. no.1.

Gassner, G. & Kirchhoff, H.
Einige vergleichende versuche über verschiebungen der rostresistenz in abhängigkeit vom entwicklungszustand der getreidepflanzen. Phytopath. Zeitschr. 7: 43-52. 1934. no.1.

Gassner, G. & Hassebrauk, K.
Zweijährige feldversuche über den einfluss der düngung auf die rostanfälligkeit von getreidepflanzen. Phytopath. Zeitschr. 7: 53-61. 1934. no.1.

Jones, L. K., Anderson, E. J. & Burnett, G.
The latent virus of potatoes. Phytopath. Zeitschr. 7: 93-115. illus. 1934. no.1.

Köhler, E.
Untersuchungen über die viruskrankheiten der kartoffel. III. Weitere versuche mit viren aus der mosaikgruppe. Phytopath. Zeitschr. 7: 1-30. illus. 1934. no.1.

Petri, L.
Alcune considerazioni sopra i generi Deuterophoma e Blastophoma. Phytopath. Zeitschr. 7: 117-119. 1934. no.1.
Blastophoma=Deuterophoma.

Ronsdorf, L.
Ueber plasmolyse und vitalfärbung bei sporen und jungen keimschläuchen von getreiderostpilzen. Phytopath. Zeitschr. 7: 31-42. illus. 1934. no.1.

Trifonova, V.
Die rotfleckenkrankheit der pflaume, Polystigma rubrum (Pers.) D.C. Phytopath. Zeitschr. 7: 73-92. illus. 1934. no.1.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Freising) (464.8P88)

Korff, G. & Böning, K.
Die meerrettichschwärze und ihre bekämpfung. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 33(n.s. v.11): 273-277. illus. Mr.1934. no.12.

Proc. Ohio State Hort. Soc. (81Oh3)

Ballou, R. H. & Lewis, I. P.
Results of trials with spray and dust materials. Proc. Ohio State Hort. Soc. 67(1934): 66-83. 1934.

Dutton, W. C.
Early season spraying practices as related to scab control and spray injury. Proc Ohio State Hort. Soc. 67(1934): 63-66. 1934.

Hilbish, W. D.
Spraying costs and practices on a 200 acre apple orchard. Proc. Ohio State Hort. Soc. 67(1934): 83-89. 1934.

Pierstorff, A. L.
Fire blight and its control - relation of pollinating insects to dissemination. Proc. Ohio State Hort. Soc. 67(1934): 47-50. 1934.
Under Ohio conditions beehive not a source of fire blight inoculum.

Pierstorff, A. I.
Lessons of 1933 in apple scab control and recommendations for 1934. Proc. Ohio State Hort. Soc. 67(1934): 28-31. 1934.

Young, H. C.
Review of fruit diseases in 1933. Proc. Ohio State Hort. Soc. 67(1934): 23-28. 1934.

Proc. Oklahoma Acad. Sci. (500Ok42)

Barkley, F. A. & Barkley, E. A.
Ephedra antisiphilitica Meyer, establishing another order of plants for Oklahoma. Proc. Oklahoma Acad. Sci. 13: 11-12. 1933.

Progr. Agr. & Vitic. (Montpellier) (14P94)

Hébrard, J.
La destruction des mauvaises herbes par certains procédés chimiques. Progr. Agr. & Vitic. 101: 300-303. Ap.1, 1934. no.13.

Quart. Bull. State Bd. Agr. Delaware. (2D37B)

Adams, J. F.
Report of the plant pathologist for 1933. Quart. Bull. State Bd. Agr. Delaware v.24, no.1. 15 p. Mr.31, 1934.

Queensl. Agr. Journ. (Brisbane) (23Q33)

Morwood, R. B.

Covered smut of barley. Queensl. Agr. Journ. 41: 236-240. Mr.1, 1934. no.3.

Simmonds, J. H.

Bunchy top of the banana and its control. Queensl. Agr. Journ. 41: 241-244. illus. Mr.1, 1934. no.3.

White, C. T.

Queensland weeds. Blue weed or Paterson's curse (Echium plantagineum). Queensl. Agr. Journ. 41: 304-305. illus. Mr.1, 1934. no.3.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin) (450R29B)

Pfalzgraf, H.

Die vegetation des Meissners und seine waldgeschichte. Repert. Spec. Nov. Beih. v.75. 80 p. illus., iv pl., 4 fold.tab. Mr.15, 1934.

Schuster, K.

Orchidacearum iconum index. Zusammenstellung der in der literature erscheienenen tafeln und textabbildingen von orchideen. lfg. 4. Repert. Spec. Nov. Beih. 60: 241-320. Mr.1,1934. no.4.

Sleumer, H.

Die pflanzenwelt des Kaiserstuhls. Repert. Spec. Nov. Beih. v.77. 170 p. illus. F.20, 1934.

Rep. Dept. Agr. Centr. Prov. India (107.5N13A)

Central Provinces, India. Dept. of Agriculture.

Annual report of the mycological section for the year ending 31st March 1933. Its Rep. 1932/33: 33-36. 1933.

Rev. Agr. Afrique Nord. (80R326)

Vivet, E.

Apoplexie et court-noue. Rev. Agr. Afrique Nord 32: 197-204. Mr.30, 1934. no.765.

Rev. Bot. Appl. (Paris) (26R323)

Chevalier, A.

Etudes sur les prairies de l'Ouest Africain. I. Les graminées (cont.) Rev. Bot. Appl. 14: 109-137. F.1934. no.150.

Chevalier, A.

La patrie des divers Elaeis, les espèces et les variétés. Ou en est la sélection? Rev. Bot. Appl. 14: 187-196. Mr.1934. no.151.

Rev. Bot. Appl. (cont.)

Gard, M.
A propos du Juglans sieboldiana Maxim.
Rev. Bot. Appl. 14: 106-108. F.1934. no.150.

Quarré, P.
Deux plantes toxiques du Katanga. Urginea altissima Baker et Spondianthus preusii Engl.
Rev. Bot. Appl. 14: 211-214. Mr.1934. no.151.

Reznik, A.
Note sur le genre Anadelphia Hackel. (graminées)
Rev. Bot. Appl. 14: 197-201. Mr. 1934. no.151.
A triseta, A. chevalieri n.spp.

Stoffels, E.
Contribution à l'étude de la sélection de l'Elaeis guineensis à Sumatra. Rev. Bot. Appl. 14: 93-101. F.1934. no.150.

Vuillet, J.
Culture du Kerstingiella geocarpa au Soudan français. Rev. Bot. Appl. 14: 210-211. Mr. 1934. no.151.

Walker, A.abbé.
Plantes aromatiques offerte par les Gabonais aux manes de leurs ancêtres. Rev. Bot. Appl. 14: 102-106. F.1934. no.150.

Wildeman, E. de.
La théorie de l'hybridation et J.P. Lotsy (1867-1931). Rev. Bot. Appl. 14: 201-206. Mr. 1934. no.151.

Rev. Gén. Bot. (Paris) (450R326)

Cozic,
Etude biochimique de Bacterium xylinum. (cont.)
Rev. Gén. Bot. 46: 157-171. Mr. 1934. no.543.

Davy de Virville, A.
La flore et le climat d'un Vallon des Albères.
Rev. Gén. Bot. 46: 129-156. illus. (map), pl.ii-viii. Mr. 1934. no.543.

Teodoresco, E. C.
Le développement des algues et la réfrangibilité de la lumière. (cont.) Rev. Gén. Bot. 46: 172-192. illus. Mr. 1934. no.543.

Schrift. Naturw. Ver. Schleswig-Holst. (509K54)

Hoffmann, C.

Beiträge zur algenflora der westlichen Ostsee. Schrift. Naturw. Ver. Schleswig-Holst. 20: 106-115. illus. 1933. no.1.

Science (470Sci2)

Barnes, R. C.

The effect of heavy water of low concentration on Euglena. Science 79: 370. Ap.20, 1934. no.2051.

Deuber, C. G.

Methylene blue and gassed plants. Science 79: 389-390. Ap.27, 1934. no.2052.

Results of investigation are interpreted as indicating that methylene blue supplied to the roots is effective in aiding recovery of tomato plants that have been exposed to illuminating gas and to ethylene.

Hitchcock, A. S.

Taxonomy as a fundamental factor in botanical research. Science 79: 407-408. My.4,1934. no.2053.

Jones, L. R.

The oldest known plant virus disease. Science 79: 385. Ap.27, 1934. no.2052.

Review of M.B. McKay and M.F. Warner's Historical sketch of tulip mosaic or "breaking".

Karling, J. S.

Resting sporangia of Cladochytrium. Science 79: 390. Ap.27, 1934. no.2052.

Kozlowski, A.

A simple method for the isolation of glutathione from yeast. Science 79: 388-389. Ap.27, 1934. no.2052.

Kramer, P. J.

Effects of soil temperature on the absorption of water by plants. Science 79: 371-372. Ap.20, 1934. no.2051.

Shantz, H. L.

Botanical research. Science 79: 351-355. Ap.20, 1934. no.2051.

Science (cont.)
Streets, R. B.
The treatment of deciduous fruit trees and nut trees infected by Phymatotrichum omnivorum with ammonium compounds. Science 79: 417-418. My.4, 1934. no.2053.

[The life span of cut flowers lengthened by use of copper containers] Science v.79, no.2053, Suppl. p.9. My.4,1934.
Discovery reported by John Ratsek, N.Y. state college of agriculture.

Science News Letter (470Sci24)
Chance big pears have double chromosome count. Science News Letter 25: 266. Ap.28, 1934. no.681.
Report from Dept. of genetics, Carnegie Inst. Washington, Cold Spring Harbor, N.Y., given at Nat'l. Acad. Sci. meetings.

Measure plant's carbon dioxide fixing efficiency Science News Letter 25: 281. My.5, 1934. no.682.
Experiments with Chlorella reported by Prof. B.M. Duggar at the Nat'l Acad. of Sci. meetings.

Seed-fern fruits from southwest identified. Science News Letter 25: 280. My.5,1934. no.682.
Supaia described by Dr. David White at the Nat'l. Acad. Sci. meetings.

Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) (513T577)
Takei, S., Miyajima, S. & Ono, M.
Ueber rotenon, den wirksamen bestandteil der derriswurzel. XIV-XVI. Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) 24(494/498): 1-24. Ap.1, 1934.

Scient. Month. (470Sci23)
Fuller, G.D.
The plant communities of the dunes. Scient. Month. 38: 444-451. illus. My.1934. no.5.

Sitzungsb. Akad. Wiss. Wien Math.-Naturw.Kl. Abt.I. (510V67)
Fritsch, K.
Beobachtungen über blütenbesuchende insekten in Steiermark, 1914. Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt.I,142: 243-262. 1933. no.8/10.

Sitzungsbk. Akad. Wiss. Wien Math.-Naturw. Kl. Abt.I. (cont.)

Lämmermayr, L.

Floristische ergebnisse einer begehung der magnesitlagerstätten bei Dienten (Salzburg). Sitzungsbk. Akad. Wiss. Wien Math.-Naturw. Kl. Abt.I,142: 233-242. 1933. no.8/10.

Succulenta (Leeuwarden) (450Sul)

Houten, J. M. v.d.

Erfelijkheid en bastaardeering. III. Succulenta 16: 56-62. illus. Ap.1934. no.4.

Tischer, A.

Conophytum. N.E. Br. Succulenta 16: 54-56. illus. Ap.1934. no.4.

C. terricolor n.sp.

Das Superphosphat (Berlin)

Eichinger, A.

Kartoffelschorf und düngung. IV. Das Superphosphat 10: 1-8. illus. F.1934. no.1.

Tieteel. Julk. Suomen Suoviljelys (Vetensk. Skrift. Finska Mosskult.) (Helsinki) (20F493T)

Kotilainen, M. J.

Zur frage der pH-amplitude einiger moorpflanzen, kritische bemerkungen. Tieteel. Julk. Suomen Suoviljelys (Vetensk. Skrift. Finska Mosskult.) 13. 44 p. 1933.

Page 33-40, Einige bemerkungen und ergänzungen von Gunnar Booberg und further word by author.

Torreya (450T63)

Arthur, J. C.

Another Aeschynomene rust. Torreya 34: 46. Mr./Ap. 1934. no.2.

Uredo posita n.sp.

Cockerell, T.D. A.

What is a binominal? What is a forma? Torreya 34: 42. Mr./Ap. 1934. no.2.

Mueller, C. H.

Some notes on plants of Trans-pecos Texas. Torreys 34: 40-41. Mr./Ap.1934. no.2.

Thisos Mts.

Torreya (cont.)

Osterhout, G. E.
A new Cirsium from South Dakota. Torreya 34: 45. Mr./Ap.1934. no.2.
C. coccinatum.

Pratt, R.
Fruiting relations of some Mycetozoa. Torreya 34: 37-39. Mr./Ap. 1934. no.2.

Tulloch, G. S.
A new record for Leptomitus from Alaska. Torreya 34: 43-44. Mr./Ap. 1934. no.2.

Yuncker, T. G.
Some botanical aspects of the Hawaiian Islands. Torreya 34: 29-36. Mr./Ap. 1934. no.2.

Trans. Illinois State Hort. Soc. (81116)

Anderson, H. W.
Some fundamental facts concerning apple scab and its control. Trans. Illinois State Hort. Soc. 67(1933): 451-462. 1934.

Dorsey, M. J.
The bud sport situation in pomology. Trans. Illinois State Hort. Soc. 67(1933): 212-224. 1934.

Dorsey, M. J.
Relation of fruit bud formation and the set. Trans. Illinois State Hort. Soc. 67(1933): 466-477. 1934.

Trop. Agriculture West Indies (Trinidad) (26T754)

Pyke, E. E.
Nitrogen and plant growth. Trop. Agriculture West Indies 11: 124-125. My.1934. no.5.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Darrow, G. M.
Notes on variegated leaf troubles of strawberries. U.S. Dept. Agr. Plant Dis. Rep. 18: 26-29. Ap.1,1934. no.3.

McWhorter, F. P.
English form of tomato spotted wilt found in Oregon greenhouse. U.S. Dept. Agr. Plant Dis. Rep. 18: 25-26. Ap.1,1934. no.3.

U.S. Dept. Agr. Plant Dis. Rep. (cont.)

Sprague, R.

Observations on diseases of Gramineae in Oregon and adjacent parts of Washington during the open winter of 1933-1934. U.S. Dept. Agr. Plant Dis. Rep. 18: 24-25. Ap.1, 1934. no.3.

Early records of cranberry false blossom. U.S. Dept. Agr. Plant Dis. Rep. 18: 29-33 illus. Ap.1, 1934. no.3.

Verh. Zool.-Bot. Ges. Wien. (410.9V67)

Lämmermayr, L.

Bericht über die floristische begehung zweier steirischer magnesitlager. Verh. Zool.-Bot. Ges. Wien 83: 202-210. 1933. no.3/4.

Kaswassergraben bei Gross-reifling und jassinggraben bei St. Michael.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)

Elssmann, E.

Bekämpfung der Septoria-blattfleckenkrankheit des sellerie. Mehrjährige spritzversuche mit kupferbrühen. I. Zeitschr. Pflanzenkr. 44: 192-205. illus. Ap.1934. no.4.

Husz, B.

Ueber die zugehörigkeit von Phellomyces sclerotiophorus Frank und dessen unterscheidung von Spondylocladium atrovirens Harz. Zeitschr. Pflanzenkr. 44: 186-191. illus. Ap.1934. no.4.

Zeitschr. Pilzk. (Leipzig) (450Z352)

Hintikka, T. J.

P.A.Karsten. Anläasslich seines 100. geburtstages. Zeitschr. Pilzk. 18(n.s.,13): 16-21. pl.i (port.) Mr. 1934. no.1.

Kärber, G.

Lorchel (Helvella esculenta)-vergiftung. (cont.) Zeitschr. Pilzk. 18(n.s.13): 24-27. Mr.1934. no.1.

Kallenbach, F.

Gallen am flachen porling (Polyporus applanatus) (schluss) Zeitschr. Pilzk. 18(n.s.,13): 21-22. Mr.1934. no.1.

Kallenbach, F.

Ein riesiger laubporling (Polyporus frondosus). Zeitschr. Pilzk. 18(n.s.,13): 22-24. pl.2-3. Mr.1934. no.1.

Zeitschr. Zücht. A.Pflanzenzücht. (Berlin) (450Z36)

Benl, G.
Genanalyse bei Zea mays.I. Zeitschr. Zücht. A. Pflanzenzücht. 19: 235-297. Ap. 1934. no.2.

Breslavetz, L., Medwedewa, G. & Magitt, M.
Zytologische untersuchungen der bastpflanzen (Apocynum, Boehmeria, Hibiscus, Abutilon und Crotalaria). Zeitschr. Zücht. A. Pflanzenzücht. 19: 229-234. illus. Ap.1934. no.2.

Jung, E.
Ueber körnerausfall bei roggen. Zeitschr. Zücht. A. Pflanzenzücht. 19: 153-163. illus. Ap.1934. no.2.

Kattermann, G.
Zytologische notiz über weizen-roggen-bastarde. Zeitschr. Zücht. A, Pflanzenzücht. 19: 183-194. illus. Ap.1934. no.2.

Mayr, E.
Die bedeutung der alpinen getreidelandsorten für die pflanzenzüchtung und stammesforschung mit besonderer beschreibung der landsorten in Nordtirol und Vorarlberg. Zeitschr. Zücht. A, Pflanzenzücht. 19: 195-228. illus. Ap.1934. no.2.

Zimmermann, J. G.
Anatomische und morphologische untersuchungen über die brüchigkeit der ährenspindel in der gattung Triticum. Zeitschr. Zücht. A, Pflunzenzücht. 19: 164-182. illus. Ap.1934. no.2.

Zentralbl. Bakt. Abt.II. (Jena) (448.3C33)

Reinking, O. A.
Interesting new Fusaria. Zentralbl. Bakt. Abt.II, 89: 509-514. illus. Ap.4, 1934. no.25/26.
F. sublunatum, F. elongatum, F. concolor, n.spp.

Reinking, O. A. & Manns, M.M.
Parasitic and other Fusaria counted in Columbia soils. Zentralbl. Bakt. Abt.II, 89: 502-509. Ap.4, 1934. no.25/26.

Exp. Stat. Publ.

Beach, G. A.
A preliminary study of the fruiting habits of the black raspberry, Rubus occidentalis. Colorado Agr. Exp. Stat. Techn. Bull. 8. 18 p. illus. Mr.1934(100C71S)

Expt. Stat. Publ. (cont.)

Post, K.

Production of early blooms of chrysanthemums by the use of black cloth to reduce the length of day. Cornell Agr. Exp. Stat. Bull. 594. 30 p. illus. Ap.1934 (100N48C)

Georgia costal plain experiment station

Tobacco diseases. In its Ann. Rep. 13(1932, Bull.21): 94-99. Je.1933 (Rec'd F.1934) (100G292)

Wildon, C. E.

Garden flowers. Michigan Agr. Exp. Stat. Circ. Bull. 92 (rev.) 47 p. illus. F.1933. (100M58S)

Annual vines: p.40-41. Ornamental grasses: p.41-43.

Howlett, F. S.

Pollination of the apple in Ohio. Ohio Agr. Exp. Stat. Bimonth. Bull. 19: 65-70. Mr./Ap. 1934. no.167.(100Oh3S)

Completion of 10 consecutive years of apple pollination.

Ohio agricultural experiment station.

Botany and plant pathology. In its Ann. Rep. 52(1932/33) Bull.532: 33-38. illus. F.1934. (100Oh3S)

H.C. Young chief.

Wilson, J. D.

Cabbage clubroot in muck soils. Ohio Agr. Exp. Stat. Bimonth. Bull. 19: 58-65. illus. Mr./Ap.1934 (100Oh3S) no.167.

New Books.

Borodin, D. N.

Yarovization formulas for winter oats. N.Y., The author, 1934 (59.23B64)

Steyn, D. G.

The toxicology of plants in South Africa together with a consideration of poisonous foodstuffs and fungi. Johannesburg, Central news agency, 1934. (South African agricultural series Vol. XIII) (452.83St4)

Correction

v.16, no.7, p.17,18.

Dokl. Akad.Nauk SSSR

Entries should all have year date 1934,last entry on p.17 is in no.5; 4th and 5th on p.18, in no.3 and no.2 respectively.

l.c

BOTANY
CURRENT LITERATURE

LIBRARY
RECEIVED
★ MAY 28 1934 ★
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no. 10. May 7-19, 1934.

Abstr. Doctors' Diss. Ohio State Univ. (241.80h3)

Ikenberry, G. J.

The relation of hydrogen-ion concentration to the growth and distribution of mosses. Abstr. Doctors' Diss. Ohio State Univ. 12: 115-124. 1933.

Yang, Y. K.

The relation of pseudo-starch to vigor in sweet corn (Zea saccharata Sturt). Abstr. Doctors' Diss. Ohio State Univ. 12: 296-313. 1933.

Agr. Gaz. N.S.W. (Sydney) (23N472)

Eastwood, H. W.

The Australian nut. A valuable industry awaiting development. Agr. Gaz. N. S. W. 45: 203-209. illus. Ap.1, 1934. no.4.

Agron. Colon. (Paris) (26Ag812)

Bouriquet, G.

Les maladies du caféier à Madagascar. (concl.) Agron. Colon. 23: 73-82, 109-118. pl. iii-iv. Mr., Ap. 1934. no.195,196.

Amer. Journ. Bot. (450Am36)

Griggs, R. F. & Ready, D.

Growth of liverworts from Katmai in nitrogen-free media. Amer. Journ. Bot. 21: 265-277. illus. My.1934. no.5.

"Liverworts, especially Cephaloziella, can grow on media lower in combined nitrogen than any ordinary plants."

Hicks, G. C. & Stebbins, G. L.

Meiosis in some species and a hybrid of Paeonia. Amer. Journ. Bot. 21: 228-241. illus. My.1934. no.5.

Kesseler, E.v.

A preliminary study of varietal resistance in the pineapple to the root rot fungus Nematosporangium rhizophthoron. Amer. Journ. Bot. 21: 251-260. My.1934. no.5.

Amer. Journ. Bot. (cont.)

Miner, E. L.
A new Gleicheniopsis from the upper cretaceous of western Greenland. Amer. Journ. Bot. 21: 261-264. illus. My.1934. no.5.
G. erlansonii.

Pearl, R., Edwards, T.I., Winsor, A.A. & Winsor, C.P.
Aeration and growth of canteloup seedlings, (Cucumis melo) Amer. Journ. Bot. 21: 242-250. illus. My.1934. no.5.

Peirce, G. J.
Observations on sap hydraulics. Amer. Journ. Bot. 21: 211-227. My.1934. no.5.

Reed, G. M.
Inheritance of resistance to loose and covered smut in hybrids of black Mesdag with Hull-less, Silvermine, and early Champion oats. Amer. Journ. Bot. 21: 278-291. My.1934. no.5.

Amer. Nat. (470Am36)

Edwards, T. I.
Seed frequencies in Cytisus and Peltandra. Amer. Nat. 68: 283-285. My./Je. 1934. no.716.

Ann. Tecn. Agr. (Roma) (16An73)

Alessandro, A. d'
Sulla struttura dei fasci fibrosi di alcune varietà di canapa. Ann. Tecn. Agr. (Rome) 7: 197-200. illus. Ap.1, 1934. no.2.

Cecchetti, A.
Osservazioni su di una grave malattia nei vivai di peri. Ann. Tecn. Agr. (Rome) 7: 164-182. Ap.1, 1934. no.2.
Physiological?

Curzi, M.
Le malattie da virus delle piante. Ann. Tecn. Agr.(Rome) 7:183-196. Ap.1, 1934. no.2.

Gustavo, A. de.
Frutticoltura industriale. Conclusione sulle sperimentazioni di fecondazione dei fruttiferi. Ann. Tecn. Agr. (Rome) 7: 125-163. pl. Ap.1, 1934. no.2.

La Notte, F. S.
Misure di accrescimento delle frutta. Ann. Tecn. Agr. (Rome) 7: 201-230. Ap.1, 1934. no.2.

Ann. Tecn. Agr. (Rome) (cont.)

Sallusto, F.

Del grasso contenuto nei gusci delle noci (Juglans regia L.) Ann. Tecn. Agr. (Rome) 7: 236-241. Ap.1, 1934. no.2.

Ann. Rep. Conserv. Dept. N.Y. (279.9N48)

New York. Conservation dept.

White pine blister rust control[& forestry investigations] Its Ann. Rep. 23: 107-130. 1934.

Balsam canker: p.126-129 (on balsam fir, Cryptosporium macrosporium isolated from cankers)

Arch. Bot. Sist., Fitogeogr. e Gen. (Forli) (450Ar24)

Cufdontis, G.

Risultati della spedizione biologica austriaca in Costarica nel 1930. Raccolte botaniche, terza parte. [1]. Descrizione di specie nuove e publicazione di specie finora ignote della Costarica, con osservazioni critiche. Arch. Bot. Sist., Fitogeogr. e Gen. 10: 25-51. pl.i-ii. Ap.1934. no.1.

Landi, M.

Contributo alla flora della Sardegna. Arch. Bot. Sist., Fitogeogr. e Gen. 10: 52-70. Ap. 1934. no.1

Luzzatto, G.

Anemone hortensis L., A. pavonina Lam., A. fulgens Gay e A.regina Risso. Studio sistematico e fitogeografici. (cont.) Arch. Bot. Sist., Fitogeogr. e Gen. 10: 1-24. Ap.1934. no.1.

Morton, F.

Pflanzengeographische monographie der Quarneroinsel Cherso. (cont.) Arch. Bot. Sist., Fitogeogr. e Gen. 10: 71-92. Ap.1934. no.1.

Arch. Exp.Zellforsch. Gewebezücht. (442.8Ar24)

Smith, J. H.

Remarks on the size of plant viruses. Arch. Exp. Zellforsch. Gewebezücht. 15: 454-456. 1934. no.2/4.

Smith, K. M.

The plant virus in the insect vector. Arch. Exp.Zellforsch. Gewebezücht. 15: 459. 1934. no.2/4.

Storey, H. H.

Studies on the mechanism of the transmission of plant viruses by insects. Arch. Exp. Zellforsch. Gewebezücht. 15: 457-458. 1934. no.2/4.

Arch. Suikerind. Nederl. Indië (Meded.) (Soerabaja) (65.8Ar2)
Bremer, G.
De cytologie van het suikerriet. VII. Een cytologisch onderzoek van een vijftigtal in 1929-1930 op Java geïmporteerde rietsoorten. Arch. Suikerind. Nederl. Indië 1934, pt.2(Meded.5): 141-166. illus. 1934.

Ark. Bot. (Stockholm) (451Sv2)
Möller, H.
Grimmiaceae 2. Grimmia. Ark. Bot. v.26, no.2 138 p. illus., 7 pl. 1934(O.4, 1933)
Lövmossornas utbredning i Sverige XII.

Rechinger, K. H.
Die süd- und zentralamerikanischen arten der gattung Rumex. Ark. Bot. v.26, no.3. 58 p. illus., 6 pl. 1934(N.16, 1933)
Vorarbeiten zu einer monographie der gattung Rumex III.

Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. (Rome) (507R66)
Curzi, M.
La Phytophthora (Blepharospora) cambivora Petri sul noce. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 18: 587-592 D.17, 1933. no.12.

Better Fruit. (Portland, Ore.) (80B46)
Tukey, H. B.
Winter injury and the treatment. Better Fruit 28(11): 12. My.1934.

Blumen u. Pflanzenb. (Berlin) (80B623)
Meyer, F.
Drei neue varietäten der fichte. Blumen u. Pflanzenb. 38: 206-207. illus. Ap.20, 1934. no.16.
P. glauca var. candelabriformis, P. glauca var. procumbens, P. abies var.agnesiae.

Boll. R. Staz. Patol. Veg. Roma (Firenze) (464.9R662)
Curzi, M.
De fungis et morbis africanis. II. De Pseudomonas plantarum parasitis Somaliae. Boll. R. Staz. Veg. Roma n.s., 14: 173-184. pl.xii-xiii. 1934. no.1.

Boll. R. Staz. Patol. Veg. Roma (cont.)

Curzi, M.

Lo Stereum purpureum Pers. nel mal del piombo in Italia. Boll. R. Staz. Patol. Veg. Roma n.s., 14: 117-124. illus., pl.ix. 1934. no.l.

Brief English summary: p.124.

Gigante, R.

Ricerche sulla morfologia, la biologia e la posizione sistematica del fungo che è stato descritto come Macrophoma dalmatica. Boll. R. Staz. Patol. Veg. Roma n.s., 14:125-172. illus., pl. x-xi. 1934. no.l.

M. dalmatica a stage of Sphaeropsis dalmatica.

Petri, L.

Rassegna dei casi fitopatologici osservati nel 1933. Boll. R. Staz. Patol. Veg. Roma n.s., 14: 1-78. illus. 1934. no.l.

Savastano, G.

Ricerche fisiologiche sul raggrinzimento delle drupe dell'olivo. Boll.R.Staz. Patol. Veg. Roma n.s.,14: 79-116. illus.,pl.i-viii. 1934. no.l.

English summary: p.112-113.

Boll. Soc. Ital. Biol. Sper. (Napoli) (442.8So12)

Baldacci, E., & Ciferri, R.

Intorno alla patogenicita di alcuni batterii dell'uomo per il frutto del pomodoro. I-II. Boll. Soc. Ital. Biol. Sper. 9: 197-202. Mr. 1934. no.3.

Bot. Mus. Leafl. Harvard Univ. (451H262)

Ames, O., Hubbard, F. T. & Schweinfurth, C.

Three polymorphic alliances in Epidendrum. Bot. Mus. Leafl. Harvard Univ. 2: 41-71. My.12, 1934. no.4.

Bryologist (Pittsburgh) (450B84)

Clark, L. & Frye, T. C.

Liverworts new to the northwestern states. Bryologist 37: 1-2. Ja.F. 1934. no.l.

Knobloch, I. W.

A few liverworts unreported from western New York. Bryologist 37: 10-11. Ja./F. 1934. no.l.

Bryologist (cont.)
Plitt, C. C.
Albert Schneider. Bryologist 37: 5-8. port. Ja./F. 1934. no.1.
List of papers and books by Dr. Schneider: p.8

Trotter, L. B. C.
Plagiothecium denticulatum B. & S. forma propagulifera Ruthe, C. Fr., in Britain. Bryologist 37: 9-10. illus. Ja./F.1934. no.1

Bull. Écon. Indochine (22.5In2)
Angenot, P.
Premiers travaux d'amélioration de l'Hevea brasiliensis en Indochine, pollinisation artificielle. Bull. Écon. Indochine 37: 19-43. 7 pl. Ja./F. 1934.

Bull. Gard. Club Amer. (90.32G16)
Allard, H. A.
The magic influence of length-of-day in the flowering responses of plants. Bull. Gard. Club Amer. 5(9): 120-123. illus. My.1934.

Noyes, J. N.
A botanic garden in Washington. Bull. Gard. Club Amer. 5(9): 74-75. My.1934.

Bull. Mens. Soc. Nat. Hort. France (Paris) (86So13)
Duvernay, J. M.
Résumé des travaux de la commission des Iris pendant l'année 1933. Bull. Mens. Soc. Nat. Hort. France 1: 133-143. 4 pl. Mr.1934.

Bull. Missouri State Mus. (Jefferson City) (500M692)
Scott, I. T.
Woody plants of Missouri. Bull. Missouri State Mus. no.7. xxxii p. F.1934.
Mimeographed.

Bull. Soc. Hist. Nat. Afr. Nord (Alger) (410.9So125)
Maire, R.& Werner, R. G.
Contribution à la flore cryptogamique du Moroc. IV. Bull. Soc. Hist. Nat. Afr. Nord 25: 40-60. F.1934. no.2.

Bull. Soc. Nat. Acclim. France (Paris) (410.9P21)

Chouard, P.

La multiplication végétative et le bourgeonnement chez les plantes vasculaires. III. Connaissances sur les mécanismes du bourgeonnement. Bull. Soc. Nat. Acclim. France 81: 118-132. illus. Mr.1934. no.3.

Canad. Hort. (Peterboro, Ont.) (80G16)

Chamberlain, G. C.

Cultural practices and disease in the orchard. Canad. Hort. 57:123. illus. My.1934. no.5.

Webster, J. L.

Bud mutations in apples. Canad. Hort. 57: 120-121. illus. My.1934. no.5.

Cane Grow. Quart. Bull. Queensl. (65.9Q3C)

Bell, A. F.

What are the losses due to red stripe (top rot) disease? Cane Grow. Quart. Bull. Queensl. 1: 35-37. O.1, 1933. no.2.

Cottrell-Dormer, W.

The control of diseases in young plant cane. Cane Grow. Quart. Bull. Queensl. 1: 49-52. O.1, 1933. no.2.

Cottrell-Dormer, W.

The selection of disease-free cane plants. Cane Grow. Quart. Bull. Queensl. 1: 121-125. illus. Ap.1, 1934. no.4.

Mungomery, R. W. & Bell, A. F.

The spread of Fiji disease by insects. Cane Grow. Quart. Bull. Queensl. 1: 20-23. illus. Jl.1, 1933. no.1.

Citrus Riv. Camera Agrum. Messina (286.83M56)

Petri, L.

Per la lotta obbligatoria contro "il mal secco" degli agrumi nelle provincie di Messina e di Catania. Citrus Riv. Camera Agrum. Messina II, 20: 51. Mr.1934. no.3.

Ronchi, C.

"Il mal secco" degli agrumi in Provincia di Catania. Citrus Riv. Camera Agrum. Messina II, 20: 47-50. Mr.1934. no.3.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)
Branas, J. & Dulac, J.
Nouvelle contribution a l'étude du mode d'action des bouilles cupriques. Compt. Rend. Acad. Agr. France 20: 500-505. Ap.25, 1934. no.14.

Compt. Rend. Acad. Sci. Paris (505P21)
Dangeard, P.
Sur le bourgeonnement des nucléoles observé chez le Lathraea clandestina et chez quelques plantes à prochromosomes. Compt. Rend. Acad. Sci. Paris 198: 1627-1629. Ap.30,1934. no.18.

Ikeno, S.
Hérédité de la gynodioecie chez le Petasites japonicus. Compt. Rend. Acad. Sci. Paris 198: 1471. Ap.23, 1934. no.17.

Maige, A.
Conditions physicochimiques de formation des vacuoles amylogènes dans les plastes. Compt. Rend. Acad. Sci. Paris 198: 1537-1539. Ap.23, 1934. no.17.

Moreau, F. & Moruzi, C.
Sur les réactions sexuelles entre ascomycètes d'especes différentes. Compt. Rend. Acad. Sci. Paris 198: 1533-1535. Ap.23, 1934. no.17.
Neurospora.

Reed, H. S. & Dufrenoy, J.
Détection histochimique du fer er du zinc dans les feuilles de citrus. Compt. Rend. Acad. Sci. Paris 198: 1535-1537. illus. Ap.23, 1934. no.17.

Reed, H. S. & Dufrenoy, J.
Méthodes de calcul de la courbe théorique de la croissance des sarments de vigne. Compt. Rend. Acad. Sci. Paris 198: 1624-1627. Ap.30, 1934. no.18.

Reilhes, R.
Modifications des concrétions lipidiques (stérinoplastes de Mirande) dans le bulbe de Lilium candidum suivant la température. Compt. Rend. Acad. Sci. Paris 198: 1629-1631. Ap.30, 1934. no.18.

Compt. Rend. Acad. Sci. Paris (cont.)
Varitchak, B.
Sur la formation des organes de la reproduction sexuelle chez une espèce du genre Saprolegnia dans les cultures in vitro. Compt. Rend. Acad. Sci. Paris 198: 1531-1533. Ap.23, 1934. no.17.
S.dioica.

Viala, P. & Marsais, P.
Sur la biologie du Pumilus medullae, cause du court-noué parasitaire de la vigne. Compt. Rend. Acad. Sci. Paris 198: 1557-1560. Ap.30,1934. no.18.

Compt. Rend. Soc. Biol. Paris (442.9P21)
Allain, A.
La formation des oeufs du Phytophthora cambivora en culture pure. Compt. Rend. Soc. Biol. Paris 115: 1521-1523. illus. 1934. no.13.

Lenoir, M.
Interaction des phénomènes de polarisation observés pendant la synizèse, dans les cellules mères primordiales des spores, chez l'Equisetum variegatum Schl. Observation vitale. Compt. Rend. Soc. Biol. Paris 115: 1452-1454. 1934. no.12.

Contr. Arnold Arb. (451Ar6C)
Raup, H. M.
Phytogeographic studies in the Peace and upper Liard river regions, Canada with a catalogue of vascular plants. Contr. Arnold Arb. no.6. 230 p. ix pl., fold.map. 1934.

Country Gentleman (Philadelphia)
Burton, W. E.
Watch your elms. Country Gentleman 104(6): 7,75. illus. Je. 1934.

Cyprus Agr. Journ. (21C992)
Nattrass, R. M.
Diseases of cereals. II. The flag or leaf smut of wheat. Cyprus Agr. Journ. 29: 9-13. illus. Mr.1934. no.1.

Dansk Skovforen. Tidsskr. (København) (99.8D23)
Jørgensen, C. A.
Bøgens kimbladskimmel og dens bekaempelse. Dansk Skovforen. Tidsskr. 4: 123-127. Ap.1934.
Phytophthora fagi.

Desert (Pasadena) (450D45)

Brown, J. R.

The Greenovias of the Canary Islands. Desert (Pasadena) 6:10-11. illus. My.1934. no.1.

Higgins, E. B.

An unusual aspect of a common plant. Desert (Pasadena) 6: 6-7. illus. My.1934. no.1.

Opuntia subulata.

Tyler, J.

The root-knot of nematode. Desert (Pasadena) 6: 3-4. My. 1934. no.1.

Difesa Piante Torino (464.9D56)

Bongini, V.

Essiccamento anulare del fusto in piantoni dei vivai. Difesa Piante Torino 11: 62-67. illus. Ap.1934. no.2.

Diseases of Sophora, Cytisus, Robinia & Laurocerasus, caused by Botrytis vulgaris or B. cinerea.

Servazzi, O.

Note riassuntive sui parassiti e la patologia dei pioppi. II-III. Difesa Piante Torino 11: 41-62. Ap.1934. no.2.

II. I funghi parassiti. III. Batteriosi del pioppo canadese.

Servazzi, O.

Su alcune Pestalotia parassite facoltative di piante ornamentali. Difesa Piante Torino 11: 16-35. illus. F.1934. no.1.

On Arbutus unedo, rhododendron, Araucaria & orchids (P. conspicua n.sp. on latter)

Entom. & Phytopath. Hangchow, China. (C423.92En8)

Chu, V., Tsui, P. & Yen, C.

The damage from corn smut in the vicinity of Hangchow, 1933. Entom. & Phytopath. Hangchow, China 2:42. Ja.21, 1934. no.3.

Chinese.

Ergebnisse Biol. (Berlin) (442Er3)

Du Buy, H. G. & Nuernbergk, E.

Phototropismus und wachstum der pflanzen. II. Ergebnisse Biol. 10: 207-322. illus. 1934.

Ergebnisse Biol. (cont.)
Wetzel, K.
Die chemischen vorgänge beim biologischen kohlehydratabbau. II. Die oxydoreduktive phase. Ergebnisse Biol. 10: 323-565. 1934.

Ernähr. Pflanze (Berlin) (57.8Er6)
Eglits, M.
Die empfänglichkeit des winterroggens für Puccinia dispersa in abhängigkeit von der mineralsalzernährung. Ernähr. Pflanze 30: 167. My. 1, 1934. no.9.

Faserforsch. (Leipzig) (73.8F26)
Robinson, B. B.
Versuche mit faserflachs-varietäten in Amerika. Faserforsch. 11: 12-19. Ap.14,1934. no.1.

Schilling, E.
Zur lage der deutschen flachszüchtung. Faserforsch. 11: 7-12. Ap.14, 1934. no.1.

Stephan, J.
Stimulationsversuche mit Cannabis sativa. II. Faserforsch. 11: 47-57. Ap.14, 1934. no.1.

Forstarchiv. (Hannover) (99.8F7723)
Rohde, T.
Kann man Rhabdocline pseudotsugae durch aushieb vertilgen? Forstarchiv 10: 123. Ap.15, 1934. no.8.

Gard. Chron. (London) (80G162)
Ball, E. K.
Plant collecting in Persia. IX. Mount Elwend. Gard. Chron. III, 95: 278-279. illus. Ap.28,1934. no.2470.

Beaumont, A.
The control of tulip "fire". Gard. Chron. III, 95: 277. Ap.28,1934. no.2470.

Boothman, H. S.
Aquilegias. (cont.) Gard. Chron. III, 95: 281. Ap.28,1934. no.2470.

Hutchinson, J.
A new Boothii rhododendron. Gard. Chron. III, 95: 276. illus. Ap.28, 1934. no.2470.
R. chrysodoron.

Gartenbauwiss. (Berlin) (80G195)

Gassner, G. & Hassebrauk, K.

Beiträge zur kenntnis des spargelrostes. Gartenbauwiss. 8: 455-476. illus. Ap.19, 1934. no.3.

Hoser, P.

Heterosis bei einem pfropfbastard von Syringa vulgaris. Gartenbauwiss. 8: 451-454. illus. Ap.19, 1934. no.3.

Kausche, K. A.

Ueber wachstums- und verwachsungserscheinungen oculationen von Hevea brasiliensis. Gartenbauwiss. 8: 411-450. illus. Ap.19, 1934. no.3.

Moog, H.

Beiträge zur ampelographie. V. Gartenbauwiss. 8: 365-384. illus. Ap.19, 1934. no.3.

Pape, H.

Neue wirtspflanzen ber blattälchen Aphelenchus ritzembosi Schwartz und Aphelenchus olesistus Ritz.-Bos. Gartenbauwiss. 8: 477-487. illus. Ap.19, 1934. no.3.

Traub, H. P.

Satsuma orange maturity and quality. Gartenbauwiss. 8: 385-393. Ap.19, 1934. no.3.

Uphof, J. C. T.

Wissenschaftliche beobachtungen und versuche an agrumen. VI. Einiges über die blütenverhältnisse (1.) Gartenbauwiss. 8: 394-410. illus. Ap.19, 1934. no.3.

Gartn.-Tid. (København) (80G192)

Fich, C.

Om kunstigt naeringsmateriale for champignon. Gartn.-Tid. 50: 283-240. My.1, 1934. no.18.

Hojas Divulg. Serv. Publ. Agr. Dir. Gen. Agr. y Montes. Spain (15H68)

Pozo Pelayo, C. del

Las "monas" del maiz. Hojas Divulg. Serv. Publ. Agr. Dir. Gen. Agr. y Montes. Spain 28(3): 10-12. illus. F.1934.

Indian Journ. Agr. Sci. (Calcutta) (22Ag831)

Afzal, M. & Iyer, S. S.

A statistical study of the growth of main stem in cotton. Indian Journ. Agr. Sci. 4: 147-165. F. 1934. no.1.

Ayyangar, G. N. R. & others.

Inheritance of characters in sorghum, the great millet. IV-VI. Indian Journ. Agr. Sci. 4: 81-89. 90-95, 96-99. pl.viii-x (2 col.) F. 1934. no.1.

IV. Brown grains. V. Linkage between sheath, glume and dry anther, grain colours. VI. Pearly and chalky grains.

Dastur, J. F.

Cotton anthracnose in the central provinces. Indian Journ. Agr. Sci. 4: 100-120. illus., pl. xi-xii. F. 1934. no.1.

Dutt, N. L. & Subba Rao, K. S.

A preliminary note on the membraneous body in the cytoplasm as characteristic of the indigenous Indian canes. Indian Journ. Agr. Sci. 4: 228-230. pl. xvi-xvii. F.1934. no.1.

Hector, G. P., Sharngapani, S. G., Roy, K. P. & Chakravarty, S. C.

Varietal characters and classification of the rices of eastern Bengal. Indian Journ. Agr. Sci. 4: 1-80. pl.i-vii. F.1934. no.1.

Luthra, J. C. & Sattar, A.

Some experiments on the control of loose smut, Ustilago tritici (Pers.) Jens., of wheat. Indian Journ. Agr. Sci. 4: 177-199. illus. F.1934. no.1.

Viswa Nath, B., Ayyar, T. S. R. & Varahalu, T.

First year (1932-33) ripening tests with sugarcane x sorghum crosses. Indian Journ. Agr. Sci. 4: 210-227. F.1934. no.1.

Intern. Bull. Plant Prot. (464.8In8)

Stevens, N. E.

United States of America: Bacterial wilt of maize. Intern. Bull. Plant Prot. 8: 74-76. Ap. 1934. no.4.

Ital. Agr. (Milan) (16Itl)
Baldacci, E. & Ciferri, R.
Il "marciume apicale" dei frutti di pomodoro. Ital. Agr. 71: 277-282. illus. Ap.1934. no.4.

Dansi, A.
L'assorbimento delle sostanze organiche azotate da parte delle piante superiori. Ital. Agr. 71: 272-276. Ap.1934. no.4.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)
Montfort, C.
Farbe und stoffgewinn im meer. Untersuchungen zur theorie der komplementären farbenanpassung nordischer meeresalgen. Jahrb. Wiss. Bot. 79: 493-592. illus. Ap.1934. no.4.

Seybold, A.
Ueber die lichtenergiebilanz submerser wasserpflanzen, vornehmlich der meeresalgen. Jahrb. Wiss. Bot. 79: 593-654. illus. Ap.1934. no.4.

Jardinage (Paris) (80J282)
Davet, J.
Les charbons des renouées. Jardinage 22(183): 26-27. illus. My.1934.
Ustilago bistortarum, U. marginalis, Sphacelotheca alpina, S. polygoni-alpini & c. on species of Polygonum.

Journ. Amer. Chem. Soc. (381Am33J)
Jones, H. A.
Lonchocarpic acid, a new compound from a species of Lonchocarpus. Journ. Amer. Chem. Soc. 56: 1247-1248. My.1934. no.5.

Waksman, S. A. & Smith, H. W.
Transformation of the methoxyl group in lignin in the process of decomposition of organic residues by microörganisms. Journ. Amer. Chem. Soc. 56: 1225-1229. My.1934. no.5.

Journ. Biol. Chem. (Baltimore) (381J824)
Chen, K. K. & Chen, A. L.
The constituents of be-still nuts, Thevetia neriifolia. Journ. Biol. Chem. 105: 231-240. illus. My.1934. no.2.

Journ. Elisha Mitchell Sci. Soc. (Chapel Hill, N.C.) (500E14)
Rankin, D. E.
The life history of Polypodium polypodioides Hitch., especially spermatogenesis. Journ. Elisha Mitchell Sci. Soc. 49: 303-328. pl.23-26. Ap. 1934. no.2.

Waynick, M.
A rot of pear caused by the red bread-mold fungus. Journ. Elisha Mitchell Sci. Soc. 49: 285-288. illus. Ap.1934. no.2.
Neurospora sitophila.

Journ. Fac. Sci. Hokkaido Imp. Univ. Ser. V, Bot. (Sapporo) (451H68)
Haga, T.
The comparative morphology of the chromosome complement in the tribe Parideae. Journ. Fac. Sci. Hokkaido Imp. Univ. Ser. V, Bot. 3: 1-32. illus., pl. Mr.1934. no.1.
Trillium & Paris.

Yamada, Y.
The marine Chlorophyceae from Ryukyu, especially from the vicinity of Nawa. Journ. Fac. Sci. Hokkaido Imp. Univ. Ser. V, Bot. 3: 33-88. illus. Mr.1934. no.2.

Journ. For. (Washington, D. C.) (99.8F768)
Control of the white pine blister-rust. Journ. For. 32: 590-593. My.1934. no.5.
Sub-committee report to New England section, Society of American foresters, John S. Boyce, chairman.

Siggers, P. V.
Observations on the influence of fire on the brown-spot needle blight of longleaf pine seedlings. Journ. For. 32: 556-562. My.1934. no.5.

Journ. Landw. (Berlin) (18J825)
Blanck, E. & Giesecke, F.
Zweiter beitrag zur frage nach dem zeitlichen verlauf der nährstoffaufnahme des hafers. Journ. Landw. 82: 33-59. 1934. no.1.

Journ. Mysore Agr. & Exp. Union (22M993)
Badami, V.
Sugarcane breeding work in Mysore. Journ. Mysore Agr. & Exp. Union 14: 29-36. [1933?] no.1.

Journ. N.Y. Bot. Gard. (89N48J)
Alexander, E. J.
Report of the southern Appalachian expedition. I. Journ. N.Y. Bot. Gard. 35: 105-113, illus. My.1934. no.413.

Howe, M. A.
Elizabeth Gertrude Britton. Journ. N.Y. Bot. Gard. 35: 97-103. port. My.1934. no.413.

McLean, F. T. & Woodward, C.H.
California wild flowers exhibited by the garden at the international flower show. Journ. N.Y. Bot. Gard. 35: 88-94. illus. Ap. 1934. no.412.

Journ. Washington Acad. Sci. (500W276J)
Berry, E. W.
A walnut from the Chesapeake Miocene. Journ. Washington Acad. Sci. 24: 227-229. illus. My.15, 1934. no.5.
Juglans calvertiana n.sp.

Landbouw. Nederl.-Indië (Buitenzorg) (22.5L23)
Mol, G. A.de
Gambircultuur en gambirbereiding in de onderafdeelingen Sekadau en Sintang van West-Borneo. (Cultivation and manufacture of gambier in West-Borneo) Landbouw, Nederl.-Indië 9: 336-370. illus. Ja. 1934. no.7.
English summary: p.369-370.

Louisiana Conserv. Rev. (New Orleans) (279.9L93C)
Stephens, E. L.
"I saw in Louisiana a live oak growing." Louisiana Conserv. Rev. 4(2): 17-22. illus. Ap.1934.

Maataloustiet. Aikak. [Agric. Mag.] (Helsingfors) (20Su7M)
Kujala, V.
Tutkimuksia peltorikkaruohojen sienmenien säilymisestä itukykyisinä maassa. (Untersuchungen über das fortbestehen der keimfähigkeit von unkrautsamen im ackerboden). Maataloustiet. Aikak. [Agric. Mag.] 6:1-22. 1934. no.1.
German summary: p.20-22.

Mém. Soc. Hist. Nat. Afr. Nord. (410.9So125M)

Maire, R.

Études sur la flore et la végétation du Sahara central. I-II. Mém. Soc. Hist. Nat. Afr. Nord. no.3. 272 p. illus., 38 pl. (2 col.) 1933.

I. Catalogue raisonne des plantes du Sahara central. II. Vocabulaire botanique Tamachek.

Mitt. Landw. (Berlin) (18D48M)

Berkner, F. W.

Eisenfleckigkeit bei kartoffeln. Wesentliche sortenunterschiebe, abhängigkeit der befallstärke von fahreswitterung und boden. Mitt. Landw. 49:378-380. My.5, 1934. no.18.

Bockman, H.

Fusskrankheiten, eine folge verstärkten weizenanbaues. Mitt. Landw. 49: 365-366. Ap.28,1934. no.17.

Cercosporella herpotrichoides.

Nicolaisen, W.

Neue aufgabenin der gerstenzüchtung. Steigerung der standfestigkeit, verminderung der auswuchsneigung, steigerung des eiweissgehalts der futtergersten, züchtung auf glattgrannigheit. Mitt. Landw. 49: 355-357, 376-377. illus. Ap.28,My.5, 1934. no.17,18.

Rademacher, B.

Krankheiten und schädlinge der runkelrübe, Mitt. Landw. 49: 342-343. Ap.21, 1934. no.16.

Wehfärg, O.,

Bekämpfung der wiesen- und weideunkräuter. Mitt. Landw. 49: 361-362. Ap.28, 1934. no.17.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)

Liebe, C.

Zur hormon-frage. Möller's Deut. Gärtn.-Zeit. 49: 124-125. illus. Ap.21,1934. no.11.

Nat. & Appl. Sci. Bull. Univ. Philipp. (475P532)

Quibilan, G. Q. & Santos, A. C.

Ambaline, a new alkaloid from Pycnarrhena manillensis Vidal. Nat. & Appl. Sci. Bull. Univ. Philipp. 3: 353-364. D.1933. no.4.

Nature (London) (472N21)

Moss, E. H.

Rings of cork in the wood of herbaceous perennials. Nature 133: 689. My.5, 1934. no.3366.

Newman, I. V.

Polyspermy and the endosperm. Nature 133: 650-651. illus. Ap.28, 1934. no.3365.

In Acacia baileyana.

Russell-Wells, B.

Chemistry of the red and brown algae. Nature 133: 651. Ap.28, 1934. no.3365.

Presence of cellulose established.

Weiss, F. E.

Prof. S. H. Vines, F.R.S. Nature 133: 675-677. My.5,1934. no.3366.

Naturwissensch. (Berlin) (474N213)

Gruber, F.

Selbststerilität und selbstfertilität bei Antirrhinum. Naturwissensch. 22: 268-270. Ap.27, 1934. no.17/18.

Hartmann, M.

Erwin Baur. Naturwissensch. 22: 258-260 Ap.27,1934. no.17/18.

This number of Naturwissenschaften (v.22, no. 17/18) is "Dem andenken en Erwin Baur.".

Husfeld, B. & Scherz, W.

Rebenzüchtung. Naturwissensch. 22: 285-288. Ap.27,1934. no.17/18.

Kuckkuck, H.

Baurs versuche uber artkreuzungen in der gattung Antirrhinum. Naturwissensch. 22: 266-268. Ap.27,1934. no.17/18.

Kuckkuck, H.

Züchterische und genetische versuche mit gerste. Naturwissensch. 22: 276-287. Ap.27, 1934. no.17/18.

Ossent. H. P.

Roggenzüchtung. Naturwissensch. 22: 271-274. Ap.27,1934. no.17/18.

Rosenstiel, K. v.

Weizenzüchtung. Naturwissensch. 22: 274-276. Ap.27,1934. no.17/18.

Naturwissensch. (cont.)

Schick, R.
Funfundzwanzig jahre koppelungsuntersuchungen bei Antirrhinum majus. Naturwissensch. 22: 264-266. Ap.27,1934. no.17/18.

Sengbusch, R.v.
Die geschichte der süsslupinen. Naturwissensch. 22: 278-281. Ap.27,1934. no.17/18.

Stubbe, H.
Entwicklung und stand der mutationsforschung in der gattung Antirrhinum. Naturwissensch. 22: 260-264. Ap.27,1934. no.17/18.

Ufer, M.
Futterpflanzenzuchtung. Naturwissensch. 22: 281-283. Ap.27,1934. no.17/18.

Ufer, M.
Genetische untersuchungen an Pelargonium und Cleome. Naturwissensch. 22: 271. Ap.27,1934. no.17/18.

New Zeal. Jour. Sci. & Techn. (Wellington) (514N48)

Calder, R. A. & Doak, B. W.
Rape (Brassica napus.) The types offered in New Zealand: Their behaviour and chemical compositions. New Zeal. Journ. Sci. & Techn. 15: 332-344. illus. Mr.1934. no.5.

Notes R.Bot. Gard.Edinb. (89Ed4)

Biswas, K.
A comparative study of Indian species of Avicannia. Notes. R. Bot. Gard. Edinb. 18: 159-166. pl.ccxliii-ccxlvi. Ap.1934. no.89.

Cowan, J. M.
Generis wendlandiae additamenta. (cont.) Notes R. Bot. Gard. Edinb. 18: 183-188. Ap.1934. no. 89.
W. syringoides n.sp.

Edinburgh, Royal botanic garden.
Diagnoses specierum novarum in herbario Horti regii botanici Edinburgensis cognitarum DLXX-DC, DCI-DCXIII. Species asiaticae (cont.) Notes. R. Bot. Gard. Edinb. 18: 189-217, 221-249. illus. Ap.1934. no.89.

Notes R. Bot. Gard. Edinb. (cont.)

Evans, W. E.

George Don's Herbarium britannicum. Notes R. Bot. Gard Edinb. 18: 167-172. Ap.1934. no.89.

Nelson, A. & Munro, J. M.

The germination of Spartina townsendii. Notes R. Bot. Gard. Edinb. 18:173-180. Ap.1934. no.89.

Tagg, H. F.

Three Rhododendron species. Notes R. Bot. Gard. Edinb. 18: 218-220. Ap.1934. no.89.

R. auritum, R. recurvoides, R. venator n.spp.

Nuovo Giorn. Bot. Ital. (Firenze) (450N92)

Bolzon, P.

Contributo alla flora dell'Alto adige.IX. Nuovo Giorn. Bot. Ital. 40: 553-559. 1933(Mr.10, 1934.) no.4.

Chiarugi, E. M.

Formazione di pistilli accessori in Actaea spicata L. Nuovo Giorn. Bot. Ital. 40: 531-535. pl.xv. 1933 (Mr.10,1934.) no.4.

Chiarugi, E. M.

Sulla ecologia della Saxifrage cernua L. al limite meridionale dell' area geografica. Nuovo Giorn. Bot. Ital. 40: 572-575. pl.xvii. 1933. (Mr.10,1934) no.4.

Chiarugi, A.

Tronchi silicizzati di un' alga arborea silurico-devoniana: Nematophyton saharianum n.sp., nel Deserto Libico presso le oasi di Cufra. Nuovo Giorn. Bot. Ital. 40: 590-595. 1933 (Mr.10, 1934) no.4.

Chiosi, R.

Cenni su alcune escursioni botaniche nella Valle del Marecchia. Nuovo Giorn. Bot. Ital. 40: 536-538. 1933. (Mr.10,1934) no.4.

Chiosi, R.

Nuovo avanzi di abete bianco in Italia. Nuovo Giorn. Bot. Ital. 40: 551-552. 1933(Mr.10, 1934) no.4.

Nuovo Giorn. Bot. Ital. (cont.)

Chiosi, R.

Il Paspalum distichum L. var. paspalodes Thell. lungo l'alveo dell' Arno e dei suoi affluenti. Nuovo Giorn. Bot. Ital. 40: 570-571. 1933(Mr.10, 1934) no.4.

Mattirolo, O.

Nuovo documento che illustra l'opera di Giuseppe Bartolomeo Cassia (1732). Nuovo Giorn. Bot. Ital. 40: 548-550. 1933(Mr.10,1934) no.4.

Milan, A.

Delle infezioni per Ustilago tritici (Pers.) Jens e di una facile procedura per ottenerle artificialmente. Nuovo Giron. Bot. Ital. 40: 539-547. pl.xvi. 1933(Mr.10,1934) no.4.

Montelucci, G.

Contributo alla flora del valdarno superiore piante raccolte nei dintorni di rignano sull' Arno. Nuovo Giorn. Bot. Ital. 49: 479-530. illus.(map) 1933(Mr.10,1934) no.4.

Pardi, P.

Contributo all'embriologia delle Asclepiadaceae. Nuovo Giorn. Bot. Ital. 40: 560-569. illus. 1933 (Mr.10,1934) no.4.

Pardi, P.

Studi sulla cariologia delle Asclepiadaceae. Nuovo Giorn. Bot. Ital. 40: 576-589. illus. 1933(Mr.10,1934) no.4.

Rivera, V.

Influenza a distanza dei metalli sopra lo sviluppo di organismi vegetali inferiori. Nuovo Giorn. Bot. Ital. 40: 475-478. illus. 1933(Mr.10, 1934) no.4.

Effect of lead, iron and zinc on Penicillium crustaceum.

Obst- u. Gemuseb. (Berlin) 80P7750)

Jordan, E.

Zur gemüsesamenbeizung. Obst- u. Gemüseb. 80; 54-55. Ap.15,1934. no.4.

Ochrana Rostlin. (Prague) (464.80c3)

Baudys, E.

Fytopathologické pozanámky VIII (za rok 1932). (Phytopathológické poznámky VIII. (das J. 1932 betreffend). Ochrana Rostlin 13: 90-102. illus. O.1933. no.3/4.

Ochrana Rostlin (cont.)

Baudys, E.
Za inźenýrem Josefem Ríhou. Ochrana Rostlin 13: 73-79. port. O.1933. no.3/4.

Blattný, C.
Jde u mosaiky révy vinné o jediný virus? (Wird das mosaik der weinrebe durch einzigen virus bemirkt?) Ochrana Rostlin 13: 104-115. illus. O.1933. no.3/4.
German summary: p.114-115.

Neuwirth, F.
Houba Phoma betae Frank a její význam pri chorobách vzcházející řepy. Ochrana Rostlin 13: 115-135. illus. O.1933. no.3/4.

Ríha, J.
Nekteré nové poznatky v potírání strupovitosti a mekrosy duziny u bramboru. Ochrana Rostlin 13: 80-83. O.1933. no.3/4.

Vielwerth, V.
Mosaika Americké révy vinné. (Ueber das mosaik der Amerikanischen weinreben). Ochrana Rostlin. 13: 83-90. O.1933. no.3/4.
German summary: p 89-90.

Onze Ploeg Landb. Maandschr. (Leuven) 130m9)

Wonterghem, J. v.
De wintervastheid der tarwe. Onze Ploeg. Landb. Maandschr. 13: 109-113. illus. Ap.1934. no.4.
Conclusies uit een onderzoek in 1929 en 1934 op het Veredelimgsstation van den Boerenbond, te Heverlee.

Pharm. Weekbl. (Amsterdam) (396.8P4922)

Parijs, J. P.
Bijdrage tot de kennis van de oost-indische damarhars. Pharm. Weekbl. 71: 354-367, 410-419. illus. Ap.7,21, 1934. no.14,16.

Philipp. Journ. Agr. (25P543)

Reyes, G. M.
The black smut, or bunt, of rice (Oryza sativa Linnaeus) in the Philippines. Philipp. Journ. Agr. 4: 241-270. vii pl. 1933. no.4.

Philipp. Journ. Sci. (Manila) (475P53)

Fajardo, T. G.

Plant-disease problems confronting truck farmers in Trinidad Valley and the vicinity of Baguio, Mountain Province, Philippine Islands. Philipp. Journ. Sci. 53: 67-95. 25 pl. Ja. 1934. no.1.

Proc. Conn. Pomol. Soc. (81C765)

Burrell, A. B.

Baldwin spot, phoma fruit spot, cork, and drought spot of apples. Proc. Conn. Pomol. Soc. 43(1933): 45-58. 1934.

Stoddard, E. M.

Brown rot infection of peaches in 1933 and report of the Committee on fruit diseases. Proc. Conn. Pomol. Soc. 43(1933): 41-44. 1934.

Stoddard, E. M.

Progress report of investigations on a new peach trouble. Proc. Conn. Pomol. Soc. 43(1933): 115-117. 1934.

Proc. Crop Sci. Soc. Japan. (22.5C88)

Matsudam, H.

Behaviors of chromosomes in triploid Petunia. Proc. Crop. Sci. Soc. Japan. 6: 53-62. illus. Mr. 1934. no.1.

Japanese.

Miura, S.

Effect of the air in the culture media upon the growth of roots in rice plant. Proc. Crop Sci. Soc. Japan. 6: 44-52. illus. Mr.1934. no.1.

Japanese.

Onodera, J.

On the experiments of germination and absorption-power of water in the seeds as methods for estimation of drought-resistance among the varieties of rice plants. Proc. Crop Sci. Soc. Japan. 6: 20-43. Mr. 1934. no.1.

Japanese with English résumé: p.41-43.

Takahashi, N. & Hoshino, T.

Natural crossing in Setaria italica (Beauv.) Proc. Crop. Sci. Soc. Japan 6: 3-19. Mr.1934. no.1.

Proc. Imp. Acad. Tokyo (513T576)
Watanabe, K.
Entstehung des floralpolsters von Mitrastemon yamamotoi. Proc. Imp. Acad. Tokyo 10: 177-179. illus. Mr.1934. no.3.

Publ. Inst. Belge Amél. Betterave (66.9In7)
Decoux, L., Van der Waeren, J. & Roland, G.
La vegetation de la betterave en Belgique au cours de l'annee 1932. Publ. Inst. Belge Amél. Betterave 6: 267-283. N.1933.
Les maladies; p.277-280.

Quart. Journ. Pharm. & Pharmacol. (London) (396.8Q2)
Dewar, T.
The histology of the leaves of Digitalis lutea. Quart. Journ. Pharm. & Pharmacol. 7; 1-22. illus. Ja./Mr. 1934. no.1.

Stephen, F.
The isolation of the active principles of Urginea burkei Bkr. Quart. Journ. Pharm. & Pharmacol. 7: 57-62. Ja./Mr. 1934. no.1.

Rec. Trav. Bot. Néerl. (Amsterdam) (451N28R)
Danser, B. H.
Thaumasianthes, eine neue loranthaceengattung aus den Philippinen. Rec. Trav. Bot. Néerl. 30:464-481. illus. Jl.1933. no.2/4.

DuBuy, H. G.
Ueber wachstum und phototropismus von Avena sativa. Rec. Trav. Bot. Néerl. 30: 798-925. illus. Jl.1933. no.2/4.

Haan, I.de
Protoplasmaquellung und wasserpermeabilität. Rec. Trav. Bot. Néerl. 30: 234-335. illus. Jl. 1933. no.2/4.

Mekel, J. C.
Die entwicklung des stammes von Matteuccia struthiopteris, insbesondere die der höhlungen. Rec. Trav. Bot. Néerl. 30: 627-724. illus., pl. iii-vii. Jl.1933. no.2/4.

Ooststroom, S. J. van
Neue und kritische Convolvulaceae aus Peru. Rec. Trav. Bot. Néerl. 30: 192-211. illus. Jl. 1933. no.2/4.

Rec. Trav. Bot. Néerl. (cont.)

Overbeek, J. van

Wuchsstoff, lichtwachstumsreaktion und phototropismus bei Raphanus. Rec. Trav. Bot. Néerl. 30: 537-626. illus. Jl.1933. no.2/4.

Pulle, A. ed.

Notitates taxonomicae. I. ex Herbario academiae Rheno-Traiectinae. Rec. Trav. Bot. Néerl. 30: 163-184. illus. Jl.1933. no.2/4.

Plants described by various authors. In I are mainly from Surinam (Dutch Guiana)

Ruinen, J.

Life cycle and environment of Lochmiopsis sibirica Woron. Rec. Trav. Bot. Néerl. 30: 725-797. illus., pl. viii. Jl. 1933. no.2/4.

Slyper, E. J.

Bestimmungstabelle für rezente und fossile coniferenhölzer nach mikroskopischen merkmalen. Nach angaben in der literatur zusammengestellt. Rec. Trav. Bot. Néerl. 30: 482-513. illus. Jl. 1933. no.2/4.

Tammes, P. M. L.

Observations on the bleeding of palm trees. Rec. Trav. Bot. Néerl. 30: 514-536. illus., pl.i-ii. Jl. 1933. no.2/4.

Uittien, H.

Cyperaceae surinamenses novae vel criticae. Rec. Trav. Bot. Néerl. 30: 185-191. illus. Jl.1933. no.2/4.

Weevers, T.

Die pflanzenalkaloide phytochemisch und physiologisch betrachtet. Rec. Trav. Bot. Néerl. 30: 336-463. Jl. 1933. no.2/4.

Repert. Spec. Nov. Fedde (Berlin) (450R29)

Anselmino, E.

Geschichtliche übersicht der stellung der olacaceen beiden verschiedenen systematikern. Repert. Spec. Nov. Fedde 33: 285-297. Mr.31, 1934. no.18/25.

Repert. Spec. Nov. Fedde (cont.)

Diapulis, C.
Die flora von Andros. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3,53/57): 340-341. Mr.31, 1934. no.18/25.

Diapulis, C.
Zur kenntnis der gattung Rhamnus. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3,53/57): 338-340. Mr.31,1934. no.18/25.
R. macedonica n.sp.

Fedde, F.
Ergänzungen zu der sammlerliste der Papaveraceae, teil I in Englers Pflanzenreich IV, 134 (1909). Repert. Spec. Nov. Fedde 33: 297-302. Mr.31, 1934. no.18/25.

Gyelnik, V.
Lichenes argentinenses a professore C.C. Hosseus collecti. Repert. Spec. Nov. Fedde 33: 302-309. Mr.31, 1934. no.18/25.

Hruby, J.
Beiträge zur systematik der gattung Rubus L. Repert. Spec. Nov. Fedde 33(Repert.Europ. & Med. 3,53/57): 379-383. Mr.31,1934. no.18/25.

Huber, J. A.
Ein neues Sempervivum aus Spanien. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med., 3, 53/57): 363-366. pl. cxl. Mr.31, 1934. no.18/25.
Sempervivum cantabricum.

Klemm, M.
Verzeichnis der in der Burjato-Mongolei gesammelten pflanzen. Repert. Spec. Nov. Fedde 33: 309-314. Mr.31, 1934. no.18/25.

Krause, K.
Beiträge zur flora Kleinasiens. VI. Die in der Türkei vorkommenden bäume und sträucher. (cont.) Quercus L. bearb. von O. Schwarz. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med., 3,53/57): 321-338. Mr.31, 1934. no.18/25.

Repert. Spec. Nov. Fedde (cont.)

Rechinger, K. H., jr.

Beiträge zur kenntnis von Rumex sekt. Lapathum. IV. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3, 53/57): 353-363. Mr.31, 1934. no.18/25.

Rothmaler, W.

Systematische vorarbeiten zu einer monographie der gattung Alchemilla. L. I- Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3,53/57): 342-350. Mr.31, 1934. no.18/25.

Schack, H.

Hieracia nova Europae mediae. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3,53/57): 366-378. Mr.31, 1934. no.18/25.

Schulz, O. E.

Beiträge zur kenntnis der gattung Nasturtium R.Br. II. Repert. Spec. Nov. Fedde 34: 131-136. N.25, 1933. no.1/9.

Singer, R.

Russula variata Bann. und Russula lactea Fr. Repert. Spec. Nov. Fedde 33(Repert. Europ. & Med. 3, 53/57): 350-352. Mr.31, 1934. no.18/25.

Trelease, S. F.

Quercus generis species novae mexicanae. Repert. Spec. Nov. Fedde 33: 314-319. Mr.31, 1934. no.18/25.

Rep. Waite Agr.Inst. Univ. Adelaide (109Ad32R)

Samuel, G.

Plant pathology. Rep. Waite Agr.Inst. Univ. Adelaide 1925/32): 67-74. 1934.

Rev. Hort. (Paris) (80R32)

Arnaud, G.

Traitements de printemps des arbres fruitiers. Rev. Hort. 106: 82-84. illus. Ap.16, 1934. no.4.

Jahandiez, E.

Les plantes grasses autres que les cactées. Les asclépiadacées (cont.) Rev. Hort. 106: 86-90. illus. Ap.16, 1934. no.4.

Rhodora (Boston) (450R34)

Fernald, M. L.

Four forms of Massachusetts plants. Rhodora 36: 194-195. My.1934. no.425.

Xyris caroliniana forma phyllolepis, Salix tristis forma curtifolia, S. tristis forma festiva, Apios americana forma cleistogama n.form.

Kelso, E. H.

Notes on Rocky Mountain plants. (cont.) Rhodora 36: 195-196. My. 1934. no.425.

Salix pseudolapponum var. subincurva, S. brachycarpa var. alticola, S. lutea var. desolata, var.nov.

Lynge, B.

Some general results of recent Norwegian research work on Arctic lichens. Rhodora 36: 131-171. illus. (maps), pl.284-285. My.1934. no.425.

Malte, M. O.

Critical notes on plants on Arctic America. Rhodora 36: 172-193. My. 1934. no.425.

Muenscher, W.C.

The occurrence of Littorella americana in New York. Rhodora 36: 194. My.1934. no.425.

Schweiz. Zeitschr. Forstw. (Bern) (99.8Sch9)

Becherer, A.

Der wissenschaftliche name der fichte und der weisstanne. Schweiz. Zeitschr. Forstw. 85: 5-8. Ja. 1934. no.1.

Schröter, C.

Uebersicht über die modifikationen der fichte. Schweiz. Zeitschr. Forstw. 85: 33-46. illus. F. 1934. no.2.

Schröter, C.

Uebersicht über die mutationen der fichte nach wuchs und rinde. Schweiz. Zeitschr. Forstw. 85: 46-60. illus. F. 1934. no.2.

Science (470Sci2)

Foster, A. S.

Foliar determination in angiosperms. Science 79: 429-430. My.11, 1934. no.2054.

Moldavan, A.

Isotopic CO_2 and O_2 in plants? Science 79: 455. My.18, 1934. no.2055.

So. African Gard. (Johannesburg) (80So87)

Plants new or noteworthy. South African plants cultivated in the National botanic gardens, Kirstenbosch, and in our readers' gardens. So. African Gard. 24: 100-101, 106. illus. Ap.1934. no.4.

Gladiolus geardii var. uitenhagensis n.var., Stapelia beukamanii, Pectinaria tulipiflora n.spp.

Sovetsk. Subtrop. (Suchum) (20Su1)

Gutiev, G. T.

Avokado. Sovetsk. Subtrop. 1934: 25-42. illus. no.1/2.

Russian with English summary.

Peti͡aev, S. I.

Tung - vazhneishai͡a industrial'nai͡a kul'tura vlazhnykh subtropikov (Tung oil tree, the leading industrial culture of U.S.S.R.) Sovetsk. Subtrop. 1934: 138-184. illus. no.1/2.

Russian with English summary.

There appear to be two summaries, one with title as given above, on leaf tipped in; the other on p. 184 has title: Conditions of the efficient pollination of tung-oil tree.

Ustinov, A. A.

Bor'ba s kornevoĭ nematodoĭ pri pomoshchi sevooborotov (The control of root nematodes through crop rotation) Sovetsk. Subtrop. 1934: 227-232. no.1/2.

Russian.

Vorontsov, V.

Fiziologicheskie uslovii͡a sozrevanii͡a semi͡an Aleurites cordata (Physiological conditions of tung seeds maturing). Sovetsk. Subtrop. 1934: 185-190. no.1/2.

Russian.

Zorin, F. M.

Nekotorye dannye po izucheni͡iu mandarina Unshiu na Sochinskoĭ stantsii (Data on the study of mandarin Unshiu at the Sochi experiment station). Sovetsk. Subtrop. 1934: 126-137. illus. no.1/2.

Russian.

Succulenta (Leeuwarden) (450Sul)
Houten, J. M. v.d.
Erfelijkheid en bastaardeering. 4.
Succulenta 16: 79-83. illus. My.1934. no.5.

Sver. Utsädesför. Tidskr. (Svålof) (61.9Sv23)
Sylvén, N.
Om "skalade frön" hos timotejen. (Hulless seeds of timothy) Sver. Utsädesför. Tidskr. 44: 13-58. illus. 1934. no.1.

Tijdschr. Plantenz. (464.8T44)
Schreven, D.A. van
Uitwendige en inwendige symptomen van boriumgebrek bijtabak. (External and internal symptoms of boron deficiency in tobacco). I. Tijdschr. Plantenz. 40: 97-112. Ap./My. 1934. no.4/5.

Trop. Agr. (26T751)
Pieris, W. I.
Notes on cross-pollination of rubber (Hevea brasiliensis) in Ceylon. Trop. Agr. 82: 147-151. pl. Mr.1934. no.3.

Trudy Prikl. Bot., Gen.i Selek. Ser. II. (Bul. Appl. Bot., Gen. & Plant-breed. II. Ser., Gen., Pl. Breed. & Cytol.) (451R92Ge)
Barulina, E. I.
Sravnitel'no-geneticheskoe izuchenie vidov Triticum (Comparative genetic study of the species of Triticum). I. Trudy Prikl. Bot., Gen.i Selek. Ser. II (Bul. Appl. Bot., Gen. & Plant-breed. II. Ser., Gen. Pl. Breed. & Cytol.) 5: 127-165. 1933.
Russian with English summary.
I. Inheritance of the ligule in wheat species with different chromosome numbers: Tr. vulgare Vill., Tr. compactum Host., Tr. durum, Desf.

Ezig, S. A.
Opytny mezhduvidovoĭ gibridizatsii v rode Nicotiana III. (Experiments on interspecific hybridization in the genus Nicotiana III). Trudy Prikl. Bot., Gen. i Selek. Ser. II (Bull. Appl.Bot., Gen. & Plant-breed. II.Ser. Gen. Pl. Breed.&Cytol.) 5: 77-125. illus., col.pl. 1933.
Russian with English summary.

Trudy Prikl. Bot.,Gen. i Selek. Ser. II. (Bull. Appl. Bot., Gen. & Plant-breed. II. Ser., Gen., Pl. Breed. & Cytol. (cont.)

Kostov, D.

Cytogenetic studies of the triple fertile hybrid Nicotiana tabacum x (N. sylvestris x N. rusbvi) - N. triplex. Trudy Prikl. Bot., Gen. i Selek. Ser. II. (Bull. Appl. Bot., Gen. & Plant-breed. II. Ser., Gen., Pl. Breed. & Cytol.) 5: 167-204. illus. 1933.

Sapegin, A. A.

Lev Andreevich Sapegin (L.A. Sapehin) Trudy Prikl. Bot., Gen. i Selek. Ser. II (Bull. Appl. Bot. Gen. & Plant-breed. II.Ser., Gen. Pla Breed. & Cytol.) 5: 3-4. port. 1933.

Russian with English summary (Sapegin died Sept.21, 1931)

Sapegin, L. A.

Geny reduktsionnogo deleniia͡ (The genes of the reduction division) Trudy Prikl. Bot.,Gen. i Selek. Ser. II(Bull. Appl. Bot., Gen.& Plant-breed. II. Ser., Gen., Pl. Breed. & Cytol.) 5: 5-75. 1933.

Russian with English summary.

Yakoleva, S. V.

Kariologicheskie issledovaniia͡ nekotorykh vidov Salvia (Karyological investigation of some Salvia species) Trudy Prikl. Bot., Gen. i Selek. Ser. II (Bull. Appl. Bot., Gen. & Plant-breed. II. Ser., Gen. Pl. Breed. & Cytol.) 5: 207-213. 1933.

Russian with brief English summary.

U.S. Dept. Agr. Misc. Publ. (1Ag84M)

Warner, M. F., Sherman,M. A. & Colvin, E. M.

A bibliography of plant genetics. U. S. Dept. Agr. Misc. Publ. 164. 552 p. Ap. 1934.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Winter injury to fruit crops. U. S. Dept. Agr. Plant Dis. Rep. 18: 34-38. My.1, 1934. no.4.

Valt. Maatalouskoet. Tiedon.

Pesola, V. A.

Sampo-vehnä. Sampo-wheat, a new Finnish winter wheat variety. Valt. Maatalouskoet. Tiedon. 73. 6 p. illus. 1934.

English summary.

Vict. Nat. (Melbourne) (410V66)

Willis, J. H.

The Agaricacaae or "gilled fungi". Some species common in Victoria. Vict. Nat. 50: 264-298. illus., pl. xlii-xlv. (2 col.) Ap.1934. no.12.

Willis, J. H.

"Beef-steak", "punk", and "blackfellows' bread". Vict. Nat. 50:298-301. illus., pl. xlvi-xlvii. Ap. 1934. no.12.

Fistulina hepatica, Fomes robustus, Polyporus eucalyptorum, P. mylittae.

Willis, J. H.

"Vegetable caterpillars". Vict. Nat. 50: 302-304. illus. Ap.1934. no.12.

Cordyceps.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig) (442.8Z34)

Beisser, E.

Zytologisch-genetische untersuchungen an dem bastarden Nicotiana tabacum x N. rusbyi und ihren rückkeuzungen zu N. rusbyi und N. silvestris. I. Die nachkommen aus reduzierten eizellen. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67:115-151. illus. 1934. no.1.

Darlington, C. D.

The origin and behaviour of chiasmata. VII. Zea mays. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67: 96-114. illus. 1934. no.1.

Manton, I.

The problem of Biscutella laevigata L. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67: 41-57. illus. (incl. map) 1934. no.1.

Noethling, W. & Stubbe, H.

Untersuchungen über experimentelle auslösung von mutationen bei Antirrhinum majus. V. Die auslösung von genmutationen nach bestrahlung reifer männlicher gonen mit licht. Zeitschr. Indukt. Abstamm.u. Vererbungsl. 67: 152-172. illus. 1934. no.1.

Zeitschr. Zuckerind. Cechoslovak. Rep. (66.8Z3)

Neuwirth, F.

Schädlinge und krankheiten der rübe im jahre 1933. Zeitschr. Zuckerind. Cechoslovak. Rep. 58: 273-276. Ap.20, 1934. no.34.

Zentralbl. Bakt. Abt.II. (Jena) (448.3C33)

Reinking, O. A.

Parasitic and other Fusaria counted in Costa Rica and Panama soils. Zentralbl. Bakt. Abt.II 90: 4-17. Ap.27, 1934. no.1/4.

Stapp, C. & Bortels, H.

Mikrobiologische untersuchungen über die zersetzung von waldstreu. I- Zentralbl. Bakt. Abt.II, 90: 28-66. illus., pl.i-ii. Ap.27, 1934. no.1/4.

Wollenweber, H. W. & Richter, H.

Melanogone, eine neue gattung der dematiaceen. Zentralbl. Bakt. Abt.II, 90: 74-76. illus. Ap.27, 1934. no.1/4.

M. puccinioides.

Exp. Stat. Publ.

Anderson, P. J.

How to prevent "green mold" or "moss" in the seed beds. Connecticut Agr. Exp. Stat. Bull. 359: 354. F.1934 (100C76St)

Use of formaldehyde dust to control the so-called green mold (a green alga) in tobacco seed beds.

Anderson, P. J.

Pythium damping-off and rootrot in the seed bed. Connecticut Agr. Exp. Stat. Bull. 359: 356-354. illus. F.1934(100C76St)

Clinton, G. P.

Plant pest handbook for Connecticut. II. Diseases and injuries. Connecticut Agr. Exp. Stat. Bull. 358: 153-329. illus. F.1934 (100C76St)

Westcott, C.

Brand canker of rose, caused by Coniothyrium wernsdorffiae Laubert. Cornell Agr. Exp. Stat. Mem. 153. 39 p. illus., v. pl. F.1934 (100N48C)

Maine agricultural experiment station

Plant pathology. In its Summary report of progress 1933 (Bull. 369): 558-581. D.1933 (Rec'd My.1934) (100M28S)

D. Folsom in charge.

Exp. Stat. Publ. (cont.)

Schultz, E. S., Bond, R. & Raleigh, W. P.
Isolated tuber-unit seed plots for the control of potato virus diseases and blackleg in northern Maine. Maine Agr. Exp. Stat. Bull. 370. 32 p. illus., 8 pl. Ja. 1934 (100M28S)

Bergman, H. F.
Cooperative cranberry investigations. Ann. Rep. Mass. Agr. Exp. Stat. 1932/33(Bull.305): 24-25. Mr. 1934(100M38H)

Osmun, A. V.
Dept. of botany. Ann. Rep. Mass. Agr. Exp. Stat. 1932/33(Bull. 305): 17-22. Mr.1934 (100M38H)

Stroman, G. N.
Cotton breeding investigations, 1928 to 1932. New Mexico Agr. Exp. Stat. Bull. 217. 39 p. illus. Ja.1934 (100N465)

Richards, B. L. & Evans, R. J.
Bacterial wilt of alfalfa. Utah Agr. Expt. Stat. Leafl. 10. [4] p. illus. Mr. 1934 (100Ut1)

New Books

Arni, H.
Beitrag zur kenntnis der pflanzenphosphatide. Weida i Thür, Druck von Thomas & Hubert, 1933. (463.2Ar6)
Promotionsarb. Eidgenoss. Techn. Hochsch. Zürich nr. 734.

Bitancourt, A. A.
Manual de citricultura. II. parte. Doencas, pragas e tratamentos. São Paulo, Edição da "Chacaras e quintaes", 1933. (93.33N22)
Doenças dos citrus; p.1-78.

Hustedt, F.
Die kieselalgen... 2. teil, lfg. 4. Leipzig. D.1933 (Dr. L. Rabenhorst's Kryptogamen-flora von Deutschland, Oesterreich und der Schweiz VII bd.) (461R11)

Konrad, P. & Maublanc, A.
Icones selectae fungorum. fasc.8. Paris, Lechevalier, 1934 (462K83)

New Books (cont.)

Lecomte, H.

Flore générale de l'Indo-Chine t.6, f.5. Paris, Masson et cie., F. 1934.

Orchidácées (fin) par F. Gagnepain et A. Guillaumin; Apostasiacées, iridacées, amaryllidacées, taccacées, par Gagnepain; Hémodoracées, par L. Rodriguez; Dioscoréacées, par L. Prain et L. H. Burkill (460.13L49)

Mills, F. W.

An index to the genera and species of the Diatomaceae and their synonyms 1816-32. pt.10-11. London, Wheldon & Wesley, Mr.-Ap.1934 (461.44M621)

Das pflanzenreich heft 98h: Radlkofer, L. Sapindaceae VIII (schluss) p.1435-1539. F.27,1934. (452En3P)

Schmidt, A.

Atlas der diatomaceenkunde. h. 97/98 Vorläufige erlauterungen ... hrsg. von F. Hustedt. Leipzig, O.R. Reisland, F. 1934 (f°461.44Sch5A)

Correction

v.16, no.8, p.21.

Nature

vol. no. should be 133 in all cases.

Non-current indexing.

Acta Biol. Exp. (Varsovie) (442.8Ac8)

Wolánski, Al.

Studją nad reakcja Manojłowa i niektóremi innemi reakojami kolorymetrycznemi na płeć u ludzi, zwierząt i róslin (Studies on the Manoiloff reaction and some other colorimetric sex-reactions in man, animals and plants. Acta Biol. Exp. 6: 173-207. col.pl. 1931.

Arch. de Bot. Caen Mém. (450Ar25M)

Benoist, R.

Les bois de la Guyane française. Arch. de Bot. Caen Mém. v.5, no.1. 291 p. illus., 58 pl. 1931.

Non-current indexing (cont.)

Arvernia Biol. (Clermont-Ferrand) (442.9Ar8)

Dusseau, A.

Les blés d'Auvergne. Essai sur la culture du blé et particulièrement des poulards d'Auvergne dans le Puy-de-Dome. Arvernia Biol. fasc.5. 320 p. viii pl. on 4 (incl.maps) My.1931.

At head of title: Contribution a l'étude écologique du blé.

Thèse - Clermont.

Ber. Ohara Inst. Landw. Forsch. (Kurashiki) (107.60hl)

Nisikado, Y., & Matsumoto, H.

Weitere, vergleichende untersuchungen über die durch Lisea fujikuroi Sawada und Gibberella moniliformis (Sh.) Wineland verursachten gramineenkrankheiten. Ber. Ohara Inst. Landw. Forsch. 5: 481-500. pl. xliii-xlv. 1933. no.3/4.

Godishn.Sofiĭsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia, V, Fac. Agron.) (21So6)

Atanasov, D. & others

Novi parazitni gubi za Bulgarii͡a (Parasitic fungi new for Bulgaria) III. Godishn. Sofiisk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V., Fac. Agron.) 10: 341-366. 1932.

Bulgarian with English summary.

Bacillus (Erwinia) papaveri Christoff sp.n.

Kostov, D.

Eksperimentalno dobivane na rastenii͡a s novi belezi (Experimentelle erzeugung der pflanzen mit neuen merkmalen) Godishn. Sofiisk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac.Agron.) 10: 64-81. 1932.

Bulgarian with German summary.

Staĭkov, T.

Prevrŭshtane na zakharitĕ pri zrĕeneto na nĕkoi plodove (Die umwandlung der zuckerarten beim reifen einiger obstarten) Godishn. Sofiisk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) 10: 155-166. 1932.

Bulgarian with German summary.

Non-current indexing (cont.)

Godishn. Sofiĭsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia, V. Fac. Agron.) (cont.)

Stefanov, B.

Sistematischi i geografski prouchvaniia vŭrkhu Mediteransko-orientalskite vidove na roda Hypericum L. (Systematische und geographische studien über die mediterran-orientalischen arten der gattung Hypericum L.) Godishn. Sofiĭsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) 10: 19-63. illus. 1932.

Bulgarian.

Stoianov, N. A.

Dokladi vŭrkhu trudovetě na g. D-r Doncho Kostov (Rapports sur les travaux de Dr. Dontcho Kostoff) Godishn. Sofiĭsk. Univ. V. Agron. Fak. (Annuaire Univ. Sofia V. Fac. Agron.) 10: 483-512. 1932.

Bulgarian.

Memor. Soc. Fauna & Flora Fenn. (Helsingfors) (511H365Me)

Buch, H.

Vorarbeiten zu einer lebermoosflora Fenno-Scandias. 1. Memor. Soc. Fauna & Flora Fenn. 8: 282-297. illus. 1933.

1. Ein versuch zur aufteilung der gattungen Lophozia Dum. und Sphenolobus Steph.

Isopaches, Leiocolea, Saccobasis, Orthocaulis n.gen.

Cedercreutz, C.

Die characeen Finnlands. Memor. Soc. Fauna & Flora Fenn. 8: 241-254. 1933.

Eklund, O.

Beiträge zur bryologie Südwest-Finnlands. 1. Das zentrale Schärenmeer mit besonderer berücksichtigung des kirchspieles Korpo. Memor. Soc. Fauna & Flora Fenn. 8:32-77. 1932.

Marklund, G.

Ueber Potentilla argentea L. und P. impolita Wahlenb. Memor. Soc. Fauna & Flora Fenn. 8: 2-13. 1932.

Pettersson, B.

Beiträge zur kenntnis der Taraxacum-flora des südwestfinnländischen Schärenarchipels. Memor. Soc. Fauna & Flora Fenn. 8: 303-316. 1933.

Non-current indexing. (cont.)

Memor. Soc. Fauna & Flora. Fenn. (cont.)

Pettersson, B.

The action of extreme temperatures on species of Viola and Lamium. Memor. Soc. Fauna & Flora Fenn. 8: 79-97. 1932.

Puolanne, M.

Helsingin ja sen lähiseudun kasvisto. 1. Taraxacum-lajit. (Die flora von Helsinki nebst umgebung.1. Die Taraxacum-arten) Memor. Soc. Fauna & Flora Fenn. 8:136-181. 1933.

German summary: p.181.

Räsänen, V.

Jäkäläsuku Usnea Hoffm. ja sen läheiset sukulaiset. (Die Flechtengattung Usnea Hoffm. und ihre nächsten verwandten). Memor. Soc. Fauna & Flora Fenn. 8: 185-188. 1933.

Brief German summary: p.188.

U. leucostictoides, U. ramulosa n.spp.

Railonsala, A.

Niinimaan suedun putkilokasvisto. Memor. Soc. Fauna & Flora Fenn. 8: 199-222. 1933.

In Finnish.

Rasanen, V.

Joitakin uusia jäkälälajeja ja toisintoja maalemme. (Einige für Finnland neue flechtenarten und -varietäten). Memor. Soc. Fauna & Flora Fenn. 8: 182-185. 1933.

Brief German summary: p.185.

Valle, K. J.

Kasvitietoja Petsamosta. Memor. Soc. Fauna & Flora Fenn. 8: 259-274. 1933.

In Finnish.

Proc. Biol. Soc. Washington (500W272)

Ames, O.

An addition to the flora of Honduras. Proc. Biol. Soc. Washington 44: 43-44. My.22, 1931.

Lepanthes hondurensis.

Proc. California Acad. Sci. (500C12P)

Howell, J. T.

The genus Mollugo in the Galapagos Islands. Proc. California Acad. Sci. 21: 13-23. Mr.14, 1933. no.3.

The Templeton Crocker expedition of the California academy of science, 1932. no.3.

M. striata, M. insularis, M. crockeri, n.spp.

Non-current indexing. (cont.)

Proc. Florida State Hort. Soc. (81F66)

Dahlberg, K.
Landscape material indigenous to tropic Florida. Proc. Florida State Hort. Soc. 44(1931): 62-68. 1931.

Fairchild, D.
Some plant introduction experiences. Proc. Florida State Hort. Soc. 44(1931): 54-58. 1931.
In regard to mango.

Robinson, T. R.
New citrus hybrids for Florida. Proc. Florida State Hort. Soc. 44(1931): 110-116. 1931.

Stahl, A. L.
Composition of Florida avocados. Proc. Florida State Hort. Soc. 44(1931): 81-86, 158-162. 1931.

Swingle, W. T. & Robinson, T. R.
The Silverhill: a promising and apparently hardy strain of Satsuma orange. Proc. Florida State Hort. Soc. 44(1931): 201-202. 1931.

Sci. Bull. Lingnan Univ. (Canton, China) (513L64)

Groff, G. W.
Plants of Lungt'aushan and vicinities, North River area, Kwangtung Province, China. Sci. Bull. Lingnan Univ. 2. 138 p. pl. (map) Je. 1930.

McClure, F. A.
Plants of Lantau Island, Kwangtung. I. Sci. Bull. Lingnan Univ. 3. 44 p. pl. (map) My.1, 1931.

Sci. Rep. Nat. Centr. Univ. Nanking Ser. B, Biol. Sci. (513N15)

Wang, C.-C.
Notes on some sub-aerial Myxophyceae of Nanking. Sci. Rep. Nat. Centr. Univ. Nanking Ser. B, Biol. Sci. 1(1): 59-65. illus. Ap.1930.

Keng, Y. L.
A manual of grasses of Kiangsu (with the tribe Bambuseae excluded). Sci. Rep. Nat. Centr. Univ. Nanking Ser. B, Biol. Sci. v.1, no.2. 119 p. 33 pl. D. 1930.

Non-current indexing. (cont.)

Zeitschr. Immunitätsforsch. (Jena) (448.8Z42)

Kostoff, D.

Studies on the acquired immunity in plants induced by grafting. Zeitschr. Immunitätsforsch. 74: 339-346. 1932.

Experiments with Nicotiana.

Translations filed in Library of Bur. of Plant Industry.

Bavendamm, W.

Ueber das vorkommen und den nachweis von oxydasen bei holzzerstörenden pilzen. (On the presence and detection of oxidases in wood-destroying fungi). Zeitschr. Pflanzenkr. 38: 257-276. S./O. 1928.

Curtin, L. P.

Réactions chimiques des champignons qui attaquent le bois. (Chemical reactions of wood-destroying fungi). Bull. Inst. Pin Bordeaux 1929: 209-213. 1930.

Freisenleben, R.

Ueber experimentelle mykorrhiza-bildung bei ericaceen (Experimental mycorrhiza formation in Ericaceae). Ber. Deut. Bot. Ges. 51: 351-356. N.23, 1933.

Heinricher, E.

Ueber bau und biologie der blüten von Arceuthobium oxycedri (DC.) MB. (On the structure and biology of the blossoms of Arceuthobium oxycedri (DC.) MB.) Sitzungsb. K. Akad. Wiss. Wien Math.-Naturw. Kl. Abt. I,124: 481-504. 1915.

Houben, J. & Wollenweber, H. W.

Hexylresorcin und phenyläthylresorcin gegen pflanzenpathogene pilze. (Hexyl-resorcin and phenyl-ethyl-resorcin as remedies against plant-pathogenic fungi). Biochem. Zeitschr. 204: 448-455. Ja.14, 1929.

Janse, J. M.

Des endophytes radicaux de quelques plantes javanaises. (The root endophytes of some Javanese plants). Ann. Jard. Bot. Buitenzorg 14: 53-202. 1897.

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ JUN 18 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 11. May 21-Je.2, 1934.

Acta Phytochim. (Tokyo) (451Ac8)

Shibata, K. & Tamiya, H.
Weitere untersuchungen über die bedeutung des cytochroms in der physiologie der zellatmung. (cont.) Acta Phytochim. 7: 191-231. D. 1933. no.2.

Tamiya, H. & Yamagutchi, S.
Systematische untersuchungen über das cytochromspektrum von verschiedenen mikroorganismen. Acta Phytochim. 7: 233-244. D. 1933. no.2.

Tamiya, H. & Yamamoto, A.
Ueber ein neues mikrokalorimeter zur messung der wärmeabgabe von schimmelpilzkultur. Acta Phytochim. 7: 245-263. illus. D. 1933. no.2.

Acta Soc. Bot. Polon. (Warsaw) (451So16)

Gołaszewska, Z.
Rozwój pyłku oraz analiza garnituru chromozomów u Aspidistra elatior. (La formation du pollen et le garniture des chromosomes chez l'Aspidistra elatior). Acta Soc. Bot. Polon. 11: 85-102. illus.,pl. 1934. no.1.
French résumé: p.101-102.

Gorczyński, T.
Zytologische analyse einiger pollenentwicklungsvorgänge bei der apfelsorte "Schöner von Boskoop". Acta Soc. Bot. Polon. 11: 103-118. illus. 1934. no.1.

Snieszko, S.
Doświadczenia nad bakterjami rozkładającemi błonnik w warunkach tlenowych (Some experiments on the aerobic cellulose decomposing bacteria). Acta Soc. Bot. Polon. 11: 51-84. illus. 1934. no.1.
English summary: p.83-84.

Acta Soc. Bot. Polon. (cont.)

Szynal, T.

Etudes biométriques sur les racines. Acta Soc. Bot. Polon. 11: 1-3. 1934. no.1.

Trela, J.

Fragment z polodowcowego rozwoju lasów południowo-wschodniej części puszczy Sandomierskiej w świetle analyizy pyłkowej. (Die postglaziale waldentwicklung des süd-östlichen teiles des Sandomierien-urwaldes auf grund der pollenanalytischen untersuchung). Acta Soc. Bot. Polon. 11: 5-18. illus. 1934. no.1.

German summary:17-18.

Wysocka, H.

Materjały do flory desmidyj z okolic Warszawy. (Contribution a la flore des desmidiees aud environs de Varsovie). Acta Soc. Bot. Polon. 11: 119-137. illus. 1934. no.1.

French résumé: p.136-137.

Agricultura (Mexico) (8Ag822)

Fraire, M. & Stearn, J.

El estiércol del ganado, un vector desconocido del "mal de Panamá". Agricultura (Mexico) 1: 14-22. illus. Mr.31, 1934. no.1.

Amer. Fruit Grow. (Chicago) (80G85)

Taylor, W. A.

Fruit work through the years with the federal Bureau of plant industry. Amer. Fruit Grow. 54(5): 9, 23-24. My.1934.

Amer. Potato Journ. (75.8P842)

Hurst, R. R. & MacLaren, H. L.

Some observations on the sprouting habits of potato tubers exposed to low temperatures. Amer. Potato Journ. 11: 123-127. My.1934. no.5.

Mader, E. O.

The effect of varying the concentrations and the lime-to-copper ratio of Bordeaux mixture in potato spraying. Amer. Potato Journ. 11: 111-117. My. 1934. no.5.

Ann. Appl. Biol. (London) (442.8An72)

Bald, J. G. & Samuel, G.

Some factors affecting the inactivation rate of the virus of tomato spotted wilt. Ann. Appl. Biol. 21: 179-190. My. 1934. no.2.

Bewley, W. F.

Some physiological disorders of glasshouse crops. Ann. Appl. Biol. 21: 319-322. My. 1934. no.2.

Caldwell, J.

The physiology of virus diseases in plants. V-VI. Ann. Appl. Biol. 21: 191-205, 206-224. pl. x-xii. My.1934. no.2.

V. The movement of the virus agent in tobacco and tomato. VI. Some effects of mosaic on the metabolism of the tomato.

Chippindale, H. G.

The effect of soaking in water on the "seeds" of some Gramineae. Ann. Appl. Biol. 21: 225-232. My. 1934. no.2.

Grieve, B. J.

Studies in bacteriosis. XX. The spraing disease of potato tubers. Ann. Appl. Biol. 21: 233-250. pl. xiii-xiv. My. 1934. no.2.

Roach, W. A.

Injection for the diagnosis and cure of physiological disorders of fruit trees. Ann. Appl. Biol. 21: 333-343. illus. My.1934. no.2.

Wallace, T.

Some physiological disorders of fruit trees. Ann. Appl. Biol. 21: 322-333. My.1934. no.2.

Ann. Rep. Oregon State Hort. Soc. (81Or32)

Mannville, I. A.

Food values and vitamins in pears. Ann. Rep. Oregon State Hort. Soc. 25(1933): 47-62. 1933.

Miller, P. W.

Fourth report of progress on studies of the control of walnut blight in Oregon. Ann. Rep. Oregon State Hort. Soc. 25(1933): 139-153. 1933.

Arch. Roumain. Path. Exp. Microbiol. (448.3Ar22)

Ranghiano, D.

Recherches cytologiques sur le court-noué de la vigne. Arch. Roumain. Path. Exp. Microbiol. 6: 353-495. illus., xxiii pl. (2 col.) D.1933. no.4.

Ark. Bot. (Stockholm) (451Sv2)

Folin, T.

Nya Hieracia vulgata från Tärna socken. Ark. Bot. v.26, no.6. 21 p. 4 pl. 1934. (Ja.4, 1934)

Gustafsson, C. E.

Rubi africani. Ark. Bot. v.26, no.7. 68 p. 14 pl. 1934 (Mr.20, 1934)

Malme, G. O. A.

Asclepiadaceae argentinae. Ark. Bot. v.26, no.4. 45 p. illus. 1934(N.29, 1933)

Samuelsson, G.

Symbolae ad floram Graecam. Ark. Bot. v.26, no.5. 29 p. 1934(D.8, 1933)

Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. (Rome) (507R66)

Sibilia, C.

Sulla costituzione biotipica della Puccinia triticina Erikss. in Italia. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 19: 53-55. Ja.7, 1934. no.1.

Ber.Deut. Bot. Ges. (Berlin) (451D48)

Brieger, F.

Ablauf der meiose bei völliger asyndese. Ber. Deut. Bot. Ges. 52: 149-153. Ap.26, 1934. no.3.

Gessner, F. & Kolbe, R. W.

Ein beitrag zur kenntnis der algenflora des unteren Amazonas. Ber. Deut. Bot. Ges. 52: 162-170. illus. Ap.26, 1934. no.3.

Möbius, M.

Ueber die herkunft der wörter cambium und protoplasma. Ber.Deut.Bot.Ges. 52: 154-161. Ap.26, 1934. no.3.

Biochem. Zeitschr. (Berlin) (384B522)
Böning, K. & Böning-Seubert, E.
Ueber anfbau und stoffwechsel der pflanze unter dem einfluss der mineralsalzernährung. II. Der osmotische wert des presssaftes von tabakblättern in seiner abhängigkeit von der mineralsalzernährung der pflanze. Biochem. Zeitschr. 270: 122-156. illus. Ap.23, 1934. no.1/3.

Der Biologe (München) (442.8B527)
Beatus, R.
Gloxinia, ein ausgezeichnetes objekt zur beobachtung der samenanlagen und des eiapparates im leben. Der Biologie 3: 125-126. illus. My. 1934. no.5.

Leick, E.
Ziel, umfang und bedeutung der pflanzenökologie. Der Biologie 3: 113-119. My. 1934. no.5.

Biol. Medd. K. Danske Vidensk. (København) (442.9D23)
Lind, J.
Studies on the geographical distribution of Arctic circumpolar Micromycetes. Biol. Medd. K. Danske Vidensk. v.11, no. 2. 152 p. F.1, 1934.

Bol. Soc. Broteriana (Coimbra) (451C66)
Ascensão Mendonça, F.de & Pereira de Sousa, E.
Revisão das ciperáceas Portuguesas do herbário de Coimbra. Bol. Soc. Broteriana II,8: 140-167. 1933.

Baker, E. G.
Lista das leguminosas africanas, colhidas em Angola por Carrisso e Mendonça (iter angolanum 1927) e Mario de Castro, e em Moçambique por Gomes e Sousa e Pomba Cuerra. Bol. Soc. Broteriana II, 8: 102-115. 1933

Fernandes, A.
Note sur les chromosomes de Pancratium maritimum L. Bol. Soc. Broteriana II,8: 168-175. illus. 1933.

Bol. Soc. Broteriana (cont.)

Machado Guimaraes, A. L.
Sinopse das briófitas de Portugal. II. Musgos. (cont.) Bol. Soc. Broteriana II,8. 116-139. 1933.

Miranda Lopes, J. M.
A flora do concelho de Vimioso e arredores. 4. Bol. Soc. Broteriana II,8: 176-189. illus. (map) 1933.

Quintanilha, A.
Le problème de la sexualité chez les basidiomycètes. Recherches sur le genre Coprinus. Bol. Soc. Broteriana II,8: 3-99. 1933.

Boll. Sez. Ital. Soc. Intern. Microbiol. (Milano) (448.3Sol)

Peyronel, B.
Sur quelques formes de Botrytis du type cinerea produisant un pigment rouge. Boll. Sez. Ital. Soc. Intern. Microbiol. 6: 47-50. F. 1934. no.2.

Bot. Jahrb. Engl. (Leipzig) (450En3B)

Bornmüller, J.
Aus der flora Afghanistans. (cont.) Bot. Jahrb. Engl. 66: 241-248. Ap.20, 1934. no.3.
Dracocephalum kafiristanicum n.sp.

Rohweder, H.
Beiträge zur systematik und phylogenie des genus Dianthus unter berücksichtigung der karyologischen verhältnisse. Bot. Jahrb. Engl. 66: 249-368. illus., iii pl. Ap.20, 1934. no.3.

Bull. Cl. Sci. Acad. Roy. Belg. (Bruxelles) (504B83B)

Hauman, L.
La phytogeographie, science de synthèse. Bull. Cl. Sci. Acad. Roy. Belg. V,19: 1380-1411. 1934. no.12.

Wildeman, E. de.
Prolifération cellulaire; accroissement perforant. Bull. Cl. Sci. Acad. Roy. Belg. V, 19: 1244-1249. 1934. no.12.
In algae & fungi.

Bull. Fan Mem. Inst. Biol. (442.9F21)

Ching, R. C.

The studies of Chinese ferns. IX-X. Bull. Fan Mem. Inst. Biol. 4: 47-116, 293-354. F.24, My.10, 1933. no.3,10.

Christensen, C. & Ching, R. C.

Sinopteris, a new fern genus in China. Bull. Fan Mem. Inst. Biol. 4:355-364. 2 pl. My.10, 1933. no.10.

Teng, S. C.

Fungi in Peiping. I. Bull. Fan Mem. Inst. Biol. 4: 279-291. My.9, 1933. no.9.

Bull. Inst. Roy. Colon. Belge. (Bruxelles) (504B836)

Delevoy, G.

Sur quelques essais de résineux au Katanga. Bull. Inst. Roy. Colon. Belge 5: 122-130. illus. 1934. no.1.

Wildeman, E. de.

Plantes pour la soif. Bull. Inst. Roy. Colon. Belge. 5: 131-157. 1934. no.1.

Bull. Mus. Hist. Nat. Paris (410.9P213)

Benois, R.

Les espèces malgaches du genre Barleria (acanthacées) Bull.Mus.Hist.Nat. Paris II, 6: 78-89. Ja. 1934. no.1.

Camus, A.

Fagacées nouvelles de l'Asie orientale. Bull.Mus.Hist.Nat. Paris II, 6: 92-94. Ja. 1934. no.1.

Castanopsis pachycarpa, Lithocarpus hendersoniana, L.yersinii, L. handeliana n.spp.

Camus, A.

Sur quelques graminées africaines. Bull. Mus.Hist.Nat. Paris II,6: 98-99. Ja.1934 no.1.

Chevalier, A.

Pantes nouvelles ou peu connues de l'Afrique tropicale. IV. Bull.Mus.Hist.Nat. Paris II, 5: 479. N.1933. no.6.

Smithia uniflora n.sp.

Bull. Mus. Hist. Nat. Paris (cont.)

Chouard, P. & Galap, V.

Particularités anatomiques des écailles et des tuniques des bulbes de quelques scillées de l'Afrique australe et tropicale. Bull. Mus. Hist. Nat. Paris II,5: 488-493. illus. N. 1933. no.6.

Scilla & Albuca.

Christensen, C.

Filices novae Indochinenses. Bull. Mus. Hist. Nat. Paris II,6: 100-106. Ja.1934. no.1.

Colin, H.

Le sucre des floridées. Bull. Mus. Hist. Nat Paris II,6: 153-155. Ja.1934. no.1.

Costantin, J.

Sur les mais géants. Bull. Mus. Hist. Nat. Paris II,5: 475-478. N.1933. no.6.

Gagnepain, F., Guillaumin, A. & Leandri, J.

Plantes nouvelles ou critiques des serres du Muséum. Bull. Mus. Hist. Nat. Paris II, 6: 119-122. Ja. 1934. no.1.

Aloe ellenbergeri, Dendrobium marseillei, Euphorbia decaryi, E. didiereoides n.spp.

Guinet, C.

Floraisons observées a l'École de botanique du Muséum pendant l'année 1933. Bull. Mus. Hist. Nat. Paris II,6: 130-135. Ja.1934. no.1.

Paris, Muséum d'histoire naturelle

Floraisons observées dans les serres du Muséum pendant l'année 1933. In its Bull. II, 6: 123-129. Ja.1934. no.1.

1933 by A. Guillaumin & J. Paupion.

Reznik, A.

Revision de la section Notosolen Stapf du genre Andropogon Linn. (graminées). Bull. Mus. Hist. Nat. Paris II,5: 494-500. illus. N. 1933. no.6.

A. tenuiculmus, A. infrasulcatus, A. chevalieri A. feilicis, n.spp. and several new var.

Bull. Mus. Hist. Nat. Paris (cont.)

Robyns, W. & Ghesquière, J.

Une espèce nouvelle du genre Enneastemon Exel (Annonaceae) du Gabon. Bull. Mus. Hist. Nat. Paris II,6: 90-91. Ja.1934. no.1.

Enneastemon ferrugineus.

Rodriguez, L.

Hémodoracées nouvelles d'Indochine. Bull. Mus.Hist.Nat.Paris II,6: 95-97. Ja.1934. no.1.

Ophiopogon peliosanthifolius, O. humilis, Peliosanthes serrulata, Neolourya weberi, N. pierrei, n.spp.

Sacleux, P.

Un Chytranthus nouveau de M. Pierre dans les collections faites en 1891 dals l'Ile de Zanzibar. Bull. Mus. Hist. Nat. Paris II,6: 110-111. Ja. 1934. no.1.

C. sacleuxii.

Bull. R. Soc. Tosc. Ortic. (Firenze) (86R22)

Maccioni, M.

Angiolo Picci. Bull. R. Soc. Tosc. Ortic. 59: 2-4. port. Ja./F. 1934. no.1/2.

1851-1934.

Maccioni, M.

Pomodori da ripieno. Bull. R. Soc. Tosc. Ortic. 58: 143-145. illus., pl.v. S./O. 1933. no.9/10.

Maccioni, M.

I pomodori da serbo. Bull. R. Soc. Tosc. Ortic. 58: 46-49. illus. Mr./Ap. 1933. no.3/4.

Passavalli, L. P.

Sulla spaccatura delle mele dovuta ad elementi meteorici. Bull. R. Soc. Tosc. Ortic. 59: 13-16. illus. Ja./F. 1934. no.1/2.

Pucci, A.

Attilio Ragionieri. Bull. R. Soc. Tosc. Ortic. 58: 132-133. port. S./O. 1933. no.9/10.

Bull. R. Soc. Tosc. Ortic. (cont.)

Ragionieri, A.

La genetica e le piante nuove di importazione alle floralies di Gand 1933. Bull. R. Soc. Tosc. Ortic. 58: 77-84. illus. My./Je. 1933. no.5/6.

Ragionieri, A.

Note di genetica pratica. Le gesnieriacee. Bull. R. Soc. Tosc. Ortic. 58: 4-7. illus. Ja./F. 1933. no.1/2.

Rinaldi, Z.

Le prunee ornamentali. (cont.) Bull. R. Soc. Tosc. Ortic. 58:51-57. illus. Mr./Ap. 1933. No.3/4.

Bull. Soc. Bot. France (Paris) (451F84B)

Beauverie, M. A.

Les forêts de la Dombes. Bull. Soc. Bot. France 81: 126-135. illus. Mr.26, 1934. no.1/2.

Broyer, C.

L'arachide (Arachis hypogaea Linné) en France. Bull. Soc. Bot. France 81: 97. Mr.26,1934. no.1/2.

Statement in regard to peanut in work of 1829, "Les jeunes voyageurs en France" by Mme. de Flesselles.

Camus, A.

Panicum ihosyense A. Camus, espèce nouvelle de la section Pseudolasiacis. Bull. Soc. Bot. France 81: 54-55. Mr.26, 1934. no.1/2.

Chadefaud, M.

Les corps mucifères et les trichocystes des eugléniens et des chloromonadines. Bull. Soc. Bot. France 81: 106-110. illus. Mr.26, 1934. no.1/2.

Dangeard, P.

Un Ectocarpus nouveau du Croisic (E. maculans, sp.nov.) Bull. Soc. Bot. France 81: 98-102. illus. Mr.26, 1934. no.1/2.

Bull. Soc. Bot. France (cont.)

Dangeard, P.
Sur la présence en France du Phaeocystis globosa Scherfell. Bull. Soc. Bot. France 81: 143-145. illus. Mr.26, 1934. no.1/2.

Friedel, J.
Quelques observations sur l'anatomie comparée du genre Meconopsis Viguier. Contribution a l'étude de la filiation des papavéracées. Bull. Soc. Bot. France 81: 103-106. Mr.26, 1934. no.1/2.

Gagnepain, F.
Iridacées, amaryllidacées et liliacées nouvelles d'Asie. Bull. Soc. Bot. France 81: 66-74. Mr.26, 1934. no.1/2.
New species of Eleurtherine, Curculigo, Heterosmilax and Smilax.

Gagnepain, F.
Stemona nouveaux d'Indochine. Bull. Soc. Bot. France 81: 146-148. Mr.26, 1934. no.1/2.
S. cochinchinensis, S. phyllantha, S. pierrei, S. saxorum & S. squamigera n.spp.

Gazet du Chatelier, G.
Un cas de non-disjonction dans le Sterculia platanifolia L. Bull. Soc. Bot. France 81: 136-138. illus. Mr.26, 1934. no.1/2.

Gazet du Chatelier, G.
De l'appareil gommifère du Sterculia platanifolia L. Bull. Soc. Bot. France 81: 62-66. illus. Mr.26,1934. no.1/2.

Geoffroy, R.
Etude des lipides de quelques farines industrielles de graminées et de légumineuses. Relations des lipides du froment avec la valeur boulangère. Bull. Soc. Bot. France 81: 17-24. Mr.26, 1934. no.1/2.

Gilles, Ed.
Effets du rayonnement ultra-violet sur les plantes supérieures. Remarques sur les conditions expérimentales. Bull. Soc. Bot. France 81: 121-125. Mr.26, 1934. no.1/2.

Bull. Soc. Bot. France. (cont.)

Guillaumin, A.

Matériaux pour la flore de la Nouvelle-Calédonie. XXXIV. Revision de myrtacées à fruit sec suivie de quelques notes sur les myrtacées à fruit charnu. Bull. Soc. Bot. France 81: 3-17. Mr.26, 1934. no.1/2.

Guinochet, M.

Eléments pour servir à l'étude de la végétation algale de la Dombes. Première liste de chlorophycées et conjuguées. Bull. Soc. Bot. France 81: 41-46. illus. Mr.26, 1934. no.1/2.

Issler, E.

Contribution à l'étude d'Helianthemum nummularium (L.) Dunal et d'H. ovatum (Viv.) Dunal. Bull. Soc. Bot. France 81: 55-62. Mr.26, 1934. no.1/2.

Léandri, J.

Un Pachypodium (apocynacées) nouveau de l'ouest de Madagascar. Bull. Soc. Bot. France 81: 141. Mr.26, 1934. no.1/2.

Pachypodium menabeum.

Leiris, P. de.

Découverte dans le Dauphiné d'une station d'Odontites glutinosa. Bull. Soc. Bot. France 81: 110-113. illus. Mr.26, 1934. no.1/2.

Lenoble, F.

Sur la définition de la région méditerranéene en géographie botanique et ses limites dans le sud-est de la France. Bull. Soc. Bot. France 81: 88-96. illus. (map) Mr.26, 1934. no.1/2.

Litardière, R.de.

Alfred Saint-Yves (1855-1933). Notice biographique. Bull. Soc. Bot. France 81: 46-53. port. Mr.26, 1934. no.1/2.

Moreau, F. & Moreau, Mme.

Sur les lichens des roches granitiques d'Auvergne. Bull. Soc. Bot. France 81: 149-158. Mr.26, 1934. no.1/2.

Bull. Soc. Bot. France. (cont.)

Nicolas, G.

Un nouvel exemple de phyllodie: Hortensia à fleurs vertes. Bull. Soc. Bot. France 81: 38-41. illus. Mr.26, 1934. no.1/2.

Pellegrin, F.

Plantae Letestuanae novae XX. Bull. Soc. Bot. France 81: 142-143. Mr.26, 1934. no.1/2.

Calcasia loukandensis, Cuviere le testui.

Pierrier de la Bathie, H.

Le genre Benthamia (orchidées). Bull. Soc. Bot. France 81: 25-38. Mr.26, 1934. no.1/2.

Sauvage, C.

Apercu sur la végétation de Zerhoun. III. (concl.) Bull. Soc. Bot. France 81: 75-86. illus., pl. ii. Mr.26, 1934. no.1/2.

Thiébaut, J.

Notes sur quelques plantes de la flore libano-syrienne. Bull. Soc. Bot. France 81: 113-121. Mr.26, 1934. no.1/2.

Bull. Soc. Chim. Biol. (Paris) (383Sol)

Colin, H. & Belval, H.

Le raffinose dans les grains de céréales. Bull. Soc. Chim. Biol. 16: 424-427. Mr.1934. no.3.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger) (410.9So125)

Malencon, G.

Les palmeraies du Draa et le bayoud. Bull. Soc. Hist. Nat. Afr. Nord 25: 112-117. illus. (map) Ap.1934. no.4.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Poindexter, R. W.

Some remarks on Mesembryanthemums. (concl.) Cactus & Succ. Journ. 5: 569-571. illus. My. 1934. no.11.

Walther, E.

Photographing succulents. Cactus & Succ. Journ. 5: 563-567. illus. My.1934. no.11.

Calif. Citrogr. (Los Angeles) (80C125)

Blanchard, Vincent F.

Depressing effect of wind on growth and yield of citrus trees. Calif. Citrogr. 19: 206. illus. Je. 1934. no.8.

Parker, E. R.

Effect of certain zinc sulphate sprays for mottle leaf of citrus. Calif. Citrogr. 19: 204. illus. Je. 1934. no.8.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Lloyd, F. E.

Additional observations on some Utriculariaceae. Canad. Journ. Res. 10: 557-562. illus.,pl. My. 1934. no.5.

Manske, R. H. F.

The alkaloids of fumariaceous plants.IX. Dicentra formosa, Walp. Canad. Journ. Res. 10: 521-526. My.1934. no.5.

Prat, H.

A biometric study of the culms of cereals and grasses. Canad. Journ. Res. 10: 563-570. My. 1934. no.5.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)

Viala, P.

Le court-noué. Compt. Rend. Acad. Agr. France 20: 46-50. Ja.10, 1934. no.1.

Compt. Rend. Acad. Sci. Paris (505P21)

Daniel, L.

Action de greffes répétées effectuées sur des descendants de l'absinthe greffée sur Chrysanthemum frutescens. Compt. Rend. Acad. Sci. Paris 198: 1658-1660. illus. My.7, 1934. no.19.

Contr. Boyce Thomp. Inst. Plant Res. (451B69)

Beale, H. P.

A device for uniform lighting in precipitin tests. Contr. Boyce Thomp. Inst. Plant Res. 6: 165-166. illus. Ap./Je. 1934. no.2.

Denny, F. E.

Improvements in methods of determining starch in plant tissues. Contr. Boyce Thomp. Inst. Plant Res. 6: 129-146. illus. Ap./Je.1934. no.2.

Contr. Boyce Thomp. Inst. Plant Res. (cont.)

Farr. W. K. & Eckerson, S. H.
Formation of cellulose membranes by microscopic particles of uniform size in linear arrangement. Contr. Boyce Thomp. Inst. Plant Res. 6: 189-203. 2 col.pl. Ap./Je. 1934. no.2.

Flemion, F.
Dwarf seedlings from non-after-ripened embryos of peach, apple, and hawthorn. Contr. Boyce Thomp. Inst. Plant Res. 6: 205-209. illus. Ap./Je. 1934. no.2.

McCool, M. M.
Effect of various factors on the soluble manganese in soils. Contr. Boyce Thomp. Inst. Plant Res. 6: 147-164. illus. Ap./Je. 1934. no.2.

Miller, L. P.
Time relations in effect of ethylene chlorhydrin in increasing and of ethyl alcohol in decreasing the respiration of potato tubers. Contr. Boyce Thomp. Inst. 6: 123-128. Ap./Je.1934. no.2.

Stewart, W. D. & Arthur, J. M.
Some effects of radiation from a quartz mercury vapor lamp upon the mineral composition of plants. Contr. Boyce Thomp. Inst. Plant Res. 6: 225-245. Ap./Je. 1934. no.2.

Zimmerman, P. W. & Crocker, W.
Plant injury caused by vapors of mercury and compounds of mercury. Contr. Boyce Thomp. Inst. Plant Res. 6: 167-187. illus., col.pl. Ap./Je. 1934. no.2.

Current Science (Bangalore) (475Sci23)

Cheema, G. S.
Fruit research in India: Its importance, history and scope. Current Science 2: 376-379. Ap. 1934. no.10.

Ghatak, N.
The colouring matter of the seed-coat of Abrus precatorius, Linn. (scarlet variety). Current Science 2: 380. Ap.1934. no.10.

Current Science. (cont.)

Majumdar, G. P.

On the occurrence of sori on the upper surface of the leaf of Nephrolepis davallioides var. furcans. Current Science 2: 382-383. illus. Ap.1934. no.10.

Divulg. Agr. y. Ganad. Peru (9.8P43D)

Abbott, E. V.

Enfermedades de las hortalizas. Divulg. Agr. y Ganad. Peru 10. 8 p. 1933.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)

Kolomietz, I. A.

K voprosu o zasukho stoĭchivosti i ob'ektivnykh priznakakh ee u sortov i͡arovoi pshenitsy (On drought resistance and its outward signs in different varieties of spring wheat). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,2: 109-115. Ap.11, 1934. no.2.

Russian and English.

Kostov, D.

Krossingover u vidovykh gibridov Nicotiana (Crossing over in Nicotiana species hybrids) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,1: 593-599. Mr.21, 1934. no.9.

Molotkovskiĭ, G. K.

Zhelatinovye kamery k porometru (Eine gelatinekammer für das porometer) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,2: 48-51. Ap.1, 1934. no.1.

Russian and English.

Nadson, G. A. & Stern, E. A.

O deĭstvii ul'trafioletovykh lucheĭ rtutno-kvartsevoĭ lampy na kletku Bacillus mycoides Fl. (De l'action des rayons ultra-violets de la lampe de quartz a vapeur de mercure sur la cellule de Bacillus mycoides Fl.) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.2: 51-56. illus. Ap.1, 1934. no.1.

Russian and English.

Oparin, A. I.

Obmen veshchestv v sakharnoĭ svekle pri nizkikh temperaturakh i khranenie ee v zamorozhennom vide (Metabolism in sugar beetroot at low temperatures and the storage of beetroot in a frozen state). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 2: 116-121. Ap.11, 1934. no.2.

Russian and English.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (cont.)

Potapov, N. G. & Stankov, N.

O sutochnoĭ periodichnosti mineral'nogo pitanii͡a (On the periodicity of mineral nutrition within the 24 hours) Dokl. Akad. Nauk SSSR (Comp. Rend. Acad. Sci. URSS) n.s.,2: 40-45. Ap.1, 1934. no.1.

Russian and English. Experiments with maize.

Shkol'nik, M. Ia.

Vlii͡anie bora na razvitie l'na v vodnykh i pochvennykh kul'turakh (The effect of boron upon the development of flax in water and soil cultures) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) 2: 104-109. illus. Ap.11, 1934. no.2.

Russian and English.

Udol'skai͡a, N. L.

K voprosu ob izuchenii elementov mineral'nogo pitanii͡a kak faktorov izmeni͡ai͡ushchikh zasukhoustoĭchivost (Contribution to the study of the elements of mineral nutrition as of factors changing the drought resistance of plants) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,2: 45-48. Ap.1, 1934. no.1.

Russian and English.

Udol'skai͡a, N.

Zasukhoustoĭchivost sorotv i͡arovoĭ pshenitsy (Drought resistance of spring wheat varieties) Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,1: 583-589. Mr.21, 1934. no.9.

Russian and English.

Empire Journal Exp. Agr. (Oxford) (10Em7)

Shutt, F. T. & Hamilton, S. N.

The quality of wheat as influenced by environment. Empire Journ. Exp. Agr. 2: 119-138. Ap. 1934. no.6.

Entom. & Phytopath. Hangchow, China. (C423.92En8)

Chu, H.-t.

The speciality of mosaic disease. Entom. & Phytopath. Hangchow, China. 2: 219-240. Ap.21, 1934. no.12.

Chinese.

Flor. Exch. (N.Y.) (80F666)

Young, W. J.

The use and abuse of plant names. Flor. Exch. 82(2): 21. My.19, 1934.

Flor. Rev. (Chicago) (80W41)
Jones, L. H.
Acidity of potting soil not affected by type of container. Flor. Rev. 74(1904): 9-10. My.24, 1934.

For. Leaves (99.8F763)
Perry, G. S.
The deadly Dutch elm disease. For. Leaves 24:2. Ja. 1934. no. 1.

Forstarchiv (Hannover) (99.8F7723)
Röhrig, H.
Verbreitung und bekämpfung des kiefernbaumschwammes in den staatsforsten des regierungsbezirks Potsdams. Forstarchiv 10: 137-146. My.1, 1934. no.9.

Fruit Grow. Fruiterer, Flor. & Mark. Gard. (London) (80F941)
Turnbull, J.
Scab control problem. Fruit Grow. Fruiterer, Flor. & Mark. Gard. 77: 854-855. My.10, 1934.
Abstract of author's address before meeting under auspices of Norfolk county council Dept. of horticultural education.

Gard. Chron. (London) (80G162)
Bagenal, N. B.
Twenty-one years work at East Malling research station. II. Research work on small fruits. Gard. Chron. III, 95: 294-296. My.5, 1934. no.2471.

Balls, E. K.
Plant collecting in Persia. X. The plants of Mt. Elwend. Gard. Chron. III,95: 312-314. illus. My.12, 1934. no.2472.

The behaviour of garden plants. XIII. Rubus cissoides. Gard. Chron. III,95: 287. My.5, 1934. no.2471.

Friend, H.
Herbals and herbalists. IX. An oriental contribution. Gard. Chron. III, 95: 294. My.5, 1934. no.2471.

Gard. Chron. Amer. (80G1632)
Lee, O. C.
Beware of ivy poisoning. Gard. Chron. Amer. 38: 170. illus. Je.1934. no.6.

Gard. Chron. Amer. (cont.)

Matschat, C. H.

Little-known Mexican plants. Gard. Chron. Amer. 38: 168-169. illus. Je.1934. no.6.

Gladiolus Rev. (Goshen, Ind.)

Huff, R.

Hybridizing gladiolus. Gladiolus Rev. 11: 91-93. illus. My.1934. no.5.

Hong Kong Nat. (410H75)

Herklots, G. A. C.

Berries of winter. Hong Kong Nat. 4: 106-112. illus. D.1933. no.2.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)

Blank, L. M.

Uniformity in pathogenicity and cultural behavior among strains of the cabbage-yellows organism. Journ. Agr. Res. 48: 401-409. Mr.1, 1934. (Rec'd My.24) no.5.

Brannon, L. W.

Injury from calcium arsenate-hydrated lime spray on snap beans retarded in growth by unfavorable soil conditions. Journ. Agr. Res. 48: 447-451. Mr.1, 1934(Rec'd My.24) no.5.

Clayton, E. E.

Toxin produced by Bacterium tabacum and its relation to host range. Journ. Agr. Res. 48: 411-426. illus. Mr.1, 1934 (Rec'd My.24) no.5.

Only species of Nicotiana true host plants of Bacterium tabacum.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)

Atkeson, F. W., Hulbert, H. W. & Warren, T. R.

Effect of bovine digestion and of manure storage on the viability of weed seeds. Journ. Amer. Soc. Agron. 26: 390-397. My.1934. no.5.

Garver, S.

The Redfield tepary bean, an early maturing variety. Journ. Amer. Soc. Agron. 26: 397-403. My.1934. no.5.

Heck, A. F.

Some indications of a relation of soil fertility and plant nutrition to cane diseases in Hawaii. Journ. Amer. Soc. Agron. 26: 381-389. My.1934. no.5.

Journ. Bacteriol. (Baltimore) (448.3J82)
Hartsell, S. E. & Rettger, L. F.
A taxonomic study of "Clostridium putrificum" and its establishment as a definite entity - Clostridium lentoputrescens, nov.spec. Journ. Bacteriol. 27: 497-512. 2 pl. My.1934. no.5.

Journ. Bot. (London) (450J82)
Dandy, J. E.
Notes on Hydrocharitaceae. I. The delimitation and subdivision of Ottelia. Journ. Bot. 72: 132-139. My.1934. no.857.

Eig, A.
Astragalus (sect. Platyglottis): revision of Palestinian species. Journ. Bot. 72: 121-132. pl.604-605. My.1934. no.857.

Rendle, A. B.
Sydney Howard Vines (1849-1934). Journ. Bot. 72: 139-141. My.1934. no.857.

White, C. T.
Thomas Lane Bancroft, (1860-1933). Journ. Bot. 72: 141-142. My.1934. no.857.

Journ. Bot. Soc. So. Afr. (Cape Town) (451B657)
Cowlishaw, K.
Experiments in the cross fertilization of certain species of the Amaryllidaceae. Journ. Bot. Soc. So. Afr. 19: 10-13. 1933.

Mathews, J. W.
Notes on delayed germination. Journ. Bot. Soc. So. Afr. 19: 16-17. 1933.

Journ. Gen. Physiol. (Baltimore) (447.8J22)
Pearl, R., Edwards, T.I. & Miner, J. R.
The growth of Cucumis melo seedlings at different temperatures. Journ. Gen. Physiol. 17: 687-700. My.20, 1934. no.5.

Journ. Genetics (London) (442.8J823)
Armstrong, J.M. & Huskins, C. L.
Further studies on the cytology of Matthiola incana. Journ. Genetics 29: 29-50. illus. Ap. 1934. no.1.

Journ. Genetics (cont.)

Buxton, B. H. & Dark, S.O.S.

Hybrids of Digitalis dubia and D. mertonensis with various other species. Journ. Genetics 29: 109-122. illus., pl.viii-x (1 col.) Ap.1934. no.1.

Dark, S. O. S.

Chromosome studies in the Scilleae. II. Journ. Genetics 29: 85-98. illus. Ap.1934. no.1.

Pt. I by C.D.Darlington.

Imai, Y.

An apparently simple inheritance of variegation in Polygonum orientale. Journ. Genetics 29: 147-151. pl. xi-xii. Ap.1934. no.1.

MacArthur, J. W.

Linkage groups in the tomato. Journ. Genetics 29: 123-133. Ap. 1934. no.1.

Journ. Hered. (Washington) (442.8Am3)

Blakeslee, A. F.

New Jimson seeds from old chromosomes. Journ. Hered. 25: 81-108. illus. Mr.1934. no.3.

Journ. Indian Bot. Soc. (Madras) (450J821)

Bose, P. K.

Abnormalities in Cucurbita pepo Linn. Journ. Indian Bot. Soc. 13: 47-50. illus.,pl. Ja.1934. no.1.

Chaudhuri, H. & Johar, D. S.

On Schizophyllum commune Fr., a parasite on trees in Lahore. Journ. Indian Bot. Soc. 13: 67-69. pl. Ja.1934. no.1.

Gupta, B. L.

A contribution to the life history of Potamogeton crispus L. Journ. Indian Bot. Soc. 13: 51-65. illus., iii pl. Ja.1934. no.1.

Gupta, B. L.

On the wood anatomy and theoretical significance of homoxylous angiosperms. Journ. Indian Bot. Soc. 13: 71-101. illus., vi pl. Ja.1934. no.1.

Journ. Indian Bot. Soc. (cont.)

Maheshwari, P. & Singh, B.
The morphology of Ophioglossum fibrosum Schum. Journ. Indian Bot. Soc. 13: 103-123. illus., iii pl. Ja.1934. no.1.

Randhawa, M. S.
Ghosella indica gen.et sp.nov., a new member of the Conjugatae. Journ. Indian Bot. Soc. 13: 11-16. pl. Ja. 1934. no.1.

Ranjan, S. & Khan, Z. A.
Studies in the respiration of Psidium guava in relation to its sugar and acid contents, while passing through a senescent drift. Journ. Indian Bot. Soc. 13: 17-40. Ja. 1934. no.1.

Sabnis, T. S. & Singh, D. N.
A note on canal irrigation and weed distribution. Journ. Indian Bot. Soc. 13: 1-10. iii pl. Ja. 1934. no.1.

Singh, T. C. N.
Observations in pollination by sun-birds in Morinda tinctoria Roxb. Journ. Indian Bot. Soc. 13: 41-45. pl. Ja.1934. no.1.

Journ. Indian Inst. Sci. (Madras) (513In23)

Sreenivasa Rao, Y. V.
Contributions to the physiology of sandal (Santalum album, Linn.) Journ. Indian Inst. Sci. 16A: 167-177, 178-184. pl. 1934. no.15.
I. Nature and extent of parasitism. II. Influence of host on the nitrogen metabolism of sandal.

Journ. Min. Agr. Gt. Brit. (10G79J)

Pethybridge, G. H.
Potato diseases. Journ. Min. Agr. Gt. Brit. 41: 125-136. My. 1934. no.2.

Journ. New Zeal. Inst. Hort. (87N485J)

Cunningham, G. H.
Plant protection. Journ. New Zeal. Inst. Hort. 4(2): 1-8. Mr. 1934.

Journ. Tenn. Acad. Sci. (500T25A)

Lackey, J. B. & Goltman, A. M.
Botanical aspects of the hay fever situation in the Memphis area. Journ. Tenn. Acad. Sci. 9: 133-148. Ap.1934. no.2.

Kakteenk. Deut. Kakteen-Ges. (451D482)

Bödeker, F.

Mammillaria picta Meinshausen, eine nicht mehr bekannte art. Kakteenk. Deut. Kakteen-Ges. 1934: 86-87. My.1934. no.5.

Liebe, C.

Die botanischen namen und der liebhaber. Kakteenk. Deut. Kakteen-Ges. 1934: 94-95. My. 1934. no.5.

Roll, E.

Wilhelm Otto Rother. Kakteenk. Deut. Kakteen-Ges. 1934: 85-86. My. 1934. no.5.

Notice of death.

Kosmos (Lwów, Poland) (475K84)

Sulma, T.

Materjały do flory porostów Czarnohory. (The lichen flora of the Czarnohora). Kosmos (Lwów, Poland) 57: 19-38. 1933. no.1.

English summary: p.38.

Szymkiewicz, D.

Badania ekologiczne. (Recherches écologiques). Kosmos (Lwów, Poland) 57: 57-83. illus. 1933. no.1.

French résumé: p.70-80.

Włodek, J.

Uwagi i obserwacje nad wpływem niektórych roślin wyzszych na wietrzenie granitu w Tatrach. (Ueber den einfluss von höheren pflanzen auf die verwitterung von granit in der Tatra). Kosmos (Lwów, Poland) 57: 85-96. illus., iii pl. 1933. no.1.

German summary: p.94-96.

Landw.Jahrb. (Berlin) (18L23)

Müller, K. & Sleumer, H.

Biologische untersuchungen über die peronosporakrankheit des weinstockes mit besonderer berücksichtigung ihrer bekämpfung nach der inkubationskalendermethode. Landw. Jahrb. 79: 509-576. illus. 1934. no.4.

Lingnan Sci. Journ. (Canton, China) (22.5C16)

Chen, Y. A.

A preliminary study of the evidence for the taxonomic value of pollen grains in determining the local plants. (concl.) Lingnan Sci. Journ. 13: 251-256. pl.29-32. Ap.18, 1934. no.2.

Moninger, M.M.

Trees and typhoons in Hainan. Lingnan Sci. Journ. 13: 323-325. Ap.18, 1934. no.2.

Meded. Landbouwproefst. Suriname (Paramaribo) (102.5D95)

Stahel, G.

De tagenwoordige stand van het onderzoek naar den overdrager der zeefvatenziekte von de koffie. Meded. Landbouwproefst. Suriname no.7. 9 p. Ja. 1934.

Meded. Proefst. Vorstel. Tabak. Java (Klaten) (69.9K66)

Thung, T. H.

Bestrijding der kurl- en kroepoek-ziekten van tabak. (The control of the curl- and crinkle-diseases of tobacco). Meded. Proefst. Vorstenl. Tabak Java no.78. 18 p. 1934.

Brief English summary: p.18.

Meld. Norges Landbruks. (Oslow) (104N762M)

Lunden, A. P.

Forsøk med tidligpotetsorter pa forsøksgarden vollebekk og pa spredte felter, i arene 1928-32. Meld. Norges Landbruks. 14: 275-308. 1934. no.2/3.

English summary: p.307-308.

Results of variety trials with early potato varieties,1928-32, at State college of agriculture Aas, Norway. Contains notes on disease susceptibility and resistance.

Mitt. Landw. (Berlin) (18D48M)

Braun. H.

Warum unkrautbekämpfung? Mitt. Dandw. 49: 401-403. My.12, 1934. no.19.

Mus. & Art. Notes. Vancouver. City Mus. (516V28)

Perry, F.

Historical and ecological notes of a trip to the Hope Mountains. Mus. & Art Notes Vancouver City Mus. Suppl.8. 5 p. D.1933.

Mus. & Art. Notes. Vancouver City Mus. (cont.)

Wailes, G. H.

Protozoa and algae from Mount Hopeless, B.C. Mus. & Art Notes Vancouver City Mus. Suppl.7. 4 p. N.1933.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)

Trappmann, G. & Nitsche, G.

Eine einfache dosierungsvorrichtung für spritzmittel bei laboratoriums-versuchen. Nachrichtenbl. Deut. Pflanzenschutzd. 14: 51-52. illus. My.1934.

Methoden zur prüfung von pflanzenschutzmitteln VII.

New Jersey State Hort. Soc. News (81N46)

Blake, M. A.

The ability of apples to grow at low temperatures. New Jersey State Hort. Soc. News 15: 606-607. My. 1934. no.4.

Blake, M. A.

Blooming dates of Elberta peach and Stayman apple. New Jersey State Hort. Soc. News 15: 603-604. My.1934. no.4.

Blake, M. A.

Judging the growth status of the Stayman apple. New Jersey State Hort. Soc. News 15:602-603, 607. My.1934. no.4.

New Zeal. Journ. Agr. (Wellington) (23N48J)

Neill, J. C.

Experiments on control of some cereal diseases by seed-dusting. New Zeal. Journ. Agr. 48: 234-237. Ap.20, 1934. no.4.

Nyt Mag. Naturvidensk. (Oslo) (410N99)

Breien, K.

Die verbreitung der Utricularia-arten in Norwegen. Nyt Mag. Naturvidensk. 73: 273-301. illus. 1933.

Johansen, F.

Description of the country and vegetation at Port Churchill, Man., in Arctic Canada. Nyt Mag. Naturvidensk. 73: 221-257. illus. 1933.

Nyt Mag. Naturvidensk. (cont.)

Jorde, I.

Untersuchungen über den lebenszyklus von Urospora Aresch. und Codiolum A. Braun. Nyt Mag. Naturvidensk. 73: 1-20. illus., pl. 1933.

Lid, J. & Meidell, O.

The food of Norwegian grouse chicks. (Lagopus lagopus L.) Nyt Mag. Naturvidensk. 73: 75-114. illus. 1933.

Systematical list of vegetable crop contents... from Øyer and Vaga, p.98-104.

Scholander, P. F.

Notes on Peltigera erumpens (Tayl.) Vain s.l. Nyt Mag. Naturvidensk. 73:21-54. illus. 1933.

Størmer, P.

Plants collected by Frits Johansen in 1929, at Hudson Bay Railway and Port Churchill in Arctic Canada. Nyt Mag. Naturvidensk. 73: 259-272. 1933.

Occas. Papers Univ. Hawaii. (500H31P)

Fosberg, F. R.

A key to the families of monocotyledons in the Hawaiian Islands. Occas. Papers Univ. Hawaii no.18. 8 p. Ja. 1934.

Orchid Rev. (Richmond, Engl.) (80Or15)

Claes, F.

The re-discovery of Cattleya labiata var. autumnalis. Orchid Rev. 42: 143-146. illus. My. 1934. no.491.

Pflanzenbau (Berlin) (18P48)

Heuser, W.

Untersuchungen über den entwicklungsrythmus verschiedener lupinenarten und -sorten bei verschiedenen aussaatzeiten, ein beitrag zur kenntnis ihres photoperiodismus. Pflanzenbau 10: 369-376. illus. Ap.1934. no.10.

Phytopath. (464.8P56)

Appel, O.

Vitality and vitality determination in potatoes. Phytopath. 24: 482-494. My.1934. no.5.

Phytopath. (cont.)

Baines, R. C.
Control of apple sooty blotch by May and June sprays. Phytopath. 24: 553-555. My. 1934. no.5.

Bever, W. M.
Effect of light on the development of the uredial stage of Puccinia glumarum. Phytopath. 24: 507-516. illus. My. 1934. no.5.

Burnett, G.
Stunt, a virosis of delphinium. Phytopath. 24: 467-481. illus. My. 1934. no.5.

Crosier, W.
Abnormal germination in dusted wheat. Phytopath. 24: 544-547. illus. My. 1934. no.5.

Goss, R. W.
A survey of potato scab and Fusarium wilt in western Nebraska. Phytopath. 24: 517-527. My. 1934. no.5.

King, C. J., Hope, C. & Eaton, E.D.
Further observations on the natural distribution of the cotton root rot fungus. Phytopath. 24: 551-553. illus. My. 1934. no.5.

Kunkel, L. O.
Studies on acquired immunity with tobacco and aucuba mosaics. Phytopath. 24: 437-466. illus. My. 1934. no.5.

McLaughlin, A. M.
A fusarium disease of Cereus schottii. Phytopath. 24: 495-506. illus. My. 1934. no.5.
... tentatively classified as variety of F. oxysporium.

Miles, L. E.
Verticillium wilt of cotton in Greece. Phytopath. 24: 558-559. My. 1934. no.5.

Neal, D. C. & Wester, R. E.
An undescribed sclerotium fungus prevalent in northeast Texas. Phytopath. 24: 528-533. illus. My. 1934. no.5.
Ozonium texanum on cotton.

(No page 28)

Phytopath. (cont.)

Reddick, D.
Elimination of potato blight from North America. Phytopath. 24: 555-557. My.1934. no.5.

Shands, H. L. & Dickson, J. G.
Variation in hyphal-tip cultures from conidia of Helminthosporium gramineum. Phytopath. 24: 559-560. My. 1934. no.5.

Wilson, E. E.
A bacterial canker of pear trees new to California. Phytopath. 24: 534-537. illus. My. 1934. no.5.
Causal organism not described as cultural studies are not complete.

Wilson, E. E.
Variability of Pseudomonas cerasi in physical characteristics of growth on solid media. Phytopath. 24: 548-550. illus. My. 1934. no.5.

Young, P. A.
Stem canker of hollyhock caused by Sclerotinia sclerotiorum. Phytopath. 24: 538-543. illus. My. 1934. no.5.

Arthur Bliss Seymour. January 3, 1859-March 29, 1933. Phytopath. 24: 576. My. 1934. no.5.

James Abraham Faris, July 27, 1890 - September 24, 1933. Phytopath. 24: 576. My. 1934. no.5.

Phytopath. Zeitschr. (Berlin) (464.8P562)

Atanasoff, D.
Is bitter pit of apples a virus disease? Phytopath. Zeitschr. 7: 145-168. illus. 1934. no.2.
"Evidence ... tends to show that bitter pit of apples is a virus disease."

Gassner, G. & Franke, W.
Der stickstoffhaushalt junger weizenpflanzen in seiner abhängigkeit von der mineralsalzernährung. Ein beitrag zum problem der rostresistena. Phytopath. Zeitschr. 7: 187-222. illus. 1934. no.2.

Phytopath. Zeitschr. (cont.)

Meurs, A.
Parasitic stemburn of Deli tobacco. Phytopath. Zeitschr. 7: 169-185. illus. 1934. no.2.
Caused by species of Pythium including P. deliense n.sp.

Wieler, A.
Durch säuren und teerige stoffe hervorgerufene aetzschäden an blattorganen. Phytopath. Zeitschr. 7: 121-144. illus. 1934. no.2.

Plant Physiology (450P692)

Bryant, A. E.
Comparison of anatomical and histological differences between roots of barley grown in aerated and in non-aerated culture solutions. Plant Physiology 9: 389-391. Ap. 1934. no.2.

Burkhart, L.
Metabolism of etiolated seedlings as affected by ammonium nutrition. Plant Physiology 9: 351-358. Ap. 1934. no.2.

Christensen, R. J. & Samisch, R.
Effect of high frequency sound waves on oxidase activity. Plant Physiology 9: 385-386. Ap. 1934. no.2.

Davis, E. E.
Influence of thyroxin on the growth of plants. Plant Physiology 9: 377-384. Ap. 1934. no.2.
Experiments with Vicia faba, Narcissus and Pisum sativum.

Ezekiel, W. N., Taubenhaus, J.J. & Fudge, J. F.
Nutritional requirements of the root-rot fungus Phymatotrichum omnivorum. Plant Physiology 9: 187-216. illus. Ap.1934. no.2.

Gustafson, F. G.
Production of alcohol and acetaldehyde by tomatoes. Plant Physiology 9: 359-367. Ap. 1934. no.2.

Henderson, L.
Relation between root respiration and absorption Plant Physiology 9: 283-300. illus. Ap. 1934. no.2.

Plant Physiology (cont.)

Hubbell, D. S.
Causes of blind wood in roses. Plant Physiology 9: 261-282. illus. Ap. 1934. no.2.

Kertesz, Z. I.
Carbon dioxide content of the gas from pea pods. Plant Physiology 9: 339-350. Ap. 1934. no.2.

Lipman, C. B. & Lewis, G. N.
Tolerance of liquid-air temperatures by seeds of higher plants for sixty days. Plant Physiology 9: 392-394. Ap. 1934. no.2.

Livingston, B. E. & Beall, R.
The soil as direct source of carbon dioxide for ordinary plants. Plant Physiology 9: 237-259. Ap. 1934. no.2.

Long, F. L.
Application of calorimetric methods to ecological research. Plant Physiology 9: 323-337. illus. Ap.1934. no.2.

Mallery, T. D.
Comparison of the heating and freezing methods of killing plant material for cryoscopic determinations. Plant Physiology 9: 369-375. Ap. 1934. no.2.

Nightingale, G. T. & Mitchell, J. W.
Effects of humidity on metabolism in tomato and apple. Plant Physiology 9: 217-236. Ap. 1934. no.2.

Shull, C. A.
Lateral water transfer in leaves of Ginkgo biloba. Plant Physiology 9: 387-389. illus. Ap. 1934. no.2.

Street, O. E.
Carbohydrate-nitrogen and base element relationships of peas grown in water culture under various light exposures. Plant Physiology 9: 301-322. Ap. 1934. no.2.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Borriss, H.
Beiträge zur wachstums- und entwicklungsphysiologie der fruchtkörper von Coprinus lagopus. Planta Arch. Wiss. Bot. 22: 28-69. illus. Ap.20, 1934. no.1.

Firbas, F.
Ueber die bestimmung der walddichte und der vegetation waldloser gebiete mit hilfe der pollenanalyse. Planta Arch. Wiss. Bot. 22: 109-145. illus. Ap.20, 1934. no.1.

Plavsić, S.
Ein beitrag zur entstehungsgeschichte der quertracheïden bei den koniferen. Planta Arch. Wiss. Bot. 22: 23-27. illus. Ap.20, 1934. no.1.

Pringhseim, E. G.
Ueber oxytrophie bei Chlorogonium. Planta Arch. Wiss. Bot. 22: 146-148. Ap.20, 1934. no.1.

Schoch-Bodmer, H.
Zum heterostylieproblem: griffelbeschaffenheit und pollenschlauchwachstum bei Fagopyrum esculentum. Planta Arch. Wiss. Bot. 22: 149-152. Ap.20, 1934. no.1.

Silberschmidt, K.
Weitere versuche über die n-verteilung in pfropfungen und stecklingen. Planta Arch. Wiss. Bot. 22: 1-22. illus. Ap.20, 1934. no.1.

Troll, W.
Ueber den bau der rhachis und seinen einfluss auf die spreitenbildung von fiederblättern. Planta Arch. Wiss. Bot. 22: 80-108. illus. Ap.20, 1934. no.1.

Wulff, H.D.
Lebendfärbungen mit chrysoidin. Planta Arch. Wiss. Bot. 22: 70-79. Ap.20, 1934. no.1.

Proc. Maryland State Hort. Soc. (81M36)

Whetzel, H. H.
Peach brown rot. Proc. Maryland State Hort. Soc. 36: 47-48. 1934.

Whetzel, H. H.
The story of apple scab. Proc. Maryland State Hort. Soc. 36: 41-44. 1934.

Proc. Nat. Acad. Sci. (500N21P)

Berry, E. W.

Miocene Patagonia. Proc. Nat. Acad. Sci. 20:280-282. My. 1934. no.5.

Haig, C.

The effect of intensity and wave-length on the response of Avena to light. Proc. Nat. Acad. Sci. 20: 296-303. My. 1934. no.5.

Sargent, M. C.

Causes of color change in blue-green algae. Proc. Nat. Acad. Sci. 20: 251-254. My.1934. no.5.

Proc. Nova Scotian Inst. Sci. (Halifax) (517H13)

MacFarlane, C. & Bell, H. P.

Observations of the seasonal changes in the marine algae in the vicinity of Halifax, with particular reference to winter conditions. Proc. Nova Scotian Inst. Sci. 18: 134-176. illus. (maps) Ja.8, 1934. no.3.

Progr. Agr. & Vitic. (Montpellier) (14P94)

Ravaz, L.

Un nouveau parasite de la vigne en Algérie. Progr. Agr. & Vitic. 101: 430. My.6, 1934. no.18.

Undetermined ("Ce sont des sortes de sclérotes)

Rev. Fac. Agron. Univ. Montevideo. (102.5M76R)

Fernandez, R. F.

Investigaciones sobre la toxicidad del Sudan grass. Rev. Fac. Agron. Univ. Montevideo 8: 161-172. illus., fold. pl. (col.) Ja.1933.

Rev. Gén. Bot. (Paris) (450R326)

Bouget, J. & Dusseau, A.

Sur la protection des plantes vivaces de haute montagne par la persistance des organes foliacés. Rev. Gén. Bot. 46: 193-199. Ap. 1934. no.544.

Cozic.

Etude biochemique de Bacterium xylinum. (cont.) Rev. Gén. Bot. 46: 209-228. Ap. 1934. no.544.

Seifriz, W.

Propriétés physiques du protoplasma des myxomycètes. Rev. Gén. Bot. 46: 200-208. Ap. 1934. no.544.

Rev. Gén. Bot. (cont.)
Teodoresco, E. C.
Le développement des algues et la réfrangibilité de la lumiére. (cont.) Rev. Gén. Bot. 46: 229-256. illus., pl. ix-xi. Ap.1934. no.544.

Rev. Path. Vég. & Entom. Agr. (Paris) (464.9Sol)
Arnaud, G. & Barthelet, J.
Les chancres du cédrela et du robinier. Rev. Path. Vég. & Entom. Agr. 20: 323-332. illus. pl.xii-xiii. N./D. 1933. (Rec'd My.23,1934) no.9/10.
Fusicoccum cedrelae on Cedrela sinensis, Diaporthe oncostoma on Robinia sp.

Foex, E. & Rosella, E.
Quelques effets des gelées de printemps sur les céréales. Rev. Path. Vég. & Entom. Agr. 20: 295-299. pl.xi. N./D. 1933(Rec'd My.23,1934) no.9/10.

Foex, E.
Sur quelques maladies observées chez la pomme de terre au cours de l'été 1933. Rev. Path. Vég. & Entom. Agr. 20: 300-309. N./D. 1933(Rec'd My.23,1934) no.9/10.

Schweiz. Apoth. Zeit. (396.8Sch9)
Lendner, A.
Le professeur Robert Chodat. Schweiz. Apoth. Zeit. 72: 253-255. port. My.19, 1934. no.20.
1865-1934.

Science (470Sci2)
Manwaring, W. H.
Environmental transformation of bacteria. Science 79: 466-470. My.25, 1934. no.2056.

Thatcher, R. W.
A proposed classification of the chemical elements with respect to their functions in plant nutrition. Science 79:463-466. My. 25, 1934. no.2056.

Zinzadzé, C.
Nutrient media with stable hydrogen-ion concentration. Science 79: 480-481. My 25, 1934. no.2056.

Science Journ. Coll. Sci. Sun Yatsen Univ. (475Su7)
Fu, H.
La géographie du thé. Science Journ. Coll. Sci. Sun Yatsen Univ. 5: 517-563. illus. (map) Mr. 1934. no.3.

Scient. Agr. (Ottawa) (7Sci2)
Davis, M. B., Hill, H. & Johnson, F. B.
Nutritional studies with Fragaria. II. A study of the effect of deficient and excess potassium, phosphorus, magnesium, calcium, and sulphur. Scient. Agr. 14: 411-432. Ap. 1934. no.8.

Scient. Month. (470Sci23)
Glock, W. S.
The language of tree rings. Scient. Month. 38: 501-510. illus. Je.1934. no.6.

Soil Sci. (Baltimore) (56.8So3)
Davidson, O. W. & Shive, J. W.
The influence of the hydrogen-ion concentration of the culture solution upon the absorption and assimilation of nitrate and ammonium nitrogen by peach trees grown in sand cultures. Soil Sci. 37: 357-382. ii pl. My. 1934. no.5.

Stahl, A. L. & Shive, J. W.
Further studies on nitrogen absorption from culture solutions. II. Buckwheat. Soil Sci. 35: 469-483. Ja.1933. no.6.

Walker, R. H., Anderson, D. A. & Brown, P. E.
Physiological studies on Rhizobium.: I. The effect of nitrogen source on oxygen consumption by Rhizobium leguminosarum Frank. Soil Sci. 37: 387-400. pl. My.1934. no.5.

Tijdschr. Plantenz. (464.8T44)
Schreven, D. A. V.
Uitwendige en inwendige symptomen van boriumgebrek bij tabak. (External and internal symptoms of boron deficiency in tobacco). Tijdschr. Plantenz. 40: 113-129. pl.vi-viii. My. 1934. no.5.
English summary: p.122-125.

Tectona (Buitenzorg) (99.8B65)
Eidmann, F. E.
De kieming van den djati (Tectona grandis L. f.) Tectona 27: 233-287. illus. Ap.1934. no.4.
German summary: p.285-287.

Trans. Amer. Micros. Soc. (440.8Am33)

Taft, C. E.

Desmids of Oklahoma. II. Trans. Amer. Micros. Soc. 53: 95-101. pl. vi. Ap.1934. no.2.

Trans. Brit. Mycol. Soc. (London) (451B76)

Ciferri, R.

A few interesting North American smuts. Trans. Brit. Mycol. Soc. 18: 257-264. Ap.30, 1934. no.4.

I. Revision of the smuts on Bouteloua spp. II. On the nomenclature of Sphacelotheca pamparum. III. The systematic position of Tilletia earlei Grff. (transferred to Ustilago (U. earlei)

Darbishire, O. V.

The Lichen fucoides of the various authors and its fate. Trans. Brit. Mycol. Soc. 18: 308-313. pl.xx-xxii. Ap. 30, 1934. no.4.

Grove, W. B. & Chester, O. G. C.

Notes on British Uredinales, including one new to the British Isles. Trans. Bit. Mycol. Soc. 18: 265-275. illus., pl.xix. Ap.30, 1934. no.4.

Uromyces sparsus.

Kirschstein, W.

Remarks on a collection of British species of Rosellinia and a redistribution of the species of that genus. Trans. Brit. Mycol. Soc. 18: 302-307. illus. Ap.30,1934. no.4.

Ceratostoma masoni n.sp.

Ramsbottom, J.

Motes on mycological nomenclature. Trans. Brit. Mycol. Soc. 18: 314-319. Ap. 30,1934. no.4.

Sattar, A.

A comparative study of the fungi associated with blight diseases of certain cultivated leguminous plants. Trans. Brit. Mycol. Soc. 18: 276-301. illus. Ap.30, 1934. no.4.

Wilkins, W. H.

Studies in the genus Ustulina, with special reference to parasitism. I. Introduction, survey of previous literature and host index. Trans. Brit. Mycol. Soc. 18: 320-346. illus. Ap.30,1934. no.4.

V.16, no.11, p.37.

Tree Lover (London) (99.8T712)

Balfour, F. R. S.

Conifers. II. Tree Lover (London) 7:122-124. Ap.1934.

Trop. Natuur (410.9T75)

Coert, J. H.

Excursies in Oost-Java. 1-2. Trop. Natuur 22: 62-68. illus. Ap. 1933; 23: 6-14, 26-31. illus. Ja., F., 1934. no.4,1,2.

1. Naar de Baai van Popoh. 2. De Rawah Bening (Kediri).

Steenis, C. G. G. J. van

Determinatie-tabel voor de Nederlandsch Indische bladgroenlooze phanerogamen. Trop. Natuur. 23: 45-57. illus. Mr.1934. no.3.

Steenis, C. G. G. J. van

Verspreiding der zaden van Lochnera rosea (L.) Rchb. door mieren. Trop. Natuur 23: 31-33. illus. F.1934. no.2.

Steup, F. K. M.

Botanische aanteekeningen over Noord-Celebes. II. Trop. Natuur. 23:61-63. Ap. 1934. no.4.

Trudy Prikl. Bot., Gen. i. Selek. Ser. X. (Bull. Appl. Bot., Gen. & Plant-breed. X. Ser., Dendrol. & Ornam. Hort.) (Leningrad) (451R92D)

Chernova, N. M.

Kermeki Kryma (The kermeks of the Crimea) Trudy Prikl. Bot., Gen.i Selek. Ser. X. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. X. Dendrol. & Ornam. Hort.) 1: 145-174. illus. 1933.

Russian with English summary. Staties.

Fursaev, A. D. & Beliakov, E. V.

Poimy r Volgi v prede lakh nizkne-volzhskogo kraia i ikh znachenie kak dubitelei (Willows of the submerged river valley in the lower Volga region, and their importance as tanning plants). Trudy Prikl. Bot., Gen. i Selek. Ser. X. (Bull. Appl. Bot., Gen. & Plant-Breed. X. Ser., Dendrol. & Ornam. Hort.) 1: 27-46. 1933.

Russian with English summary.

Trudy Prikl. Bot., Gen i. Selek. Ser. X. (Bull. Appl. Bot., Gen. & Plant-breed. X. Ser., Dendrol. & Ornnan. Hort.) (cont.)

Iakimov, P. A. & Ul'man, K. E.

Symakh i skumpiia, kak tannidnye rasteniia (The sumach and the scumpia as tanning plants). Trudy Prikl. Bot., Gen. i. Selek. Ser. X. (Bull. Appl. Bot., Gen. & Plant-breed. X. Ser., Dentrol. & Ornam. Hort.) 1: 55-68. 1933.

Russian with English summary. Rhus Cotinus, R. coriaria.

Kern, E. E.

K biologii probkonosnykh berestov (The cork elm) Trudy Prikl. Bot., Gen. i Selek. Ser. X. (Bull. Appl. Bot., Gen. & Plant-breed. X. Ser., Dendrol. & Ornam. Hort.) 1: 197-200 illus. 1933.

Russian.

Kern. E. E.

Ob ivakh Leningradskoi oblasti (On the willows of the Leningrad region) Trudy Prikl. Bot., Gen. i selek. Ser. X. (Bull. Appl. Bot., Gen. & plant-breed. X. Ser., Dendrol. & Ornam. Hort.) 1: 47-54. 1933.

Russian with English summary.

Novopokrovskii, I. V., Veselovskii, V. P. Y Gusev, V.P.

Izvlechenie iz otcheta ekspeditsii po obsledovaniiu skumpii na severnom Kavkaze (Report of the expeditions to investigate the conditions of growth and cultivation of the scumpia in the northern Caucasus). Trudy. Prikl. Bot., Gen. i Selek. Ser. X. (Bull. Appl. Bot., Gen. & Plant-Breed. X. Ser , Dendrol. & Ornam. Hort.) L: 97-126. 1933.

Russian with English summary.

Sobenevskii, K. E.

Probkovyi berest (The cork elm). Trudy Prikl. Bot., Gen. i Selek. Ser. X. (Bull. Appl. Bot., Gen. & Plant-breed. X. Ser., Dendrol. & Ornam. Hort.) 1: 201-215. 1933.

Russian with brief English summary. Ulmus campestris var. suberosa.

Vasil'ev, V. F., Pegova, A.A. & Pupkova, V. I.

Skumpiia i sumakh kak dubil'nye rasteniia (The scumpia and the sumach as tanniferous plants). Trudy Prikl. Bot., Gen. i Selek. Ser. X, (Bull. Appl. Bot., Gen. & Plant-breed. X.Ser. Dendrol. & Ornam. Hort.) 1: 69-96. illus. 1933.

Russian with English summary.

U. S. Dept. Agr. Techn. Bull. (1Ag84Te)
Garner, W. W., Bacon, C. W., Bowling, J. D. & Brown, D. E.
The nitrogen nutrition of tobacco. U. S. Dept. Agr. Techn. Bull. 414. 77 p. illus. Ap. 1934.

U. S. Dept. Agr. Miscellaneous mimeographed publications.
Beattie, J. H.
Do the phases of the moon affect plant growth? Washington, D. C., Ap.1934.
Mimeographed publication from Div. of fruit and vegetable crops and diseases, Bur. of plant industry, U.S. Dept. of agriculture.

Lumsden, D. V.
The poinsettia. Washington, D. C., My.1934.
Mimeographed publ. from Div. of fruit and vegetable crops and diseases, Bur. of plant industry. U.S. Dept. of agriculture.

Vierteljahrsschr. Naturf. Ges. Zürich. (508Z8)
Däniker, A. U.
Ergebnisse der reise von Dr. A.U. Däniker nach Neu-Caledonien und den Loyalty-Inseln (1924/6) 4. Katalog der Pteridophyta und embryophyta siphonigama. (cont.) Vierteljahrsschr. Naturf. Ges. Zürich Beibl. 19. 78: 339-395. D.31,1933.

Watson's Micros. Rec. (London) (440.8W33)
Harris, G. T.
The Oedogoniales. II. Watson's Micros. Rec. 32: 8-10. pl. ii. My.1934.

Meakin, S. H.
Mounting diatoms. Watson's Micros. Rec. 32: 14-17. My.1934.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)
Elssmann, E.
Bekämpfung der Septoria-blattfleckenkrankheit des sellerie. Mehrjahrige spritzversuche mit kupferbrühen. (concl.) Zeitschr. Pflanzenkr. 44:209-222. My.1934. no.5.

Zeitschr. Wiss. Mikros. (Leipzig) (440.8Z3)
Küster, E.
Untersuchung von zellsaft und lebendem protoplasma pflanzlicher zellen in paraffinöl. (Beiträge zur zellenphysiologischen methodik. III) Zeitschr. Wiss. Mikros. 50: 208-312. N.1933. no.2.

Zeitschr. Wiss. Mikros. (cont.)

Küster, E.
Ueber farbung lebenden protoplasmas von pflanzenzellen mit prune pure. (Beiträge zur zellenphysiologischen methodik IV) Zeitschr. Wiss. Mikros. 50: 409-418. illus. My.1934. no.4.

Lauche, A.
Erkennung verholzter elemente durch eine einfache doppelfärbung in glyzerinpräparaten. Zeitschr. Wiss. Mikros. 50: 428-429. My.1934. no.4.

Pfeiffer, H.
Ueber die auflechtmikroskopische isolierung von protoplasten pflanzlicher blattparenchyme. I. Beschaffung und untersuchung mechanisch entblösster protoplasten. Zeitschr. Wiss. Mikros. 50: 429-436. illus. My.1934. no.4.

Der Züchter (Berlin) (442.8Z8)

Stephan, J.
Ein beiträg zum formengemisch der Serradellabestände Ostpreussens. Der Züchter 6: 83-86. illus. Ap. 1934. no.4.

Veh, R. v.
Zur frage nach dem wissenschaftlichen nachweis einer cytologisch bedingten ei- und zygotensterilität bei triploiden apfelsorten. Der Züchter 6: 86-88. illus. Ap.1934. no.4.

Exp. Stat. Publ.

Dunlap, A. A. & Turner, N.
Potato spraying. Connecticut Agr. Exp. Stat. Circ. 102:66-72. illus. My. 1934. (100C76St)

Pridham, A. M. S.
History, culture, and varieties of summer-flowering phloxes. Cornell Agr. Exp. Stat. Bull. 588. 32 p. illus. Mr.1934. (100N48C)

Honeywell, E. R.
Aster culture. Indiana Agr. Exp. Stat. Circ. 200. 20p. illus. O. 1933 (100In2P)

New Jersey agricultural experiment station - Dept. of plant pathology.
The status of the Dutch elm disease. In its Nursery Dis. Notes 6: 41-44, 45-47. My., Je. 1934.. (464.9N46)

Exp. Stat. Publ. (cont.)

Nightingale, G.T. & Blake, M. A.
Effects of temperature on the growth and composition of Stayman and Baldwin apply trees. New Jersey Agr. Exp. Stat. Bull. 566. 20 p. Ap.1934. (100N46S)

Horsfall, J. G., Newhall, A. G. & Guterman, C. E. F.
Dusting miscellaneous seeds with red copper oxide to combat damping-off. New York Agr. Exp. Stat. Bull. 643. 39 p. illus. F.1934. (100N48)

Kertesz, Z. I. & Horsfall, J. G.
What root-rot does to the quality of peas. New York Agr. Exp. Stat. Circ. 141. 3p. illus. My.1, 1934. (100N48)

Rankin, W. H.
Raspberry mosaic control in the Hudson Valley. New York Agr. Exp. Stat. Circ. 142. 4 p. Mr.1, 1934. (100N48)

Ruttle, M. L.
Studies on barley smuts and on loose smut of wheat. New York Agr. Exp. Stat. Techn. Bull. 221 38 p. illus. F.1934. (100N48)

Shuck, A. L.,
Some factors influencing the germination of lettuce seed in seed laboratory practice. New York Agr. Exp. Stat. Techn. Bull. 222. 21 p. illus. F.1934. (100N48)

Van Eseltine, G. P.
Ornamental apples and crabapples. New York Agr. Exp. Stat. Circ. 139. 13 p. illus. (col.) Ja. 1, 1934. (100N48)

Frear, D. E. H. & Haley, D. E.
A simplified method for the rapid determination of lead residues on apples. Penn. Agr. Exp. Stat. Techn. Bull. 304. 8 p. illus. Mr. 1934. (100P381)

New Books.

Andreadis, T. B. & Toole, E. J.
... Étude sur la repartition de la nicotine et des autres composes azote dans le tabac. 1. pte. Drama, 1933. (69L623)

New Books (cont.)

Bonnier, G. & Douin, R.
Flore complète illustré et en couleurs de France ... Suisse et Belgique. v.12, fasc. 118. Paris, [1934] (f^{o}459B64)

Bukasov, S. M.
Kartofeli Iuzhnoi Ameriki i ik selektsionnoe ispol'zovanie (The potatoes of South America and their breeding possibilities). Leningrad, Institut rastenievodstva, 1933. (Prilozhenie 58e k Trudy po prikladnoi botanike, genetike i selektsii) (75P86P)
Russian with English summary. According to data gathered by the Institute of plant industry expeditions to Central and South America.

Dorff, P.
Die eisenorganismen, systematik und morphologie. Jena, G. Fischer, 1934 (Pflanzenforschung hrsg. von R. Kolkwitz heft 16) (463.3K83P)

Galløe, O.
Natural history of Danish lichens. pt.IV. Copenhagen, H. Aschehoug, 1932 (461.5G13N)

Goujon, G.
Les relations entre la végétation francaise et le climat. Paris, 1932 Memorial de l'office national météorologique de France no.23) (459.G722)

Guillaumin, A.
Les fleurs de jardins v.3. Les fleurs d'été II. Paris, P. Lechevalier, 1934 (Encyclopédie pratique du naturaliste XVII) (97G943)

Kimmich, F.
Untersuchungen über wichtige wertmerkmale an den durch schädlingsbefall ihrer nachbarn begünstigten getreidepflanzen mit einem beitrag über die grösse des fritfliegenschadens und verschiedenen hafersorten. Plieningen-Stuttgart, Druck von F. Find söhne, 1933. (464.02K57)
Inaug.-diss. Würtemmb. Landw. Hochschule Hohenheim.

New Books (cont.)

Kuleshov, N. N. ed.
Gibel ozimykh khlebov i meropriiatiia po ee preduprezhdeniiu (The perishing of winter cereals and preventative measures). Leningrad, Vsesoiuznyi institut prikladnoi botaniki i novykh kul'tur, 1929, (Prilozhenie 34e k Trudam po prikladnoi botanike, genetike i selektsii) (59K95)
Russian. A conference, with contributions by various authors.

Long, H. C.
Weed suppression by fertilizers and chemicals Hook, Surbiton, Surrey, The author, Mr. 1934. (79L85W)

Manning, J. W.
The plant buyers index 1934 supplement. Duxbury, Mass., J. W. & E. G. Manning, 1934. (90.21M312)

Nakaii, T.
Flora sylvatica koreana par XX. Bambuseae, Myricaceae, Juglandaceae, Magnoliaceae. Keijyo, Japan, D.1933. (460.15N14)

Sprecher von Bernegg, A.
Tropische und subtropische weltwirtschaftspflanzen... 3. tiel: Genusspflanzen. I. bd. Kakao und kola. Stuttgart, F. Enke, 1934. (452.8Sp7)

Nord, F. F. & Weidenhagen, R. eds.
Ergebnisse der enzymforschung. v.3. Leipzig, Akademische verlags gesellschaft, 1934. (390Er3)

Wasicky, R. & Oeriu, S.
Ueber die rinde von Ailanthus glandulosus Desf. und den aus ihr isolierten bitterstoff ailanthin. Wien, Buchdruckerei, B. Bartelt, 1933. (Pamph.463.2W)
Sonderabdruck aus der "Pharmazeutischen presse Wissenschaftlich-praktisches heft, Oktober, 1933.

Würth, H.
Beiträge zur physiologie bon Rhizopus nigrocans. [München?, 1932] (462.82W96)

Correction

v.16, no.4, p.6.

Under Bot. Mag. Tokyo, the first word in title of article should be Genetical

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ JUL 2 - 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 12. Je.4-16, 1934.

Agr. & Live-stock, India (Calcutta) (22Ag83A)
Khan, A. R. & Akhtar, A. R.
The inheritance of petal colour in gram(Cicer arietinum Linn.) Agr. & Live-stock, India 4: 127-155. col.pl. xvii-xviii. Mr. 1934. no.2.

Amer. Journ. Bot. (450Am36)
Brossman, E. N.
Inheritance of sex in certain seed plants. Amer. Journ. Bot. 21: 328-349. illus. Je.1934. no.6.

Lohman, M. L.
Lophiosphaera (Glonium) velata, with a critical study of its Septonema multiplex stage. Amer. Journ. Bot. 21: 314-327. illus.,pl. Je. 1934. no.6.

Moyer, L. S.
Species relationships in Euphorbia as shown by the electrophoresis of latex. Amer. Journ. Bot. 21: 293-313. illus. Je. 1934. no.6.

Amer. Journ. Pharm. (Philadelphia) (396.8Am3)
Hoch, J. H.
The legend and history of Passiflora. Amer. Journ. Pharm. 106: 166-170. My.1934. no.5.

Youngken, H. W.
A comparative study of the seeds and spikes of certain caulescent species of Plantago. Amer. Journ. Pharm. 106: 157-165. illus. My. 1934. no.5.

Angew. Bot. (Berlin) (450An4)
Kotte, W.
Die aufgabe der phytopathologie beim aufbau der türkischen landwirtschaft. Angew. Bot. 16: 187-201. illus. Mr./Ap.1934. no.2.

Angew. Bot. (cont.)

Lakon, G.

Der einfluss der spelzen auf die keimung von Triticum spelta L. Angew. Bot. 16: 201-206. Mr./Ap. 1934. no.2.

Loew, O.

Ueber die bildung von eiweiss in den pflanzen. (cont.) Angew. Bot. 16: 219-220. Mr./Ap. 1934. no.2.

Scheibe, A.

Die schoss- und reifeperiode des hafers in ihrer abhängigkeit von der physiologischen konstitution des saatgutes. Angew. Bot. 16: 105-136. Mr./Ap. 1934. no.2.

Stapp, C.

Prüfungen von busch- und stangenbohnen auf widerstandsfähigkeit gegen den bakteriellen erreger der fettfleckenkrankheit. Angew. Bot. 16: 207-218. illus. Mr./Ap. 1934. no.2.

Voss, J.

Keimungsphysiologische untersuchungen an weizensorten. Angew. Bot. 16: 137-186. illus. Mr./Ap. 1934. no.2.

Ann. Univ. Stellenbosch (Capetown) (515St3)

Byl, P. A. van der

Die Suid-Afrikaanse Hydnaceae of stekelswamme. Ann. Univ. Stellenbosch v.12,A, no.1. 9 p. 3 pl. Ap. 1934.

Ann. Bryol. (450An73)

Evans, A. W.

A revision of the genus Acromastigum. Ann. Bryol. v.3, Suppl. 178 p. illus. 1934.

Ann. Ecole Nat. Agr. Montpellier (105.3M76)

Kuhnholtz-Lordat, G.

L'association a Ammophila arundinacea et Medicago marina Br.-Bl., n'existe pas. Ann. Ecole Nat. Agr. Montpellier 23: 57-60. [1934] no.1.

Ann. Missouri Bot. Gard. (St.Louis) (451M69)

Berkley, E. E.

Certain physical and structural properties of three species of southern yellow pine correlated with the compression strength of their wood. Ann. Missouri Bot. Gard. 21: 241-338. pl.9-13. Ap. 1934. no.2.

Ann. Missouri Bot. Gard. (cont.)

Berkley, E. E.

Poria cocos (Schw.) Wolf, found on a railroad tie in service. Ann. Missouri Bot. Gard. 21: 339-342. pl.14. Ap. 1934. no.2.

Moore, M.

A new Geotrichum from a bronchial and pulmonary infection, Geotrichum versiforme, Moore, n.sp. Ann. Missouri Bot. Gard. 21: 349-366. pl.15-16. Ap.1934. no.2.

Moore, M.

Posadasia pyriformis and P. capsulata, two causative organisms of Darling's Histoplasmosis in the United States. Ann. Missouri Bot. Gard. 21: 347-348. Ap. 1934. no.2.

Williams, L.

Field and herbarium studies. III. Ann. Missouri Bot. Gard. 21: 343-346. Ap. 1934. no.2.

Polygonium minutissimum, Aquilegia piersoniana, Pentstemon acaulis n.spp.

Wynd, F. L.

The effects of increasing the iodine content of the tomato plant on respiration and enzymatic activity. Ann. Missouri Bot. Gard. 21: 367-432. pl. 17. Ap. 1934. no.2.

Zeller, S. M.

Protogaster, representing a new order of the gasteromycetes. Ann. Missouri Bot. Gard. 21: 231-240. pl.7-8. Ap. 1934. no.2.

Ann. Rep. Cacao Res. Trinidad (68.39G11)

Cheesman, E. E. & Pound, F. J.

Further notes on criteria of selection in cacao. Ann. Rep. Cacao Res. Trinidad 3: 21-24. 1934.

Pound, F. J.

A preliminary survey of pigment factors in cacao. Ann. Rep. Cacao Res. Trinidad 3: 11-15. 1934.

Pound, F. J., & Verteuil, J. de.

Studies of fruitfulness in cacao. IV. An experiment designed to test the gross effects of applications of nitrogen, potassium and phosphorus... Ann. Rep. Cacao Res. Trinidad 3: 28-32. 1934.

Ann. Rep. Cacao Res. Trinidad (cont.)

Pound, F. J.

The variability of budded cacao. Ann. Rep. Cacao Res. Trinidad 3: 15-21. 1934.

Pyke, E. E.

The vegetative propagation of cacao III-V. Ann. Rep. Cacao Res. Trinidad 3: 4-11. illus., pl.iii. 1934.

III. Observations on varietal differences in the rooting behaviour of cacao cuttings. IV. Propagation by softwood cuttings under estate conditions. V. Notes on the dimorphic branching habits of cacao.

Pound, F. J.

The progress of selection, 1933. Ann. Rep. Cacao Res. Trinidad 3: 25-28. col.pl.i-ii. 1934.

Ann. Rep. Walt. & Eliza Hall Fellowsh. Econ. Biol. Queensl. Univ. (428Q3)

Hardy, G. H.

A brief survey of investigations on banana top and aphids. Ann. Rep. Walt. & Eliza Hall Fellowsh. Econ. Biol. Queensl. Univ. 11(1931/32): 21-27. [1932?]

Mimeographed.

Arch. Suikerind. Nederl.Indië (Meded) (Soerabaja) (65.8Ar2)

Rümke, C.L. jr.

Saccharum-Erianthus bastaarden. Arch. Suikerind. Nederl.Indië 1934, v.2 (Meded.7): 211-263. illus., v pl. 1934.

S. officinarum & E. sara.

Beih. Bot. Centralbl. Abt. A. (Dresden) (450B65B)

Leuthold, P.

Beiträge zur morphologie und keimungsphysiologie von Telfairia pedata Hook. Beih. Bot. Centralbl. Abt. A, 52: 148-204. illus. Ap.1934. no.1.

Pia, J.

Die kalkbildung durch pflanzen. Beih. Bot. Centralbl. Abt.A, 52: 1-72. ii pl. Ap. 1934. no. 1.

Wenzl, H.

Bodenbakteriologische untersuchungen auf pflanzensoziologischer grundlage. I. Das vorkommen von Azotobacter chroococcum in den hygrophyten-, halophyten- und steppengesellschaften am Neusiedler See. Beih. Bot. Centralbl. Abt.A, 52: 73-147. illus. Ap.1934. no.1.

Beitr. Biol. Pflanz. Cohn (Breslau) (450C66)

Berger, F.

Das verhalten der heufieber-erregenden pollen im filtrierten ultravioletten licht. I. Mitteilung zur lumineszenzanalyse der pollen. Beitr. Biol. Pflanz. Cohn 22: 1-12. illus. Ap.1, 1934. no.1.

Ivanow, S. & Michalowsky, M. I.

Die regelmässigkeit in den richtungen von arealaxen der wildpflanzen in Eurasien. Beitr. Biol. Pflanz. Cohn 22: 91-101. Ap.1, 1934. no.1.

Moritz, O.

Die botanische serologie. Beitr. Biol. Pflanz. Cohn 22: 51-90. illus. Ap.1, 1934. no.1.

Schubert, K.

Ueber temperaturmessungen an der blüte von Vinca minor. 2. Beitr. Biol. Pflanz. Cohn 22: 25-50. Ap.1, 1934. no.1.

Zechmeister, L. & Tuzson, P.

Das pigment der Cucurbita maxima Duch. (Riesenkürbis). Ber. Deut. Chem. Ges. 67: 824-828. My.9, 1934. no.5.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Asahina, Y. & others.

Untersuchungen über flechtenstoffe. XXXVIII-XLI. Ber. Deut. Chem. Ges. 67: 766-773, 799-803, 804-805, 805-811. My.9, 1934. no.5.

XXXVIII. Ueber die proto-cetrarsäure und ihre alkyläther. XXXIX. Ueber eine neue flechten-säure, die nor-stictinsäure, und das vorkommen von α-arabit in den flechten. XL. Ueber das vorkommen von volemit in den flechten. XLI. Ueber die konstitution der physodsäure (1).

Biochem. Journ. (London) (382B52)

Raistrick, H., Robinson, R. & Todd, A. R.

Studies in the biochemistry of micro-organisms. XXXVII. (a) On the production of hydroxyanthraquinones by species of Helminthosporium. (b) Isolation of tritisporin, a new metabolic product of Helminthosporium tritici-vulgaris Nisikado. (c) The molecular constitution of catenarin.

Biochem. Zeitschr. (Berlin) (384B522)

Zacharowa, T. M.

Ueber oxydationsvorgänge in den nadeln der Picea excelsa im winter. Biochem. Zeitschr. 270: 281-290. My.10, 1934. no.4/6.

Biol. Medd. K. Danske Vidensk. (København) (442.9D23)

Mortensen, T. & Rosenvinge, L. K.

Sur une nouvelle algue, Coccomyxa astericola, parasite dans une astérie. Biol. Medd. K. Danske Vidensk. v.10, no.9. 8 p. illus. 1933.

Biol. Sci. Bull. Univ. Arizona (442.9Ar4)

Stockwell, W. P. & Breazeale, L.

Arizona cacti. Biol. Sci. Bull. Univ. Arizona no.1. 116 p. illus., 3 col.pl. Ap.1, 1933 (University of Arizona Bulletin v.4, no.3)

[Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar (69.9K86)

Khaimovich, M. S.

Polevye i mikroskopicheski nali͡udenii͡a nad "montarnoĭ" bolezn'i͡u tabaka (Field and microscopic observations on the "mantar" disease of tobacco [Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar 110: 225-230. pl. 1934.

Russian with English summary. Preliminary communication.

Sterility virus.

Kosmodem'i͡anskiĭ, V. N.

Teterozis, kak faktor povyshenii͡a urozhaĭnosti tabaka [Heterosis as a factor increasing the yield of the tobacco crop) [Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar 110: 147-160. 1934.

Russian with English summary.

Kosmodem'i͡anskiĭ, V. N.

Vliianie foto-periodicheskoĭ stimuli͡atsii na tabachnoe rastenie (The influence of photoperiodic stimulation on the tobacco plant:. [Bi͡ull.] Vses. Inst, Tabachn. Promyshl. Krasnodar 110: 160-170. 1934.

Russian with English summary.

Palamarchuk, A. I. & Bogorodskiĭ, M. A.

K voprosu o nasledovanii nekotorykh priznakov y Nicotiana tabacum L. (Studies in the heredity of some characters in Nicotiana tabacum L.) [Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar 110: 43-77. 1934.

Russian with English summary.

[Biull.] Vses. Inst. Tabachn. Promyshl. Krasnodar (cont.)

Palamarchuk, A. I. & I͡arkin, S. A.
Materialy po izucheni͡iu zheltolistyky (tipa White Burley) sortov tabaka i gibridov s nimi. [Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar 110: 79-115. incl. plates. 1934.
Russian.

Palamarchuk, A. I. & Bogorodskiǐ, M. A.
Perekrestnoe opylenie i ego vlii͡anie na genotipicheskiǐ sostav populi͡atsiǐ gibridov (Cross pollination and its influence on the genotypical composition of hybrid populations) [Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar 110: 5-43. incl. plates. 1934.
Russian with English summary.

Sarana, M. O.
Amfidiploidnyǐ pobeg F_1 glauca -tabacum (The amphydiploid combination in F_1 glauca-tabacum) [Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar 110: 221-224. illus. 1934.
Preliminary communication.
Russian with English summary.

Sarana, M. O.
Materialy po kariologii roda Nicotiana, (On the karyology of the genus Nicotiana) [Biull.] Vses. Inst. Tabachn. Promyshl. Krasnodar 110: 179-186. iii pl. 1934.
Russian with English summary. Preliminary report.

Sarana, M. O.
Tsitogenetika F_1 mezhduvidovykh gibridov N.tabacum x N. glauca i N. tabacum x N. sylvestris. (Cytogenetics of F_1 interspecific hybrids...) [Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar 110: 191-210. vii pl. 1934.
Russian with English summary.
Mezhduvidovai͡a gibridizatsii͡a u tabaka. Soobshcheni 1-oe (Interspecific hybrids of tobacco. 1. report)

Schmunk, A. & others.
Sbornik rabot po khimii tabaka IV-V. [Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar no.104. 145 p. 1933; no.109. 106 p. 1934.
In Russian with generally very brief English summaries.

[Bi͡ull.] Vses. Inst. Tabachn. Promyshl. Krasnodar (cont.)
Zhukov, N. I.
Vlii͡anie lucheĭ rentgena na͡ vskhozhest i energi͡iu prorastanii͡a tabachnyky semi͡an (Influence of X-rays on the rate and percentage of germination of tobacco seed). [Bi͡ull.] Bses. Inst. Tabachn. Promyshl. Krasnodar 110: 171-178. illus. 1934.
Russian with English summary.

Blumen u. Pflanzenb. (Berlin) (80B623)
Herele, R.
Einflussdes lichtes auf keimung und blüte. Blumen u. Pflanzenb. 38: 255. illus. My.18, 1934. no.20.

Bol. Agr. Min. Industr. Colombia (9.4In22)
Arbelaez, E. P.
Plantas medicinales más usadas en Bogotá. Bol. Agr. Min. Industr. Colombia 32. 112 p. illus. Ap. 1934.

Bol. Agr. São Paulo. (9.2Sa63)
Azzi, R.
A podrodão radicular, a méla e a ferrugem ou mildiú do fumo. Bol. Agr. São Paulo 33: 395-414. 1932. no.1.

Decker, S.
A roseira, Sua origem e sua importancia ethica e ethnica. Bol. Agr. São Paulo 33: 432-491. 1932. no.1.

Hoehne, F. C.
As plantas ornamentaes da flora brasilica e seu papel como factores da salubridade publica, da esthética urbana e artes decoratives nacionaes. (cont.) Bol. Agr. São Paulo 33: 492-515. illus. col.pl. 1932. no.1.

Hoehne, F. C.
Contribuição para o conhecimento do genero Catasetum Rich. e especialmento o hermaphroditismo e trimorphismo das suas flôres. Bol. Agr. São Paulo 33: 133-196. illus., col.pl. 1932. no.1.

Boll. R. Staz. Patol. Veg. Roma (Firenze) (464.9B662)
Curzi, M.
Il mal del piombo da necrosi e carie del legno in Italia. Boll. R. Staz. Patol. Veg.Roma n.s., 13: 566-590. illus., pl.xxxii. 1933. no.4.
Brief English summary: p.587-588.

Boll. Sez. Ital. Soc. Intern. Microbiol. (Milano) (448.3Sol)

Curzi, M.

Le Stereum purpureum Pers. comme cause de la maladie du plomb des pruniers et des pechers en Italie. Boll. Sez. Ital. Soc. Intern. Microbiol. 6: 87-90. Mr.1934. no.3.

Passalacqua, T.

Expériences de vaccination sur le Pelargonium zonale. Boll. Sez. Ital. Soc. Intern. Microbiol. 6: 83-87. Mr.1934. no.3.

Bot. Mag. Tokyo (450B651)

Emoto, Y.

Ueber die in Japan noch nicht bekanten myxomyceten. IV. Bot. Mag. Tokyo 48: 206-209. illus. Mr.1934. no.567.

Japanese with German résumé.

Miki, S.

On the sea-grasses in Japan. III. General consideration on the Japanese sea-grasses. Bot. Mag. Tokyo 48: 171-178. Mr.1934. no.567.

Satake, Y.

On the systematic importance of the vascular course in the cone scales of the Japanese Taxodiaceae. (Preliminary report). Bot. Mag. Tokyo 48: 186-205. illus. Mr.1934. no.567.

Japanese with English résumé.

Sato, M. M.

A bibliographical monograph on Japanese lichens. V. Bot. Mag. Tokyo 48: 210-215. Mr. 1934. no.567.

Japanese.

Yasui, K.

Genetical studies in Zea mays L. Bot. Mag. Tokyo 48: 179-185. Mr. 1934. no.567.

Japanese.

Broteria Cienc. Nat. (Lisboa) (410B79C)

Pau, C.

Una visita a Mallorca. Broteria Cienc. Nat. 3: 56-65. My.1, 1934. no.2.

Rick, J.

Monographia thelephoracearum resupinatarum riograndensium. (cont.) Broteria Cienc. Nat. 3: 66-80. My.1, 1934. no.2.

Bull. Imp. Inst. Gt. Brit. (London) (26G79)

Artemisia plants from the coasts of England and Wales. Bull. Imp. Inst. Gt. Brit. 32: 33-41. Ap. 1934. no.1.

Bull. Mens. Soc. Nat. Hort. France. (Paris) (86So13)

Barthelet, J.

Sur une pourriture des fruits à pépins, Phacidiella discolor (Mout. et Sacc.), Poteb. Bull. Mens. Soc. Nat. Hort. France 1: 162-163. Ap. 1934.

Phacidiopycnis malorum, pycnidial stage.

Essai de classification des variétés de dahlia. Bull. Mens. Soc. Nat. Hort. France 1: 160-162. Ap. 1934.

Bull. Misc. Inform. Kew (London) (89K51B)

Kew. Royal gardens.

Contributions towards a flora of British North Borneo. IV. Bull. Misc. Inform. Kew 1934: 119-124. 1934. no.3.

Bower, F. O.

Sidney Howard Vines. Bull. Misc. Inform. Kew 1934: 134-135. 1934. no.3.

Hill, A. W.

Dukinfield Henry Scott. Bull. Misc. Inform. Kew 1934: 128-133. 1934. no.3.

Howes, F. N.

Early introduction of sisal to East Africa. Bull. Misc. Inform. Kew 1934: 137. 1934. no.3.

Hubbard, C. E.

Gramineae australienses. I. A new genus from southern Queensland. [Homopholis (H. besonii)] Bull. Misc. Inform. Kew 1934: 126-128. 1934. no.3.

Kew. Royal gardens.

Decades kewenses. Plantarum novarum in herbario. Horti regii conservatarum. Decas CXXX. Bull. Misc. Inform. Kew 1934: 99-107. 1934. no.3.

Kew. Royal gardens

Notes on African grasses. XV. Bull. Misc. Inform. Kew 1934: 107-119. 1934. no.3.

Bull. Misc. Inform. Kew. (cont.)

Sandwith, N. Y.

Contributions to the flora of tropical America. X IX. Eugenia aeruginea DC., a misidentified type specimen. Bull. Misc. Inform. Kew. 1934: 124-126. 1934. no.3.

Skottsberg, C.

Notes on Orthothylax. Bull. Misc. Inform. Kew 1934; 97-99. illus. 1934. no.3.

Sprague, T. A. & Fischer, C.E.C.

The validation of new combinations by indirect citation of the synonyms concerned. Bull. Misc. Inform. Kew 1934: 136-137. 1934. no.3.

New combinations under Cymbopogon & c. published by Dr. W. Watson in Atkinson's Gazetteer of the North-western provinces of India, 392 (1882) and not listed in Index kewensis.

Bull. Sci. Pharm. (Paris) (396.8B872)

Gillot, P. & Tucakov, Y.

Contribution à étude de quelques tanins. Bull. Sci. Pharm. 41: 257-264. My. 1934. no.5.

Giroux, J. & Susplugas, J.

Morphologie externe du Grindelia robusta Nutt. Bull. Sci. Pharm. 41: 265-269. illus. My. 1934. no.5.

Bull. Soc. Hist. Nat. Toulouse (505T64)

Braun-Blanquet, J.

Analyse pollinique et période xérothermique dans les Cévennes méridionales. Bull. Soc. Hist. Nat. Toulouse 65: 327-341. illus. Je.30,1933. no.2.

Chalaud, G.

Observations sur Scapania subalpina (Nees) Dum. d'Ax-les-Thermes (Ariège). Bull. Soc. Hist. Nat. Toulouse 65: 469-478. illus. S.30,1933. no.3.

Notes bryologiques V.

Dop, P.

Pélorie d'Ajuga chamaepitys symétrie florale et forme de l'inflorescence. Bull. Soc. Hist. Nat. Toulouse 65: 365-366. Je.30, 1933. no.2.

Dop, P. & Pindat, J.

Structure des glandes de Clerodendron foetidum. Bull. Soc. Hist. Nat. Toulouse 65: 367-368. Je.30, 1933, no.2.

Bull. Soc. Hist. Nat. Toulouse (cont.)

Dop, P.
Les Symphorémoidées de l'Indochine. Bull. Soc. Hist.Nat. Toulouse 65: 635-640. D.30, 1933. no.4.

Evreinoff, V. A.
Sur la botanique et la propagation de l'amandier. Bull. Soc.Hist. Nat. Toulouse 65: 280-292. Je.30, 1933. no.2.

Flous, F. & Gaussen, H.
Flore des Pyrénées, genre Thalictrum. Bull. Soc. Hist. Nat. Toulouss 65: 49-119. illus. Mr.30, 1933. no.1.

Flous, F.
Les pins montagnards et subalpins des Pyrnénées. Bull. Soc. Hist. Nat. Toulouse 65: 299-308. illus. iii pl. Je.30, 1933. no.2.

Gaussen, H.
A propos de la période xérothermique. Bull. Soc. Hist. Nat. Toulouse 65: 342-353. Je.30, 1933. no.2.

Gaussen, H.
Introduction a la flore des Pyrénées. Bull. Soc. Hist. Nat. Toulouse 65: 27-48. illus. (map) Mr.30, 1933. no.1.

Labia, M.
Contribution à l'étude biologique de la végétation littorale du Golfe de Gascogne. Bull. Soc. Hist. Nat. Toulouse 65: 494-505. S.30, 1933. no.3.

Martin-Sans, E.
Additions à la flore mycologique des Pyrenées. Bull. Soc. Hist. Nat. Toulouse 65: 482-493. S.30, 1933. no.3.

Martin-Sans, E.
Deux discomycètes nouveaux pour les Pyrénées. Bull. Soc. Hist. Nat. Toulouse 65: 133-137. Mr.30, 1933, no.1.
Cyathipodia platypodia, Coryne ianthina.

Martin-Sans, E. & Courthiadé, P.
Sur la structure anatomique de quelques hybrides de vigne. Bull. Soc. Hist. Nat. Toulouse 65: 479-481. S.30, 1933. no.3.

Bull. Soc. Hist. Nat. Toulouse (cont.)

Maurin, E.
La culture des rhubarbes asiatiques en France. Bull. Soc. Hist. Nat. Toulouse 65: 190-192. Mar.30, 1933. no.1.

Morquer, R.
Considération biologiques sur les variations du Botrytis cinerea et spécialement sur une nouvelle forme pathogène pour les culicides. Bull. Soc. Hist. Nat. Toulouse 65: 603-617. D.30,1933. no.4.

Nicolas, G. & Aggéry, Mlle.
Notes mycologiques et phytopathologiques. Bull. Soc. Hist. Nat. Toulouse 65: 506-507. S.30, 1933. no.3.

Nicolas, G. & Aggéry, B.
Sur les relations qui existent entre Daphniphyllum glaucescens, Phyllosticta daphniphylli et des bactéries et sur un type assez fréquent de maladie bactérienne. Bull. Soc. Hist. Nat. Toulouse 65: 354-362. illus. Je.30,1933. no.2.

Bull. Soc. Mycol. France (Paris) (451P213)

Bataille, F.
Quelques réactions chimico-fongiques. Bull. Soc. Mycol. France 49: 439-440. My.20,1934.no.3/4.

Gilbert, E. J.
Nolanea rhodoura nov. sp. Bull. Soc-Mycol. France 49: 253-255. pl. xi. (col.) My.20,1934.no.3/4.

Josserand, M.
Notes critiques sur quelques champignons de la région lyonnaise. I. Bull. Soc. Mycol. France 49: 340-376. illus. My.20,1934. no.3./4.

Lutz, L.
Les champignons du genre Xanthochrous, agents de destruction des bois sur pied ou abattus. Bull. Soc. Mycol. France. 49: 377-380. My.20, 1934. no.3/4.

Pilat, A.
Additamenta ad floram Sibirae Asiaque orientalis mycologicam. II. Bull. Soc. Mycol. France 49: 256-339. illus. pl.xii-xxv. My.20,1934. no.3/4.

Rayss, T.
Deuxième contribution à la connaissance des micromycètes des environs de Besse (Puy-de-Dome) Bull. Soc. Mycol. France 49: 381-421. illus. My.20,1934. no.3/4.

Bull. Soc. Mycol. France. (cont.)
Romagnesi, H.
Sur les Rhodophyllus. Bull. Soc. Mycol. France 49: 422-438. illus. pl.xxvi. My.20, 1934. no.3/4.

Bull. So. Calif. Acad. Sci. (Los Angeles) (500So8)
Compton, G.
A revisional study of the species Erigeron foliosus Nutt. Bull. So. Calif. Acad. Sci. 33: 50-54. Ja./Ap.1934. no.1.

Stewart, M. G.
A revision of the Heuchera rubescens group (Saxifragaceae) for the United States. Bull. So. Calif. Acad. Sci. 33: 42-49. Ja./Ap.1934. no.1.

Bull. Torr. Club (451T63B)
Aronescu, A.
Diplocarpon rosae: from spore germination to haustorium formation. Bull. Torr. Club. 61:291-329. illus., pl.16-20. Je.1934. no.6.

Yampolsky, C.
The cytology of the abscission zone in Mercurialis annua. Bull. Torr. Club. 61: 279-289. illus. Je.1934. no.6.

Butl. Inst. Catalana Hist. Nat. (Barcelona) (410.9In72)
Font Quer, P.
Observaciones botàniques III-X. Butl. Inst. Catalana Hist. Nat. 33: 111-118, 208-211, 339-340. 373-381. illus. 1933. no.1/3-8/9.

III, has title: Notes botàniques.

III. Una nova Statice de Navarra. [S. ruizii sp.n.] IV. El Senecio auricula Bourg. a Catalynya. V. Sobre fongs catalana. VI. Records de Montroig. VII. Sobre una Diplotaxis d'Eivissa. [D. catholica ssp. ibicensis] XI (i.e.VIII?) Fumariàcies de les Balears. IX.Sobre la vegetació dels Monegros. X. Sobre unes arenàries de València.

Marti, A. de.
Experimentos y observaciones sobre los sexos y fecundacion de las plantas. Presentadoes a la Real academia de medicina practica de Barcelona, por su socio libre Don Antionio de Marti..... Barcelona. 1791. 86 p. Reprinted in Bult. Inst. Catalana Hist. Nat. 33: 17-104. i1933.

Original paging also given.

Butl. Inst. Catalana Hist. Nat. (cont.)

Pujiula, P. J.

Nota sobre la persistencia de la vida vegetal en cortes microtómicos. Butl. Inst. Catalana Hist. Nat. 33: 218-222. Illus. 1933. no.4/5.

In his Notas biológicas.

Real, F.

Algunes puccínies paràsites de Teucrium, del Museu de ciències naturals de Barcelona. Butl. Inst. Catalana Hist. Nat. 33: 367-368. illus. 1934. no.8/9.

Mainly P. annularis.

Cactus Journ. Gt. Brit. (London) (450C113)

Backeberg, C.

A new, large-flowered cristate. Cactus Journ. Gt. Brit. 2: 73. illus. Je.1934. no.4.

Cereus silvestrii cristata.

Brown, N. E.

Lithops edithae, N.E.Br., Sphalmanthus herberti, N.E. Br. Cactus Journ. Gt. Brit. 2:70. Je.1934. no.4.

Farden, R.S.

Succulents other than Cactaceae and Mesembryanthemae. (cont.) Cactus Journ. Gt-Brit. 2: 74-78. Je. 1934. no.4.

Gates, H. E.

Lophocereus in Lower California. Cactus Journ. Gt. Brit. 2: 68-69. illus. Je.1934. no.4.

La Cellule (Lierre, Belgium) (442.8B33)

Bose, S. R.

Sexuality of Polyporus ostreiformis and Polystictus hirsutus. La Cellule 42: 249-266. pl. xlii. 1934. no.3.

Hoare, G. V.

Gametogenesis and fertilisation in Scilla nonscripta. La Cellule 42: 269-291. 2 fold. pl. 1934. no.3.

Lenoir, M.

Etude vitale de la sporogénèse et des phènomènes d'apparence électro-magnetiques concomitants chez l'Equisetum variegatum. La Cellule 42: 355-409. illus., fold. pl. 1934. no.3.

Compt. Rend. Acad. Sci. Paris. (505P21)

Branas, J. & Dulac, J.

Sur le mode d'action des bouillies cupriques au moment de leur emploi. Compt. Rend. Acad. Sci. Paris 197: 938-941. O.23, 1933. no.17,

Also in Ann. Ecole Nat. Agr. Montpellier 23: 44-47. [1934]

Brannas, J. & Dulac, J.

Sur le mode d'action des boüillies cupriques, role de la dessiccation. Compt Rend. Acad. Sci. Paris 197: 1245-1247. N.20,1933. no.21.

Also in Ann. Ecole Nat. Agr. Montpellier 23: 47-49. [1934]

Branas, J. & Dulac, J.

Sur le mode d'action des bouillîes cupriques. Role des dépots. Compt. Rend. Acad. Sci. Paris 198: 120-122. Ja.3, 1934. no.1.

Also in Ann. Ecole Nat. Agr. Montpellier 23: 50-52. [1934]

Dangeard, P. A.

Notice nécrologique sur M. Robert Chodat. Compt. Rend. Acad. Sci. Paris 198: 1821-1823. My.23, 1934. no.21.

Proner, M.

Becherches sur les idioblastes dans la famille des crassulacées. Compt. Rend. Acad. Sci. Paris 198: 1872-1874. My.23, 1934. no,21.

Compt. Rend. Soc. Biol. Pairs. (442.9P21)

Lenoir, M.

La division anthéridiale dans le pollen vivant du Fritillaria imperialis L. Compt. Rend. Soc. Biol. Paris 116: 163-164. 1934. no .17

Reed, H.W. & Frémont, T.

Les arbuscules des mycorhizes endotrophes. Compt. Rend. Soc. Biol. Paris. 116: 201-202. 1934. no.18.

In citrus.

Cotton & Cult. Coton. (Paris) (72.8C821)

Moreau, A. P.

Action de la chaleur et de différents traitements chimiques sur la faculté germinative des graines de cotonnier. Coton & Cult. Coton. 8: 167-170. D.1933. no.3.

Country Life (London) (80C83)
Taylor, G. C.
The hardy water lilies. Country Life 75: liv-lvi. illus. My.26, 1934. no.1949.

Curt. Bot. Mag. (450C94)
Curt, Bot. Mag. v.157, pt.i,ii. col.pl. 9337-9347, 9348-9358. Ja.1, Ap.3, 1934.
Rhodedendron eriogynum, Larix potanini, Anthemis sanci-johannis, Callicarpa rubella, Iris histrioides, Pelargonium moniliforme, Rhododendron tephropeplum, Geum versipatella, Hypericum kouytchense, Salvia ringens var. romanica, Catasetum maculatum; Meconopsis regia, Campanula propinqua grandiflora, Habenaria splendens, Jasminum farreri, Lonicera nitida, Fritillaria recurva, Gazania longiscapa, Notholirion macrophyllum, Tulipa stapfii, Pelargonium salmoneum & Rhododendron charitopes.

Deut. Landw. Presse. (Berlin) (18D482)
Hardt,
Die bekämpfung des sumpfschachtelholmes (Equisetumpalustre) Deut. Landw. Presse. 61: 225-226. My12, 1934. no.19.

Meyer-Hermann, K.
Neuere erfahrungen über die hederich-bekämpfung. Deut. Landw. Presse 61: 226. illus. My.12,1934. no.19.

Petersen, A.
Huflattich-bekämpfung. Deut. Landw. Presse 61: 240. My.19, 1934. no.20.
Tussilago farfara.

Econ. & Técn. Agr. (Spain) (Madrid) (15Ec7)
García Romero, A.
Las semillas. V-VI. Econ. & Técn. Agr. (Spain) 3: 131-133, 194-197. illus. Mr., Ap.1934. no.23,24.
V. La cuscuta y sus daños. - Reconocimiento analítico de la cuscuta. - Expedición de semillas descuscutadas. VI. Semillas duras. - Valor real de las semillas. - Peso. - Determinación de la humedad.

Ernähr. Pflanze. (Berlin) (57.8Er6)
Wimmer, G. Y Lüdecke, H.
Kalimangelerscheinungen an tomaten und einigen kohlarten. Ernähr. Pflanze 30: 219-220. 4 col. pl. Je.1/15. 1934. no.11/12.

V.16, no.12, p. 18.

Flor. Exch. (N.Y.) (80F666)

Lagomarsino, E. C.

Rust-immune snapdragons. Flor. Exch. 82(23): 16. illus. Je.9, 1934.

The same material appears under varying titles in Flor. Rev. v.74,no.1905, p.16, and Seed World v.35, no.12, p.14.

Folia Cryptogamica (Szegad, Hungary) (450F71)

Filarszky, N.

Enumeratio specierum et formarum characearum in regionibus oppidi Szeged hucusque cognitarum et collectarum diagnosisque formarum novarum. Folia cryptogamica 1: 1307-1316. 1934. no.10.

Györffy, K.

Az Oxymitra paleacea Bisch. (Tessellina Pyramidata Dumort.) összehasonlíto fejlödéstörténete és phylogenetical jelentösége (Ueber die vergleichende entwicklungsgeschichte und phylogenetische bedeutung der Oxymitra paleacea Bisch.) Folia cryptogamica 1: 1117-1252. illus., pl.xxi-xxx. 1934. no.10.

German summary: p.1233-1246.

Langer, S.

Adatok az elcsatolt Nyugatmargyarországi terület moszatflórájához (Algologische notizen aus dem Burgenland). Folia cryptogamica 1: 1317-1320. 1934. no.10.

Langer, S.

A spirogyrák monografikus feldolgozása különös tekintettel nagymagyarországra (Monographische bearbeitung der spirogyren mit besonderer berücksichtigung der vorkriegsungarischen verhältnisse.) Folia cryptogamica 1: 1253-1306. pl.xxxi-xxxv. 1934. no.10.

German summary: p.1305-1306.

Podpěra, J.

Bryi generis subspecies nova. Folia cryptogamica 1: 1113-1116. illus. 1934. no.10.

B. turbinatum subsp. B. stephani.

Podpera, J.

Bryi inclinati nova varietas ex Hungaria. Folia cryptogamica 1: 1321-1322. 1934.

Var. otoeides.

Gard. Chron. (London) (80G162)

Bagenal, N.B.

Twenty-one years work at East Malling research station. III. Research work on tree fruits. (conc.) Gard. Chron. III. 95: 328-330, 348-349. illus. My.19,26, 1934. no.2473, 2474.

Balls, E. K.

Plant collecting in Persia. XI. Kuh Khalat and KUH-i-Bamu. Gard. Chron. III,95: 346-347. illus. My.26, 1934. no.2474.

Boothman, H. S.

Aquilegias. (cont.) Gard. Chron. III, 95: 351-352. My.26, 1934. no.2474.

Holmes-Smith, E.

A playing-fields fungus meance. Gard. Chron. III, 95: 333. illus. My.19, 1934. no.2473.

Coprinus.

Mansfield, B. P.

The Livingstone daisy. Gard. Chron. III, 95: 330. My.19, 1934. no.2473.

Mesembryanthemum crinifolorum.

Ward, F.K.

Colour variation in rhododendrons. Gard. Chron. III, 95: 344-345. My. 26, 1934. no.2474

Ward, F. K.

Some good Labiatae. Gard. Chron. III. 326. My.19, 1934. no.2473.

Salvia sp.nov.? (K.W.10591), Dracocephalum tangutica, Ajuga ovalifolia, Dracocephalum heterophylla, Dracocephalum sp.nov.? (K.W.10718)

Wormald, H.

Intumescences on vine leaves. Gard. Chron. III, 95: 332-333. My.19, 1934. no.2473.

Walter Irving. Gard. Chron. III,95: 337. My.19, 1934. no.2473.

Died Ap.23, 1934.

Gartenz. (Wiem) (80W632)

Köck, G.

Ueber einige bemerkenswertere nichtparasitäre krankheiten verschiedener gemüsearten und ihre verhutung. Gartenz. (Wien) 1934: 60-61. My. 1934. no.5.

Gartenz. (cont.)

Molisch, H.

Neue interessante versuche mit pflanzen. I. Gartenz. (Wien) 1934: 57-58. My.1934. no.5.

1. Ueber die gewinnung rein grüner nachkommen aus panaschierten Sansevieria. 2. Beeinflussung der blütenfarbe bei Primula auricula durch blutdüngung. 3. Neue bedeutungsvolle züchtungen. a). Die züchtung von nikotinfreien und nikotinarmen tabakpflanzen. b). Bitterstoffreie lupinen. c) Die züchtung wohlschmeckender tomaten.

Passecker, F.

Kulturversuche mit verschiedenen speisepilzen. I-II. Gartenz. (Wien) 1934: 48-49, 61-62. illus. Ap., My.1934. no.4,5.

Pollanetz,

Paeonia aborea. I-II. Gartenz. (Wien) 1934: 50-51, 59-60. Ap.,My.1934. no.4,5.

Hawaiin Plant. Rec. (Honolulu) (25H311)

Martin J. P.

Boron deficiency symptoms in sugar cane. Hawaiian Plant Rec. 38: 95-107. illus. 1934. no.1.

Martin, J. P.

Symptoms of malnutrition manifested by the sugar cane plant when grown in culture solutions from which certain essential elements are omitted. Hawaiian Plant. Rec. 38: 3-31. illus., iv. col.pl. 1934. no.1.

Hedwigia (Dresden) (450H35)

Biswas, K.

Observations on algal collections from Khasia and Jaintia Hills, Assam, India. Hedwigia 74: 1-28. iii pl. Ap. 26, 1934. no.1.

Petrak, F.

Mykologische beiträge zur flora von Sibirien. II. Hedwigia 74: 30-78. Ap.26, 1934. no.1.

Neocoleroa, Pleurodomus & Zilingia n.gen.

Schmidt, O. C.

Pringsheimia Reinke jetzt Pringsheimiele v. Hoehn. Hedwigia 74: 29. Ap.26, 1934. no.1.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)
Lachmund, H. G.
Growth and injurious effects of Cronartium ribicola cankers on Pinus monticola. Journ. Agr. Res. 48: 475-503. Mr.15,1934(Rec'd Je.8) no.6.

Journ. Assoc. Off. Agr. Chem. (Washington, D.C.) (381As7)
Butler, L.
Report on sodium in plants. Journ. Assoc. Off. Agr. Chem. 17: 275-277. My.15, 1934. no.2.

Philips, M.
Report on lignin. Journ. Assoc. Off. Agr. Chem. 17: 277-282. My.15, 1934. no.2.

Wilkins, H. L.
Report on total chlorine in plants. Journ. Assoc. Off. Agr. Chem. 17: 268-273. My..15, 1934 no.2.

Journ. Bath & West & South Co. Soc. Agr. (10B32)
Marsh, R. W.
A summary of recent investigations on apple scab. Journ. Bath & West & South Co. Soc. Agr. 8: 148-155. 1933/34.

Walton, C.L., Ogilvie, L. & Mulligan, B. O.
Observations on the pea strain of the eelworm Heterodera schachtii and its relation to "pea sickness". Journ. Bath & West & South Co. Soc. Agr. 8:155-167. a pl. 1933/34.

Journ. Bd. Greenkeep. Res. Brit. Golf Unions (Bingley, Yorks) (60.19B772)
Dawson, R. B.
Common weeds of turf. (cont.) Journ. Bd. Greenkeep. Res. Brit. Golf Unions 3: 161-163. 4 pl. on.2. 1934. no.10.

Lewis, I. G.
A greenkeeper's guide to the grasses. 3. The genus Agrosis. Journ. Bd. Greenkeep. Res. Brit. Golf Unions 3: 148-152. 3 pl. on 2. 1934.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)
Clarke, G. H.
Important weeds of South Australia. 5. Bathurst burr (Xanthium spinosum, L.) Journ. Dept. Agr. So. Australia 37: 1160-1162. illus., col. pl. Ap.16, 1934. no.9.

Journ. Hered. (Washington) (442.8Am3)
Florell, V. H.
A method of making wheat crosses. Journ. Hered. 25: 157-161. illus. Ap.1934. no.4.

Parker, M. C.
Inheritance of a leaf variegation in the common bean. Journ. Hered. 25: 165-170. illus. Ap.1934. no.4.

Journ. Indian Chem. Soc. (Calcutta) (385In27)
Basu, K., Nath, M. C. & Chakraverty, C.
On the oxidising enzymes in betel leaves (Piper betel). Journ. Indian Chem. Soc. 11: 265-276. Ap. 1934. no.4.

Journ. Path. & Bact. (448.8J82)
Shrewsbury, J.F.D.
The genus Monilia. Journ. Path. & Bact. 38: 313-354. pl. xlii-l. My. 1934. no.3.

Journ. Pharm. Soc. Japan (J396.9P49)
Munesada, T.
Pharmakognostische untersuchung der wurzeln und rhizomen von einiger Scrophularia-arten. Journ. Pharm. Soc. Japan 54: 41-47. illus. Ap. 1934. no.4.

Journ. Shanghai Sci. Inst. Sect. IV (Sep.Print.) (513Sh15Jc)
Hida, T.
Ueber die stärkebildung von schimmelpilzen. Journ. Shanghai Sci. Inst. Sec. IV, 1: 85-116. F. 1934. (Separate print no.7)

Kranke Pflanze (Dresden) (464.8K86)
Esmarch, F.
Die knöllchensucht der kartoffeln. Kranke Pflanze 11: 52-54. Ap.My. 1934. no.4/5.

Esmarch, F.
Professor Dr. Baunacke. Kranke Pflanze 11: 45-48. port. Ap./My. 1934. no.4/5.

Landbouw. Nederl.-Indië (Buitenzorg) (22.5L23)
Toxopeus, H. J.
Onderzoekingen over den invloed van temperatuur en vochtigheid op de levensprocessen van Phtophthora parasitica. (On the influence of temperature and humidity on the life-processes of Phytophthora parasitica, the cause of the gum-disease of citrus). Landbouw, Nederl.-Indië 9: 385-421. F. 1934. no.8.
English summary: p.418-421.

Landw. Jahrb. (Berlin) (18L23)

Kemmer, E. & Schulz, F.

Die bedeutung des kernobstsämlings als unterlage. I. Entwicklung der sämlinge diploider und triploider apfel-und birensorten. Landw. Jahrb. 79: 793-824. illus. 1934. no.5.

Landw. Jahrb. Schweiz (Bern) (17L23)

Faes, H., Staehelin, M. & Bovey, P.

La lutte contre les ennemis des arbres fruiters insectes et champignons en 1932. Landw. Jahrb. Schweiz 48: 241-280. illus., col. pl. 1934. no.3.

Mém. Mus. Roy. Hist. Nat. Belg. (504B835)

Stockmans, F.

Les neuroptéridées des bassins houilliers Belges 1. pte. Mém. Mus. Roy. Hist. Nat. Belg. no.57. 61 p. xvi pl. 1933.

Neuropteris parvifolia, N.hollandica n.spp.

Mitt. Ges. Vorratsschutz (Berlin) (420G32)

Reich, O.

Wie beseitige ich den echten hausschwamm? Mitt. Ges. Vorratsschutz 10: 19-20. illus. Mr. 1934. no.2.

Mycologia (450M99)

Aronescu, A.

Further tests for hormone action in Neurospora. Mycologia 26: 244-252. pl.30. My./Je. 1934. no.3.

Beardslee, H. C.

New and interesting fungi. Mycologia 26: 253-260. illus. My./Je. 1934. no.3.

Includes Mycena glutinosa and Russula heterospora n.spp.

Cash, E. K.

Godronia urceolus and other Cenangiaceae on Ribes. Mycologia 26: 266-272. illus., pl. 32. My./Je. 1934. no.3.

Godronia davidsoni, Scleroderris tumoricola n.spp.

Jenkins, W. A.

The development of Cordyceps agariciformia. Mycologia 26: 220-243. illus., pl.28-29. My./Je. 1934. no.3.

Mycologia (cont.)

Kienholz, J. R.
A poisonous Boletus from Oregon. Mycolgia 26: 275-276. My./Je. 1934. no.3.
B. eastwoodiae.

Martin, G. W.
Three new heterobasidiomycetes. Mycolgia 26: 261-265. pl.31. My./Je. 1934. no.3.
Platygloea sphaerospora, Sebacina sublilacina; Dacryomitra brunnea.

Miller, L. W.
The Hydnaceae of Iowa. III. The genera Radulum, Mucronella, Caldesiella and Gloiodon. Mycologia 26: 212-219. pl.27. My./Je. 1934. no.3.

Seaver, F. J.
Another rare phalloid. Mycologia 26: 273-275. illus. My./Je. 1934. no.3.
Anthurus borealis.

Shear, C. L.
Mycology, scientific and otherwise. Mycologia 26: 201-209. My./Je. 1934. no.3.

Zeller, S. M.
A new species of Lepiota. Mycologia 26: 210-211. pl.26. My./Je. 1934. no.3.
L. barssii.

Naturaliste Canad. (Quebec) (410N216)

Rousseau, J.
Essai de bibliographie botanique canadienne. (cont.) Naturaliste Canad. 61: 158-162. My. 1934. no.5.

Nature (London) (472N21)

Dillon, T. & O'Tuama, T.
Chemistry of the red and brown algae. Nature 133: 837. Je.2, 1934. no.3370.

K. Norske Vidensk. Selsk. Forh. (Trondheim)

Schmidt-Nielsen, S. & Hammer, L.
Zur kenntnis der jahreswechselungen im kohlenhydratgehalt bei Laminaria hyperborea. K. Norske Vidensk. Selsk. Forh. 6: 119-122. 1934(Je.26, 193) no.31.

Nuovo Giorn. Bot. Ital. (Firenze) (450N92)

Cengia Sambo, M.
Cladonie e umbilicarie Italiane. Nuove Giorn. Bot. Ital. 41: 142-156. 1934. no.1.

Castiglioni, A.
L'Hibiscus sabdariffa L.: caratteri chimici e coltivazione in Eritrea. Nuovo Giorn. Bot. Ital. 41: 173-174. 1934. no.1.

Corneli, E.
Temperature di germinazione di spore fungine in relazione alle infezioni sugli ospiti. Nuovo Giorn. Bot. Ital. 41: 121-133. 1934. no.1.

Corti, R.
Ricerche sulla vegetazione dei dintorni di Firenze. 3. Rilievi nelle pinete delle colline a sud-ovest di Firenze. Nuovo Giorn. Bot. Ital. 41: 25-120. 1934. no.1.

Györffy, I.
Funaria mediterranea monstruositäten aus Italien. Nuovo Giorn. Bot. Ital. 41: 134-141. pl. 1934. no.1.

Messeri, A.
Lo sviluppo del sistema conduttore in plantule di Torreya californica Torr. Nuovo Giorn. Bot. Ital. 41: 163-167. illus. 1934. no.1.

Ponzo, A.
Stipule e guaina. Nuovo Giorn. Bot. Ital. 41: 1-24. 1934. no.1.

Vignolo-Lutati, F.
L'Ambrosia artemisiifolia L. in Italia. Nuovo Giorn. Bot. Ital. 41: 172-173. 1934. no.1.

Pietro Voglino (1864-1933) Nuovo Giorn. Bot. Ital. 41: 169-171. 1934. no.1.

Obst- u. Gemüseb. (Berlin) (80P7750)

Kupke, W.
Weitere fälle von metaxenie beim apfel. Obst- u. Gemüseb. 80: 68-69. illus. My.15, 1934. no.5.

Obst- u. Gemüseb. (cont.)

Schmidt, E.

Was können wir gegen die blattkrankheit des selleries tun? Obst- u. Gemüseb. 80: 72. My.15, 1934. no.5.

Zorn, R.

Eine eigentümliche krankheits-erscheinung an apfel-pyramiden. Obst- u. Gemüseb. 80: 76. illus. My.15, 1934. no.5.

Orchidee (Bangoeng) (800r18)

Smith, J. J.

Wat is Dendrobium fleischeri? Orchidee (Bandoeng) 4: 90-93. Ap. 1934.

Philipp. Journ. Agr. (25P543)

Reyes, G. M.

Germination of the polen of rice and pollen-tube growth. Philipp. Journ. Agr. 5: 21-29. pl. 1934. no.1.

Philipp. Journ. Sci. (Manila) (475P53)

Mendoza J. M. & Leus-Palo, S.

Lepiota americana, an immigrant edible mushroom. Philipp. Journ. Sci. 53: 223-227. 2 pl. Mr. 1934. no.3.

Miller, C. D., Robbins, R. C. & Haida, K.

The nutritive value of the mountain apple Eugenia malaccensis or Jambosa malaccensis. Philipp. Journ. Sci. 53: 211-221. pl. Mr. 1934. no.3.

Reinking, O. A.

The distribution of banana wilt. Philipp. Journ. Sci. 53: 229-243. 5 pl. Mr. 1934. no.3.

Phytopath. (464.8P56)

Machacek, J. E.

A simple method of obtaining Pythium cultures free from bacteria. Phytopath. 24: 301-303. illus. Mr.1934. no.3.

Proc. Acad. Nat. Sci. Phila. (500P53)

Pennell, F. W.

A revision of Synthyris and Besseya. Proc. Acad. Nat. Sci. Phila. 85: 77-106. illus. (incl. maps) 1934.

Proc. Hawaiian Sugar Plant. Assoc. (65.9H314)
Martin, J. P.
Pathology. Rep. Comm. Exp. Stat. Hawaiian Sugar Plant. Assoc. 1932/33: 24-35. 1933 (With Proc. Hawaiian Sugar Plant. Assoc. 53d).

Progr. Agr. & Vitic. (Montpellier) (14P94)
Bernon, G.
Le rot gris. Progr. Agr. & Vitic. 101: 442-443. col. suppl. pl. My.13, 1934. no.19.

Quart. Rev. Biol. (Baltimore) (442.8Q2)
Schaffner, J. H.
Phylogenetic taxonomy of plants. Quart. Rev. Biol. 9: 129-160. illus. Je.1934. no.2.

Repert. Spec. Nov. Fedde (Berlin) (450R29)
Cretzoiu, P.
Miscellanea systematica et phytogeographica II. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4,1/4): 107-108. pl.cxlvii-cxlviii. Ap.30, 1934. no.1/7.

Krösche, E.
Sonderlingsformen zu Epipactis latifolia All. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 1/4): 100-102, 102-104. Ap.30, 1934. no.1/7.

Markgraf, F.
Auffindung einer neuen rasse des Rhinanthus rumelicus Vel. auf der insel Ösel (Estland). Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4,1/4): 97-99. Ap.30, 1934. no.1/7.

Markgraf, F.
Zu den forsythien Asiens. Repert. Spec. Nov. Fedde 35: 45. Ap.30, 1934. no.1/7.

Poellnitz, K. v.
Monographie der gattung Talinum Adans. Repert. Spec. Nov. Fedde 35: 1-34. Ap.30, 1934. no.1/7.
T. transvaalense n.sp.

Poellnitz, K. v.
2. Nachtrag zu meiner Anacampseros-monographie. Repert. Spec. Nov. Fedde 35: 46-48. Ap.30, 1934. no.1/7.

Repert. Spec. Nov. Fedde (cont.)

Range, P.

Die flora des Namalandes. III. Systematischer teil. Repert. Spec. Nov. Fedde 35: 35-42. Ap.30, 1934. no.1/7.

Ruppert, J.

Orchis longicornu Poir. x Orchis picta Lois. nov. hybrid. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 1/4): 104-106. Ap.30, 1934. no.1/7.

x Orchis litardierei Ruppt. et Lebrun.

Widder, F. J.

Zur kenntnis der Anemone styriaca und ihres bastardes mit Anemone nigricans. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 1/4): 49-96. pl.clxii-xlxvi. Ap.30, 1934. no.1/7.

Rev. de Agr. (Piracicaba) (9.2R324)

Bitancourt, A. A.

O efeito da faisca eletrica sobre o citrus. Rev. de Agr. (Piracicaba) 9: 151-154. 2 pl. Mr./Ap.1934. no.3/4.

Piza, S.de T. jr.,

A reducção chromatica nas plantas angiospermas. Rev. de Agr. (Piracicaba) 9: 155-174. illus. Mr./Ap. 1934. no.3/4.

Puttemans, A.

Informacçes sobre doenças de degenerescencia da batateira no Brasil. Rev. d e Agr. (Piracicaba) 9: 103-111. 2 pl. Mr./Ap. 1934. no.3/4.

Rev. Sudamer. Bot. (Montevideo) (450R3242)

Dodge, C. W.

Contribución al conocimiento de la evolución de los gasteromicetos. Rev. Sudamer. Bot. 1: 18-20. F.1934. no.1.

Herrera, F. L.

El cedro peruano, Cedrela herrerae Harms. Rev. Sudamer. Bot. 1: 21-27, illus. F.1934. no.1.

Malme, G. O. A.

Eine für die flora Uruguaya neue Xyris. Rev. Sudamer. Bot. 1:28-30. F.1934. no.1.

X. guarantica.

Rev. Sudamer. Bot. (cont.)

Scala, A. C.

La estructura histológica del leño de "guayaibí" Patagonula americana L. (Borraginaceae) Rev. Sudamer. Bot. 1: 1-7. illus. F.1934. no.1.

Schaffner, J. H.

Heredity and environment in relation to character expression with special reference to intermittent characters in Equisetum. Rev. Sudamer. Bot. 1: 8-17. F.1934. no.1.

Rev. Bot. Appl. (Paris) (26%323)

Aubréville, A.

Le difou (Morus mesozygia Stapf). Rev. Bot. Appl. 14: 251-253. pl.iv. Ap.1934. no.152.

Aubréville, A.

Sur la présence de deux espèces de Chlorophora (iroko) en Afrique Occidentale Française. Rev. Bot. Appl. 14: 245-250. pl.iii. Ap.1934. no.152.

C. excelsa, C. regia.

Chevalier, A.

Sur un Stapelia et sur trois Caralluma's de l'Afrique tropicale. Rev. Bot. Appl. 14:262-275. illus., pl.v-vii. Ap.1934. no.152.

S. decaisneana, C. retrospiciens ssp. C. tombuctuensis, C. dalzielii, C. mouretii.

Ghesquière, J.

Deux Cassia nouveaux pour la flore de l'Afrique centrale française. Rev. Bot. Appl. 14:237-244. illus., pl.i-ii. Ap.1934. no.152.

C. rogeonii, n.sp., C. sabak Delil.

Normand, D.

Note sur le bois de difou. Rev. Bot. Appl. 14: 253-256. illus. Ap.1934. no.152.

M. Pio Corrêa. Rev. Bot. Appl. 14: 316. Ap. 1934. no.152.

Died Feb.21, 1934, at age of 59.

Rev. Gén. Bot. (Paris) (450R326)

Chermezon, H.

Notice sur Gustave Chauveaud. Rev. Gén. Bot. 46: 257-267. pl. xix (port.) My.1934. no.545.

Rev. Gén. Bot. (cont.)

Teodoresco, E. C.

Le développement des algues et la réfrangibilité de la lumière. (cont.) Rev. Gén. Bot. 46: 389-320. illus. My.1934. no.545.

Cozic,

Etude biochimique de Bacterium xylinum. (cont.) Rev. Gén. Bot. 46: 268-288. My. 1934. no.545.

Rev. Hort. (Paris) (80R32)

Jahandiez, E.

Les plantes grasses autres que les cactées. Les composées. Rev. Hort. 106: 116-118. illus. My.16, 1934. no.5.

Rhodora (Boston) (450R34)

Allard, H. A.

A supposed hybrid between the oak species Q. rubra and ilicifolia. Rhodora 36: 239-240. Je. 1934. no.426.

Bergman, H. F.

Double flowers in the wild swamp blueberry, Vaccinium corymbosum. Rhodora 36: 233-235. pl. 289. Je. 1934. no.426.

Fernald, M. L.

A conical sugar maple. Rhodora 36: 238-239. illus. Je. 1934. no.426.

Acer saccharum f. conicum.

Jao, C.-C.

Oedogonium in the vicinity of Woods Hole, Massachusetts. Rhodora 36: 197-214. pl.286-288. Je. 1934. no. 426.

O. croasdaleae, O. reticulocostatum, O. spiripennatum, O. taylorii n.spp.

Manning, W. E.

Wolffia in Massachusetts. Rhodora 36: 240. Je. 1934. no.426.

Steyermark, J. A.

Some features of the flora of the Ozark region in Missouri. Rhodora 36: 214-233. Je.1934. no.426.

Riv. Biol. (Milan) (442.8R52)

Curzi, M.

Proprietà e nature dei virus delle piante. Riv. Biol. 16: 335-352. Mr./Ap.1934. no.2.

Masera, E.

Un fungo del genere Botrytis parassita degli insetti. Riv. Biol. 16: 266-272. illus. Mr./Ap. 1934. no.2.

Species undetermined.

Science (470Sci2)

Murneek, A. E.

Relation of carotinoid pigments to sexual reproduction in plants. Science 79: 528. Je.8, 1934. no.2058.

Vinson, C. G.

Possible chemical nature of tobacco mosaic virus. Science 79: 548-549. Je.15,1934. no.2059.

The Dutch elm disease. Science 79: 516-517. Je.8, 1934. no.2058.

Thomas Huston Mcbride. Science 79: 536. Je.15, 1934. no.2059.

Notice of death.

Sci. Bull. Dept. Agr. N.S.W. (23N47S)

Wenholz, H.

Plant breeding in New South Wales 6th year of progress, 1931-32. Sci. Bull. Dept. Agr. N.S.W. no.41. 40 p. F.1933.

Science News Letter (470Sci24)

Native plants feel drought. Science News Letter 25: 373-374. Je.16,1934. no.688.

Scient. Agr. (Ottawa) (7Sci2)

Fisher, D. V.

Leaf area in relation to fruit size and tree growth. Scient. Agr. 14: 512-518. illus. My. 1934. no.9.

Greaney, J. F.

Field experiments on the prevention of cereal rusts by sulphur dusting (1930-1932). Scient. Agr. 14:496-511. illus. My.1934. no.9.

The Shade Tree N.J. (99.8Sh1)
Deuber, C. G.
Spring and early summer defoliation of shade trees. The Shade Tree N.J. 7: [1] My.1934. no.5.

Sinensia, Nanking (410.9Si62)
Ching, R. C.
Lithostegia, a new genus of polypodiaceous fern from Sikkim-Yunnan. Sinensia, Nanking 4: 1-9. illus. Jl.1933. no.1.
L. foeniculacea (Aspidium)

So. African Gard. (Johannesburg) (80So87)
Plants new or noteworthy. South African plants cultivated in the National botanic gardens, Kirstenbosch, and in our readers' gardens. So. African Gard. 24: 124, 129. illus. My. 1934. no.5.
Limonium namaquanum, L. teretifolium, L. fergusoniae & L. acuminatum n.spp. (all by L. Bolus)

So. African Sugar Journ. (Durban) (65.8So8)
The effect of streak disease on the yield of Uba cane. II. So. African Sugar Journ. 18. 241, 243. Ap.30,1934. no.4.

Sovetsk. Botanika (450So8)
Chaĭlakhi͡an, M. Kh.
K probleme iarovizatsii rasteniĭ II (Du problème de vernalisation des plantes. II. Diagnostique des race des gros et des petits blés) Sovetsk. Botanika 1933(6): 30-45.
Russian.

I͡armolenko, A. V.
Opyt primenenii͡a anatomii vtorichnoĭ drevesiny stvola k ob'i͡asnenii͡u filogenii khvoĭnykh (Essai d'application de l'anatomie du bois secondaire du tronc). Sovetsk. Botanika 1933(6): 46-63.
Russian.

Il'inskiĭ, A. P.
Problema obogashchenii͡a rastitel'nogo invetari͡a SSSR (Problème d'enrichissement de l'inventaire végétale de l'URSS) Sovetsk. Botanika 1933(6): 76-79.
Russian.

Sovetsk. Botanika (cont.)

Li͡ubimenko, V. N.

K teorii iskusstvennogo regulirovanii͡a dliny vegetatsionnogo perioda u vysshikh rasteniĭ (Contribution à la théorie de la régulation artificielle de la durée de la période végétative chez les plantes supérieures) Sovetsk. Botanika 1933(6): 3-30. illus.

Russian.

Nekrasova, V. L.

Obzor aralievykh SSSR, ikh geograficheskoe rasprostranenie i ispol'zovanie (Revue des araleacées de l'URSS: leur distribution géographique et leur utilisation). Sovetsk. Botanika 1933(6): 82-100.

Russian.

Sokolov, S. I.

Vozmozhnosti spetsializirovannogo khozi͡aĭstva na kahstan(Les possibilités d'une culture spécialisée du marron) Sovetsk. Bot. 1933(6): 63-75.

Russian.

Sunyatsenia (Hong Kong) (450Su7)

Chun, W.-Y.

Contributions to the flora of Kwangtung and south-eastern China. I. Sunyatsenia 1: 209-317. illus., pl.35-39. F.1934. no.4.

Merrill, E. D.

Some additional Kwangtung plants. Sunyatsenia 1: 189-207. pl.34. F.1934. no.4.

Trav. Lab. For. Toulouse (99.9T64)

Lacassagne, M.

Etude morphologique, anatomique et systématique du genre Picea. Trav. Lab. For. Toulouse v.2, (3, Études Dendrol.), art.1. 292 p. illus. 1934.

Tropenpfl. (Berlin) (26T75)

Himmelbaur, W.

Der anbau aromatischer heilpflanzen Europas in wämeren ländern. Tropenpfl. 37: 203-207. My. 1934. no.5.

Ludwigs, K.

Hexenbesen and kakaobäumen. Tropenpfl. 37: 198-203. illus. My.1934. no.5.

Trop. Agriculture West Indies (Trinidad) (26T754)

Cheesman, E. E.

Principles of banana breeding. I. Trop. Agriculture West Indies 11: 132-137. Je. 1934. no.6.

Stahel, G.

The banana leaf disease in Surinam. Trop. Agriculture West Indies 11: 138-142. 2 pl. Je.1934. no.6.

Helminthosporium torulosum and Cordana musae.

Wardlaw, C. W.

Banana diseases. VIII. Notes on various diseases occurring in Trinidad. Trop. Agriculture West Indies 11: 143-149. 6 pl. Je. 1934. no.6.

Trop. Natuur (410.9T75)

Voogd, C. N. A. d.

Botanische aanteekeningen uit de residentie Benkoelen. 3. De beriti en zijn lahar. Trop. Natuur. 23: 81-85. illus. My. 1934. no.5.

Trop. Woods, Yale Univ. Sch. For. (New Haven) (99.08Y1Tr)

Chattaway, M. M.

Anatomical evidence that Grewia and Microcos are distinct genera. Trop. Woods, Yale Univ. Sch. For. 38: 9-11. Je.1, 1934.

Rendle, B. J. & Clarke, S. H.

The problem of variation in the structure of wood. Trop. Woods, Yale Univ. Sch. For. 38: 1-8, Je.1, 1934.

Tupper, W. W.

Preliminary report on the wood structure of the Flacourtiaceae. Trop. Woods, Yale Univ. Sch. For. 38: 11-14. Je.1, 1934.

Webber, I. E.

Systematic anatomy of the woods of the Malvaceae. Trop. Woods, Yale Univ. Sch. For. 38: 15-36. v pl. Je.1, 1934.

Trudy Tsentr. Nauchno-Issled. Inst. Sakharn. Prom. Moskva (65.9M85)

Bunina, A. M.

Issledovanie Botrytis cinerea Pers., vydelennogo s Gruzinskoĭ i Kubanskoĭ svekly [Investigation of Botrytis cinerea isolated from Georgian and Kuban beets] Trudy Tsentr. Nauchno-Issled. Inst. Sakharn. Prom. Moskva 16(Sborn. Rabot Biokhim. Sekt. 3): 45-52. illus. 1934.

Russian.

Trudy Tsentr. Nauchno-Issled. Inst. Sakharn. Prom. Moskva. (cont.)

Buromskii, I. D. & Matiushenko, A. A.

Slizistyi bakterioz sakharnoi svekly [Slime bacteria of sugar beets] Trudy Tsentr. Nauchno-Issled. Inst. Sakharn. Prom. Moskva 16(Sborn. Rabot Biokhim. Sekt.3): 53-71. 1934.

Russian.

U. S. Dept. Agr. Circ. (1Ag84C)

Griffiths, D.

Some hybrid Martagon lilies. U. S. Dept. of Agr. Circ. 299. 14 p. 7 pl. (3 col.) D.1933.

U. S. Dept. Agr. Misc. Publ. (1Ag84M)

Boswell, V. R.

Descriptions of types of principal American varieties of cabbage. U. S. Dept. Agr. Misc. Publ. 169. 22 p. 18 pl. (6 col.) Mr.1934.

W. C. Edmundson, O. H. Pearson, J. E. Knott, C. E. Myers, R. A. McGinty, W. H. Friend, H. H. Zimmerley & J. C. Walker joint authors.

Shoemaker, D. N. & Delwiche, E. J.

Descriptions of types of principal American varieties of garden peas. U. S. Dept. Agr. Misc. Publ. 170. 37 p. illus., 7 col.pl. Mr.1934.

U. S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Christie, J. R. Boyd, O. C.

Aphelenchoides fragariae on Cape Cod strawberries. U. S. Dept. Agr. Plant Dis. Rep. 18: 45-46. Je.1, 1934. no.5.

McWhorter, F. P. & Reynolds, H. J.

New Narcissus Botrytis disease in the Pacific northwest. U. S. Dept. Agr. Plant Dis. Rep. 18: 51-53. Je.1,1934. no.5.

B. polyblastis.

Plakidas, A. G.

Leaf variegation of the Blakemore strawberry in Louisiana. U. S. Dept. Agr. Plant Dis. Rep. 18: 46-47. Je.1, 1934. no.5.

White, R. P.

Winter injury on ornamental plants in New Jersey. U. S. Dept. Agr. Plant Dis. Rep. 18: 44-45. Je.1, 1934. no.5.

U. S. Dept. Agr. Miscellaneous mimeographed publications.
U. S. Dept. of agriculture - Bur. of plant quarantine.
Revised list of barberries and mahonias classified under black stem rust quarantine regulations. Washington, D.C., My.15, 1934.
Mimeographed.

Veda prirodni (Prague) (410V51)
Hrubý, K.
Genetika a cytologie. Veda prirodni 15: 51-56. 1934. no.2/3.

Pilát, A.
Panaeolus separatus (L.) Fries v Ceskoslovensku Veda prirodni 15: 117-119. illus. 1934. no.4.

Vestnik Ceskosl. Akad. (Prague) (19.5C332)
Chmelar, F. & Mostovoj, K.
Rychlé rozlisování sort soje a druhu jetelu podle luminiscence naklicenych zrn. (A quick method for distinguishing of soybean varieties and clover species after luminiscence of germinated grains). Vestník Ceskodl. Akad. Zemed. 10: 289-295. illus. 1934. no.4/5.
German and English summaries.

Wisconsin Hort. (Madison) (80W752)
Nusbaum, C. J.
Not all junipers susceptible to cedar apple rust. Wisconsin Hort. 24: 260. Je.1934. no.10.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Liepzig) (442.8Z34)
Bauch, R.
Ueber kreuzungen zwischen bipolar und multipolar sexuellen brandpilzarten. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67: 242-245. 1934. no.2.

Berg, K. H. von
Cytologische untersuchungen an Triticum turgidovillosum und seinen eltern. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67: 342-373. illus. 1934. no.2.
Weitere studien am fertilen konstanten artbastard Triticum turgidovillosum und seinen verwandten II.

Oehler, E.
Untersuchungen über ansatzverhaltnisse, morphologie und fertilität bei Zegilops-secale-bastarden. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67: 317-341. illus. 1934. no.2.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (cont.)

Ubisch, G.v.
Das fertilitätsproblem im pflanzenreiche. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67: 225-241. 1934. no.2.

Zeitschr. Zücht. A. Pflanzenzücht. (Berlin) (450Z36)

Constantinescu, E.
Die kältefestigkeit verschiedener wintergersten. Zeitschr. Zücht. A. Pflanzenzücht. 19: 439-453. illus. My.1934. no.3.

Fuchs, W. H.
Beiträge zur züchtung kältefester winterweizen. Zeitschr. Zücht. A. Pflanzenzücht. 19: 309-323. illus. My. 1934. no.3.

Hagedoorn, A. L.
Pflanzenzüchtung und tierzucht aus genetischem gesichtspunkt. Zeitschr. Zücht. A. Pflanzenzücht. 19: 414-428. My. 1934. no.3.

Kostoff, D.
A contribution to the meiosis of Helianthus tuberosus L. Zeitschr. Zücht. A. Pflanzenzücht. 19: 429-438. illus. My. 1934. no.3.

Nawaschin, M.
Die methodik der zytologischen untersuchungen für züchterische zwecke. Zeitschr. Zücht. A. Pflanzenzücht. 19: 366-413. illus. My. 1934. no.3.

Rudorf, W. & Job, M.
Untersuchungen bezüglich der spezialisierung von Puccinia graminis tritici, Puccinia tritici und Puccinia glumarum tritici, sowie über resistenz und ihre vererbung in verschiedenen kreuzungen. Zeitschr. Zücht. A. Pflanzenzücht. 19:333-365. My. 1934. no.3.

Rudorf, W. & Rosenstiel, K. v.
Untersuchungen über die widerstandsfähigkeit bei weizensorten gegen weizenflugbrand, Ustilago tritici, und über ihre vererbung in kreuzungen. Zeitschr. Zücht. A. Pflanzenzücht. 19: 324-332. My. 1934. no.3.

Exp. Stat. Publ.

Jones, D. F. & Singleton, W. R.
Crossed sweet corn. Conn. Agr. Expt. Stat. Bull. 361: 487-536. illus. Ap.1934. (100C76St)

Runnels, H. A. & Wilson, J. D.
The influence of certain spray materials, herbicides, and other compounds on the dessication of plant tissue. Ohio Agr. Exp. Stat. Bimonth. Bull. 19: 104-109. My./Je.1934. no.168. (1000h3S)

Tilford, P. E.
Stem canker disease of Gardenia. Ohio Agr. Exp. Stat. Bimonth. Bull. 19: 116-117. illus. My./Je.1934. no.168. (1000h3S)
Causal fungus a Phomopsis.

Wilson, J. D.
Celery yellows in Ohio. Ohio Agr. Exp. Stat. Bimonth. Bull. 19: 109-115. illus. My./Je.1934. no.168 (1000h3S)

McWhorter, F. P.
Blossom end rot of tomato. Oregon Agr. Exp. Stat. Circ. Inform. 98. 2 p. Ap.1934. (1000r3C)

Sprague, R.
Keys to aid in the indentification of the more important foot rots of winter grains in the Pacific Northwest. Oregon Agr. Exp. Stat. Circ. Inform. 99. 4 p. My.1934. (1000r3C)

Overley, F. L. & Overholser, E. L.
Arsenic injury of apples. Washington Agr. Exp. Stat. Pop. Bull. 149. 20 p. illus. Ap. 1934. (100W27E)

New Books

Appel, O.
The development of plant protection throughout the world. [Berlin-Dahlem, 1933] (464Ap4D)
Typewritten ms. of address before scientific meetings at Century of progress, Chicago, 1933. English transl. by Prof. J. J. Steen.

New Books (cont.)

Backer, C. A.
Onkruidflora der Javasche suikerrietgronden. afl. 5. Soerabaia, H. van Ingen, 1934 (Handboek ten dienste van de suikerriet cultuur ... op Java 7. deel) (65J32 v.7)
Contains preface, glossary, key to families &c.

Croizat, L.
De euphorbio antiquorum atque officinarum. A. study of succulent Euphorbiae long known in cultivation. N.Y., The author, 1934 (452.3C882)

Dorff, P.
Die eisenorganismen, systematik und morphologie Jena, G. Fischer, 1934 (Pflanzenforschung hrsg. von. R. Kolkwitz. h.16) (463.3K83P)

Grainger, J.
Some economic aspects of virus diseases in potatoes. Reprinted from Naturalist 1933: 151-153. Jl.1933 (Pamph. 464.045G)

Hoehne, F.
Algo sobre a identidade botanica do "oiti" e do "pequia" da Bahia. Reprinted from Annaes da Academia brasiliera de sciencias tomo IV, n.1, 31 de Março de 1932. (Pamph. 452.35H)
Moquilea salzmanni, Macoubea guianensis.

Jahandiez, E. & Maire, R.
Catalogue des plantes du Maroc (Spermatophytes et ptéridophytes) v.3 (Dicotylédones gamopétalees et supplément aux v.I et II) Alger, Imprimerie Minerva, 1934. (460.41J19)

Kurz, H. & Little, T. M.
Liverworts of north and central Florida. Tallahassee, S. 1933. (Bulletin Florida state college for women, v. 26, no.3.) (461.32K96)

Losee, D. W.
Profitable mushroom culture. Buffalo, Ledon publishing company, 1934. (917L89)

New Books (cont.)

Die naturlichen pflanzenfamilien... 2. aufl. bd.16c. Angiospermae; reihe Centrospermae rediegiert von F. Pax und H. Harms. Leipzig, W. Englemann, 1934 (452EnsP)

Nissen, C.

Botanische prachtwerke. Die blutezeit der pflanzenillustration von 1740 bis 1840. Wien, H. Reichner, 1933. (452.6N63)

U.S. Congress - Comm. on the library.

United States botanic garden. Preliminary report and memorandum on the United States botanic garden (and kindred institutions) together with certain recommendations looking to its improvement as a scientific, educational, and aesthetic establishment. Washington, 1934. (451.1Un32)

House Committee print, 73d Congress, 2d sess.

Vekhov, N. K. & Il'in, M. P.

Vegetativnoe raznnozhenie drevesnykh rasteniĭ letnimi cherenkami (Vegetative propagation of trees and shrubs by means of summer cuttings). Leningrad, Institut rastenievodstva, 1934. (Prilozhenie 61-oe k Trudam po prikladnoĭ botanike, genetike i selektaii) (90.11V53)

Russian with English summary: p.127-131, 264-265.

Correction

v.16, no.11, p. 35

In first entry author's name should be Hung, Fu.

Non-current indexing

Nova Acta R. Soc. Sci. Upsala (502Up7N)

Nannfeldt, J. A.

Studien über die morphologie und systematik der nicht -lichenisierten inoperculaten discomyceten. Nova Acta R. Soc. Sci. Upsala IV, fasc.1, v.8, no.2. 368 p. illus., xx pl. 1932.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

LIBRARY
~~RECEIVED~~
★ JUL 17 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 13. June 18-30, 1934.

Acta Univ. Lund. (Lunds Univ. Årsskr.) (502L97)
Kylin, H.
Ueber die entwicklungsgeschichte der phaeophyceen. Acta Univ. Lund (Lunds Univ. Årsskr.) n.f., avd.2, v.29, no.7. 102 p. illus., 2 pl. 1933.

Murbeck, S.
Monographie der gattung Verbascum. Acta Univ. Lund (Lunds Univ. Årsskr.) n.f., avd.2, v.29, no.2. 630 p. illus., xxxi pl. 1933.

Agr. Gaz.N.S.W. (Sydney) (23N472)
Anderson, R. H.
Our noxious weeds. Countries of origin and methods of introduction. Agr. Gaz. N.S.W. 45: 241-247. illus. My.1, 1934. no.5.

Magee, C. J.
Squirter disease of bananas. Agr. Gaz. N.S.W. 45: 262-264 illus. My.1, 1934. no.5.

Agron. Colon. (Paris) (26Ag812)
Bouriquet, G.
Le caféier d' Arabie à Madagascar, dans la région du Lac Itasy, et l'Hemileia vastatrix. Agron. Colon. 23: 133-135. pl. My.1934. no.97.
With note "Au sujet de Polyporus coffeae". Signed: A.M. et L.R.

Algem. Landb. Weekbl. Nederl. Indie (Bandoeng) (22.5A13)
Goot, P. van der.
Dr. S. Leefmans. (Aug.1912 - April 1934). Algem. Landb. Weekbl. Nederl. Indie 18: 769-770. port. My.26, 1934. no.48.

Ann. Agron. (Paris) (14An75A)
Ducomet, V. & Diehl, R.
La culture en montagne et les maladies de dégénérescence de la pomme de terre. Ann. Agron. 4: 355-372. My./Je. 1934. no.3.

Ann. Agron. (cont.)

Lepape, A. & Trannoy, R.

Influence du radium sur la végétation. Ann. Agron. 4: 319-354. My./Je. 1934. no.3.

Ann. Sci. Nat. Bot. (Paris) (450An75)

Costantin, J.

Centenaire des Annales des sciences naturelles botanique (1834-1934). Ann. Sci. Nat. Bot. X, 16: i-vi. illus. 1934. no.1.

Gauthier, C.

Altérations de l'axe hypocotylé de haricots par la suppression de la gemmule. Ann. Sci. Nat. Bot. X,16: 63-92. illus. 1934. no.1.

Lemesle, R.

Étude anatomique du genre Calligonum L. Ann. Sci. Nat. Bot. X,16: 5-62. illus., pl.i-v. 1934. no.1.

Ann. Carnegie Mus. Pittsb. (500P68A)

Graham, E. H.

Flora of the Kartabo region British Guiana. Ann. Carnegie Mus. Pittsb. 22: 17-292. illus. (maps), pl.iii-xviii. My.1934. no.1.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Zellner, J.

Studien über die chemischen bestandteile heimischer arzneipflanzen. IV. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272: 601-607. My. 1934. no.5.

Arch. Suikerind. Nederl. Indië (Soerabaja) (65.8Ar2)

Bolle, P. C.

De onderscheiding van gomziekte en daarop gelijkende verschijnselen. (Arch. Suikerind. Nederl. Indië 1934 (1): 331-334. 5 pl. My.16, 1934. no.10.

Booberg, G.

Over het gebruik van gelestrepenziek plantmateriaal. Arch. Suikerind. Nederl. Indië 1934(1): 319-331. My.16, 1934. no.10.

Bergens Mus. Arbok. Naturv. Rekke (502B45)

Nordhagen, R.

Ueber die zuckerausscheidung der samen einiger Colchicum-arten und ihre biologische bedeutung. Bergens Mus. Arbok Naturv. Rekke, 1933, nr. 2. 16 p. illus., pl. 1933.

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Elfving, F.
Zur gonidienfrage. Ber. Deut. Bot. Ges. 52: 208-213. illus. My.31, 1934. no.4.

Fritzsche, G.
Ueber den einfluss der Ostsee auf das klima und die pflanzenwelt der Insel Hiddensee. Ber. Deut. Bot. Ges. 52: 181-191. My.31, 1934. no.4.

Melchior, H.
Zur verbreitung der Saxifraga cernua L. in den Alpen. Ber. Deut. Bot. Ges. 52: 221-230. illus. (map) My.31, 1934. no.4.

Metzner, P.
Zur kenntnis der hymenolichenen. Ber. Deut. Bot. Ges. 52: 231-240. illus., pl.v-vi. My.31, 1934. no.4.
1. Rhipidonema crustaceum Metzner (nov.spec.) 2. Dictyonema sericeum Montagne.

Pohl, F.
Speichertracheiden in der narbe und im griffelende einiger ericaceen. Ber. Deut. Bot. Ges. 52: 203-207. illus. My.31, 1934. no.4.

Richter, O.
Zur frage des erhaltenbleibens des chlorophylls in herbstlich verfärbten, mit tierminen versehenen blättern. Ber. Deut. Bot. Ges. 52: 192-194. illus. My.31, 1934. no.4.

Troll, W.
Ueber bau und nervatur der karpelle von Ranunculus. Ber. Deut. Bot. Ges. 52: 214-220. illus. My.31, 1934. no.4.

Uphof, J. C. T.
Vergleichende blütenmorphologische und blütenbiologische studien an Commelina virginica L. Ber. Deut. Bot. Ges. 52: 173-180. illus. My.31, 1934. no.4.

Volk, O. H.
Ein neuer für botanische zwecke geeigneter lichtmesser. Ber. Deut. Bot. Ges. 52: 195-202. illus. My.31, 1934. no.4.

Bot. Gaz. (Chicago) (450B652)

Anderson, E. & Sax, K.
A cytological analysis of self-sterility in Tradescantia. Bot. Gaz. 95: 609-621. illus. Je. 1934. no.4.

Beal, J. M.
Chromosome behavior in Pinus banksiana following fertilization. Bot. Gaz. 95: 660-666. pl. xiii-xiv. Je. 1934. no.4.

Bell, W. H.
Ontogeny of the primary axis of Soja max. Bot. Gaz. 95: 622-635. illus. Je. 1934. no.4.

Canfield, R. H.
Stem structure of grasses on the Jornada experimental range. Bot. Gaz. 95: 636-648. illus. Je. 1934. no.4.

Crafts, A. S.
Phloem anatomy in two species of Nicotiana, with notes on the interspecific graft union. Bot. Gaz. 95: 592-608. illus., pl.xi-xii. Je. 1934. no.4.

Drouet, F.
New or interesting Myxophyceae from Missouri. Bot. Gaz. 95: 695-701. illus. Je.1934. no.4.

Haupt, A. W.
Ovule and embryo sac of Plumbago capensis. Bot. Gaz. 95: 649-659. illus. Je. 1934. no.4.

Moyer, L. S.
Electrophoresis of latex and chromosome numbers of poinsettias. Bot. Gaz. 95: 678-685. illus. Je. 1934. no.4.

Peirce, A. S.
Anatomy of xylem of Pseudolarix. Bot. Gaz. 95: 667-677. illus. Je.1934. no.4.

Siler, M. B.
Development of spore walls in Sphaerocarpos donnellii. Bot. Gaz. 95: 563-591. illus. Je. 1934. no.4.

Traub, H. P. & Muller, H. J.
X-ray dosage in relation to germination of pecan nuts. Bot. Gaz. 95: 702-706. illus. Je. 1934. no.4.

Bot. Gaz. (cont.)
Wolfe, F.
Origin of adventitious roots in Cotoneaster dammeri. Bot. Gaz. 95: 686-694. illus. Je. 1934. no.4.

Zscheile, F. P. jr.,
An improved method for the purification of chlorophylls A and B; quantitative measurement of their absorption spectra; evidence for the existence of a third component of chlorophyll. Bot. Gaz. 95: 529-562. col.pl.x. Je.1934. no.4.

Bot.Mus. Leafl. Harvard Univ. (451H262)
Ames, O.
A contribution to our knowledge of the orchids of Spanish Honduras.I. Bot. Mus. Leafl. Harvard Univ. 2: 73-84. Je.12, 1934. no.5.

Bull. Min. Agr. Gt. Brit. (10G794B)
Bewley, W. F.
Common diseases of the tomato. Bull. Min. Agr. Gt. Brit. 77: 42-53. My.1934.

Bull. Pop. Inform. Morton Arb. (Lisle, Ill.) (99.9M84)
Kammerer, E. L.
What deciduous shrubs will endure shade? Bull. Pop. Inform. Morton Arb. 9: 9-12. Je.15, 1934. no.3.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger) (410.9So125)
Werner, R. G.
Cultures pures des champignons des lichens incrustants. (Note préliminarie). Bull. Soc. Hist. Nat. Afr. Nord. 25: 130-137. My.1934. no.5.

Canad. Flor. (Peterboro, Ont.) (80C163)
Zimmerman, P. W. & Crocker, W.
Mercury injury to rose plants. Canad. Flor. 29: 173. Je.12, 1934. no.12.

Canad. Journ. Res. (Ottawa) (330.9C16C)
Ehrlich, J.
The beech bark disease. A Nectria disease of Fagus, following Cryptococcus fagi (Baer.) Canad.Journ. Res. 10: 593-692. illus., ix pl. Je. 1934. Spec. no.
Considered a variety of Nectria coccinea.

Canad.Journ. Res. (cont.)

Kirk, L. E. & Armstrong, J. M.

A single factor mutation in Melilotus alba Desc. having multiple effects on homologous structures. Canad. Journ. Res. 10: 787-792. illus., pl. Je. 1934. no.6.

Lloyd, F. E.

Is Roridula a carnivorous plant? Canad. Journ. Res. 10: 780-786. illus., pl. Je.1934. no.6.

Not carnivorus, tho many insects are caught in its balsam-like exudate. Other insects live with immunity on the plant and feed on the insects caught.

Manske, R. H. F.

The alkaloids of fumariaceous plants. X. Dicentra oregana, Eastwood. Canad. Journ. Res. 10: 765-770. Je. 1934. no.6.

Marion, L.

Non-basic constituents of the leaves and roots of Adlumia fungosa, Greene. Canad. Journ, Res. 10: 759-764. Je.1934. no.6.

Chinese Journ. Physiol. (Pieping) (447.8C44)

Chou, T. Q.

The alkaloids of Chinese Corydalis ambigua, Cham. et Sch. (Yen-Hu-So). IV-V. Chinese Journ. Physiol. 7: 35-39. illus. Mr.15, 1933; 8:155-159. illus. My.15, 1934. no.1,2.

Tai, L-S.

On the cultivation of a photosynthetic dinoflagellate (Ceratium sp.) Chinese Journ. Physiol. 8: 111-119. My.15, 1934. no.2.

Compt. Rend. Acad. Sci. Paris (505P21)

Beauverie, J.

La résistance individuelle des microorganismes et particularièrement des levures aux radiations ultraviolettes. Compt. Rend. Acad. Sci. Paris 198: 2017-2019. Je.4, 1934. no.23.

Blaringhem, L.

Hérédité en mosaîque du Geranium pratense L. var. album striatum. Compt. Rend. Acad. Sci. Paris 198: 2044-2047. Je.11, 1934. no.24.

Compt. Rend. Acad. Sci. Paris (cont.)

Chadefaud, M.
Signification morphologique des physodes des phéophycées. Compt. Rend. Acad. Sci. Paris 198: 2114-2116. Je.11, 1934. no.24.

Chaze, J. & Janot, M.M.
Caractérisations chimiques des alcaloïdes volatils émis par la ciguë. Compt. Rend. Acad. Sci. Paris 198: 2015-2017. Je.4, 1934. no.23.

Chouard, P.
Sur la structure caractéristique du bulbe chez les scilles de la section Euscilla Chd. Compt. Rend. Acad. Sci. Paris 198: 2013-2015. illus. Je.4, 1934. no.23.

Colin, H. & Chaudun, A.
La composition du ciment intercellulaire. Compt. Rend. Acad. Sci. Paris 198: 2116-2118. Je.11, 1934. no.24.

Costantin, J.
Le problème des rouilles du blé et les montagnes. Compt. Rend. Acad. Sci. Paris 198: 1955-1959. Je.4, 1934. no.23.

Daniel, L.
Variations des plantules d'Helianthus dangeardi à la septième génération sexuée. Compt. Rend. Acad. Sci. Paris 198: 1962-1965. illus. Je.4, 1934. no.23.

Flanzy, M.
Sur la présence de l'alcool méthylique dans les organes foliacés des végétaux. Relation entre cet alcool et le pigment chlorophyllien. Compt. Rend. Acad. Sci. Paris 198: 2118-2120. Je.11, 1934. no.24.

Flous, F.
Un cas anormale d'évolution vasculaire. Compt. Rend. Acad. Sci. Paris 198: 2111-2114. illus. Je.11, 1934. no.24.

Fosse, R., Thomas, P.E. & Graeve, P. de
Allantoïne dextrogyre. Sa présence dans le règne végétale (Platanus orientalis) Compt. Rend. Acad. Sci. Paris 198: 1953-1955. Je.4, 1934. no.23.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Joyet-Lavergne, Ph.
Sur les anomalies sexuelles de Zygosaccharomyces nadsonii. Compt. Rend. Soc. Biol. Paris 116: 392-393. 1934. no.20.

Lenoir, M.
Les divisions II et III dans le sac embryonnaire du Fritillaria imperialis L. Compt. Rend. Soc. Biol. Paris 116: 442-443. 1934. no.20.

Current Science (Bangalore) (475Sci23)

Banerji, I.
Sterility of the female gametophyte of Colocasia antiquorum, Schott. Current Science 2: 432. illus. My.1934. no.11.

Biswas, K.
Some foreign weeds and their distribution in India and Burma. Current Science 2: 422-425. My. 1934. no.11.

Johri, B. M.
A note on the life history of Sagittaria guayenensis H.B.K. Current Science 2: 428-429. illus. My.1934. no.11.

Patrudu, S. S. & Murti, P. K.
Intergeneric cross in Cucurbitaceae. Current Science 2: 431. illus. My.1934. no.11.

Sarup, S.
Sex control in papaya. Current Science 2: 428. My.1934. no.11.

Tamhane, V. A. & Iyengar, M. A. S.
Salt tolerance of plants as induced by pretreatment of seeds. Current Science 2: 436-437. My. 1934. no.11.
Experiments with wheat, Dolichos lablab, sorghum and barley. Seed treated with "NaCl solutions of different homeopathic concentrations".

Petalody in Thespesia populnea Cav. Current Science 2: 440-441. My.1934. no.11.

Cytologia (Tokyo) (442.8C99)

Beadle, G. W.
Polymitotic maize and the precocity hypothesis of chromosome conjugation. Cytologia (Tokyo) 5: 118-121. D.1933. no.1.

Darlington, C. D.
The origin and behaviour of chiasmata. IX. Diploid and tetraploid Avena. Cytologia (Tokyo) 5: 128-134. illus. D.1933. no.1.

Husted, L.
Cytological studies on the peanut, Arachis. I. Chromosome number and morphology. Cytologia (Tokyo) 5: 109-117. illus. D. 1933. no.1.

Katayama, Y.
Haploid formation by x-rays in Triticum monococcum. Cytologia (Tokyo) 5: 235-237. illus. Ja.1934. no.2.

Kuwada, Y. & Nakamura, T.
Behaviour of chromenemata in mitosis. II. Artificial unravelling of coiled chromonemata. Cytologia (Tokyo) 5: 244-247. pl.7. Ja. 1934. no.2.

Moll, W. E. de.
Die entstehungsweise anormaler pollenkörner bei hyazinthen, tulpen und narzissen. Ctyologia (Tokyo) 5: 31-65. illus. D.1933. no.1.

Mol, E. E. de
Näheres über das vorfinden nebst dem experimentellen hervorrufen mehrchromosomiger und embryosackartiger pollenkörner bei diploiden und heteroploiden holländischen hyazinthenvarietäten. Cytologia (Tokyo) 5: 204-229. illus. Ja.1934. no.2.

Navashin, M.
Chromosome alterations caused by hybridization and their bearing upon certain general genetic problems. Cytologia (Tokyo) 5: 169-203. illus. pl.4. Ja. 1934. no.2.
Experiments with Crepis.

Nebel, B. R.
Chromosome structure in Tradescantiae. IV. The history of the chromonemata in mitosis of Tradescantia reflexa Raf. Cytologia (Tokyo) 5: 1-14. illus. D.1933. no.1.

Cytologia (cont.)

Nishiyama, I.

The genetics and cytology of certain cereals. V. On the occurrence of an unexpected diploid in the progeny of pentaploid Avena hybrids. Cytologia (Tokyo) 5: 146-148. Illus. D.1933. no.1.

Sansome, E. R.

Segmental interchange in Pisum. II. Cytologia (Tokyo) 5: 15-30. illus. D.1933. no.1.

Stow, I.

On the female tendencies of the embryosac-like giant pollen grain of Hyacinthus orientalis. Cytologia (Tokyo) 5: 88-108. illus., 2 pl. (1 col.) D. 1933. no.1.

Wada, B.

Ueber die entstehung der vakuolen im kern. Cytologia (Tokyo) 5: 248-252. pl.8. Ja.1934. no.2.

Experiments with Tradescantia.

Deut. Landw. Presse (Berlin) (18D482)

Pape, H.

Federbuschsporenkrankheit des weizens. Deut. Landw. Presse 61: 255. col. suppl. pl. My.26, 1934. no.21.

Dilophospora alopecuri.

Rademacher, B.

Erfahrungen über die wichtigsten krankheiten der ackerbohne und ihre bekämpfung. (cont.) Deut. Landw. Presse 61: 275. illus. Je.2, 1934. no.22.

Ecol. Monogr. (Durham) (410Ec72)

Weaver, J. E. & Fitzpatrick, T. J.

The prairie. Ecol. Monogr. 4: 113-295. illus. Ap.1934. no.2.

Flor. Exch. (N.Y.) (80F666)

A list of winter injured plants to check up against. Flor. Exch. 82(24): 21. Je.16, 1934.

Flor. Rev. (Chicago) (80W41)

Drought revives debate on damage of chlorinated water. Flor. Rev. 74(1907): 9-10. Je.14, 1934.

Gard. Chron. (London) (80G162)

Balls, E. K.

Plant collecting in Persia. XII. Kuh-Ajub. Gard. Chron. III,95; 388-390. illus. Je.9, 1934. no.2476.

Turrill, W. B.

A new species of Aubrieta. Aubrieta glabrescens Turrill. Gard. Chron. III, 95; 384. Je.9, 1934. no.2476.

Ward, F. K.

Garden labelling as a science. Gard. Chron. III,95: 373. illus. Je.2, 1934. no.2475.

Ward, F. K.

Hunting for rock plants in high Asia. Gard. Chron. III,95: 390-391. Je.9,1934. no.2476.

Gartenfl. (Berlin) (80G19)

Liebsch, G.

Kulturwerte und seltene buntblattgewächse. VIII. Einige acanthaceen. Gartenfl. 83: 156-158. illus. Je. 1934.

Meyer, F.

Hellfarbige cypripedien. II. Die niveumgruppe. Gartenfl. 83: 151-156. illus. Je. 1934.

Werner, R.

Die winterhärte unserer schlingrosen und andere rankrosenfragen. I-II. Gartenfl. 83: 104-106, 162-164. Ap., Je. 1934.

Godsihn. Sofiĭsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) (21So6)

Atanasov, D.

Sharka po slivitě, ednarova virusna bolest (Plum pox, a new virus disease). Godishn. Sofiĭsk Univ. V, Agron, Fak. (Ann. Univ. Sofia V. Fac. Agron.) 11: 49-70. illus. 1933.

Bulgarian with English summary.

Already entered as reprint.

Atanasov, D. & Martinov, St.

Zagivaneto na brěsta, Ceratostomella ulmi (Schwartz) Buisman, Graphium ulmi Schwarz(The Dutch elm disease in Bulgaria) Godishn. Sofiĭsk. Univ. V, Agron. Fak. (Ann. Univ. Sofia V. Fac. Agron.) 11: 71-86. illus. 1933.

Bulgarian with English summary.

Already entered as reprint.

Godishn. Sofiǐsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) (cont.)

Khristov, M.

Onasledi͡avane na bezkhlorofilnostǔta pri Nicotinana alata (The inheritance of albino-seedlings in Nicotiana alata). Godishn. Sofiǐsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) 11: 645-664. 1933.

Bulgarian with English summary.

Ruskov, M.

Opit za izuchavana razvitieto na trevnata pokrivka na golitě sěchishcha v nizkostǔblenitě gori (Versuch eines studiums von der entwicklung der gras - und krautvegetation der kahlschläge in der niederwäldern). Godishn. Sofiǐsk. Univ. V, Agron, Fak. (Annuaire Univ. Sofia V, Fac. Agron. 11: 547-564. 1933.

Bulgarian with German summary. Vorläufige mitteilung.

Staikov, T.

Izsledvanii͡a bǔrkhu nikotina v ti͡uti͡unite (Untersuchungen über das nicotin im tabak). Godishn. Sofiǐsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) 11: 463-492. 1933.

Bulgarian with German summary.

Stefanov, B.

Sistematicheski i geografiski prouchvanii͡a vurkhu mediteransko-orientalskitě vidove na roda Hypericum L. (Systematische und geographische studien über die mediteran-orientalischen arten der gattung Hypericum L.) Godishn. Sofiǐsk. Univ. V., Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) 11:139-186. 1933

Bulgarian with Latin diagnoses.

Godishn. Sofiǐsk. Univ. III, Fiz.-Mat. Fak. (Annuaire Univ. Sofia. III, Fac. Phys-Math.) (511So62)

Bǔrzakov, B.

Kharakteristika na gǔbnata flora po Vitosha (Characteristik der pilzflora des Witoschagebirges). Godishn. Sofiǐsk. Univ. III, Fiz.-Mat. Fak. (Annuaire Univ. Sofia III, Fac, Phys.-Math.) 29(3, Sci. Nat.): 49-92. 1933.

Bulgarian with German summary.

Hadar (Jaffa) (80H11)

Reichert, I.

The state of research in citrus diseases in Palestine. Hadar 7: 115-117. Ap./My.1934. no.4/5.

Hereditas (Lund) (442.8H42)

Gustafsson, A.

Die formenbildung der total-apomikten. (The origin of new forms in totally apomictic forms). Hereditas 19: 259-283. illus. 1934. no.3.

English summary: p.282.

Håkansson, A.

Chromosomenbindungen in einigen kreuzungen zwischen halbsterilen erbsen. Hereditas 19: 341-358. illus. 1934. no.3.

English sümmary: p.357-358.

Mather, K.

The behaviour of meiotic chromosomes after x-irradiation. Hereditas 19: 303-322. illus. 1934. no.3.

Müntzing, A.

Chromosome fragmentation in a Crepis hybrid. Hereditas 19: 284-302. illus. 1934. no.3.

Rasmusson, J.

Genetically changed linkage values in Pisum. II. Segregation of linkage intensity in crosses. Hereditas 19: 323-340. 1934. no.3.

Intern. Bull. Plant Prot. (464.8In8)

Bouriquet, G.

Madagascar: List of the parasites and diseases of cultivated plants. Intern. Bull. Plant Prot. 8: 99-100. My.1934. no.5.

Patel, M.K.

India: Diseases in the Bombay Presidency. Intern. Bull. Plant Prot. 8:98. My.1934. no.5.

Iowa State Coll. Journ. Sci. (Ames, Ia.) (470Io9)

Erwin, A. T.

Sweet corn, its origin and importance as an Indian food plant in the United States. Iowa State Coll. Journ. Sci. 8: 385-389. Ap.1934. no.3.

Martin, J. N.

The plasmodesms in the leaves and stems of some angiosperms. Iowa State Coll. Journ. Sci. 8: 449-459. pl. Ap. 1934. no.3.

Jardinage (Paris) (80J282)

Davet, J.

Détermination pratique des champignons parasites des rosiers. Jardinage 22(184): 12-13. illus. Je. 1934

Jounr. Agr. Res. (Washington, D.C.) (1Ag84J)

Cochran, H. L.

Abnormalities in the flower and fruit of Capsicum frutescens. Journ. Agr. Res. 48: 737-748. illus. Ap.15, 1934(Rec'd Je.22) no.8.

Evans, M.W. & Allard, H. A.

Relation of length of day to growth of timothy. Journ. Agr. Res. 48:571-586. illus. Ap.1, 1934(Rec'd Je.22) no.7.

Jodidi, S. L. & Boswell, V. R.

Chemical composition and yield of the Alaska pea as influenced by certain fertilizers and by the stage of development. Journ. Agr. Res. 48: 703-736. Ap.51, 1934(Rec'd Je.22) no.8.

Lambert, E. B. & Davis, A. C.

Distribution of oxygen and carbon dioxide in mushroom compost heaps as affecting microbial thermogenesis, acidity, and moisture therein. Journ. Agr. Res. 48: 587-601. illus. Ap.1, 1934. no.7. (Rec'd Je.22)

Larson, R. H. & Walker, J. C.

Soil treatment in relation to clubroot of cabbage. Journ. Agr. Res. 48: 749-759. Ap.15, 1934(Rec'd Je.22) no.8.

Taylor, J. W.

Irregularities in the inheritance of the hairy neck character transposed from Secale to Triticum. Journ. Agr. Res. 48: 603-617. illus. Ap.1, 1934.(Rec'd Je.22) no.7.

Tingey, D. C. & Tolman, B.

Inheritance of resistance to loose smut in certain wheat crosses. Journ. Agr. Res. 48: 631-655. illus. Ap.1,1934 (Rec'd Je.22) no.7.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)

Kemp, W. B. & Henson, P.R.

The effect of types of endosperm upon carbohydrate distribution in the mature corn plant. Journ. Amer. Soc. Agron. 26: 519-524. Je.1934 no.6.

Peltier, G. L. & Kiesselbach, T. A.

Inducing early fruiting in winter wheat by seed activation. Journ. Amer. Soc. Agron. 26: 503-506. illus. Je.1934. no.6.

Journ. Counc. Sci. & Industr. Res. Austral. (Melbourne) (514Au72J)

Angell, H. R.

A preliminary note on the recognition of flag smut or bunt infection based on the deformation of seedlings. Journ. Counc. Sci. & Industr. Res. Austral. 7: 110-112. 2 pl. My. 1934. no.2.

West, E. S.

The root distribution of some agricultural plants. Journ. Counc. Sci. & Industr. Res. Austral. 7: 87-93. illus. My. 1934. no.2.

Journ. Dept Agr. West Austral. (Perth) (23W52J)

Pittman, H. A.

Virus disease of plants. With particular reference to the spotted or bronzy wilt disease of tomatoes. Journ. Dept. Agr. West. Austral. II,11: 123-140. illus. Mr. 1934. no.1.

Journ. Econ. Entom. (Geneva, N.Y.) (421J822)

Beattie, R, K.

The new outbreak of the Dutch elm disease. Journ. Econ. Entom. 27: 569-572. Je.1934. no.3.

Journ. Hered. (Washington) (442.8Am3)

Doak, C. C.

A new technique in cotton hybridizing. Journ. Hered. 25:201-204. illus. My.1934 no.5.

Suggested changes in existing methods of emasculating and bagging cotton flowers.

Eyster, W. H.

Heritable characters in maize 48. Dwarf. Journ. Hered. 25: 191-193. illus. My. 1934. no.5.

Kelley, J. P.

The "eye" of Phlox. Journ. Hered. 25: 183-186. illus. My. 1934. no.5.

Journ. Jamaica Agr. Soc. (Kingston) (8J823)

Smith F. E. V.

Report on pimento disease in the parish of Manchester. Journ. Jamaica Agr. Soc. 38: 276-279. My.1934. no.5.

...appears to be of the genus Hemileia.

Journ. Min. Agr. Gt. Brit. (10G79J)

Smith, K. M.

The mosiac disease of sugar-beet and related plants. Journ. Min. Agr. Gt. Brit. 41: 269-274. 3 pl. Je.1934. no.3.

Journ. N.Y. Bot. Gard. (89N48J)

Alexander, E. J.

Report of the southern Appalachian expedition. II. Journ. N.Y. Bot. Gard. 35: 132-139. illus. Je. 1934. no.414.

Stout, A. B. & Schreiner, E. J.

Hybrids between the necklace cottonwood and the large-leaved aspen. Journ. N.Y. Bot. Gard. 35: 140-143. illus. Je.1934. no.414.

Populus balsamifera virginiana x P. grandidentata.

Teuscher, H.

Hardiness in plants. Journ. N.Y. Bot. Gard. 35: 121-131. Je.1934. no.414.

Journ. Agr. Prat. (Paris) (14J82)

Bormans, P.

La rouille noire. Journ. Agr. Prat. 98: 459-461. Je.9, 1934. no.23.

Kakteenk. Deut. Kakteen-Ges. (451D482)

Bödeker, F.

Ueber die blüte und frücht der Neowerdermannia vorwerkii Fric. Kakteenk. Deut. Kakteen-Ges. 1934: 109-110. illus. Je. 1934. no.6.

K. Landbr.-Akad.Handl. o Tidsskr. (Stockholm) (104Sw3)

Hesselman, H.

Sven Odén. K. Landtbr.-Akad. Handl. o. Tidskr. 73: 101-109. port. 1934. no.2.

Meded. Besoek. Proefstat. (Buitenzorg) (109.5B46M)

Jacob, J. C. s'

Een nieuwe bibitziekte in de Besoeki tabak, (A new disease of tobacco-seedlings). Meded. Besoek. Proefstat. 50: 53-61. 7 pl. 1934.

English summary: p.60-61. Pythium aphanidermatum.

Reydon, G. A.

Droge en natte kollot (Rhizoctonia en Phytophthora) op de tabaksbedden. (The occurrence of Rhizoctonia and Phytophthora on the tobacco nurseries in the residence of Besoeki (Java).) Meded. Besoek. Proefstat. 50: 41-51. illus. 1933.

English summary: p.51.

Meded. Besoek. Proefstat. (cont.)
Schweizer, J.
Tjemaraziekte bij tabak. (Tjemara-krankheit beim tabak). Meded. Besoek. Proefstat. 50: 1-28. 9 pl. 1933.
German summary: p.24-27. Physiological disease.

Missouri Bot. Gard. Bull. (St.Louis) (89M69B)
Fairburn, D. C.
Artificial light and plant growth. Missouri Bot. Gard. Bull. 22: 145-146. pl.41. Je.1934. no.6.

Mitt. Landw. (Berlin) (18D48M)
Pape, H.
Kleekrebsbekämpfung. Mitt. Landw. 49: 521-522. illus. 1934. no.24.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)
Burchard, O.
Mesembryanthemum aurantiacum grandiflorum hort. Burch. Möller's Deut. Gärtn.-Zeit. 49: 170-171. illus. My.31, 1934. no.15.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)
Vogel, F.
Ueber den einfluss des standorts auf das bitterwerden und die erträge der treibgurke. Nachrichtenbl. Deut. Pflanzenschutzd. 14: 60. Je.1934. no.6.

Nature (London) (472N21)
Renouf, L. P. W.
Zostera disease on the coast of County Cork, I.F.S. Nature 133: 912. Je.16, 1934. no.3372.

New Zeal. Journ. Agr. (Wellington) (23N48J)
Allan, H.H.
Notes on recently observed exotic weeds. 8. Horse nettle and Buffalo bur. New Zeal.Journ. Agr. 48: 295-300. illus. My.21, 1934. no.5.

Hadfield, J. W. & Calder, R. A.
The oat varieties of New Zealand. New Zeal. Jour. Agr. 48: 257-269. illus. My. 21, 1934. no.5.

Ohio Journ. Sci. (Columbus) (410Oh3)
Schaffner, J. H.
Additions to the revised catalog of Ohio vascular plants. II. Ohio Journ. Sci. 34: 165-174. My.1934. no.3.

Stover, E. L.
Development and differentiation of tissues in the stem tips of grasses. Ohio Journ. Sci. 34: 150-160. illus.,pl.i-iii. My.1934. no.3.

Orchid Rev. (Richmond, Engl.) (80Or15)
Ashton, E. R.
Orchids in the West Indies. Orchid Rev. 42: 169-179. illus. Je. 1934. no.492.

Hurst, C. C.
Sophrocatlaelia nevada: a selfed trigeneric hybrid. Orchid Rev. 42: 182-183. Je.1934. no.492.

Pflanzenbau (Berlin) (18P48)
Ullmann, W.
Die züchtung der kleeartigen futterpflanzen ausserhalf des Deutschen reiches: I. Vereinigte staaten von Nordamerika, Alaska, Grossbritannien und Irland. Pflanzenbau 10: 426-444. My. 1934. no.11.

Proc. Leeds Phil. & Lit. Soc. Sci. Sect. (501L51)
Loose, L., Pearsall, W. H. & Willis, F. M.
Carbon assimilation by Chlorella in Windermere. Proc. Leeds Phil. & Lit. Soc. Sci. Sect. 2: 519-524. Ja. 1934. no.11.

Proc. Nat. Acad. Sci. (500N21P)
Bonner, J.
Studies of the growth hormone of plants. V. The relation of cell elongation to cell wall formation. Proc. Nat. Acad. Sci. 20: 393-397. Je.1934. no.6.

East, E. M.
The reaction of the stigmatic tissue against pollen-tube growth in selfed self-sterile plants. Proc. Nat. Acad. Sci. 20: 364-368. Je.1934. no.6.
Experiments with Nicotiana alata.

Proc. Southeast. Pecan Grow. Assoc. (94.69G29)
Demaree, J. B. & Large, J. R.
Some injurious effects of Bordeaux mixture on pecan trees. Proc. Southeast. Pecan Grow. Assoc. 28(1934): 20-29. 1934.

Proc. Southeast. Pecan Grow. Assoc. (cont.)
Demaree, J. B., Fowler, E. D. & Crane, H. L.
Summary of results of recent experiements to control pecan rosette with zinc sulphate. Proc. Southeast. Pecan Grow. Assoc. 28(1934): 29-37. 1934.

Progr. Agr. & Vitic. (Montpellier) (14P94)
Goimard,
Nouvelle hypothèse sur la chlorose de la vigne. Progr. Agr. et Vitic. 101: 546-549. Je.10, 1934. no.23.

Queensl. Agr. Journ. (Brisbane) (23Q33)
White, C. T.
Queensland weeds. II. Mist flower (Eupatorium riparium). Queensl. Agr. Journ. 41: 519-520. illus. My.1, 1934. no.5.

Res. Bull. Coll. Exp. For. Coll. Agr. Hokkaido Imp. Univ. (J99.9H68)
Tatewaki, M. & Iwama, K.
Report on the ecological survey of the Teshio experimental forest, Hokkaido, I. The plant succession of the forest after the fires in the Teshio second experimental forest. Res. Bull. Coll. Exp. For. Coll. Agr. Hokkaido Imp. Univ. 9: 29-136. illus., 3 pl. 1934. no.1.

Rev. Bot. Appl. (Paris) (26R323)
Chevalier, A.
La culture du durian au Cambodge. Rev. Bot. Appl. 14: 350-353. My.1934. no.153.

Chevalier, A.
Nouveaux caféiers du Congo Belge. Rev. Bot. Appl. 14: 353-354. My.1934. no.153.
Coffea becquetii n.sp.

Emmanuel, F.
Les altérations de pigment chlorophyllien; les panachures. Rev. Bot. Appl. 14: 343-349. My. 1934. no.153.

Gagnepain, F.
Deux espèces distinctes sous le nom d'Aleurites cordata R.Br. Rev. Bot. Appl. 14: 338-340. My. 1934. no.153.

Rev. Bot. Appl. (cont.)

Ghesquière, J.

L'Elaeis guineensis Jacq. est-il africain ou américain? Rev. Bot. Appl. 14: 340-343. My. 1934. no.153.

Russell, W.

Les aleurites producteurs d'huiles. Rev. Bot. Appl. 14: 335-337. My. 1934. no.153.

Rev. Bryol. & Lichénol. (Paris) (450R325)

Abbayes, H.d.

Notes critiques sur quelques lichens armoricains. 1-3. Rev. Bryol. & Lichénol. n.s., 6: 68-77. Ap.30, 1934. no.1/4.

1. Bilimbia corisopitensis Picq. et Lecanactis premnea Arn. 2. Ramalina farinacea Ach. et Ramalina angustissima Wain. (-R.subfarinacea Nyl.). 3. Parmelia dissecta Nyl.

Allorge, P.

Contribution à la flore bryologique de Maroc espagnol. Rev. Bryol. & Lichénol. n.s.,6: 206-208. Ap.30, 1934. no.1/4.

Allorge, P.

Leçon inaugurale du cours de cryptogamie. Rev. Bryol. & Lichénol. n.s.,6: 179-199. Ap.30, 1934. no.1/4.

Bartram, E. B.

Mosses of the River Napo, Ecuador. Rev. Bryol. & Lichénol. n.s.,6: 9-18. illus. Ap.30, 1934. no.1/4.

Culmann, P.

Un îlot de mousses atlantiques dans les Alpes françaises. Rev. Bryol. & Lichénol. n.s.,6: 78-89. Ap.30,1934. no.1/4.

Dixon, H. N.

The nomenclature of the species muscorum. Rev. Bryol. & Lichénol. n.s.,6: 93-115. Ap.30, 1934. no.1/4.

Gyelnik, V.

Lichenes weissiani e Java. Rev. Bryol. & Lichénol. n.s.,6: 171-174. Ap.30, 1934. no.1/4.

Lobaria subinterversans, L. weissii, Sticta kitaibeliana, Pseudocyphellaria subdemutabilis, Cladonia pseudodigitata, C. pseudokrempelhuberi n.spp.

Rev. Bryol. & Lichénol. (cont.)

Gyelnik, V.
Was ist Placodium? Rev. Bryol. & Lichénol. n.s.,6: 204-205. Ap.30, 1934. no.1/4.

Hillier, L.
Aperçu bryologique sur la forêt de la Serre (Jura). 2. Rev. Bryol. & Lichénol. n.s.,6: 119-131. Ap.30, 1934. no.1/4.

Jaeggli, M.
Muschi arboricoli del Cantone Ticino (regione del Castagno, 200-1000 m.) Rev. Bryol. & Lichénol. n.s.,6: 23-67. illus., pl. ii. Ap.30, 1934. no.1/4.
Contributo alla briologia ticinese. VIII.

Jovet, P.
Muscinées de quelques cimetières parisiens urbains. Rev. Bryol. & Lichénol. n.s.,6: 175-178. Ap.30,1934. no.1/4.
Notes de Bryologie urbaine. II.

Khanna, L. P.
A new species of Notothylas from Rangoon. Rev. Bryol. & Lichénol. n.s.,6:116-118. illus. Ap.30,1934. no.1/4.
Notothylas verdoorni.

Moruzi, C.
Note sur quelques lichens recueillis dans les Carpathes par M. le Docteur Woloszczak. Rev. Bryol. & Lichénol. n.s.,6: 19-22. Ap.30, 1934. no.1/4.

Papp. C.
Contribution à la monographie du Polytrichum juniperinum Willd. Rev. Bryol. & Lichénol. n.s. 6: 154-169. pl. iii-iv. Ap.30,1934. no.1/4.

Potier de la Varde, R.
Mousses nouvelles de l'Afrique tropicale française. (Diagnoses préliminaires) VIII. Rev. Bryol. & Lichénol. n.s.,6: 132-153. illus. Ap.30, 1934. no.1/4.

Redinger, K.
Eine bemerkenswerte wachstumsweise von Coenogonium linkii Ehrenb. Rev. Bryol. & Lichénol. n.s.,6: 201-203. illus. Ap.30, 1934. no.1/4.

Rev. Bryol. & Lichénol. (cont.)

Redinger, K. M.
Cryptothecia malmei Redgr. n.sp. aus Brasilien. Rev. Bryol. & Lichénol. n.s., 6: 90-92. illus. Ap.30, 1934. no.1/4.

Störmer, P.
Un cas de capsules jumelles chez Anoectangium compactum Schwaegr. Rev. Bryol. & Lichénol. n.s., 6: 200. illus. Apr.30, 1934. no.1/4.

Theriot, I.
François-Hippolyte Dupret (1853-1932). Rev. Bryol. & Lichénol. n.s., 6: 5-8. pl.i. Apr.30, 1934. no.1/4.

Rev. Gén. Bot. (Paris) (450R326)

Cozic,
Etude biochimique de Bacterium xylinum. (concl.) Rev. Gén. Bot. 46: 337-359. Je.1934. no.546.

Friedel, J.
A propos de deux papavéracées aberrantes: l'Oceanopapaver neo-caledonicum Guillaumin et le Meconopsis chelidonifolia Bur. et Franch. Application de l'anatomie a l'étude de la filiation; esquisse d'une méthode. Rev. Gén. Bot. 46: 321-331. illus. Je.1934. no.546.

Garnier, G.
Influence de l'étirement sur les cellules vegétales. I. Rev. Gén. Bot. 46: 332-336. pl. xiii-xviii. Je. 1934. no.546.

Teodoresco, E. C.
Le développement des algues et la réfrangibilité de la lumière (concl.) Rev. Gén. Bot. 46: 360-384. illus. Je.1934. no.546.

Rev. Hort. (Paris) (80R32)

Arnaud, G. & Barthelet, J.
Les chancres du cédrelier. Rev. Hort. 106: 140-143. illus. Je.16, 1934. no.6.

Guinet, C.
L'étiquetage des plantes au jardin botanique du Muséum d'histoire naturelle de Paris. Rev. Hort. 106: 139-140. illus. Je.16, 1934. no.6.

Jahandiez, E.
Les plantes grasses autres que les cactées. Les crassulacées. Rev. Hort. 106: 129-130. illus. Je.16, 1934. no.6.

Rev. Soc. Rur. Brasil. (São Paulo) (9.2B733)

Bittancourt, A.

A leprose. Rev. Soc. Rur. Brasil. 14(165): 48-49. illus. My.1934.

From "Revista Citricola".

Rev. Zool. et Bot. Afr. (410R326)

Chermezon, H.

Cypéracées nouvelles du Congo Belge. Rev. Zool. et Bot. Afr. 24: 294-299. My.5, 1934. no.3.

Ghesquière, J.

Description d'un Cassia nouveau pour la flore malgache. Rev. Zool. et Bot. Afr. 24: 264-265. My.5, 1934. no.3.

C. leandri.

Staner, P. & De Craene, A.

Contribution à l'étude des especes africaines du genre Eriosema Desv. Rev. Zool. et Bot. Afr. 24: 284-291. My.5, 1934. no.3.

Riv. Patol. Veg. (Pavia) (464.8R52)

Ferraris, T. & Lindegg, G.

Biancore delle spiche e sporotricosi. Riv. Patol. Veg. 24:269-285. illus. My./Je. 1934. no.5/6.

Manzoni, L.

Rassegna dei principali casi fitopatologici osservati a Conegliano nel 1933. Riv. Patol. Veg. 24: 165-216. illus. My./Je. 1934. no.5/6.

Pasinetti, L.

L'esaltazione e la depressione della termogenesi negli eumiceti patogeni delle piante irradiati con raggi X. Memoria II. Riv. Patol. Veg. 24: 217-259. My./Je. 1934. no.5/6.

Preti, G.

Una epidemia di Heterodera radicicola in piante di garofani Dianthus caryophyllus. Riv. Patol. Veg. 24: 261-267. illus. My./Je. 1934. no.5/6.

Romagna Agr. e Zootecn. (Ravenna) (16R66)

Boschini, G.

Brevi considerazioni intorno alla moria degli olmi. Romagna Agr. e Zootecn. 28: 151-158. Ap./My. 1934. no.4/5.

Science (470Sci2)

Clark, N. A. & Thomas, B. H.

Microorganisms and vitamin production in green plants. Science 79: 571-572. Je.22, 1934. no.2060.

Sparrow, F. K., jr.

The occurrence of true sporangia in the Physoderma disease of corn. Science 79: 563-564. Je.22, 1934. no.2060.

Wollenweber, H. W.

Fusarium bactridioides sp.nov., associated with Cronartium. Science 79: 572. Je.22, 1934. no.2060.

The growth of animals and plants in heavy water. Science v.79, no.2060, Suppl. p.7. Je.22, 1934.

Experiments of Drs. H.Q. Woodard and L.C. Chesley reported at American chemical society meeting at Berkeley.

Marcus E. Jones. Science 79: 556. Je.22, 1934. no.2060.

Killed in automobile accident, June 3, 1934.

Sitzungsb. Naturf. Ges. Univ. Tartu (511D73)

Juhans, J.

Ueber samenkrankheiten in Estland. Sitzungsb. Naturf. Ges. Univ. Tartu 40: 239-243. 1934. no.3/4.

Lepik, E.

Verzeichnis der in sommer 1932 in Lappland gesammelten pilze. Sitzungsb. Naturf. Ges. Univ. Tartu 40: 225-238. illus. (map) 1934. no.3/4.

Soil Sci. (Baltimore) (56.8So3)

Clark, H.E. & Shive, J.W.

The influence of the pH of a culture solution on the assimilation of ammonium and nitrate nitrogen by the tomato plant. Soil Sci. 37: 459-476. Je. 1934. no.6.

Sucrerie Belge. (66.8Su1)

Verplancke, G.

Etude comparative de glomerules de betteraves. Sucrerie Belge 53: 361-377, 385-392. illus. Je.1,15, 1934. no.19,20.

Das Superphosphat (Berlin) (57.8Su72)

Ehrenberg, P.

Professor Dr. Otto Nolte. Das Superphosphat 10: 49-50. port. My. 1934. no.3.

Died May 5, 1934, at 47 years.

Görbing, J.

Auswinterungsschäden 1933/34. Das Superphosphat 10: 62-67. illus. My.1934. no.3.

Tasmanian Journ. Agr. (23T182T)

Sherwin, R. A.

The effect of phosphates on the germination of turnip seed. Tasmanian Journ. Agr. 5: 73-74. illus. My.1, 1934. no.5.

Texas Citricult. (80T31)

Tomato diseases and their control. Texas Citricult. 10(12): 7,11,13. illus. Je.1934.

Outline of diseases and methods of control given by W.J. Bach.

Tidsskr. Planteavl. (København) (11T439)

Bacher, T.

Dyrkningsforsøg med sorter og stammer af tomater i vacksthus. 1929-33. Tidsskr. Planteavl. 40: 79-104. 1934. no.1.

Jørgensen, C. A.

Nogle undersøgelser over plantesygdomme med frøsmitte. Tidsskr. Planteavl. 40: 119-147. illus. 1934. no.1.

Nielsen, O.

Kartoffelsorter og kartoffelsygdomme. Fortsatte orienterende undersøgelser. Tidsskr. Planteavl. 40: 105-118. illus. 1934. no.1.

Trans. Illinois Acad. Sci. (500I16)

Bailey, W. M.

Structural and metabolic after-effects of soaking seeds of Phaseolus. Trans. Illinois Acad.Sci. 25(1932/33): 109-112. 1934. no.4.

Carter, D. O. & Duncan, G. H.

Some observations on the function of corn tillers. Trans. Illinois Acad. Sci. 25(1932/33): 114-115. 1934. no.4.

Trans. Illinois Acad. Sci. (cont.)

Dorsey, M. J.
An evaluation of bud sports in the apple. Trans. Illinois Acad. Sci. 25(1932/33): 118-119. 1934. no.4.

Green, E. E.
The physiographic and horticultural ecology of the Beverly (Blue Island) Ridge. Trans. Illinois Acad. Sci. 25(1932/33): 122-123. 1934. no.4.

Hauge, S. M. & Holmes, S. A.
A report of mosses collected from Coles and Crawford counties, Illinois. Trans. Illinois Acad. Sci. 25(1932/33): 124-126. 1934. no.4.

Isenberger, J.
A contrast of plant habitats, with reference to hydrogen-ion concentration and plant distribution. Trans. Illinois Acad. Sci. 25(1932/33): 126-128. 1934. no.4.

Noé, A. C.
Recent studies of the morphology of plants from the Pennsylvanian of Illinois. Trans. Illinois Acad. Sci. 25(1932/33): 129. 1934. no.4.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Miles, L. E.
The rusts of Mississippi. U.S. Dept. Agr. Plant Dis. Rep. 18: 54-73. Je.15, 1934. no.6.

U.S. Dept. Agr. Yearbk. (1Ag84Y)

Beattie, R. K.
Dutch elm disease now serious around New York; entered country in logs. U. S. Dept. Agr. Yearbk. 1934: 188-190. illus. 1934.

Brown, B. E.
Magnesium deficiency in certain soil types reduces potato yields. U. S. Dept. Agr. Yearbk. 1934: 258-261. illus. 1934.

Caldwell, R. M.
Wheat leaf rust lowers milling and baking qualities. U.S. Dept. Agr. Yearbk. 1934: 368-369. illus. 1934.

U.S. Dept. Agr. Yearbk. (cont.)

Clayton, E. E.
Tobacco-disease control necessitates a wide variety of measures. U.S. Dept. Agr. Yearbk. 1934: 353-355. illus. 1934.

Cottam, C.
Eelgrass disappearance has serious effects on waterfowl and industry. U.S. Dept. Agr. Yearbk. 1934: 191-193. illus. 1934.

Coville, F. V.
Chance tree hybrids of fast growth inspire timber-tree breeding. U.S. Dept. Agr. Yearbk. 1934: 158-160. 1934.

Hill, R. R.
Grazing loss by poisonous plants reduced on ranges by eradication of plants. U.S. Dept. Agr. Yearbk. 1934: 239-241. illus. 1934.

Holbert, J. R.
Plant breeders make progress in developing disease-resistant corn. U.S. Dept. Agr. Yearbk. 1934: 285-287. illus. 1934.

Popham, W. L.
Barberry eradication betters quality and production of grain. U.S. Dept. Agr. Yearbk. 1934: 146-147. 1934.

Stevens, N. E.
Plant-disease control important in efforts to regulate production. U.S. Dept. Agr. Yearbk. 1934: 287-288. 1934.

Stout, O. V. P.
Irrigation of weeds and other noncrop plants costly and unprofitable. U. S. Dept. Agr. Yearbk. 1934: 250-253. 1934.

Waite, M. B.
Zinc proves useful in the control of some plant diseases. U.S. Dept. Agr. Yearbk. 1934: 380-382. illus. 1934.

Winston, J. R.
Citrus fruit resists stem-end rot better by newer borax treatment. U.S. Dept. Agr. Yearbk. 1934: 161-162. 1934.

U.S. Dept. Agr. Yearbk. (cont.)

Wyckoff, S. N.

Blister rust control program gives high degree of protection. U.S. Dept. Agr. Yearbk. 1934: 152-153. 1934.

Univ. Calif. Publ. Bot. (Berkeley) (500C125B)

Elvers, I.

Interspecific hybridization in Nicotiana XIV. The cytology of F_1 glutinosa x tomentosa. Univ. Calif. Publ. Bot. 17: 341-353. illus. 1934. no.11.

Verh. Naturf. Ges. Basel. (508B29)

Aellen, P.

Die arten der sect. Orthosporum R.Br. der gattung Chenopodium L. Verh. Naturf. Ges. Basel 44: 308-318. illus. 1933. no.1.

Becherer, A.

Zur kenntnis des formenkreises von Poa alpina L. Verh. Naturf. Ges. Basel 44: 325-335. 1933. no.1.

Binz, A.

Ueber die flora von Rheinfelden-Olsberg. Verh. Naturf. Ges. Basel. 44: 285-302. 1933. no.1.

Boulenger, G. A.

Les roses du Yémen. Verh. Naturf. Ges. Basel 44: 275-284. 1933. no.1.

Heinis, F.

Die pflanzengesellschaften der Richtifluh bei Waldenburg. Verh. Naturf. Ges. Basel 44: 336-364. 1933. no.1.

Rytz, W.

Das herbarium Felix Platters. Ein beitrag zur geschichte der botanik des xvi. jahrhunderts. Verh. Naturf. Ges. Basel 44: 1-222. illus. 1933. no.1.

Schüepp, O.

Die arbeiten Carl Nägelis zur entwicklungsgeschichte der blätter. Verh. Naturf. Ges. Basel 44: 223-274. illus. 1933. no.1.

Senn, G.

Die systematik der nordost-mediterranen Pinusarten in Theophrasts Pflanzenkunde III. 9. 1-5. Verh. Naturf. Ges. Basel 44: 365-400. 1933. no.1.

Theophrastus De historia plantarum III.

Verh. Naturf. Ges. Basel (cont.)

Thommen, E.

Albanische pflanzennamen. Verh. Naturf. Ges. Basel 44: 319-324. 1933. no.1.

Vischer, W.

Ueber das vorkommen von palmenstämmen (Sabal major Ung.) im stampien von Dornachbrugg bei Basel. Verh. Naturf. Ges. Basel 44: 303-307. illus., ii pl. 1933. no.1.

Vict. Nat. (Melbourne) (410V66)

Tadgell, A. J.

Manna and its concomitants. Vict.Nat. 51: 24-25. My. 1934. no.1.

On Eucalyptus viminalis.

Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) (451K54)

Finn, V. V.

Do embriologiï ta kariologiï rodu Cuscuta (Zur embryology and karyologie der gattung Cuscuta) Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 51-66. 1933.

Ukrainian with German summary. Preliminary report.

Gizhitska, Z.

Dei͡aki propozitsiï do suchasnoï nomenklaturi gribiv (Some suggestions on the nomenclature of fungi) Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 31-32. 1933.

Ukrainian and English.

Gizhitska, Z.

Pro prorostanni͡a spor Merulius (Gmncrp.) lacrymans Schm.u riznikh umovakh reaktsiï seredovishcha (On the germination of spores of Merulius (Gmncrp.) lacrymans Schm. in different media) Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16:33-38. 1933.

Ukrainian with English summary.

Gizhitska, Z.

Novitates pro flora mycologica. Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 43-44. pl. 1933.

Ukrainian with Latin diagnoses (Septoria cucumeris, Pedilospora jaczevskii, Ttiposporium tranzschelii, Speira naumovii n.spp.)

Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) (cont.)

Gizhitska, Z.

Pro vpliv na gribnitsi͡u i spori Merulius (Gmncrp.) lacrymans Schm. niz'kikh i visokikh temperatur (On the effect of ghih and low temperatures on the mycelium and spores of Merulius lacrymans). Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 39-41. 1933.

Ukrainian with English summary.

Grinj, F. & Mikhaĭlichenko, V.

Materiali do flori skhidnogo Podilli͡a (Materialien zur flora des östlichen Podiljer gebiet) Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 45-50. 1933.

Ukrainian with German summary.

Illichevsky, S.

Materiali do flori okolits m. Chernigova (Contributions to the flora of Chernigov) Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 17-29. 1933.

Ukrainian with brief English summary.

Kleopov, I͡u. D. & Grinj, F.O.

Pro umovi rostu ta istorii͡u Evonymus nana M.B. v Pontiïs'kii oblasti (Ueber die bedingungen des wachstumsorts und die geschichte von Evonymus nana M.B. im Pontischen gebiet). Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 103-115. 1933.

Ukrainian with German summary.

Moskovets, S. M.

Do mikoflori pivdni͡a Ukraïni (Contributions to the mycoflora of Ukraine). Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 71-87. 1933.

Ukrainian with brief English summary and Latin diagnosis of n.sp. (Pestalotia staticis). Mainly parasitic fungi.

Persidsky, D. I͡a.

Pro utvorenni͡a endospermu ta gaustoriĭ u Orobanche ramosa L. (On the formationof endosperm and haustorium in Orobanche ramosa L.) Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 89-101. illus. 1933.

Ukrainian with English summary.

Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) (cont.)

Rudenko, T. I.

Choovichi klitini u Scrophulariaceae (Male cells of Scrophulariaceae) Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 3-16. pl. 1933.

Ukrainian with English summary.

Shidlovsky, V. P.

Do pitannià pro suchasnu floru okolits m. Gumania (On the problem of the contemporary flora in the vicinity of Human). Visnik Kiïvs. Bot. Sadu (Bull. Jard. Bot. Kyiv) 16: 67-70. 1933.

Ukrainian.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)

Savulescu, T.

Die beeinflussung der spezifischen widerstandsfähigkeit und empfindlichkeit des weizens gegen rost durch die wirkung der äusseren faktoren. Zeitschr. Pflanzenkr. 44: 257-309. Je. 1934. no.6.

Tubeuf, C.v.

Blattfleckenkrankheit des götterbaumes Ailanthus glandulosa Desfont. Zeitschr. Pflanzenkr. 44: 309-316. illus. Je. 1934. no.6.

Zeitschr. Pilzk. (Leipzig) (450Z352)

Huber, H.

Die korallenpilze. Zeitschr. Pilzk. 18(n.s. 13): 34-36. My. 1934. no.2.

Huber, H.

Standorte seltener pilze in der umgebung Weiner-Neustadts (Niederösterreich und Burgenland). Beitrag zur pilzgeographie. Zeitschr. Pilzk. 18(n.s., 13): 36-42. My. 1934. no.2.

Kärber, G.

Lorchel (Helvella esculenta)-vergiftung. (schluss) Zeitschr. Pilzk. 18(n.s.13): 46-48. My. 1934. no.2.

Kallenbach, K.

Gallen am flachen porling (Polyporus applanatus) (cont.) Zeitschr. Pilzk. 18(n.s.13): 42. My. 1934. no.2.

Laubert, R.

Schmarotzerpilze aus dem Ruhrgebiet. Zeitschr. Pilzk. 18(n.s.13): 49-53. My.1934. no.2.

Zentralbl. Bakt. Abt.II. (Jena) (448.3C33)
Brussoff, A.
Corynebacterium ferroesiliceum n.sp.
Zentralbl. Bakt. Abt.II,90: 162-168. illus.
My.29, 1934. no.5/8.

Der Züchter (Berlin) (442.8Z8)
Chartschenko, N.
Zur frage der methodik der hopfenzüchtung.
Der Züchter 6: 113-119. illus. My.1934. no.5.

Emme, H.
Vererbung von anheftungstypen der blüten und einiger anderer merkmale beim hafer. Der Zuchter. 6:108-113. illus. My.1934. no.5.
Vorläufige mitteilung zu einer vergleichenden hafergenetik.

Kattermann, G.
Die cytologischen verhältnisse einiger weizenroggenbastarde und ihrer nachkommenschaft (F_2).
Der Zuchter 6: 97-107. illus. My.1934. no.5.

Exp. Stat. Publ.
Delaware agricultural experiment station.
Dept. of plant pathology. Ann. Rep. 1932/33 (Its Bul. 188): 36-46. Mr.1934. (100D37S)
T.F. Manns & J.F. Adams.

Dunton, H. L. & Megee, C. R.
The comparative ability of seedings of alfalfa, clovers, and grasses to survive drought. Michigan Agr. Exp. Stat. Quart. Bull. 16: 258-259. illus. My.1934 (100M58S) no.4.

Frutchey, C.W. & Muncie, J. H.
Soil treatments with mercurials for the control of potato scab. Michigan Agr. Exp. Stat. Quart. Bull. 16: 259-263. My.1934 (100M58S) no.4.

Nightingale, G. T. & Blake, M. A.
Effects of temperature on the growth and metabolism of Elberta peach trees with notes on the growth responses of other varieties. New Jersey Agr. Exp. Stat. Bull. 567. 20 p. Ap. 1934 (100N46S)

State Publications.

Ball, W. S. & Robbins, W. W.
Klamath weed (Hypericum perforatum L.)
Month. Bull. Dept. Agr. Calif. 23: 103-108.
col.front. F./Je.1934. no.2/6. (2C12M)

Harris, M. R. & Goss, W. L.
A seedling disease of sorghum and Sudan grass.
Month. Bull. Dept. Agr. Calif. 23: 109-118.
illus. F./Je. 1934. no.2/6. (2C12M)

Milbrath, D. G.
Wood decay in buildings. Month. Bull. Dept.
Agr. Calif. 23: 95-102. illus. F./Je.1934. no.2/6.
(2C12M)

Robbins, W. W.
Weed control in central Europe. Month.
Bull. Dept. Agr. Calif. 23: 124-126. F./Je.
1934. no.2/6. (2C12M)

Zundel, G. L.
Raspberry diseases. Penn. State Coll. Div.
Agr. Ext. Circ. 133. 20 p. illus. Ap.1934
(275.29P38C)

New Books.

Liou, T.
Flore illustrée du nord de la Chine, Hopei
(Chihli) et ses provinces voisines. Publiée
sous la direction de M. Liou Tchen-ngo... fasc.1-2.
Peiping, Académie nationale, 1931-33. (f°460.14P35)
1. Convolvulaceae, par Liou Tchen-ngo et
Ling Yong. 2.Gentianaceae, par Ling Yong.

Horwood, A. R. & Noel, C. W.
The flora of Leicestershire and Rutland...
Oxford, University press, 1933. (458H78)

Stehli, G.
Pflanzen auf insektenfang., Stuttgart,1934.
(Kosmos-bändchen) (463.86St3)

Reprints from publications not yet rec'd or not available.

Bambacioni-Mezzetti, V.
Contributo all'anatomia comparata delle querce
italiane. Reprinted from Ann. di Bot. v.20, fasc.2,
1933. 44 p. illus., vi pl.

Reprints. (cont.)

Dragone-Testi, G.
Le alternative naturali della luce e dell' oscurità in relazione al comportamento degli alcaloidi nelle piante. Reprinted from Ann. di Bot. v.20, fasc.2. 1933. 12 p.

Dragone-Testi, G.
Osservazioni sul significato fisiologico dei lipoidi nel seme di Viburnum tinus L. Reprinted from Ann. di Bot. v.20, fasc.2. 12 p. 1933.

Lusina, G.
Appunti sulla flora e sulla vegetazione di alcune isolette del Carnaro. Reprinted from Ann. di Bot. 20: 170-215. 1933. no.2.

Lusina, G.
Le formazioni legnose dell'isola di Veglia e i loro elementi mediterranei. Reprinted from Ann. di Bot. v.20, fasc.2. 1933. 27 p.

Tonzig, S.
Studi sul ricambio dei nucleo-proteidi vegetati: Si forma acido urico nelle piante? Reprinted from Ann. di Bot. v.20, fasc. 2. 1933. 12 p.

Ventura, M.
Sviluppo del gametofito femminile di Euphorbia mauritanica L. Reprinted from Ann. di Bot. v.20, fasc.2. 1933. 7 p. pl.v.

Ceballos, L.
Descripción de una notable asociación de plantas ripicolas. Reprinted from Mem. R. Soc. Españ. Hist. Nat. 15: 751-762. illus. 1929.

Crespi Jaume, L.
Notas para una geografia botánica de Galicia. Reprinted from Mem. R. Soc. Españ. Hist. Nat. 15: 799-810. 1929.

Hansen, H. P.
Inheritance of resistance to plant diseases caused by fungi, bacteria and vira. Reprinted from Aarsskr. K. Veter. Landb. Denmark 1934: 1-74.
A collective review with bibliography.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ JUL 31 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 14. July 2-14, 1934.

Acta For. Fenn. (Helsingfors) (99.9F492)

Ilvessalo, Y.
Metsä- ja suotyyppien esiintymisen keskinäisestä suhteesta. (On the mutual relation between the occurrence of forest (site) types and swamp types). Acta For. Fenn. 40: 271-290. illus. (maps) 1934.
English summary.

Laitakari, E.
Männyn kääpiöversojen ja kasvainten välisistä suhteista. (Ueber die gegenseitigen verhältnisse zwischen den kurz- und langtrieben der kiefer). Acta For. Fenn. 40: 853-901. illus. 1934.
German summary: p.893-901.

Linkola, K.
Die flatterulme (Ulmus laevis Pall.) in der gegend des Vanajavesisees. Acta For. Fenn. 40: 155-203. illus., 6 pl. 1934.

Pesola, V. A.
Die waldvegetation feuchten geländes in N-Kuusamo und SE-Kuolajärvi. Acta For. Fenn. 40: 113-126. 1934.

Tikka, P. S.
Ueber die stockfäule der nadelwälder nord-Suomis (-Finnlands). Acta For. Fenn. 40: 291-308. illus., 2 pl. 1934.
Fomitopsis annosa.

Acta Soc. Fauna et Flora Fennica (Helsingfors) (511H365)

Linkola, K.
Edvard August Vainio, 1853-1929. Acta Soc. Fauna et Flora Fennica v.57, no.3. 26 p. port. 1934.

Acta Soc. Fauna et Flora Fennica (cont.)
Vainio, E. A.
Lichenographia Fennica IV. Lecideales II. Acta Soc. Fauna et Flora Fennica v.57, no.2. 531 p. iv pl. 1934.

Alberta Coll. Agr. Univ. Circ. (101All)
Henry, A. W.
Common potato diseases and their control. Alberta Coll. Agr. Univ. Circ. 15. 25 p. illus. My. 1934.

Amer. Bee Journ. (Hamilton, Ill.) (424.8Am3)
Oertel, E.
"White tupelo" of western Florida. Amer. Bee Journ. 74: 310-312. illus. Jl. 1934. no.7.
Nyssa ogeche.

Amer. Fern Journal (450Am35)
Dix, W. L.
A rare rust of Cystopteris fragilis. Amer. Fern Journ. 24: 50-51. Ap./Je. 1934. no.2.
Hyalospora polypodii.

Graves, E. W.
A visit to the southern Appalachians. Amer. Fern Journ. 24: 33-36. Ap./Je. 1934. no.2.

Schaffner, J. H.
Kansas species of Equisetum. Amer. Fern. Journ. 24: 36-38. Ap./Je. 1934. no.2.

Shaver, J. M.
Scott's spleenwort in Tennessee. Amer. Fern. Journ. 24: 39-42. pl.2-3. Ap./Je. 1934. no.2.

Amer. Journ. Bot. (450Am36)
Cocke, E. C., Lewis, I. F. & Patrick, R.
A further study of Dismal Swamp peat. Amer. Journ. Bot. 21: 374-395. illus. (map) Jl. 1934. no.7.

Hayden, A.
Distribution and reproduction of Canada thistle in Iowa. Amer. Journ. Bot. 21: 355-373. illus. Jl. 1934. no.7.

Nigam, B. S.
Effect of excessive humidity on the resistance of citrus plant to sun scorch. Amer. Journ. Bot. 21: 351-354. illus. Jl. 1934. no.7.

Amer. Journ. Bot. (cont.)

Sands, H. C.
Perigenesis and the controversy over parasynapsis and telosynapsis. I. Amer. Journ. Bot. 21: 402-426. illus., 4 pl. Jl. 1934. no.7.

Steidtmann, W. E.
Cordaitean wood from the Pennsylvanian of Kansas. Amer. Journ. Bot. 21: 396-401. illus. Jl. 1934. no.7.

Amer. Potato Journ. (75.8P842)

Black, L. M.
The potato yellow dwarf disease. Amer. Potato Journ. 11: 148-152. Je. 1934. no.6.

Bonde, R.
Potato spraying - the value of late applications and magnesium-Bordeaux. Amer. Potato Journ. 11: 152-156. Je. 1934. no.6.

Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo (451Su7)

Alm, C. G. & Kotilainen, M. J.
Ueber die verbreitung von Carex laxa Wg. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.2. 35 p. illus. (maps) 1933.

Hintikka, T. J.
Ueber die verbreitung einiger alter perenner kulturpflanzen in Finnland. Ann. Bot. Soc. zool.-Bot. Fenn. Vanamo v.4, no.11. 24 p. illus. (maps) 1933.

Kotilainen, M. J.
Zur frage der verbreitung des atlantischen florenelementes fennoskandias. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.1. 76 p. illus. (maps) 1933.

Krohn, V.
Eine serodiagnostische nachprüfung der sympetalen des Königsberger stammbaumes. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.9. 42 p. 1933.

Krohn, V.
Studien über Cuscuta halophyta Fr. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.4, 32 p. illus. 1933.

Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo (cont.)

Linkola, K.
Ueber rückgangserscheinungen in der ruderalen begleitflora der alten kultur in Süd-Häme. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.12. p.3-7. 1933.

Roivainen, H.
Chillania pusilla, eine neue gattung und art der familie Cyperaceae. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.7. 6 p.

Roivainen, H.
Contribuciones á la flora de Isla Elisabeth, Rio de las Minas y Puerto San Isidor de Prov. de Magallanes, de Puerto Barroso de Prov. de Chiloë y de los Alrededores de Termas de Chillan de Prov. de Nuble, Chile. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.8. 22 p. 1933.

Roivainen, H.
Informaciones sobre excursiones botanicas en la Costa Oriental de la Patagonia. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.6. 14 p. illus. 1933.

Saarnijoki, S.
Ueber die tägliche periodizität der kernteilung in den keimwurzelspitzen von Brassica oleracea. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.10. 15 p. 1933.

Soveri, J.
Lammin pitäjän kasvisto. (Die flora des kirchspiels Lammi in Süd-Finnland). Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.3. 86 p. illus. 1933.
German summary: p-83-86.

Suomalainen, E.
Ueber den einfluss äusserer faktoren auf die formbildung von Draparnaldia glomerata Agardh. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.4, no.5. 13 p. 2 pl. 1933.

Ann. Rep. Indiana Corn. Grow. Assoc. (59.9In2)

Trost, J. F.
Comparisons of hybrids with native strains of corn for disease resistance and yielding ability. Ann. Rep. Indiana Corn Grow. Assoc. 33(1933): 24-28. illus. [1933]

Ann. Rep. Taihoku Bot. Gard. (451T13)

Fukuyama, N.

Studia orchidacearum japonicarum. II. Orchidaceae formosanae novae atque criticae. Ann. Rep. Taihoku Bot. Gard. 3: 81-86. 1933.

Hirakawa, Y.

Synoekologische studien ueber die strandflora der Insel Formosa. I- Ann. Rep. Taihoku Bot. Gard. 3: 1-47. pl. i-iii. 1933.

Kamikoti, S.

Neue und kritische lauraceen ausTaiwan. I. Ann. Rep. Taihoku Bot. Gard. 3: 77-80. 1933.

Yushunia, gen. n.(Y.randaiensis)

Masamune, G. & Suzuki, S.

A list of plants collected in the Island of Kizan. Ann. Rep. Taihoku Bot. Gard. 3: 48-75. illus. 1933.

Masamune, G.

On the occurrence of Durisilvae in Japan. Ann. Rep. Taihoku Bot. Gard. 3: 87-89. 1933.

On the island of Umanoesama in bay of Katakami, Prov. Bizen, Honsyu.

Arch. Bot. Sist., Fotigeogr. e Gen. (Forli) (450Ar24)

Béguinot, A.

Notizie sul Lythrum thymifolia L. em con speciale riguardo alla sua presenza in Italia. Arch. Bot. Sist., Fitogeorgr. e Gen. 10: 174-183. 1934. no.2.

Cengia-Sambo, M.

Osservazioni lichenologiche sul gruppo di Cima d'Asta (Trentino orientale). Arch. Bot. Sist., Fitogeogr. e Gen. 10: 153-173. 1934. no.2.

Luzzatto, G.

Anemone hortensis L., A. pavonina Lam., A. fulgens Gay e A. regina Risso. Studio sistematico e fitogeografico. (concl.) Arch. Bot. Sist., Fitogeorgr. e Gen. 10: 101-118. 1934. no.2.

Morton, F.

Pflanzengeorgraphische monographie der Quarneroinsel Cherso. IV. Die buschwaldassoziationen. Arch. Bot. Sist., Fitogeogr. e Gen. 10: 117-152. illus. 1934. no.2.

Arch. Protistenk. (Jena) (439.8Ar2)

Elliott, A. M.

Morphology and life history of Haematococcus pluvialis. Arch. Protistenk. 82: 250-272. illus., pl.6-7. 1934. no.2.

Asia (286.8Am31)

I'Anson, G.

A lifetime of orchid madness. Asia 34: 490-497. illus. Ag. 1934.

Beih. Bot. Centralbl. Abt. II. (Dresden) (450B65Bo)

Bojko, H.

Die vegetationsverhältnisse im Seewinkel. Versuch einer pflanzensoziologischen monographie des sand- und salzsteppengebietes östlich vom Neusiedler See. II. Beih. Bot. Centralbl. Abt.II, 51: 600-747. illus. Ap. 1934. no.3.

Herter, W.

Zur kenntnis der palmenwälder Uruguays. Beih. Bot. Centralbl. Abt.II, 51: 748-770. pl.xv-xvii. Ap.1934. no.3.

Jaeschke, J.

Zur postglazialen waldgeschichte des nördlichen Schwarzwaldes. Beih. Bot. Centralbl. Abt.II 51: 527-565. illus. Ap. 1934. no.3.

Overbeck, F.

Zur kenntnis der pollen mittel- und nord-europäischer Ericales. Beih. Bot. Centralbl. Abt.II, 51: 566-583. pl.x-xi. Ap.1934. no.3.

Watzl, O.

Ueber die bäume und sträucher des von der Baramba entwässerten gebietes der Chodschalgruppe und deren blattkrankheiten. (Ein beitrag zur flora des südwestlichen Zentralkaukasus). I. Beih. Bot. Centralbl. Abt.II, 51: 584-599. pl. xii-xiv. Ap. 1934. no.3.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Asahina, Y. & Tukamoto, T.

Untersuchungen über flechtenstoffe. XLII. Bestandteile einiger Usnea-arten unter besonderer berücksichtigung der verbindungen der salazinsäure-gruppe. Ber. Deut. Chem. Ges. 67: 963-971. Je.6, 1934. no.6.

Biochem. Zeitschr. (Berlin) (384B522)

Euler, H. v. & Zondek, B.
Folliculin und pflanzen. Versuche an hyacinthen und an hefe. Biochem. Zeitschr. 271: 64-73. illus. Je.12, 1934. no.1/3.

Iwanoff, N. N. & Osnizkaja, L. K.
Die blausäure als N-quelle für Aspergillus niger. I. Biochem. Zeitschr. 271: 22-31. Je.12, 1934. no.1/3.

Niklewski, B.
Ueber den einfluss von kolloidsubstanzen auf die aufnahmefähigkeit von magnesium- und ammoniumchlorid durch die wurzeln pflanzen. Biochem. Zeitschr. 271: 111-122. Je.12, 1934. no.1/3.

Bol. Secc. Publ. y Difus. Agr. Sec. Estado Agr. y Com. Dominica (8D7132)

Gomez Menor, J.
Las plagas en la agricultura dominicana. Bol. Secc. Publ. y Difus. Agr. Sec. Estado Agr. y Com. Dominica. no.12 41 p. 1934.
Enfermedades fungosas: p.29-36. Also portion on parasitic phanerogams, algae &c. parasitic on plants.

Bot. Mus. Leafl. Harvard Univ. (451H262)

Ames, O. Schweinfurth, C.
A new Liparis from Guatemala. Bot. Mus. Leafl. Harvard Univ. 2: 97-98. pl. Je.30, 1934. no.7.
Liparis fantastica.

Ames, O.
Studies in Stelis. II. Bot. Mus. Leafl. Harvard Univ. 2: 85-95. 2 pl. Je.30, 1934. no.6.

Bot. Közlem. (Budapest) (450N85)

Lengyel, G.
Gáyer Gyula emlékezete. (1883-1932). (Erinnerung an Dr. Julius Gáyer (1883-1932). Bot. Közlem. 31: 66-108. port. 1934. no.3/4.
Die publikationen von Jul. Gáyer: p.91-97.
German summary: p.98-108.

Pénzes, A.
Neue pilzporen präparate. Bot. Közlem. 31: 156. 1934. no.3/4.

Schilberszky, K.
A szölöbogyók heterochromiája. (Heterochromie an traubenbeeren). Bot. Közlem. 31: 142-149. illus., pl. 1934. no.3/4.
German summary: p.148.

Bot. Közlem. (cont.)

Szabó, Z.

Ujabb adatok nyugat - és Déleurópa Knautiának ismeretéhoz. Nouvelles données à la connaissance des Knautia de l'ouest et du sud de l'Europe). Bot. Közlem. 31: 109-141. illus. 1934. no.3/4.

French: p.115-121.

Bot. Not. (Lund, Sweden) (450B656)

Arwidsson, Th. & Lund, P. J.

Bidrag till kännedomen om Skandinaviens mossflora. Bot. Not. 1934: 253-260. 1934 No.3.

Degelius, G.

Botaniska exkursioner på västra Irland. Bot. Not. 1934: 185-212. illus. 1934. no.3.

Erlandsson, S.

The distribution of Pterogonium ornithopodioides (Huds.) Lindb. in the Scandinavian Peninsula and in Denmark. Bot. Not. 1934: 245-252. illus. (map) 1934. no.3.

Fries, E. Th.

Några gotländska växtlokaler. Bot. Not. 1934: 261-265. 1934. no.3.

Gustafsson, C. E.

Rubus axillaris Lej., Rubus scanicus Aresch. Bot. No. 1934: 270-273. 1934. no.3.

Hasselberg, G. B. E.

Några ord om kusttopografien och havsstrandsfloran i Angermanland och Västerbotten. Bot. Not. 1934: 228-232. 1934. no.3.

Palm, B. J.

Rhodochytrium spilanthidis Lgh. från Afrika. Bot. Not. 1934: 277-278. 1934. no.3.

Brief English summary.

Runquist, E.

Polyfylli hos Rubus arcticus l. Bot. Not. 1934: 266-269. illus. 1934. no.3.

Tolmatchew, A.

Ueber die verbreitung einiger standhalophyten in der Arktis. Bot. Not. 1934: 213-227. illus. (map) 1934. no.3.

Bot. Not. (cont.)
Waldheim, S.
Fyra sydliga Eurhynchium-arter i Sverige.
Bot. Not. 1934: 233-244. illus. 1934. no.3.

Bryologist (Pittsburgh) (450B84)
Bartram, E. B.
Venturiella sinensis (Vent.) C.M. in Texas.
Bryologist 37: 46. Mr./Ap. 1934. no.2.

Conard, H. S.
Modeling clay for mosses. Bryologist 37:
43. Mr./Ap. 1934. no.2.

Fulford, M.
List of Hepaticae of Kentucky. Bryologist
37: 21-28. illus.(map) Mr./Ap.1934. no.2.

Györffy, I.
Novitas bryologica VI. Tetraplodon bryoides (Zoeg.)
Lindb. monstruosus in peninsula Labrador inventus.
Bryologist 37: 44-46. illus. Mr./Ap.1934. no.2.

Plitt, C. C.
Lichens of Shushan, New York, and vicinity.
Bryologist 37-35-43. Mr./Ap. 1934. no.2.

Sayre, G.
The Grimmias of Iowa. Bryologist 37: 29-34.
Mr./Ap. 1934. no.2.

Steyermark, J. A.
Bryoziphium norvegicum in Missouri. Bryologist
37: 47. Mr./Ap. 1934. no.2.

Bulet. Grad. Bot. Univ. Cluj (Roumania) (451C62)
Borza, A.
Studii fitosociologice in Muntii Retezatului
(Etudes phytosociologiques dans les Monts du
Rétézat). Bulet. Grad. Bot. Univ. Cluj 14:
1-84. illus. (map), pl. i-iv. 1934. no.1/2.
French résumé: p.70-84

Nyárády, E. I.
Adnotatiuni la flora României. IX. (Glossen
zur flora Rumäniens. IX). Bulet. Grad. Bot.
Univ. Cluj 14: 95-99. illus. 1934. no.1/2.

Bulet. Grad. Bot. Univ. Cluj (cont.)
Pop, E.
Zach. C. Pantu (1866-1934). Bulet. Grad. Bot. Univ. Cluj 14: 85-94. pl.v. (port). 1934. no. 1/2.

Bull. Amer. Iris Soc. (81Am39)
Chase, W. E.
Pollen tube behavior in Iris. Bull. Amer. Iris Soc. 51: 17-20. illus. Ap. 1934.

Everett, H. H.
Iris rot. Bull. Amer. Iris Soc. 51: 51-54. Ap. 1934.

Bull. Gard. Club. Amer. (90.32G16)
Gleason, H. W.
Some notewrothy alpines from Colorado. Bull. Gard Club. Amer. 5(10): 102-106. Jl.1934.
On eastern slope of Longs Peak and on Twin Sisters Peak.

Gould, D. F.
Horticulture pioneers of the North Pacific Bull. Gard. Club. Amer. 5(10): 25-34. Jl. 1934.

Phelps, C.
A short history of Camellias. Bull. Gard. Club Amer. 5(10): 53-56. Jl. 1934.

Bull. Inst. Agron. Stat. Rech. Gembloux (105.1G285)
Belgium. Institut agronomique de l'état à Gembloux.
Observations et recherches effectuées à la Station de Phytopathologie de l'État, pendant l'année 1933. Bull. Inst. Agron. Stat. Rech. Gembloux 3: 97-106. My. 1934. no.2.
By E. Marchal.

Bull. Misc. Inform. Kew (London) (89K51B)
Burtt, B. D.
A botanical reconnaissance in the Virunga volcanoes of Kigezi Ruanda, Kivu. Bull. Misc. Inform. Kew 1934: 145-165. illus. (map), pl.vii. 1934. no.4.

Fischer, C. E. C.
New or little-known plants from South India. III. Bull. Misc. Inform. Kew 1934: 165-172. illus. 1934. no.4.
Sonerila tinnevelliensis, Arisaema convolutum, Coelachne meeboldii, and Tripogon pungens, n.spp.

V.16, no.14, p.11.

Bull. Soc. Chim. Biol. (Paris) (383Sol)

Deleano, N. T. & Dick, J.

Détermination de la chlorophylle dans les feuilles de Salix fragilis et de Populus alba. Bull. Soc. Chim, Biol. 16: 749-756. My.1934. no.5.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Baxter, E. M.

California cacti. XII. Opuntia prolifera. Cactus & Succ. Journ. 5: 587-588. illus. Je. 1934. no.12.

Burchard, O.

Leafly Euphorbias from the Canary Islands. Cactus & Succ. Journ. 5: 579. illus. Je.1934. no.12.

Croizat, L.

Several succulent Euphorbiae of the West Coast of Africa. Cactus & Succ. Journ. 5: 582-584. Je. 1934. no.12.

Howell, J. T.

Concerning the names of the species of Cereus in the Galapagos Islands. Cactus & Succ. Journ. 5: 585-586. Je. 1934. no.12.

In reply to query of W.T. Marshall as to why the author retained the names Cereus thouarsii and C. nesioticus instead of using Britton & Rose's Brachycereus thouarsii and Jasminocereus galapagensis.

Smith, A.

What grows, where. Cacti listed in accordance with their geographical origin. Compiled and copyrighted for Mrs. John D. Wright, Santa Barbara, Calif. 1933 (cont.) Cactus & Succ. Journ. 5: 590-591. Je. 1934. no.12.

Walther, E.

Illustrations in the Crassulaceae. 7. Graphopetalum pachyphyllum Rose. Cactuc & Succ. Journ. 5: 592. Je. 1934. no.12.

Walther, E.

Illustrations in the Crassulaceae. 7. Graphopetalum pachyphyllum Rose. Cactus & Suc. Journ. 5: 592. Je. 1934. no.12.

Citrus Indust. (Tampa, Fla). 80C49)

Bach, W. J.

Root diseases of citrus. Citrus Indust. 15(6): 20-22. illus. Je. 1934.

Commun. Hort. Inst. Taihoku Imp. Univ. (87T13C)

Tanaka, T.

A criticism on Rumphius' Citrus descriptions. Reprinted from Journ. Hort. Assoc. Japan v.4, no.2/3, as Commun. Hort. Inst. Taihoku Imp. Univ. no.33. 15 p. [1933?]

Japanese with English summary.

Tanaka, T.

The Linnean species in cultivated plants, with special reference to Citrus. Reprinted from [Proc. Japan. Assoc. Sci] 8: 403-408. N. 1933. as Commun. Hort. Inst. Taihoku Imp. Univ. no.35.

Japanese with English summary.

Tanaka, T.

On the distribution of cultivated fruit trees. Reprinted from [Proc. Japan. Assoc. Sci.] 9: 177-183. Mr. 1934. as commun. Hort. Inst. Taihoku Imp. Univ. no.40.

Japanese with English summary.

Simada, Y.

Plants of Senkyakuseki virgin forests in Shinchiku coast strand. Reprinted from Trans. Nat. Hist. Soc. Formosa 24: 58-111. F. 1934. no.130 as Commun. Hort. Inst. Taihoku Imp. Univ. no.36 (in part)

Compt Rend. Acad. Agr. France (Paris) (14B215Bc)

Dulac, J.

Utilisation des propriétés du sulfure de cuivre pour la lutte contre les maladies cryptogamiques. Compt. Rend. Acad. Agr. France 20: 650-652. Je. 13, 1934. no.19.

Fron, G.

Nouveaux essais de lutte contre la maladie du piétin du blé., Compt. Rend. Acad. Agr. France 20: 644-650. Je. 13, 1934. no.19.

Lagatu, H. & Maume, L.

Recherche, par le diagnostic foliare, de l'équilibre optimum d'alimentation NPK chez une plante cultivée. Compt. Rend. Acad. Agr. France 20: 631-644. Je.13, 1934. no.19.

Compt. Rend. Acad. Sci. Paris (505P21)
Borel, E.
Henri. Lecomte. Compt. Rend. Acad. Sci. Paris 198: 2129-2131. Je.18, 1934. no.25.
Died June 12, 1934.

Brouland,
De l'existence de trachéides dans la fleur de quelques espèces de la famille des renonculacées Compt. Rend. Acad. Sci. Paris. 198: 2197-2198. illus. Je.18, 1934. no.25.

Chabrolin, C.
La germination des graines d'Orobanche. Compt. Rend. Acad. Sci. Paris 198: 2275-2277. Je. 25, 1934. no.26.

Flous, F.
La notion de phyllorhize chez le chêne-liège. Compt. Rend. Acad. Sci. Paris 198: 2193-2195. Je. 18, 1934. no.25.

Gautheret, R. J.
Culture du tissu cambial. Compt. Rend. Acad. Sci. Paris 198: 2195-2196. Je.18, 1934. no.25.

Meyer, L.
Sur les variations du r^H apparent du sol penant la croissance des plantes. Compt. Rend. Acad. Sci. Paris. 198: 2199-2201. Je.18, 1934. no.25.

Contr. Inst. Bot. Nat. Acad. Peiping (451P35)
Ching, R. C.
Saxiglossum, a new genus of polypodiaceous fern in China. Contr. Inst. Bot. Nat. Acad. Peiping 2: 5-8. pl.ii. O. 1933. no.1.
Studies of Chinese ferns XIV.

Ching, R. C.
The studies of Chinese ferns. XI. Contr. Inst. Bot. Nat. Acad. Peiping 2: 31-100. illus. pl. iii-iv. D. 1933. no.3.

Hopkinson (Hao, Kin-shen)
The first contribution to Caprifoliaceae of China. Contr. Lab. Bot. Nat. Acad. Peiping 1: 71-88. D.1931. no.4.

Contr. Inst. Bot. Nat. Acad. Peiping (cont.)

Hopkinson (Hao, Kin-shen)
Notes on some Chinese Sambucus. Contr. Inst. Bot. Nat. Acad. Peiping 2: 1-3. pl.i. O. 1933. no.1.

Hopkinson, (Hao, Kin-shen)
Synopsis des Linum chinois. Contr. Lab. Bot. Nat. Acad. Peiping 1: 89-91. D. 1931. no.4.

Hopkinson (Hao-Kin-shen)
Synopsis of Chinese Sambucus. Contr. Inst. Bot. Nat. Acad. Peiping. 2: 21-29. D.1933. no.2.

Hsia, W. Y.
A list of cultivated and wild plants from the Botanical garden of the National museum of natural history, Peiping, Contr. Lab. Bot. Nat. Acad. Peiping 1: 39-69. Jl.1931. no.3.

Kung, H.-W.
Chenopodiaceae of north China in Herbarium of National academy of Peiping. Contr. Inst. Bot. Nat. Acad. Peiping. 2: 9-19. D.1933. no.2.

Kung, H.-W.
Pinaceae collected from Hsiaopeshan (Kirin). Contr. Inst. Bot. Nat. Acad. Peiping 2: 107-114. pl.iv-vi. Ja.1934. no.4.

Liou, T.-N.
Les euphorbiacées chinoises des laboratoires de botanique de l'Universite nationale de Pekin et de l'Academie nationale de Peiping. Contr. Lab. Bot. Nat. Acad. Peiping 1: 1-13. pl. i. Mr.1931. no.1.
E. Lanceolata n. sp.

Liou, T.-N.
Note sur un Microsphaera du Quercus. Contr. Lab. Bot. Nat. Acad. Peiping 1: 19-22. illus., pl. ii-iv. My.1931. no.2.

Liou, T.-N. & Ling, Y.
Sur la presence de Cuscuta major Choisy dans la Chine proprement dite. Contr. Lab. Bot. Nat. Acad. Peiping 1: 15-17. Mr. 1931. no.1.

Contr. Inst. Bot. Nat. Acad. Peiping (cont.)

Liou, T.-N. & Ling, Y.
Sur les variations foliaires de quelques genres de convolvulacées. Contr. Lab. Bot. Nat. Acad. Peiping 1: 23-33. pl.v-viii. My. 1931. no.2.

Wang, Y.-C.
Notes on Chinese Lycium. Contr. Inst. Bot. Nat.Acad. Peiping 2: 101-105. pl.iii. Ja. 1934. no.4.
L. truncatum n.sp.

Cytologia (Tokyo) (442.8C99)

Eichhorn, A.
Types définis et types intermédiaries dan la mitose des végétaux. Cytologia (Tokyo) 5: 253-268. Je. 1934. no.3.

Humphrey, L. M.
The meiotic divisions of haploid, diploid and tetraploid tomatoes with special reference to the prophase. Cytologia (Tokyo) 5: 278-300. illus. pl.10. Je. 1934. no.3.

Huskins, C. L. & Spier, J. D.
The segregation of heteromorphic homologous chromosomes in pollen mother-cells of Triticum vulgare. Cytologia (Tokyo) 5: 269-277. illus., pl. 9. Je. 1934. no.3.

Kostoff, D.
Crossing over in Nocotiana species hybrids. Cytologia (Tokyo) 5: 373-377. Je. 1934. no.3.

Milovidov, P. F.
Notes on microtechnique. Cytologia (Tokyo) 5: 301-304. Je.1934. no.3.
I. A method of preparing durable microscopic slides from some desiccated tissues. II. A method of double staining of gram-positive and gram-negative bacteria on the microscopic slides.

Richardson, M.
The origin and behaviour of chiasmata. X. Spironema fragans. Cytologia (Tokyo) 5: 337-354. illus. Je. 1934. no.3.

Cytologia (Tokyo) (cont.)
Shimakura, K.
The capability of continuing divisions of the Tradescantia pollen mother-cell in saccharose solution. Cytologia (Tokyo) 5:363-372. pl.11. Je. 1934. no.3.

Yamamoto, Y.
Karyogenetische untersuchungen bei der gattung Rumex. I. Cytologia (Tokyo) 5: 317-336. illus. Je.1934. no.3.
I. Hetero- und euploidie bei Rumex acetosa L.

Deut. Landw. Presse (Berlin) (18D482)
Rademacher, B.
Erfahruhgen über die wichtigsten krankheiten der ackerbohne und bekämpfung (Schluss) Deut. Landw. Presse 61: 290. illus. Je.9, 1934. no.23.

Farming So. Africa. (Pretoria) (24So842)
Moore, E. S. & Wager, V. A.
Kromnek: a serious tomato disease. Farming So. Africa. 9: 219-220. illus. Je. 1934. no.99.

Moore, E. S.
The leaf curl or crinkly dwarf disease of tobacco. Farming So. Africa 9: 214-242. illus. Je. 1934. no.99.

Flor Exch. (N.Y.) (80F666)
Dr. N. L. Britton. Flor. Exch. 82(26): 13. Je. 30, 1934.
Died June 25th.

Forstarchiv. (Hannover) (99.8F7723)
Jaroschenko, G. D.
Die erscheinungen des phototropismus der buche und anderer holzarten. Forstarchiv. 10: 193-196. illus. Je. 15, 1934. no.12.

Gard. Chron. (London) (80G162)
Balls, E. K.
Plant collecting in Persia. XIII. Schir Kuh. Gard. Chron. III, 95; 422-423. illus. Je.23, 1934. no.2478.

Banfield, F. S.
Notes on orchids of the Malay Archipelago. I. Gard. Chron. III,95: 425-426. Je.23, 1934. no.2478.

Gard. Chron. (cont.)
Boothman, H. S.
Aquilegias. (concl.) Gard. Chron. III, 95: 408-409. Je.16, 1934. no.2477.

Elliott, C.
Aquilegia longissima. Gard. Chron. III, 95: 426-. Je. 23, 1934. no.2478.

Hall, A. D.
The scarlet tulip of the East: Tulipa oculus-solis. Gard. Chron. III, 95: 406-408. illus. Je. 15, 1934. no.2477.

Hutchinson, J.
Rhododendron xanthocodon, Hutch., sp. nov. (series Triflorum). Gard. Chron. III,95: 409. Je.16, 1934. no.2477.

Some diminutive gunneras. Gard. Chron. III, 95: 420. illus. Je.23, 1934. no.2478.

Gard Chron. Amer. (80G1632)
Matschat, C. H.
Shrubs from Mexico. Gard. Chron. Amer. 38: 203-204. 210. illus. Jl.1934. no.7.

Gartn.-Tid. (København) (80G192)
Weber, A.
En ny farlig tomatsygdom broncetop. Gartn.-Tid. 50: 317-319. illus. Je.26, 1934. no.26.
Spotted wilt.

Godishn. Sofiǐsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Vac. Agron.) (21So6)
Dimitrov, T.
Prinos kǔm izuchavanego na edin nov za nashitě gori gúben vreditel (Contribution à l'étude d'un nouveau champignon nuisible á nos forets - l'Hypoderma brachysporum Tub.) Godishn. Soffǐsk. Univ. Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) 12: 101-108. illus. 1934.
Bulgarian with French summary.

Godishn. Sofiĭsk, Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac, Agron.) (cont.)

Dodov, D. N.

Fiziologischeski rasi na chernati rŭzhda po pshenitsata (P. graminis tritici) v Bŭlgariia (Physiologic forms of the wheat stem rust (P. graminis tritici) in Bulgaria) I. Godishn. Sofiĭsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac, Agron.) 12: 334-365. illus. 1934.

Bulgarian with English summary.

Stefanov, B.

Sistematicheski i geografski prouchvaniia vŭrkhu mediteransko-orientalskitě vodove na roda Hypericum L. (Systematische und geographische studien über die mediterran-orientialischen arten der gattung Hypericum) VI-VII. Godishn. Sofiĭsk. Univ. V, Agron. Fak. (Annuaire Univ. Sofia V, Fac. Agron.) 12:69-100. 1934.

Bulgarian with German summary.

Stoianov, N.

Rastitelnitě otnosheniia v Sofiiaska dolina (Vegetationsverhältnisse des Sofia-tales). Godishn. Sofiĭsk. Univ. V. Agron. Fak. (Annuaire Univ. Sofia V. Fac. Agron.) 12: 750-784. 1934.

Bulgarian.

Hedwigia (Dresden) (450H35)

Herzog, T.

Die bryophyten der Andenreisen von C. Troll (Bolivia, Columbia, Panama). Hedwigia 74: 79-114. illus. Je.10, 1934. no.2.

Schiffner, V.

Acystis, eine neue gattung der sargassacheen und über einige algen aus dem Roten Meere. Hedwigia 74: 115-118. pl.iv. Je.10, 1934. no.2.

Servit, M.

Flechten aus Jugoslavien. 3. Fruska gora ujd Čardak planina. Hedwigia 74:119-160. illus. Je. 10, 1934. no.2.

Hilgardia (Berkeley, Calif,) (100C12H)

Emsweller, S. L. & Jones, H. A.

The inheritance of resistance to rust in the snapdragon. Hilgardia 8: 197-211. illus. Je. 1934. no.7.

Indian For. Rec. (99.8In22)
Dover, C. & Appanna, M.
Studies on insect transmission. Indian For. Rec. 20: 1-25. iii pl. My.12, 1934. no.1.
Entomological investigations on the spike disease of sandal (20).

Indische Mercuur (Amsterdam) (268.8In2)
Sibinga Mulder, J.
De ziekte in de Congobanaan in Suriname. Indische Mercuur 57: 344. Je.6, 1934. no.23.

Ital. Agr. (Milan) (16I61)
Sibilia, C.
Le ricerche sulla specializzazione delle ruggini del grano in Italia. Ital. Agr. 71: 451-457. illus. Je. 1934. no.6.

Izv. Akad. Nauk SSSR (Bull. ACAD. Sci. URSS (Leningrad) (511Sa2B)
Krasil'nikov, N. A.
Obrazovamie ras u Saccharomyces cerevisiae (Rassenbildung bei Saccharomyces cerevisiae). Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) VII, CL. Sci. Math. et Nat. 1934: 335-366. illus., iii pl. no.2/3.
Russian with German summary.

Rochlin, E. J.
O stoĭkoĭ radio-rase drozhzheĭ Saccharomyces cervisiae XII, s ameboobraznymi kletkami (Ueber eine konstante radiumhefe rasse mit amöbenförmigenzellen (Saccharomyces cervisiae). Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) VII, Cl. Sci. Math. et Nat. 1934: 327-334. iii pl. no.2/3.
Russian with German summary.

Zalessky, M. D.
O novom devonskom rastenii Blasaria sibirica n.g., et n.sp. (Sur une nouveau végétal devonien...) Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) VII, Cl. Sci. Math. et Nat. 1934: 235-239. illus. no.2/3.
Russian and French.

Zalessky, M. D.
Observations sur les végétaux permiens du bassin de la Petchora I. Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) VII, Cl. Sci. Math. et Nat. 1934: 241-289. illus.

Jahrb.Wiss. Bot. (Leipzig) (450P93J)

Heyn, A. N. J.

Weitere untersuchungen über den mechanismus der zellstreckung und die eigenschaften der zellmembran. III. Die änderungen der plastizität der zellwand bei verschiedenen organen. Jahrb. Wiss. Bot. 79: 753-789. illus. 1934. no.5.

Jaccard, P. & Frey-Wyssling, A.

Ueber versuche zur bestimmung der zellsaftkonzentration in der kambialzone beim exzentrischen dickenwachstum. I. Jahrb. Wiss. Bot. 79: 655-680. illus. 1934. no.5.

Mai, G.

Korrelationsuntersuchungen an entspreiteten blattstielen mittels lebender orchideenpollinien als wuchsstoffquelle. Jahrb. Wiss. Bot. 79: 681-713. illus. 1934. no.5.

Schroder, H.

Untersuchungen über die beeinflussung des blütenfarbmusters von Petunia hybrida grandiflora hort. Jahrb. Wiss. Bot. 79: 714-752. illus. 1934. no.5.

Witsch, H.v.

Untersuchungen über die beeinflussbarkeit des plagiogeotropismus von seitenwurzeln. Jahrb. Wiss. Bot. 79: 790-812. illus. 1934. no.5.

Experiments with Phaseolus multiflorus.

Journ. Amer. Chem. Soc. (381Am33J)

Mitchell, R. L. & Ritter, G. J.

Composition of three fossil woods mined from the Miocene auriferous gravels of California. Journ. Amer. Chem. Soc. 56: 1603-1605. illus. Jl. 1934. no.7.

Journ. Amer. Pharm. Assoc. (Easton, Pa.) (396.9Am33J)

Slama, F. J.

A comparative study of Maryland sennas. Journ. Amer. Pharm. Assoc. 23: 550-559. illus. Je. 1934. no.6.

Journ. Biol. Chem. (Baltimore) (381J824)

Tauber, H. & Kleiner, I.S.

Some enzymes of Solanum indicum. Journ. Biol. Chem. 105: 679-682. Jl.1934. no.4.

Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo (107.6J273J)
Miyabe, K. & Kudo, Y.
Flora of Hokkaido and Saghalien. IV. Saururaceae-Polygonaceae. Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo 26: 389-528. Ap. 1934. no.4.

Journ. Hered. (Washington) (442.8Am3)
Cook, O. F.
Double-deck papaya leaves an example of leaf evolution. Journ. Hered. 25: 225-235. illus. Je. 1934. no.6.

Martin, J. H.
The use of the greenhouse in sorghum breeding. Journ. Hered. 25: 251-254. illus. Je. 1934. no.6.

Journ. Linn. Soc. Bot. (London) (451L64J)
Gregory, B. D.
On the life-history of Gymnogongrus griffithsiae Mart. and Ahnfeltia plicata Fries. Journ. Linn. Soc. Bot. 49: 531-551. illus. Je.14, 1934. no.331.

Norman, C.
Peucedanum and Steganotaenia in tropical Africa. Journ. Linn. Soc. Bot. 49: 503-516. Je.14, 1934. no.331.
P. linderi, P. madense n.spp.

Pugsley, H. W.
Further notes on the genera Fumaria and Rupicapnos, III. Journ. Linn. Soc. Bot. 49: 517-529. pl.30. Je.14, 1934. no.331.

Kartoffel, Zeitschr. Kartoffelbauges. (Berlin) (75.8K142)
Rathlef, H.v.
Ueber knollenform und knollenbildung åquatorialer kartoffelformen unter deutschen klimaverhältnissen. Kartoffel, Zeitschr. Kartoffelbauges. 14: 56-59. Ap.1, 1934. no.7.

Kleine Mitt. Mitgl. Ver. Wasser-, Boden- u. Lufthygiene (Berlin-Dahlem) (292.8V58)
Helfer, H.
Uebermässiger wasserpflanzenwuchs und seine bekämpfung. Kleine Mitt. Mitgl. Ver. Wasser-, Boden- u. Lufthygiene 10: 161-181. illus. Ap./Ag.1934. no.5/8.

Madrono (San Francisco) (450M26)

Benson, L.
The Ranunculus hydrocharoides group in California. Madrono 2: 129-130. Jl.1934. no.16.

Constance, L.
Critical notes on Eriophyllum Lag. I. Madrono 2: 134-135. Jl. 1934. no.16.

Jepson, W. L.
The botanical explorers of California. X. Rachel Merritt Austin, Lorenzo Dow Jared. Madrono 2: 130-133. ports. Jl.1934. no.16.

Memor. Soc. Fauna & Flora Fenn. (Helsingfors) (511H365Me)

Lindberg, H.
Juncus welwitschii Hochst. (J. kochii F. Scultz), en misskänd västlig art. Memor. Soc. Fauna & Flora Fenn. 9: 156-160. 1933.
English summary: p.160.

Malmström, N.
Senhöstens hattsvampar i frost och blida. (Die hutzpilze des spätherbstes bei frostigem und gelindem wetter) Memor. Soc. Fauna & Flora Fenn. 9: 69-91. 1933.
German summary: p.91.

Minn. Conserv. (412.6F492A)

Ritter, L. B.
The blister rust control campaign. Minn. Conserv. 13: 2-3, 24-25. illus. Je. 1934.

Mitt. Deut. Landw. Ges. (Berlin) (18D48M)

Schlumberger, O.
Versuche zur bekämpfung des kartoffelschorfes im jahre 1933. Mitt. Deut. Landw. Ges. 49: 140-142. F.17, 1934.

Naturaliste Canad. (Quebec) (410N216)

Rosseau, J.
Essai de bibliographie botanique canadienne. (cont.) Naturaliste Canad. 61: 201-204. Je./Jl. 1934. no.6/7.

New Phytol. (London) (450N42)

Bryant, A. E.
A demonstration of the connection of the protoplasts of the endodermal cells with the Casparian strips in the roots of barley. New Phytol. 33; 231. pl. Je.20, 1934. no.3.

New Phtyol. (cont.)

Hicks, P. A. & Panisset, T. E.

The quantitative determination of minute amounts of chlorophyll. New Phytol. 33: 199-210. illus. Je.20, 1934. no.3.

Experiments with Lemna.

Sandison, S.

The rooting of cuttings of Lonicera japonica; a preliminary account. New Phytol. 33: 211-217. illus. Je.20, 1934. no.3.

Thomas, H. H.

The nature and origin of the stigma. A contribution towards a new morphological interpretation of the angiosperm flower. New Phytol. 33: 173-198. illus. Je.20, 1934. no.3.

Turrill, W. B.

The correlation of morphological variation with distribution in some species of Ajuga. New Phytol. 33: 218-230, illus. Je.20, 1934. no.3.

Nuovi Ann. Agr. Min. Agr. e For. Italy (16N92)

Catoni, G.

Nuovi metodi per verificare la morte dei tralci delle viti in seguito al congelamento e appunti sui danni del gelo alle viti nella Venezia tridentina in seguito all'invernata 1928-1929. Nuovi Ann. Agr. Min. Agr. e For. Italy 14: 27-42. illus., col. pl. i-iv. Mr.31, 1934. no.1.

Senni, L.

Consolidamento delle dune e frangiventi. Nuovi Ann. Agr. Min. Agr. e For. Italy 14: 81-132. illus. Mr.31, 1934. no.1.

Onderstepoort Journ. Vet. Sci. (41.80nl)

Leemann, A. C.

A short summary on our botanical knowledge of Lolium temulentum L. Onderstepoort Journ. Vet. Sci. 1: 213-218. illus. Jl.1933. no.1.

Rimington, C. & Steyn, D. G.

Psilocaulon absimile N.E.Br. as a stock poison. I. Onderstepoort Journ. Vet. Sci. 1: 439-455. O. 1933. no.2.

I. Determination of oxalic, malic and tartaric acids, &c.

Onderstepoort Jounr. Vet. Sci. (cont.)

Steyn, D. G.

Fungi in relation to health in man and animal. Onderstepoort Journ. Vet. Sci. 1: 183-212. Jl. 1933. no.1.

Steyn, D. G.

Lathyrus sativus L. (chickling vetch; Khesari; Indian pea) as a stock food. Onderstepoort Journ. Vet. Sci. 1: 163-171. Jl. 1933. no.1.

Steyn, D. G.

Poisoning of human beings by weeds contained in cereals (bread poisoning). Onderstepoort Journ. Vet. Sci. 1: 219-266. Jl. 1933. no.1.

Steyn, D.G.

Recent investigations into the toxicity of known and unknown poisonous plants in the Union of South Africa. Onderstepoort Journ. Vet. Sci. 1: 173-182. Jl. 1933. no.1.

Steyn, D. G.

The toxicity of sodium chlorate. Onderstepoort Journ. Vet. Sci. 1: 157-162. Jl.1933. no.1.

Pamph. Canada Dept. Agr. (7C16Pa)

McCallum, A. W.

The Dutch elm disease. Pamph. Canada Dept. Agr. n.s. 159 7 p. illus. 1934.

Peking Nat. Hist. Bull. (513P36)

Li, L.-C.

A general survey of Chinese algae. Peking Nat. Hist, Bull. 8: 363-374. Je. 1934. no.4.

Pharm. Journ. (London) (396.8P49)

Kirkby, W.

The beginnings of the Royal botanic garden, Edinburgh, Pharm. Journ. 132(IV,78): 661. Je.23, 1934. no.3686.

Pharm. Weekbl. (Amsterdam) (396.8P4922)

Wagenaar,M.

Het causaal verband tusschen aetherische olie en alkaloïde in de plant. Pharm. Weekbl. 71: 642-649. illus. Je.9, 1934. no.23.

Philipp. Agr. (Laguna) (25P542)

Julaino, J. B.

Studies on the morphology of the Meliaceae, I. Sandoricum koetjape (Burm.f.) Merrill. Philipp. Agr. 23: 11-35. illus., pl.i-vi. Je.1934. no.1.

Ocfemia, G. O.

Bud rot of coconut. Philipp. Agr. 23: 4-10. illus. Je.1934. no.1.

Phytopath. (464.8P56)

Bever, W. M.

Physiologic specialization in Puccinia glumarum in the United States. Phytopath. 24: 686-688. Je. 1934. no.6.

Diehl, W. W.

The Myriogenospora disease of grasses. Phytopath. 24: 677-681. illus. Je. 1934. no.6.

M. paspali.

Dufrenoy, J. & Dufrenoy, M. L.

Cytology of plant tissues affected by viroses. Phytopath. 24: 599-619. illus. Je.1934. no.6.

Fawcett, H. S.

Is psorosis of citrus a virus disease? Phytopath. 24: 659-668. illus. Je. 1934. no.6.

Fawcett, H. S. & Klotz, L. J.

A procedure for inducing the production of the sporangial and swarm stages in certain species of Phytophthora. Phytopath. 24: 693-694. Je. 1934. no.6.

Godfrey, G. H. & Hagan, H. R.

A study of the root-knot-nematode trap crop under field soil conditions. Phytopath. 24: 648-658. Je. 1934. no.6.

Godfrey, G. H. & Hoshino, H. M.

The trap crop as a means of reducing root-knot-nematode infestation. Phytopath. 24: 635-647. Je.1934. no.6.

Experiments with tomato.

Hill, H. D.

A comparative study of certain tissues of giant-hill and healthy potato plants. Phytopath. 24: 577-598. illus. Je. 1934. no.6.

Phytopath. (cont.)

Hoerner, G. R.
Crown gall of hops. Phytopath. 24: 688-691. illus. Je.1934. no.6.

Plakidas, A. G.
The mode of infection of Diplocarpon earliana and Mycosphaerella fragariae. Phytopath. 24: 620-634. illus. Je.1934. no.6.

Sprague, R.
The association of Cercosporella herpotrichoides with the Festuca consociation. Phytopath. 24: 669-676. illus. Je.1934. no.6.

Thomas, H. E. & Ark, P. A.
Nectar and rain in relation to fire blight. Phytopath. 24: 682-685. Je. 1934. no.6.

Tyler, L. J.
Methods for determining sex differences in Sphacelotheca sorghi. Phytopath. 24: 691-693. illus. Je.1934. no.6.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Gabrielsen, E. K.
Untersuchungen über den kohlenstoffhaushalt einer gewächshauspflanze im winter bei tageslicht und mit elektrischer zusatzbeleuchtung. Planta Arch. Wiss. Bot. 22: 180-189. Je.7, 1934. no.2.

Kirchheimer, F.
Ueber Tsuga-pollen aus dem tertiär. Planta Arch. Wiss. Bot. 22: 171-179. illus. Je.7, 1934. no.2.

Koch, K.
Untersuchungen über den quer-und längstransport des wuchsstoffes in pflanzenorganen. Planta Arch. Wiss. Bot. 22: 190-220. illus. Je.7, 1934. no.2.

Kurssanow, A. L.
Die photosynthese grüner früchte und ihre abhängigkeit von der normalen tätigkeit der blätter. Planta Arch. Wiss. Bot. 22: 240-250. Je.7, 1934. no.2.

Rennerfelt, E.
Untersuchungen über die salzaufnahme bei Aspergillus niger. Planta Arch. Wiss. Bot. 22: 221-239. Je.7, 1934. no.2.

Planta Arch. Wiss. Bot. (cont.)
Stubbe, H.
Studien über heteroploide formen von Antirrhinum majus L. I. Zur morphologie und genetik der trisomen anaemica, fusca, purpurea, rotunda. Planta Arch. Wiss. Bot. 22: 153-170. illus. Je.7, 1934. no.2.

Plant. Chron. (Madras) (22P693)
Mayne, W. W.
Some notes on Burgundy mixture and Burgundy injury. Plant. Chron. 29: 255-259. Je.2, 1934. no.11.

Proc. Soc. Exp. Biol. & Med. (N.Y.) (442.9So1)
Jacques, A. G. & Osterhout, J. V.
Penetration of potassium into Nitella. Proc. Soc. Exp. Biol. & Med. 31: 1121-1122. Je. 1934. no.9.

Rev. Agric. Ile Réunion (Saint-Denis)
Bourriquet, G.
Rapport phytopathologique sur un voyage d'études effectué à la Réunion en Octobre 1932. Rev. Agric. Ile Réunion 39: 11-20. illus. Ja. 1934.

Rev. Vitic. (Paris) (95.8R322)
Dubaquié, J.
Sur la dispersion des elements actifs dans la lutte contre les cryptogames. Rev. Vitic. 80: 389-397. Je.21, 1934. no.2086.

Rhodora (Boston) (450R34)
Cottam, C.
Past periods of eelgrass scarcity. Rhodora 36: 261-264. Jl.1934. no.427.

Fernald, M. L.
Draba in temperate northeastern America. Rhodora 36: 241-261. pl.290-319. Jl. 1934. no.427.

Kelso, L.
A new variety of Glyceria grandis and a key to its allied species. Rhodora 36: 264-266. Jl. 1934. no.427.
Var. komarovii.

Peck, M. E.
Three interesting new plants from Wallowa county, Oregon. Rhodora 36: 266-268. Jl. 1934. no.427.
Bolandra imnahaensis, Saxifraga incompta, Rubus bartonianus.

Rhodora (cont.)
Smith, L. B.
The synonymy of Phyllanthus brasiliensis. Rhodora 36: 268. Jl.1934. no.427.

Riz et Rizicult. (Paris) (59.8R52)
Gustchin, G. G.
Essai de classification botanique des riz cultivés Oryza sativa L. (Botanical classification of cultivated rice Oriza sativa L.) Riz et Rizicult. 8: 1-46. pl.1-2. F.1934. no.1.

Roczn. Ochrony Rośl. A, Choroby Rośl. (Annual Plant Prot. A, Plant Dis.) (Bydogoszcz) (464.9R59)
Garbowski, L.& Juraszkówna, H.
Choroby roślin uzytkowych w okresie 1926-30. Roczn. Ochrony Rośl. A, Choroby Rośl. 1: 97-235. 1933.

Arranged under names of host plants (in Polish) by groups, as cereals &c, scientific names of plant disease organisms given in index.

Rubber Res. Scheme, Ceylon, Quart. Circ. (78.9C33Q)
Murray, R. K. S.
Diseases of rubber in Ceylon, 1933. Rubber Res. Scheme, Ceylon, Quart. Circ. 11: 17-19. Ap.1934. no.1.

Science (470Sci2)
Erwin, A. T.
A rare specimen of Zea mays var. saccharata. Science 79: 589. Je.29, 1934. no.2061.

Ezekiel, W. N. & Taubenhaus, J. J.
Comparing soil fungicides with special reference to Phymatotrichum root rot. Science 79: 595-596. Je.29, 1934. no.2061.

Fairchild, D. & Barbour, T.
The crisis at Buitenzorg. Science 80: 33-34. Jl.13, 1934. no.2063.

Fernald, M. L.
Some beginnings of specific differentiation in plants. Science 79: 573-578. Je.29, 1934. no.2061.

Read before Amer. Assoc. Adv. Sci., Sect. G, Boston, D.28, 1933.

Science (cont.)

Flint, L. H.
Light in relation to dormancy and germination in lettuce seed. Science 80: 38-40. Jl.13, 1934. no.2063.

Meyer, A. H.
Seasonal effect of lime on strawberries. Science 80: 35. Jl.13, 1934. no.2063.

Miller, E. C. L.
Spiraling in trees. Science 80: 35. Jl.13, 1934. no.2063.

Scient. Agr. (Ottawa) (7Sci2)

Bird, J. N.
Influence of rust injury on the vigour and yield of timothy. Scient. Agr. 14: 550-559. illus. Je. 1934. no.10.

Munro, J. L. & Newton, W.
The inhibition of the growth of fungi by chemicals. Scient. Agr. 14: 560-564. Je.1934. no.10.

So. African Sugar Journ. (Durban) (65.8So8)

McClean, A. P. D.
Cold chlorosis or sectional chlorosis of sugar cane. So. African Sugar Journ. 18: 31. Ja.31, 1934. no.1.

Stain Techn. (442.8St1)

Cohen, I.
Cytological fixation with salicylic and orthophosphoric acids. Stain Techn. 9: 101-106. Jl. 1934. no.3.

Foster, A. S.
The use of tannic acid and iron chloride for staining cell walls in meristematic tissue. Stain Techn. 9: 91-92. Jl.1934. no.3.

Smith, F. H.
The use of pictic acid with the gram stain in plant cytology. Stain Techn. 9: 95-96. Jl. 1934. no.3.

Whitaker, T. W.
An improved technic for the examination of chromosomes in root tip smears. Stain Techn. 9: 107-108. illus. Jl.1934. no.3.

Sugar News (Manila) (65.8Su36)
King, R. H.
Studies on the germination of sugar cane cuttings. Sugar News 15: 315-320. illus. Je. 1934. no.6.

Tabulae Biol. Period. (Berlin) (442T11A)
Neithammer, A.
Licht, dunkelkeit und strahlung als faktoren bei der samen-keimung. In Tabulae Biol. Period. 4: 45-77. 1934.

Oppenheimer, H. C.
Kultur-pflanzen: name, heimat, nutzung, chromosomen-zahl, botanische und technische charakteristica. In Tabulae Biol. Period. 3: 349-394. 1934.

Thar. Forstl. Jahrb. (Berlin) (99.8T32)
Schmithüsen, J.
Vegetationskundliche studien im neiderwald des linksrheinischen Schiefergebirges. 3-4. (concl.) Thar. Forstl. Jahrb. 85: 225-264. illus. 1934. no.5.
3. Floristische typen im niederwald des linksrheinischen Schiefergebirges. 4. Die genetischen beziehungen zwischen den niederwaltypen und den übrigen vegetationstypen des linksrheinischen Schiefergebirges.

Tijdschr. Plantenz. (464.8T44)
Poeteren, N. v.
Bestrijding van de vladvlekkenziekte bij knolselderie. Tijdschr. Plantenz. 40: 153-155. Je. 1934. no.6.

Trop. Agr. (26T751)
Park, M.
Anthracnose, a fruit disease of chillies. Trop. Agr. 82:325-326. col.pl. My. 1934. no.5.

Trop. Agriculture West Indies (Trinidad) (26T754)
Cheesman, E. E.
Principles of banana breeding. (cont.) Trop. Agriculture West Indies 11: 176-181. Jl. 1934. no.7.

Wardlaw, C. W.
Banana disease. IX. The occurrence of Sigatoka disease (Cercospora musae Zimm.) on bananas in Trinidad. Trop. Agriculture West Indies 11: 173-175. 2 pl. Jl.1934. no.7.

Die Umschau (Frankfurt) (474Um7)

Snell, K.

Die lichtkeimprüfung der kartoffel. Die Umschau 38: 510-511. illus. Je.24, 1934. no.26.

U.S. Dept. Agr. Miscellaneous mimeographed publications.

Roark, R. C.

Devil's shoestring (Cracca virginiana L.) a potential source of rotenone and related insecticides. Washington, D. C., Je.1934.

Mimeographed publ. from Insecticide division, Bur. Chem. & soils, U.S. Dept. Agr.

Exp. Stat. Publ.

Ware, J. O.

Genetic relations of nankeen lint to plant color and leaf shape in Upland cotton. Arkansas Agr. Exp. Stat. Bull. 300. 44 p. My.1934. (100Ar42)

Chroboczek, E.

A study of some ecological factors influencing seed-stalk development in beets (Beta vulgaris L.) Cornell Agr. Exp. Stat. Mem. 154. 84 p. illus. Mr. 1934. (100N48C)

Crosier, W.

Studies in the biology of Phytophthora infestans (Mont.) De Bary. Cornell Agr. Exp. Stat. Mem. 155. 40 p. Mr.1934 (100N48C)

Wilson, A. L.

Relation of nitrate nitrogen to the carbohydrate and nitrogen content of onions. Cornell Agr. Exp. Stat. Mem. 156. 30 p. illus. Mr.1934 (100N48C)

Brown, A. P.

Types of greens or pot-herbs used in rural Utah homes. Utah Agr. Exp. Stat. Circ. 104. 23 p. illus. Je.1934 (100Ut1)

State Publications.

Milbrath, D. G.

Bureau of plant pathology, 1933. Month. Bull. Dept. Agr. Calif. 22: 522-525. D.1933. no.12(2C12M)

Barrus, M. F. & Crosby, C. R.

Control of diseases and insect pests of potatoes on Long Island. Cornell Ext. Bull. 288. 26 p. illus. Ap. 1934. (275.29N48E)

State Publications. (cont.)

Van Meter, R. A. & Shaw, J. K.
Apple varieties in Massachusetts. Mass. State Coll. Ext. Leafl. 42, rev. 20 p. My. 1934. (275.29M381L)

Willard, C. J. & Lewis, R. D.
Eradicating Canada thistle. Ohio State Univ. Agr. Ext. Serv. Bull. 146. 8 p. illus. Je. 1934. (275.290h32)

Pierstorff, A. L.
Bacterial wilt of sweet corn. Ohio State Univ. Agr. Ext. Serv. Bull. 149. 4 p. My.1934. (275.290h32)

New Books

Estifeev, P. G.
K materialam po izucheniiu bolezni "kornevaia hnil" khlopchatnika v usloviiakh Srednei Asii (On the study of cottonroot rot disease in Central Asia) Tashkent, 1930 (464.042Es8)

Russian with English summary. Moniliopsis aderholdii & the bulb mite Rhizoglyphus hyacinthi. Not properly a root rot.

Hartley, C. & Boyce, J. S.
The progress of forest pathology. In A national plan for American forestry. Washington, 1933. v.1, p.695-722. (Senate document no.12, U.S. Congress, 73d, 1st sess.) (1F76Na)

Ryzhkov, V. L.
Mutatsii i bolezni khlopofillovogo zerna (Mutations and diseases of the chloroplast). Moskva, Leningrad, Gosudarstvennoe izdatel'stvo kolkhoznoi i sovkhoznoi literatury "Sel'khozgiz", 1933.

Russian.

Triebet, T.
Untersuchungen über die sekretbildung in pflanzlichen drüsenzellen. [Braunschweig] 1934, (463.43T73)

Diss.-Techn. Hochschule Braunschweig.

Ulke, T.
A flora of Yoho Park, British Columbia. [Washington, D.C., The Catholic University, 1934. (Contribution from the Biological laboratory of the Catholic University, no.14) (454.45U14)

New Books (cont.)

Webster, H. N.
Herbs, how to grow them and how to use them. Boston, Mass., Massachusetts horticultural society [1934?] (97.21W39)

Non-current indexing.

Arch. de Bot. Caen Bull. Mens. (450Ar25)

Benoist, R.
Description d'une espèce nouvelle du genre Staurogyne (acanthacées). Arch. de Bot. Caen Bull. Mens. 4: 75-76. Je.1930. no.6.
S. petelotii.

Biecheler, B.
Sur le genre Oenosciadium et la structure de son fruit. Arch. de Bot. Caen. Bull. Mens. 4: 81-84. illus. Jl.1930. no.7.

Chermezon, H.
Structure de la feuille et de la tige chez Eriospora setifera. Arch. de Bot. Caen Bull. Mens. 4: 41-59. illus. Ap./My.1930. no.4/5.

Chermezon, H.
Sur une variété nouvelle de Restio madagascariensis. Arch. de Bot. Caen Bull. Mens. 4: 84-85. Jl. 1930. no.7.

Choisy, M.
L'importance de la pycnoconidie des lichens. Arch. de Bot. Caen Bull. Mens. 4: 1-7. Ja.1930. no.1.

Choux, P.
Observations sur les asclépiadacées récoltées récemment à Madagascar par M. Humbert. Arch. de Bot. Caen Bull. Mens. 4: 97-112. 8 pl. Ag./S. 1930. no.8/9.

Perrier de la Bathie, H.
Au sujet des Philippia de Madagascar et de quelques espèces ou variétés nouvelles recueillies par M.H. Humbert au cours de ses dernières missions. Arch. de Bot. Caen Bull. Mens. 4: 25-34. illus. Mr.1930. no.3.
P. quadratiflora n.sp.

Perrier de la Bathie, H.
Note sur Hyalocalyx setiferus Rolfe. Arch. de Bot. Caen Bull. Mens. 4: 7-9. Ja. 1930. no.1.

Non-current indexing. (cont.)

Arch. de Bot. Caen Bull. Mens. (cont.)

Perrier de la Bathie, H.

Les xerophyta de Madagascar. Arch. de Bot. Caen Bull. Mens. 4: 65-75. Je. 1930. no.6.

Potier de la Varde, R.

Additions aux mousses de l'Oubangui. II. Arch. de Bot. Caen Bull. Mens. 4: 17-23. illus. F.1930. no.2.

Viguier, R.

La végétation de Tahiti. Arch. de Bot. Caen Bull. Mens. 4: 85-92. Jl. 1930. no.7.

Bull. Soc. Neucht. Sci. Nat. (Neuchatel)

Frick, R. O.

Etude de biométre végétale. Bull. Soc. Neuchat. Sci. Nat. 56(n.s.,5): 337-340. 1932.

I. Sur la fleur d'Anemone nemorosa L. II. Sur Anemone hepatica en cultures.

Mayor, E.

Relations entre les écidies de Euphorbia verrucosa Lam. et un Uromyces sur Vicia cracca L. Bull. Soc. Neuchat. Sci. Nat. 56(n.s.,5): 341-352. illus. 1932.

Uromyces verrucosae-craccae n.sp.

Spinner, H.

Contribution à la biologie et à la phytogéographie de deux phanérogames du Jura neuchatelois. Bull. Soc. Neuchat. Sci. Nat. 56(n.s.,5): 353-367. illus., fold.tab. 1932.

1. Meum athamanticum. 2. Hieraceum monticola Jord.

Preslia (Prague) (450P92)

Babička, J.

Polarogrifické stanovení zmen v klidném a delícím se jádre. (Polarographic tests for the changes in the dividing and resting nuclei). Preslia 11: 11-15. 1932.

English summary.

Brožek, A.

Further investigations on the genetics of flower colours in Mimulus cardinalis, Hort. Preslia 10: 42-46. 1931.

Non-current indexing. (cont.)

Preslia (cont.)

Brožek, A.
Mendelian analysis of the "red-orange-yellow" group of flower-colours in Mimulus cardinalis hort. Preslia 11: 16-25. illus.,col.pl. 1932.

Cejp, K.
Some species of the genus Pythium (section Orthosporangium Fisch.) from the soil, with observations on their cultures. Preslia 10: 47-53. illus., pl. 1931.

Cernohorský, Z.
Deux formes nouvelles de Lecanora argopholis Arch. Preslia 10: 54-56. 1931.
f. viridis & f. grisea.

Domin, K.
Humifuse forms of some species and their ecological signification. Preslia 11: 26-31. pl.ii. 1932.

Dostál, J.
Etude préliminaire de l'évolution et de la systématique des types du genre Centaurea sect. Cyanus subsec. Montanae. Preslia 10: 57-69. 1931.
C. novákii n.sp.

Dostál, J.
Sur les mouvements des chloroplastes dans le Caulerpa prolifera. Preslia 11: 32-34. 1932.

Gračanin, M.
The effect of light on the resorption of salts by plants. Preslia 11: 35-39. 1932.

Hrubý, K.
Cytologie a anatomie československých brunell. Preslia 11: 40-44. illus. 1932.

Iljin, V. S.
Buhumil Nemec. Preslia 11: 3-10. illus., port. 1932.
In Czech.
In recognition of his 60th birthday, Mar.12, 1933.

Non-current indexing. (cont.)

Preslia (cont.)

Iljin, W. S.
Desiccation and decay of the cells of the red cabbage. Preslia 11: 45-48. illus. 1932.

Klan, Z. F.
Příspevek k farmakognosii plodu Acocanthera venenata Don. Preslia 10: 70-75. illus. 1931.
In Czech.

Klásterský, I.
Ad floram carpatorossicam additamenta critica. III. Preslia 10: 76-87. 1931.

Klášterský, I.
Rosa jundzilii Besser var.decora Kern. et R. agrestis Savi var. gizellae (Borb.) Schlimp. en Boheme. Preslia 11: 49-54. illus. 1932.

Kořínek, J.
La dissociation chez les mycobacteria. Preslia 11: 55-58. illus. 1932.

Kořínek, J.
Sur un Microcococcus epiphytique de Salicornia. Preslia 10: 88-90. 1931.

Krajina, V.
Generis Cheirodendrum species hawaiienses ex affinitate Cheirodendri platyphylli. Preslia 10: 91-100. 2 pl. 1931.
C. dominii, C.kauaiense, C. wahiawense n.spp.

Malysev, N.
Vzrust isolovaného korenového meristému na sterilních pudách. (The growth of isolated meristem of roots). Preslia 11: 59-61. 1932.
English summary. Vicia faba, Phaseolus vulgaris & Zea mays.

Milovidov, P. F.
Prípad mixoploidie u Cicer arietinum L. (Un cas de mixoploidie chez Cicer arietinum L.) Preslia 11: 62-66. illus. 1932.
French résumé: p.65.

Morávek, V.
Permeabilita a bubrivost tkáne rasy Nereocystis. (Permeability and swelling of the tissue of Nereocystis). Preslia 11: 67-72. illus. 1932.
English summary.

Non-current indexing. (cont.)

Preslia (cont.)

Nemec, B.
Poznámky k zúrodnění u Gagea lutae. Preslia 10: 104-110. illus. 1931.
In Czech.

Němejc, F.
The morphology and the systematic relations of the carboniferous Noeggerathiae with regard to the "genera" Tingia and Plagiozamites of eastern Asia. Preslia 10: 111-114. 1931.

Němejc, F.
Palaeobotanical researches in the travertine sediments of Vyšní and Nižní Ružbachy at Podolinec (Slovakia) and some additional notes to my studies about the travertines of the northern Slovakia. Preslia 10: 115-134. illus. (maps) 1931.

Novák, F. A.
Pini heldreichii Christ stationes novae. Preslia 11: 73-75. 1932.

Novák, F. A.
Prof. Dr. Karel Domin padesátníkem. Preslia 10: 5-41. port. (front.) 1931.
Chronological list of Domin's works: p.11-41.

Novák, F. A.
Teratologická pozorování na hluchavce bílé. (Teratologic observations on Lamium album L.) Preslia 10: 135-140. 2 pl. 1931.
English summary: p.139-140.

Oborský, A.
O vlivu infekce bacilem tumefaciens a bacilem pycoyaneus na remanentí povrchové napětí a pH štávy vytlačené z bramboru Solanum tuberosum. (Der einfluss der infektion der kartoffelpflanze durch Bac. tumefaciens und B. pyocyaneus auf R.P.N. und pH) Preslia 11: 76-85. 1932.
German summary.

Podpěra, J.
Problém rostlinného druh u mechu (Problème de l'espèce chez les muscinées). Preslia 11: 96-103. 1932.
In Czech.

Non-current indexing. (cont.)

Preslia (cont.)

Prát, S. & Hamáčková, J.

Conjugatae a kalciumkarbonát. (Conjugatae and calcium carbonate). Preslia 10: 141-146. 2 pl. 1931.

A species of Zygnema and one of Spirogyra.

Prát, S.

Terminála a regenerace morských řas. (The terminal cell and the regeneration of marine algae). Preslia 11: 104-109. illus. 1932.

English summary.

Rohlena, J.

Nachträge zur flora von Böhmen. Preslia 10: 147-155. 1931.

Sillinger, P.

Reliktní ostrovy teplomilné vegetace v Nízkých Tatrách. (The relict islands of xerothermic vegetation in the Low Tatras). Preslia 10: 156-166. 1931.

English summary.

Viniklár, L.

K výskytu proteacei v ceském útvaru krídovém. Preslia 10: 167-173. 2 pl. 1931.

In Czech.

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

LIBRARY
RECEIVED
★ AUG 13 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 15. July 16-28, 1934.

Acta Phytotaxon. & Geobot. Kyoto (450Ac83)

Kitamura, S.
Les cirses de l'Asie Orientale; leur classification et leur distribution. Acta Phytotaxon. & Geobot. Kyoto 3: 1-14. My. 1934. no.1.
Japanese.

Koidzumi, G.
Bambusaceae novae japonicae. Acta Phytotaxon. & Geobot. Kyoto 3: 15-27. My. 1934. no.1.

Koidzumi, G.
[Review of R.C. Ching's Sinopteris, a new fern genus in China. Bull. Fan. Mem. Inst. v.4, no.10] Acta Phytotaxon. & Geobot. Kyoto 3: 49-51. illus. My.1934. no.1.
Koidzumi makes a new family, Sinopteridaceae. Japanese with Latin diagnosis.

Kiodzomi, G.
[Species of Japanese Fraxinus]. Acta Phytotaxon. & Geobot. Kyoto 3: 40-42. My. 1934. no.1.
F. excelsissima & F. tenoderaecarpa n.spp. Japanese with Latin diagnoses.

Kiodzumi, G.
[Two new species of Pyrus]. Acta Phytotaxon. & Geobot. Kyoto 3: 39-40. My. 1934. no.1.
Pyrus kunoriana, P. arakiana. Japanese with Latin diagnoses.

Acta Soc. Bot. Polon. (Warsaw) (451So16)

Badian, J.
Badania cytologiczne nad miksobakterja Polyangium fuscum. (Eine zytologische untersuchung über die myxobakterie Polyangium fuscum). Acta Soc. Bot. Polon. 10: 361-378. illus., pl.xix. 1933. no.3.
German summary: p.373-377.

Acta Soc. Bot. Polon. (cont.)

Dabkowska, I.

Materjały do flory Polesia. (Juncaceae i Cyperaceae). Acta Soc. Bot. Polon. 10: 379-387. 1933. no.3.

Moycho, W.

Badania nad proteaza u Bact. prodigiosum. (Recherches sur la protease chez Bact. prodigiosum). Acta Soc. Bot. Polon. 10: 417-440. 1933. no.3.

French résumé: p.438-440.

Pastewski, J.

Wpływ ciał koloidowych na pobieranie soli $CaCl_2$ przez korzenie roślin. (Ueber den einfluss von kolloidsubstanzen auf die aufnahmefähigkeit von $CaCl_2$ durch die wurzeln der pflanzen). Acta Soc. Bot. Polon. 10: 389-415. 1933. no.3.

German résumé: p.415.

Szejnman, A.

Obserwacje za zycia nad tworzeniem sie pirenoidów u skretnicy. (Observations vitales sur la formation des pyrenoïdes chez Spirogyra). Acta Soc. Bot. Polon. 10: 331-359. pl.xviii. 1933. no.3.

French résumé: p.357-359.

Wóycicki, Z.

Quelques remarques sur la méiose chez l'hybride stérile de Nicotiana atropurpurea x Nic. silvestris. Acta Soc. Bot. Polon. 10: 441-449. illus. 1933. no.3.

Agr. Ferrarese (16Ag87)

Saraceni, A.

Prove per la difesa dall'Exoascus deformans. Agr. Ferrarese 39: 275-277. Je.30,1934. no.12.

Agr. Gaz. N.S.W. (Sydney) (23N472)

Brown, H. P.

Internal breakdown of apricots. A condition observed on the Murrumbidgee irrigation area. Agr. Gaz. N. S.W. 45: 337-340. illus. Je.1, 1934. no.6.

Dwyer, R. E. P. & Bowman, F. T.

The value of cross-pollination for Williams pear. Agr. Gaz. N.S.W. 45:341-343. illus. Je.1, 1934. no.6.

Agr. Journ. Brit. Guiana (Georgetown) (9.6B774)
Martyn, E. B.
A note on plantain and banana diseases in British Guiana with especial reference to wilt. Agr. Journ. Brit. Guiana 5: 120-123. Je. 1934. no.2.

Agron. Colon. (Paris) (26Ag812)
Dufrenoy, J.
Le caoutchouc de guayule (Parthenium argenteum Gray). Agron. Colon. 23(1): 168-172. Je. 1934. no.198.

Amer. Nat. (470Am36)
Anderson, E. G.
A chromosomal interchange in maize involving the attachment to the nucleolus. Amer. Nat. 68: 345-350. Jl./Ag. 1934. no.717.

Zimmermann, W.
Research on phylogeny of species and of single characters (sippenphylogenetik und merkmalsphylogenetik). Amer. Nat. 68: 381-384. Jl./Ag. 1934. no.717.

Amer. Rose Ann. (81Am31A)
Erlanson, E. W.
Pollen analysis for rose-breeders. Amer. Rose Ann. 1934: 63-68. illus. 1934.

Massey, L. M.
Black-spot and mildew: let's control them. Amer. Rose Ann. 1934: 121-127. 1934.

Maxwell, B.
Last season's winter damage - words of warning. Amer. Rose Ann. 1934: 109-111. 1934.

Rosen, H. R.
Black-spot and powdery mildew in the middle west and south. Amer. Rose Ann. 1934: 118-120. 1934.

Ann. Serv. Bot. et Agron. Tunisie (108T832A)
Boeuf, F.
La photosensibilisation des organismes. Ann. Serv. Bot. et Agron. Tunisie 10: 179-218. 1933.
Revue de travaux.

Ann. So. Afr. Mus. (515So82)
Adamson, R. S.
Fossil plants from Fort Grey near East London. Ann. So. Afr. Mus. 31: 67-96. illus. Ap. 1934.

Ann. Rep. Conserv. Dept. N.Y. (279.9N48)
Muenscher, W. C.
Aquatic vegetation of the Raquette River watershed. In A biological survey of the Raquette watershed. Ann. Rep. Conserv. Dept. N.Y. 23(Suppl.) 209-221. illus. 1934.

Muenscher, W. C.
Aquatic vegetation of the upper Hudson watershed. In A biological survey of the upper Hudson watershed. Ann. Rep. Conserv. Dept. N.Y. 22(Suppl.): 216-238. illus. 1933.

Ann. Rep. Dept. Agr. Bombay Pres. (22B63A)
Bombay presidency. Dept. of agriculture.
Summary of the work done under the plant pathologist... for the year 1932-33. In its Ann. Rep. 1932/33: 171-175. 1934.
B.N. Uppal plant pathologist.

Ann. Rep. Wisconsin State Cranberry Grow. Assoc. (81W752)
Bain, H. F.
Cross pollinating the cranberry. Ann. Rep. Wisconsin State Cranberry Grow. Assoc. 47(1933): 7-11. 1934.

Bain, H. F.
Further notes on cranberry spraying and water raking experiments. Ann. Rep. Wisconsin State Cranberry Grow. Assoc. 46(1932): 35-36. 1933.

Goldsworthy, V. C.
A preliminary report on cranberry false blossom in Wisconsin with special reference to early literature as found in the Wisconsin growers reports. Ann. Rep. Wisconsin State Cranberry Grow. Assoc. 46(1932): 39-51. 1933.

Anz. Akad. Wiss. Wien Math.-Naturw. Kl. (510V67A)
Almoslechner, E.
Ueber hefewuchsstoffe in Boletus edulis und in harn. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 70: 236-238. 1933. no.19.
Vorläufige mitteilung.

Anz. Akad. Wiss. Wien Math.-Naturw. Kl. (cont.)

Berg, K. H. v.

Einige beobachtungen zur cytologie der gattungen Polygonatum und Convallaria. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 70: 276-277. 1933. no.24.

Tschermak, E.

Ueber den grössen- und farbendimorphismus der körner bei den wild- und kulturformen des roggens und weizens. Anz. Akad Wiss. Wien Math.-Naturw. Kl. 70: 223-224. 1933. no.19.

Tschermak, E.

Ueber intermediäre vererbung und chromosomenaddition bei artbastarden von Triticum villosum. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 70: 220-223. 1933. no.19.

Wagner, R.

Die quirdolde, ein neuer typus botrytischer systeme. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 70: 70-71. 1933. no.8.

Arch. Mikrobiol. (Berlin) (442.8Ar26)

Issatschenko, B. L. & Wackenhut, A. M.

Einige beobachtungen über den entwicklungszyklus des cellulosezersetzenden organismus. Arch. Mikrobiol. 5: 303-310. illus. Je.25, 1934. no.3.

Experiments with Spirochaeta cytophaga.

Schwartz, W. & Lang, H.

Untersuchungen über die citronensäuregärung bei Aspergillus niger. Arch. Mikrobiol. 5: 387-401. Je.25, 1934. no.3.

Tanner, F. W. & Byerley, J. R.

The effect of ultraviolet light on the fermenting ability of yeasts. Arch. Mikrobiol. 5: 349-357. Je.25, 1934. no.3.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Orechoff, A.

Untersuchung einiger heil- und giftpflanzen der UdSSR. auf deren alkaloidgehalt. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272: 673-691. Je. 1934. no.6.

Arvernia Biol. (Clermont Ferrand) (442.9Ar8)

Moreau, F.

L'independence relative de l'histoire générale du développement et de l'évolution nucléaire. Reprinted from Arch. Zool. Exp. et Gén. 75: 307-317. illus. Jl.29, 1933, as Arvernia Biol. f. 10, [no.7]

Species of Endophyllum, Neurospora tetrasperma, Pyronema confluens and Collema nigrescens.

Quiquandon, Y.

Sur les rapports que contractent dans les cultures le Sporobolomyces roseus Derx. et le Penicillium expansum Link. Clearmont-Ferrand, 1932. (Arvernia biol. f.8, [no.5]

Simandoux, F. M.

Contribution à l'étude des desmidiées d'Auvergne Essai sur la végétation desmidiale de l'ancien émissaire du lac Estivadoux, près de Besse. Arvernia Biol. f.10, [no.4] 34 p. v. pl. D.1933.

Extr. du Bull. de la Soc. Hist. Nat. d'Auv. 21 juillet 1933.

Ber. Geobot. Forschungsinst. Rübel Zürich (451Z83B)

Grossmann, H.

Der einfluss der alten glashütten auf den schweizerischen wald. Ber. Geobot. Forschungsinst. Rübel Zürich 1933: 15-32. 1934.

Keller, P.

Die grundzüge der nacheiszeitlichen waldentwicklung in der Westschweiz. Ber. Geobot. Forschungsinst. Rübel Zürich 1933: 33-40. 1934.

Lüdi, W.

Beitrag zur kenntnis der beziehungen zwischen vegetation und boden im östlichen Aarmassiv. Ber. Geobot. Forschungsinst. Rübel Zürich 1933: 41-54. 1934.

Lüdi, W. & Vareschi, V.

Die untersuchung der klimaverhältnisse im Albisgebiet. Ber. Geobot. Forschungsinst. Rübel Zürich 1933: 55-64. 1934.

Ber. Naturforsch. Ges. Freiburg (509F88B)

Lauterborn, R.

Der Rhein. Naturgeschichte eines deutschen stromes. 1. bd., 2. hälfte: Die zeit von 1800-1930. Ber. Naturf. Ges. Freiburg v.33. 324 p. port. 1934.

Bol. Agr. Portugal (15.5P832Ag)
Carvalho e Vasconcelos J. de
Trigos portugueses ou de há muito cultivados no páis (Subsidios para o seu estudo botanico). Bol. Agr. Portugal 1: 1-150. illus. Mr./Je. 1933(Rec'd Jl.1934) no.1/2.

Boll. R. Uffic. Serv. Agrari Tripolit. (24T733)
Vivoli, G.
Sull'allevamento dell'Acacia cyanophilla in piena terra e sul suo impiego nell'imboschimento delle dune mobili in Tripolitania. Boll. R. Uffic. Serv. Agrari Tripolit. 3: 173-181. illus. My. 1934. no.5.

Boll. Tecn. R. Ist. Sper. Tabacchi Scafati (69.8B63)
Trotter, A.
I disturbi funzional e le alterazioni fogliari del tabacco. (The functional disturbances and the alternations of the leaves of tobacco). Boll. Tecn. R. Ist. Sper. Tabacchi Scafati 31: 13-51. illus., v pl. Ja./Mr.1934. no.1.
Brief English summary.

Bot. Mus. Leafl. Harvard Univ. (451H262)
Ames, O.
An addition to the genus Vanilla. Bot. Mus. Leafl. Harvard Univ. 2: 101-102. illus. Jl.11, 1934. no.8.
V. insignis.

Brittonia (450B77)
Core, E. L.
Studies in the genus Scleria. Brittonia 1: 239-243. Ap. 1934. no.5/6.

Moldenke, H. N.
A monograph of the genus Aegiphila. Brittonia 1: 245-477. Ap. 1934. no.5/6.

Bull. Agr. Congo Belge (Bruxelles) (24K83)
Lebrun, J.
Rapport sur un voyage d'études botaniques dans le district de l'Uele-Itimbiri. Bull. Agr. Congo Belge 25: 91-113. illus. Mr. 1934. no.1.

Bull. Agr. Congo Belge. (cont.)

Stoeffels, E.

Contribution à l'étude de la sélection de l' Elaeis guineensis à Sumatra. (Etude des facteurs écologiques). Bull. Agr. Congo Belge 25: 78-85. Mr. 1934. no.1.

Tihon, L.

L'Entandrophragma palustris Staner. Bull. Agr. Congo Belge 25: 21-25. Mr. 1934. no.1.

Bull. Bern. P. Bishop Mus. (Honolulu) (500B45B)

Skottsberg, C.

Astelia and Pipturus of Hawaii. Bull. Bern P. Bishop Mus. no.117. 77 p. illus., 38 pl. F.24, 1934.

Wilder, G. P.

The flora of Makatea. Bull. Bern. P. Bishop Mus. no.120. 49 p. map, 5 pl. Ap.9, 1934.

Bull. Min. Agr. Gt. Brit. (10G794B)

Gt. Brit. Ministry of agriculture and fisheries

Report on fungus, bacterial and other diseases of crops in England and Wales, 1928-1932. Its Bull. 79. 117 p. 8 pl. 1934.

Bull. Miyazaki Coll. Agr. & For. (107.6M692)

Endo, S.

Einfluss der temperature auf den ausbrauch der sklerotien-krankheit der saubohnen. Bull. Miyazaki Coll. Agr. & For. 6: 85-92. illus. 1934.

Hypochnus centrifugus (known in America as Sclerotium rolfsii) on Vicia faba.

Hino, I. & Hidaka, Z.

Black culm rot of bamboo-shoots. Bull. Miyazaki Coll. Agr. & For. 6: 93-99. illus., pl. iii. 1934.

Colletotrichum hsienjenchang n.sp.

Matubara, S.

The morphological differentiation of flower buds and the formation of pistillate flowers in the chestnut tree. Bull. Miyazaki Coll. Agr. & For. 6: 1-18. pl.i. 1934.

Bull. Soc. Bot. France. (Paris) (451F84B)

Benoist, R.

Description d'espèces nouvelles de phanérogames de l'Equateur. Bull. Soc. Bot. France 81: 324-326. Je.8,1934. no.3/4.

Protium ecuadorense, Rubus lloensis, Polylepis subintegra, Axinaea quitensis n.spp.

Chermezon, H.

Contribution à la flore cypérologoque du Togo. Bull. Soc. Bot. France 81: 261-269. Je.8, 1934. no. 3/4,

Fuirena mahouxi, Bulbostylis togoensis n.spp.

Cugnac, A. d.

Sur quelques bromes et leurs hybrides. III. Données biométriques comparatives sur quelques caratères distinctifs de Bromus rigidus Roth, B. gussonii Parlat. et B. sterilis L. Bull. Soc. Bot. France 81: 318-323. Je.8, 1934. no.3/4.

Dauphiné, A.

Mise en évidence et localisation de substances protéiques dans la membrane végétale. Bull. Soc. Bot. France 81: 328-331. illus. Je.8, 1934. no.3/4.

Gagnepain, F.

Quelques liliacées nouvelles d'Indochine. Bull. Soc. Bot. France 81: 286-289, Je.8, 1934, no.3/4.

Disporum trabeculatum, Gonioscypha muricata, Polygonatum laoticum & P. tonkinense n.spp. Dracaena cambodiana Pierre mss., D.loureiri n.comb.

Gardet, G.

A propos d'Eupteris aquilina L. Bull. Soc. Bot. France 81: 255-261. Je.8, 1934. no.3/4.

Gazet du Chatelier, G.

Sur l'origine des fleurs males du Sterculia platanifolia L. Bull. Soc. Bot. France 81: 331-333. illus. Je.8, 1934. no.3/4.

Guillaumin, A.

Matériaux pour la flore de la nouvelle-Calédonie. XXXV-XXXVI. Bull. Soc. Bot. France 81: 242-246, 283-285. Je.8, 1934. no.3/4.

XXXV. Révision des méliacées. XXXVI. A propos des ternstroemiacées.

Bull. Soc. Bot. France. (cont.)

Jaeger, P.

Particularités nucléaires du grain de pollen des dipsacées. Bull. Soc. Bot. France 81: 291-295. illus. Je.8, 1934. no.3/4.

Moreau, F. & Dusseau, A.

Examen de la fluorescence de divers organses et de divers produits végétaux. I-IV. Bull. Soc. Bot. France 81: 247-254. Je.8, 1934. no.3/4.

I. Sur la flourescence de quelques pigments fixés sur des plastes. II. Les variations de couleur de l'anthocyane examinée en lumière de Wood. III. Sur la fluorescence de quelques substance des fruits de diverses légumineuses. IV. Sur l'examen de champignons en lumière de Wood.

Moreau, F. & Moreau, Mme.

Sur la végétation lichénique des collines pépéritiques de Limagne. Bull. Soc. Bot. France 81: 334-346. Je.8, 1934. no.3/4.

Pellegrin, F.

L'origine botanique du bois d'ébéne du Gabon. Bull. Soc. Bot. France 81: 327-328. Je.8. 1934. no.3/4.

Diospyros crassiflora Hiern (D. incarnata Güke = D. evila (Pierre) A. Chev.)

Pellegrin, F.

Réhabilitation du Cordia senegalensis de Jussieu. Bull. Soc. Bot. France 81: 270-272. illus. Je.8, 1934. no.3/4.

Perrier de la Bathie, H.

Les Pachypodium de Madagascar. Bull. Soc. Bot. France 81: 297-318. illus. (map) Je.8,1934. no.3/4.

Simonet, M.

Stabilité chromosomique et parfaite constitution pollinique d'un hybride entre espèces à nombres inégaux et aneuploïdes de chromosomes (Iris autosyndetica nob.) Bull. Soc. Bot. France 81: 273-283. illus. Je.8, 1934. no.3/4.

Steimetz, E.

Réactif pratique pour l'analyse des coupes végétales. Bull. Soc. Bot. France 81: 296-297. Je.8, 1934. no.3/4.

Bull. Soc. Dendrol. France (Paris) (99.9So15)
Issler, E.
Espèces, variétés et hybrides du genre Sorbus observés en Alsace. Bull. Soc. Dendrol. France 1933: 70-80. illus. Ag.15, 1933. no.87.

Bull. Utsunomiya Agr. Coll. Japan (107.6Ut72)
Kagawa, F. & Chizaki, Y.
Cytological studies in genus hybrids of some cereals and a related plant. Bull. Utsunomiya Agr. Coll. Japan 5: 53-65. illus. Mr. 1934.
Japanese with English résumé: p.64-65.
Triticum durum x Secale cereale & Aegilops triuncialis x Secale cereale.

Suzuki, H.
Ueber den zuwachs des moso-und kuro-bambusses in Utsunomiya. I- Bull. Utsunomiya Agr. Coll. Japan 5; 17-28. pl. i. Mr. 1934.
Japanese with German résumé: p.28.

Uno, S.
Studien über bambusse. II. Ueber die fäulniss des bambusses. Bull. Utsunomiya Agr. Coll. Japan 4; 47-56. pl. F. 1934.
Japanese with German résumé: p.56.
Poria vaporis & Irpex concors.

Watanabe, T.
Studies on the physiologic specialization in Fusarium sp. causing the stem rot of sweet potatoes. I. Cultural characters and the influence of temperature upon the mycelial growth. Bull. Utsunomiya Agr. Coll. Japan 5: 37-51. plii. Mr.1934.
Japanese with English résumé: p.51.

Yamazaki, M.
On the classification of Rhizopus species. Bull. Utsunomiya Agr. Coll. Japan 5: 1-16. Mr. 1934.
Japanese with English résumé: p.16.

La Chacre, Buenos Aires. (9C34)
Marchionatto, J. B.
La immunidad de los vegetales. La Chacra Buenos Aires 4(45): 19, 77. Jl.1934.

Citrus Leaves (Redlands, Calif.)
Salter, A. G.
Constant vigilance profitable to maintain tree health. Citrus Leaves 14(7): 1-2,20. port. Jl.1934.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)

Bois, D.

Nouveaux arbres et arbustes d'ornament pour les pays tempérés. Compt. Rend. Acad. Agr. France 20: 670-690. Je.27, 1934. no.21.

Costantin, J.

Opportunité de la destruction des épine-vinettes en montague, surtout dans le briançonnais. Compt. Rend. Acad. Agr. France 20: 692-702. Je.27, 1934. no.21.

Compt. Rend. Acad. Sci. Paris (505P21)

Chouard, P.

Un cas singulier de transformation de bulbes en rhizomes drageonnants. Compt. Rend. Acad. Sci. Paris 199: 163-165. illus. Jl.9,1934. no.2.

In Scilla adlami.

Cugnac, A. de. & Obaton, F.

Sur quelques particularités de la biologie florale des graminées. Compt. Rend. Acad. Sci. Paris 199: 87-89. Jl.2, 1934. no.1.

Reed, H. S. & Frémont, T.

Sur les réactions des cellules des racines de citrus à l'infection par les mycorrhizas. Compt. Rend. Acad. Sci. Paris 199: 84-87. illus., Jl.2, 1934. no.1.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Gautheret, R.

Sur la présence de lipides dans les vacuoles des plantules d'orge. Compt. Rend. Soc. Biol. Paris 116: 809-810. 1934. no.24.

Guilliermond, A.

Sur certaines particularités cytologiques d'un Saprolegnia: Dégénérescence mucilagineuse et production de sphérocristaus dans le suc vacuolaire. Compt. Rend. Soc. Biol. Paris 116: 805-808. illus. 1934. no.24.

Hocquette, H.

Influence de la culture loin du bord de la mer sur l'anatomie du limbe d'Elymus arenarius. Compt. Rend. Soc. Biol. Paris 116: 766-768. 1934. no.23.

Compt. Rend. Soc. Biol. Paris (cont.)

Luyet, B.

Action des rayons X sur la croissance et la multiplication d'une algue monocellulaire. Compt. Rend. Soc. Biol. Paris 116: 878-880. 1934. no.24.

Mangenot, G.

Sur certains constituants figurés du protoplasma des Vaucheria. Compt. Rend. Soc. Biol. Paris 116: 737-740. 1934. no.23.

Current Science (Bangalore) (475Sci23)

Banerjee, S.

Notes on the occurrence of Grammothele cineracea Bres. Kneiffia grisea Berk. and Curtis. Current Science 2: 478-479. Je. 1934. no.12.

Bhat, S. S.

The leaf, flower and fruit characters of the Santra orange. Current Science 2: 485. Je. 1934. no.12.

Kostoff, D.

Studies on the pollen-tubes. II. The dependence between the potency of the pollen-tube growth in foreigh styles and the thickness of the pollen-tubes and chromosome number. Current Science 2: 464-466. Je. 1934. no.12.

Viswa Nath, B.

Some physical and chemical considerations on plant nutrition and growth. Current Science 2: 486-487. Je.1934. no.12.

Curt. Bot. Mag. (450C94)

Curtis's botanical magazine. v.157, pt.3. col. pl. 9359-9369. Jl.2, 1934.

Rhododendron detonsum, Lonicera hispida var. bracteata, Verbena corymbosa, Deutzia rubens, Tulipa cypria, Cypripedium cordigerum, Vallea stipularis var. pyrifolia, Ephedra viridis, Pedicularis delavayi, Cotyledon rotundifolia, Iris cretensis.

Desert (Pasadena) (450D45)

Rooksby, E.

Marcus E. Jones. Desert (Pasadena) 6: 42. port. Jl.1934. no.3.

Desert (Pasadena) (cont.)

Walther, E.

Xerophytes for southwest gardens. Desert (Pasadena) 6: 36-37. illus. Jl.1934. no.3.

Species of Eucalyptus.

Ecology (Brooklyn, N.Y.) (410Ec7)

Barkley, F. A.

The statistical theory of pollen analysis. Ecology 15: 283-289. Jl.1934. no.3.

Grant, M. L.

The climax forest community in Itasca County, Minnesota, and its bearing upon the successional status of the pine community. Ecology 15: 243-257. illus. (maps) Jl.1934. no.3.

Juday, C.

The depth distribution of some aquatic plants. Ecology 15: 325. Jl.1934. no.3.

Lutz, H. J.

Additions to the flora of Heart's Content, a virgin forest in northwestern Pennsylvania. Ecology 15: 295-297. Jl.1934. no.3.

McGinnies, W. G.

The relation between frequency index and abundance as applied to plant populations in a semiarid region. Ecology 15: 263-282. Jl.1934. no.3.

Seifriz, W.

The plant life of Russian Lapland. Ecology 15: 306-318. illus. Jl.1934. no.3.

Faserforsch. (Leipzig) (73.8F26)

Arno, A. & Borschtschawa, E.

Vergleichende technologische charakteristik der fasern von Hibiscus, Abutilon und Corchorus. Faserforsch. 11: 79-99. illus. Jl.6, 1934. no.2.

Schwede, R.

Beiträge zur mikroskopischen kenntnis des Manilahanfs. Faserforsch. 11: 105-121. illus., pl. Jl.6, 1934. no.2.

Faserforsch. (cont.)

Walther, O. A.

Zur physiologischen charakteristik des faserflachses. Faserforsch. 11: 63-78. Jl.6, 1934. no.2.

Flor. Exch. (N.Y.) (80F666)

Barnhart, P. D.

A new race of hybrid Clivias. The story of a plant breeder and his achievements. Flor. Exch. 83(3): 23. illus. Jl.21, 1934.

Weston, T. A.

Christmas roses... Flor. Exch. 72(19):9,12, 19. My.12, 1934.

White, R. P.

The Dutch elm disease situation. Flor. Exch. 83(3): 19. Jl.21, 1934.

Flor. Rev. (Chicago) (80W41)

Craig, W. N.

Effects of severe winter on lily bulbs seen in New England. Flor. Rev. 74(1911): 21-22. Jl.12, 1934.

Plants for the hardy garden. Flor. Rev. 74 (1913): 16. Jl.26,1934.

Douglasias, Potentilla fruticosa, Armeria caespitosa, Chamaemelum oreades.

Gard. Chron. (London) (80G162)

Balls, E.K.

Plant collecting in Persia. XIV. Schir Kuh and Kuh-i-Jupar. Gard. Chron. III,96: 8-9. illus. Jl.7, 1934. no.2480.

Banfield, F. S.

Notes on orchids of the Malay Archipelago. II. Gard. Chron. III,95: 438. Je.30,1934. no.2479.

Cheal, W. F.

Apple blossom-set in the Wisbech district. Gard. Chron. III,96: 10. Jl.7,1934. no.2480.

Grove, A.

Fruits of lilies. V. Lilium willmottiae and L. davidii. Gard. Chron. III, 95: 436. illus. Je.30,1934. no.2479.

Holmes-Smith, E.

Spotted wilt of tomato. Gard. Chron. III, 96: 11. illus. Jl.7, 1934. no.2480.

Gard. Chron. (cont.)

Mulligan, B. O.

Fasciation. Gard. Chron. III,96: 10-11. Jl.7, 1934. no.2480.

Ward, F. K.

A strange iris. Gard. Chron. III,95: 437. Je.30, 1934. no.2479.

K.W. 9357, closely resembles I.wattii.

Gard. Rev. Madras (80G1617)

Iyengar, P.S.P.

Brinjal cultivation (egg plant). Rev. Madras 1(7): 18-20. My.1934; 1(8): 12-15. Je.1934.

Laud, D. S.

Bombay flowering trees.(Varieties which bloom in the hot weather). Gard. Rev. Madras 1(8): 7-10. Je.1934.

Gartenbauwiss. (Berlin) (80G195)

Branscheidt, P.

Zur frage der determination der internodien in verschiedener höhe des jahrestriebes bei der rebe und ihre bedeutung für rebenveredlung und rebenzüchtung. Gartenbauwiss. 8: 515-572. illus. Je.22, 1934. no.4.

Werckmeister, P.

Ueber die künstliche aufzucht von embryonen aus Iris-bastardsamen. Gartenbauwiss. 8: 607-615. Je.22, 1934. no.4.

Vorläufige mitteilung.

Wóycicki, S.

Untersuchungen über den verlauf der nahrungsaufnahme bei zierpflanzen. I. Gartenbauwiss. 8: 599-606. Je.22, 1934. no.4.

Yarnell, S. H.

Influence of heredity with respect to a fruit defect of the tomato. Gartenbauwiss. 8: 616-633. illus. Je.22, 1934. no.4.

Gartenfl. (Berlin) (80G19)

Kammeyer, H. F.

Die schönheit der einjährigen ziergräser. Gartenfl. 83: 194-198. illus. Jl. 1934.

Helvetica Chim. Acta (Basel) (385H36)

Karrer, P., Loewe, L. & Rübel, F.

Pflanzenfarbstoffe. LX-LXI. Helvetica Chim. Acta 17: 745-747, 773-774. 1934. no.4.

LX. Ueber astacin. II. LXI. Ueber einwirkungsprodukte von alkylmagnesiumsalzen auf dihydrobixinester I.

Treadwell, W. D. & Zürrer, T.

Beitrag zur kenntnis der pflanzlichen atmung. Helvetica Chim. Acta 17: 886-892. illus. 1934. no.4.

Experiments with Dactylis and winter wheat.

Indian Journ. Agr. Sci. (Calcutta) (22Ag83I)

Ayyangar, G. N. R. & Wariar, U. A.

Anthesis and pollination in ragi, Eleusine coracana (Gaertn.), the finger millet. Indian Journ. Agr. Sci. 4: 386-393. pl.xxiv. Ap.1934. no.2.

Sen, K. R.

Variations in the characters of cotton fibres with the progress of the season. Indian Journ. Agr. Sci. 4: 295-319. Ap. 1934. no.2.

Singh, T. S. N.

Chromosome numbers in the genus Saccharum and its hybrids. Indian Journ. Agr. Sci. 4: 290-294. pl. xviii-xx. Ap.1934. no.2.

Singh, U. B.

Studies on Cercospora indica,n.sp., parasitic on Cajanus indicus Spreng. Indian Journ. Agr. Sci. 4: 343-360. pl.xxi-xxiii (1 col.) Ap.1934. no.2.

Intern. Bull. Plant Prot. (464.8In8)

Alfaro Cordoso, J. G.

Mozambique: Diseases and pests of citrus in the district of Lourenço Marques. Intern. Bull. Plant Prot. 8: 126. Je.1934. no.6.

Journ. Agr. Prat. (Paris) (14J82)

Foëx, E.

Maladie du coeur de la betterave. Journ. Agr. Prat. 98(2): 518-520. Je.30,1934. no.26.

Journ. Agr. Prat. (cont.)

Haution, R.

Le carburant et les champignons. Journ. Agr. Prat. 98(2): 517-518. Je.30, 1934. no.26.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)

Banfield, W. M.

Life history of the crown-gall organism in relation to its pathogenesis on the red raspberry. Journ. Agr. Res. 48: 761-787. illus. My.1, 1934. (Rec'd Jl.23). no.9.

Hildebrand, E. M.

Life history of the hairy-root organismin relation to its pathogenesis on nursery apple trees. Journ. Agr. Res. 48: 857-885. illus. My.15, 1934(Rec'd Jl.20) no.10.

Lachmund, H. G. & Hansbrough, J. R.

Survival of blister-rust mycelium in western white pine. Journ. Agr. Res. 48: 1043-1047. Je.1, 1934. (Rec'd Jl.19). no.11.

Lambert, E. B.

Size and arrangement of plots for yield tests with cultivated mushrooms. Journ. Agr. Res. 48: 971-980. illus. Je.1, 1934 (Rec'd Jl.19) no.11.

Longley, A. E.

Chromosomes in hybrids between Euchlaena perennis and Zea mays. Journ. Agr. Res. 48: 789-806. illus. My.1, 1934 (Rec'd Jl.23) no.9.

Riker, A. J., Keitt, G.W., Hildebrand, E.M. & Banfield, W.M.

Hairy root, crown gall, and other malformations, at the unions of piece-root-grafted apple trees and their control. Journ. Agr. Res. 48: 913-939. My.15, 1934 (Rec'd Jl.20) no.10.

Riker, A.J. and Hildebrand, E. M.

Seasonal development of hairy root, crown gall, and wound overgrowth on apple trees in the nursery. Journ. Agr. Res. 48; 887-912. illus. My.15, 1934. (Rec'd Jl.20) no.10.

Journ. Agr. Res. (cont.)

Stakman, E.C., Levine, M. N., Cotter, R.U. & Hines, L.
Relation of barberry to the origin and persistence of physiologic forms of Puccinia graminis. Journ. Agr. Res. 48: 953-969. illus. (maps) Je.1, 1934 (Rec'd Jl.19) no.11.

Waldron, L. R.
Increase of kernel weight in common wheat due to black-point disease. Journ. Agr. Res. 48: 1017-1024. Je.1, 1934 (Rec'd Jl.19) no.11.

White, R. P. & McCulloch, L.
A bacterial disease of Hedera helix. Journ. Agr. Res. 48: 807-815. 2 pl. My.1, 1934 (Rec'd Jl.23) no.9.

Journ. Agr. Sci. (London) (10J822)

Knowles, F., Watkin, J.E. & Hendry, F.W.F.
A chemical study of sugar beet during the first growth year. Journ. Agr. Sci. 24: 368-378. Jl. 1934. no.3.

Martin, H. & Salmon, E. S.
The fungicidal properties of certain spray-fluids. XI. Journ. Agr. Sci. 24: 469-490. Jl. 1934. no.3.

Journ. Arnold Arb. (Cambridge, Mass.) (451Ar6J)

Arthur, J. E.
Nomenclatural priority in the Uredinales. Journ. Arnold Arb. 15: 263-265. Jl. 1934. no.3.

Bailey, I. W. & Faull, A. F.
The cambium and its derivative tissues. IX. Structural variability in the redwood, Sequoia sempervirens, and its significance in the identification of fossil woods. Journ. Arnold Arb. 15: 233-254. pl.99-106. Jl. 1934. no.3.

Crowell, I. H.
The hosts, life history and control of the cedar-apple rust fungus Gymnosporangium juniperi-virginianae Schw. Journ. Arnold Arb. 15: 163-232. maps, pl.91-98. Jl. 1934. no.3.

Journ. Arnold Arb. (cont.)

Linder, D. H.

The seventh century of the Reliquiae Farlowianae. Distributed by the Farlow herbarium of Harvard university. Journ. Arnold Arb. 15: 259-262. pl. 109. Jl. 1934. no.3.

Phyllachora buddleiae Arnaud n.sp., Phleospora buddleiae (conidial stage of former fungus) Linder n.sp.

Sax, K. & Beal, J.M.

Chromosomes of the Cycadales. Journ. Arnold Arb. 15: 255-258. pl.107-108. Jl. 1934. no.3.

Journ. Bot. (London) (450J82)

Bancroft, H.

An external leaf-character of the cricket-bat and other willows. Journ. Bot. 72: 165-167. Je. 1934. no.858.

Butcher, R. W.

Thalictrum minus Linnaeus sensu latissimo in Britain. Journ. Bot. 72: 153-165. illus. (map) Je. 1934. no.858.

International botanical congress, 5th, Cambridge, 1930.

International rules of botanical nomenclature adopted by the fifth International botanical congress, Cambridge, 1930. Journ. Bot. v.72, Suppl. 29 p. Je. 1934. no.858.

Lousley, J. E.

Two interesting hybrids in the British flora. Journ. Bot. 72: 171-175. Je. 1934. no.858.

Cirsium eriophorum x C. lanceolatum, Verbascum pulverulentum x V. thapsus.

Mathews, J. R.

Rosa perthensis Rouy and its history as a British plant. Journ. Bot. 72: 167-171. Je. 1934. no.858.

Praeger, R. L.

Propagation from aerial shoots in Equisetum. Journ. Bot. 72: 175-176. Je. 1934. no.858.

Ridley, H. N.

J.D. Gimlette (1867-1934). Journ. Bot. 72: 176. Je. 1934. no.858.

Journ. Bot. (cont.)
Williams, I. A.
Bromus interruptus Druce in Holland. Journ. Bot. 72: 178. Je.1934. no.858.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)
Johnston, W. C.
The addition of two cruciferous weeds to the list of these plants in South Australia. Journ. Dept. Agr. So. Australia 37: 1276-1279. illus. My.15, 1934. no.10.
Conringia orientalis, Barbarea verna.

Journ. Dept. Agr. Victoria (Melbourne) (23V66J)
Castella, F. de
Court-noué, a mysterious vine disease. New light on an old enigma. Journ. Dept. Agr. Victoria 32: 298-301. Je. 1934. no.6.

Journ. Gen. Physiology. (Baltimore) (447.8J822)
Emerson, R. & Green, L.
Manometric measurements of phytosynthesis in the marine alga Gigartina. Journ. Gen. Physiol. 17: 817-842. illus. Jl.20, 1934. no.6.

Journ. Indian Chem. Soc. (Calcutta) (385In27)
Venkata Giri, K.
Amylase from sweet potato (Ipomoea batatas). Journ. Indian Chem. Soc. 11: 339-350. My.1934. no.5.

Journ. Min. Agr. Gt. Brit. (10G79J)
Pethybridge, G. H.
Snapdragon (Antirrhinum) rust. Journ. Min. Agr. Gt. Brit. 41: 336-340. Jl. 1934. no.4.

Preston, N. C.
The control of club root finger-and-toe in cauliflowers. Journ. Min. Agr. Gt. Brit. 41: 329-335. 2 pl. Jl.1934. no.4.

Journ. N.Y. Bot. Gard. (89N48J)
Small, J. K.
Native ferns in the New York botanical garden. Journ. New York Bot. Gard. 35: 148-151. map. Jl. 1934. no.415.

Teuscher, H.
Hardiness in plants. (cont.) Journ. N.Y. Bot. Gard. 35: 152-167. Jl. 1934. no.415.

Journ. Washington Acad. Sci. (500W276J)

Brown, R. W.

The supposed fossil ear of maize from Cuzco, Peru. Journ. Washington Acad. Sci. 24: 293-296. illus. Jl.15, 1934. no.7.

Hitchcock, A. S.

New species of Aulacolepis and other grasses. Journ. Washington Acad. Sci. 24: 290-292. Jl.15, 1934. no.7.

A. clemensae, A. petelotii, Muhlenbergia lindheimeri n.spp.

Kolloid-Beih. (384Z315K)

Samec, M., Knop, L. & Förster, M.

Studien über pflanzenkolloide. XXXVI-XXXVIII. Kolloid-Beih. 39: 421-437, 438-463, 464-468. Je.20, 1934. no.8/12.

XXXVI. Bereitung und dispersitätsgrad von erythrokörpern aus kartoffelstärke. XXXVII. Die teilchengrösse der amylose und ihrer desaggregationsprodukte beim azetylieren, bei der hitzespaltung und beim altern. XXXVIII. Ueber röstdextrine.

Kolloid-Zeitschr. (Dresden) (384Z315)

Samec, M. & Budanko, B.

Studien über pflanzenkolloide. XXXIX. Das fadenziehen der stärkelösungen. Kolloid-Zeitschr. 67: 258-264. Je. 1934. no.3.

Kranke Pflanze (Dresden) (464.8K86)

Helm, A.

Was ist "lohe"? Kranke Pflanze 11: 83-85. Jl./Ag. 1934. no.7/8.

Popular term for many diseases (mainly mildews) also some insect troubles.

Philipp. W.

Der kartoffelnematode - der gefährlichste kartoffelschädling. Kranke Pflanze 11: 77-82. illus. Jl./Ag. 1934. no.7/8.

Landbouwk. Tijdschr. Wageningen (105.20r3)

Lincklaen Arriëns, R.A.L.

Een en ander over resistentie en verworven immuniteit bij planten. Landbouwk. Tijdschr. Wageningen 46: 514-523. Jl.1934. no.562.

K. Landtbr.-Akad. Handl. o. Tidskr. (Stockholm) (104Sw3)
Lundegårdh, H.
Markbeskaffenhet och gödslingsbehov. (Studies on the relations between soil conditions and the absorption of nutrient salts by plants). K. Landtbr.-Akad. Handl. o. Tidskr. 73: 225-289. illus.(map) 1934. no.3.
English summary: p.282-287.

Landw. Jahrb. (Berlin) (18L23)
Scharrer,K. & Schropp, W.
Beiträge zur frage der wirkung des bors auf das pflanzenwachstum. Landw. Jahrb. 79: 977-999. illus. 1934. no.6.

Malayan Agr. Jounr. (Kuala Lumpur) (22.5F312)
Thompson, A.
Diseases of tobacco in Malaya. Malayan Agr. Jounr. 22: 263-269. Je.1934. no.6.

Mezőgazd. Kutat. Budapest (19M57)
Hauser, J.
Adatok a csávázószerek csirazast befolyásoló hatásának ismeretéhez. (Beiträge zur kenntnis der keimungsfördernden wirkung einiger beizmittel). Mezögazd. Kutat. Budapest. 7: 69-77. Mr./Ap. 1934. no.3/4.
German summary: p. 77.

Mitt. Landw. (Berlin) (18D48M)
Schlumberger, O.
Schwarzbeinigkeit und knollennassfäule der kartoffel. Mitt. Landw. 49: 611. Jl.14, 1934. no.28.

Nature (London) (472N21)
Burtt Davy, J.
An early record of the sycamore maple in Britain. Nature 134: 61-62. illus. Jl.14, 1934. no.3376.
In carvings on the canopy of the shrine of St. Frideswyde in cathedral of Christ Church, Oxford, attributed to the period 1290-1320.

Carroll, J. & McMahon, E.
Hatching experiments on the potato eelworm (Heterodera schachtii). Nature 134: 66. Jl.14, 1934. no.3376.

Nature (cont.)

Joshi, A. C.

Chromosome numbers in Menispermaceae. Nature 134: 29. Jl.7, 1934. no.3375.

Viswa Nath, B. & Suryanarayana, M.

Effect of yeast extract on the growth of plants. Nature 134: 27. Jl.7, 1934. no.3375.

Yonge, C. M.

Origin and natüre of the association between invertebrates and unicellular algae. Nature 134: 12-15. Jl.7, 1934. no.3375.

Nature Mag. (Washington) (409.6N214)

Morse, E. E.

The whispering fungus. Nature Mag. 24:84. illus. Ag.1934. no.2.

Elvela mitra.

Naturforsch. (Berlin) (410N219)

Walter, M.

Blutenpflanzen in 4000 m höhe. Naturforsch. 11: 128-133. illus., pl.x. Jl.1934. no.4.

New Flora & Silva (London) (80N422)

Bean, W. J.

Nothofagus, southern beeches, II. New Flora & Silva 6: 250-255. Jl.1934. no.4.

McFarland, J. H.

Fragrant Philadelphus. New Flora & Silva 6: 238-241. pl. lxxxiii-lxxxvi. Jl.1934. no.4.

Maxwell, H.

Gladiolus watsonii. New Flora & Silva 6: 234. col.pl. Jl.1934. no.4.

Meinertzhagen, L. E.

Barberries of Patagonia. New Flora & Silva 6: 256-258. pl.xci-xciv. Jl.1934. no.4.

Rosenheim, P.

The cultivation of Fritillarias. New Flora & Silva 6: 235-237. Jl.1934. no.4.

Rowntree, L.

The native flora of the California redwood forests. New Flora & Silva 6: 242-249. pl. lxxxvii-lxxxix. Jl.1934. no.4.

New Flora & Silva (cont.)
Schacht, W.
Astragalus physocalyx. New Flora & Silva 6: 274-275. pl.c. Jl. 1934. no.4.

Synge, P. M.
Collecting Nepenthes in Borneo. New Flora & Silva 6: 221-227. pl. lxxvii-lxxxii. Jl. 1934. no.4.

New Zeal. Jounr. Agr. (Wellington) (23N48J)
Chamberlain, E. E.
Tomato-mosaic. Its appearance, cause, and preventive treatment. New Zeal. Journ. Agr. 48: 344-351. illus. Je.20, 1934. no.6.

New Zeal. Journ. Sci. & Techn. (Wellington) (514N48)
Tiller, L. W.
Use of copper-sulphate-treated paper in the cold storage of pears. New Zeal. Journ. Sci. & Techn. 15: 403-407. illus. My.1934. no.6.

Northwest Science (Cheney, Washington) (470N81)
Wyckoff, S. N.
Accomplishments of the civilian conservation corps in blister rust control. Northwest Science 8(2): 5-8. Je. 1934.

Nova Acta R. Soc. Sci. Upsala (502Up7N)
Svedelius, N.
On the development of Asparagopsis armata Harv. and Bonnemaisonia asparagoides (Woodw.) Ag. A contribution to the cytology of the haplobiontic Rhodophyceae. Nova Acta R. Soc. Sci. Upsala IV, v.9, no.1. 61 p. illus. 1933.

Obst- u. Gemüseb. (Berlin) (80P7750)
Geuder, H.
Einiges über die entstehung und entwicklung der blütenknospen der obstbäume. Obst- u. Gemuseb. 80: 89-90. Je.1934. no.6.

Kemmer, E.
Beitrag zur wurzelentwicklung der sämlingsunterlage beim apfel. Obst- u. Gemüseb. 80: 34-36. illus. Mr.15, 1934. no.3.

Rudloff, C. F.
Untersuchungen über die befruchtungsverhältnisse bei kirschen. Obst- u. Gemüseb. 80: 92-93. Je. 1934. no.6.

Obst- u. Gemüseb. (cont.)
Rudloff, C. F.
Das wichtigste über die befruchtungsverhältnisse bei unseren obstgehölzen. Obst- u. Gemüseb. 80: 33-34. Mr.15, 1934. no.3.

Vogel, F.
Die wirkung des jods auf verschiedene gemüsearten. (concl.) Obst- u. Gemüseb. 80: 41-42. Mr.15, 1934. no.3.

Occas. Papers Bern. P. Bishop Mus. (500B450)
Bartram, E. B.
Polynesian mosses. Occas. Papers Bern. P. Bishop Mus. v.10, no.10. 28 p. illus. D.15, 1933.

Christophersen, E.
A new Hawaiian Abutilon. Occas. Papers Bern. P. Bishop Mus. v.10, no.15, 7 p. illus. My.5, 1934.
A. sandwicense welchii.

Martelli, U.
Samoan Pandanaceae. Occas. Papers Bern. P. Bishop Mus. v.10, no.13. 24 p. illus. Mr.30,1934.

St.John, H.
Hawaiin plant studies. 2.Panicum, Zanthoxylum, Psychotria and Sicyos. Occas. Papers Bern. P. Bishop Mus. v.10, no.12. 7 p. illus. Mr.24, 1934.
Panicum pellitoides n.sp.

Smith, F. G.
Diellia and its variations. Occas. Papers Bern. P. Bishop Mus. v.10, no.16. 22 p. illus., 7 pl. My.7, 1934.

Oesterr. Vierteljahresschr. Forstw. (Wien) (99.90e8)
Schwarz, H.
Das ulmensterben und sein erreger. Oesterr. Vierteljahresschr. Forstw. 84(n.f.52): 15-18. 1934. no.1.

Orchid Rev. (Richmond, Engl.) (800r15)
Zurowetz, J. E.
Dendrobium lasianthera, J.J. Smith (D. stüberi) Orchid Rev. 42: 204-205. illus. Jl.1934. no.493.

Pflanzenbau (Berlin) (18P48)

Semeroth, H.

Der einfluss der witterung auf den beerenansatz bei künstlicher befruchtung der kartoffelblüte. Pflanzenbau 10: 471-478. Je. 1934. no.12.

Phosphorsäure (57.8P562)

Nemec, A.

Ueber die zusammensetzung der mineralstoffe einiger krebsfester und gegen krebs anfälliger kartoffelsorten. Phosphorsaure 4: 352-357. 1934. no.6.

Phytopath. (464.8P56)

American phytopathological society - Southern division.

Report of annual meeting, 1934 [and abstracts of papers] Phytopath. 24: 835-844. Jl. 1934. no.7.

Berry, J. A. & Magoon, C. A.

Growth of microorganisms at and below 0° C. Phytopath. 24: 780-796. Jl. 1934. no.7.

Crosier, W.

Black spot of germinating pea seed. Phytopath. 24: 827-829. illus. Jl. 1934. no.7.

Habits of growth of fungus suggest Dematium pullulans.

Davidson, R. W.

Stereum gausapatum, cause of heart rot of oaks. Phytopath. 24: 831-832. Jl. 1934. no.7.

Kendrick, J. B.

Cucurbit mosaic transmitted by muskmelon seed. Phytopath. 24: 820-823. illus. Jl. 1934. no.7.

Oserkowsky, J.

Fungicidal effect on Sclerotium rolfsii of some compounds in aqueous solution and in the gaseous state. Phytopath. 24: 815-819. illus. Jl. 1934. no.7.

Poole, R. F.

Sweet-potato ring rot caused by Pythium ultimum. Phytopath. 24: 807-814. illus. Jl.1934. no.7.

Phytopath. (cont.)

Price, W. C.
Isolation and study of some yellow strains of cucumber mosaic. Phytopath. 24: 743-761. illus. Jl.1934. no.7.

Richards, B. L.
Reaction of alfalfa varieties to stem blight. Phytopath. 24: 824-827. Jl.1934. no.7.

Smith, C. O.
Stem-spot of rhubarb. Phytopath. 24: 832-833. illus. Jl.1934. no.7.
Phyllosticta straminella.

Steinberg, R. A.
A modification in incubator construction. Phytopath. 24: 829-831. illus. Jl.1934. no.7.

Steinmetz, F. H. & Hilborn, M. T.
Observations on Gymnosporangium germinale. Phytopath. 24: 833-834. Jl. 1934. no.7.

Wismer, C. A.
Inheritance of resistance to bunt and leaf rust in the wheat cross, Oro x Tenmarq. Phytopath. 24: 762-779. Jl. 1934. no.7.

Yarwood, C. E.
The comparative behavior of four clover-leaf parasites on excised leaves. Phytopath. 24:797-806. illus. Jl.1934. no.7.
Uromyces, Erysiphe, Colletotrichum, Macrosporium.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Friesing) (464.8P88)

Ostermayer, A.
Statistische studien über das auftreten und die bekämpfung von pflanzenkrankheiten. Prakt.Blätt. Pflanzenb. u. Pflanzensch. 34(n.s.12): 61-71. Je. 1934. no.3.

Proc. Imp. Acad. Tokyo (513T576)

Hirayama, S.
On the oxydase and the dehydrase in phytopathogenic fungi. Proc. Imp. Acad. Tokyo 9: 639-642. D.1933. no.10.

Proc. Nat. Acad. Sci. (500N21P)

Constance, L.
A preliminary revision of the perennial species of Eriophyllum. Proc. Nat. Acad. Sci. 20: 409-413. Jl.1934. no.7.

Proc. Staten Isl. Inst. (500St2)
Arthur Hollick 1857-1933. Proc. Staten Isl. Inst. 7: 11-23. port. D,11,1933. no.1/2.

Progr. Agr. & Vitic. (Montpellier) (14P94)
Armet, H.
Action coagulante du cuivre sur le mildiou. Progr. Agr. & Vitic. 94: 137-140. Ag.10, 1930. no.32.

Armet, H.
Bouillies célestes au sulfate d'ammoniaque et solutions cupriques aux composés tartriques. Progr. Agr. & Vitic. 102: 19-23. Jl.1, 1934. no.26.

Rosella, E.
Les piétins des céréales. Progr. Agr. & Vitic. 102: 13-17. Jl.1, 1934. no.26.

Queensl. Agr. Jour. (Brisbane) (23Q33)
White, C. T.
Vinca rosea. A reputed cure for diabetes. Queensl. Agr. Jour. 41: 598-600. illus. Je.1, 1934. no.6.

Rec. Auckland Inst. & Mus. (514Au22R)
Cranwell, L. M.
Flora of Manihiki, Cook group. Rec. Auckland Inst. & Mus. 1: 169-171. S.25, 1933. no.4.

Repert, Spec. Nov. Fedde (Berlin) (450R29)
Andres, H.
Primula columnae Ten, in der Rheinprovinz. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4,5/10): 269-271. Je.15, 1934. no.8/17.

Burret, M.
Die palmengattung Astrocaryum G.F.W. Meyer. Repert. Spec. Nov. Fedde 35: 114-158. Je.15, 1934. no.8/17.

Fedde, F.
Prof, Dr. Fr. Kränzlin. Repert Spec. Nov. Fedde 35: 113. Je.15, 1934. no.8/17.
Died Mr.9, 1934.

Hosseus-Cordoba, C. C.
Bemerkungen zum vorkommen einiger südamerikanischer fabroniaceen. Repert. Sepc. Nov. Fedde 35: 174-176. Je.15, 1934. no.8/17.

Repert. Spec. Nov. Fedde (cont.)

Poellnitz, K.v.
Die Calandrinia-arten Australiens. Repert. Spec. Nov. Fedde 35: 161-173. Je.15, 1934. no.8/17.

Poellnitz, K.v.
Kalanchoe blossfeldiana. Repert. Spec. Nov. Fedde 35: 159-160. Je.15, 1934. no.8/17.

Steinhäuser, M.
Die floristische stellung und herkunft der pflanzenwelt der ostfriesischen Inseln. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 5/10): 177-268. Je.15, 1934. no.8/17.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin) (450R29B)

Düren, W.
Zur verwandlung der pflanze. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 203-206. 1934.

Fischer, H.
Pflanzenstandorte und vererbungslehre. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 164-172. 1934.

Jonas, Fr.
Die paläobotanische untersuchung brauner flugsande und deren stallung im alluvium In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 153-163. pl.xix. 1934.

Jonas, Fr.
Zur waldentwicklung Nordwestdeutschlands. In Beiträge zur sistematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 149-152. 1934.

Klemm, M.
Boden, klima und vegetation der Burjato-Mongolei. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 225-239. pl.xvii-xviii. 1934.

Langerfeldt, J.
Kompensationserscheiningen innerhalb von pflanzengemeinschaften als ausdruck des sozialen prinzips in der natur. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 1-11. 1934.

Repert. Spec. Nov. Beih. (cont.)

Mattick, F.

Die organisation der floristischen forschung in Deutschland. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 207-213. 1934.

Plahn,

Eine neue pflanzenbestimmungsmethode. Theoretischenteil. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 173 202. 1934.

Rubner, K.

Klima und holzartenberbreitung in Europa. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 100-110. 1934.

Scheuermann, R.

Mittelmeerpflanzen der güterbahnhöfe des rhein.-westf. industriegebietes. I. Nachtrag. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 65-99. 1934.

Schulze, G. M.

Vergleichend-morphologische untersuchungen an laubknospen und blättern australischer und neuseeländischer pflanzen. In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 33-64. pl.i-xvi. 1934.

Wein, K.

Die älteste einführungs- und einbürgerungsgeschichte der Opuntia humifusa, In Beiträge zur systematik und pflanzengeographie XI. Repert. Spec. Nov. Beih. 76: 111-148. 1934.

Ricerche Osserv. e Divulg. Fitopat. Camp. ed Mezzog. R. Osserv. Reg. Fitopat, Portici (464.9P832)

Cristinzio, M.

Malattie delle piante da frutto nella Campania e nel Mezzogiorno. Ricerche Osserv. e Divulg. Fritopat. Camp. ed Mezzog. R. Osserv. Reg. Fitopat. Portici. 3: 47-87. illus, pl.vi-vii (1 col.) 1934.

Cristinzio, M.

La necrosi del cuore dei tuberi di patata. Ricerche Osserv. e Divulg. Fitopat. Camp ed Mezzog. E. Osserv. Reg. Fitopat. Portici 3: 3-17. illus., pl.i-ii. 1934.

Ricerche Osserv. e Divulg. Fitopat. Camp. ed Mezzog. R. Osserv. Reg. Fitopat. Portici (cont.)

Trotter, A.

La degenerazione della patata e le malattie da virus. Ricerche Osserv. e Divulg. Fitopat. Camp. ed Mezzog. R. Osserv. Reg. Fitopat. Portici 3:18-46. illus., pl.iii-v (1 col.) 1934.

Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) (Poznań) (20.5R59)

Dmochowski, J.

Zawartość tłuszczu w nasionach lnu i konopi w rozmaitych okresach dojrzewanie i kiełkowaniq oraz w brzozie i lipie w rozmaitych fazach okresu zimowego. (Recherches sur la quantité d'huile dans les graines du lin et du chanvre pendant les différentes périodes de la maturation et de la germination ainsi que dans le bouleau et dans le tilleul pendant les différentes phases de l'hiver). Roczn. Nauk Rolnicz. i Leśn. (Polish Agr.& For. Ann.) 32: 35-78, 1934. no.1.

French résumé: p.77-78.

Rothamsted Conf. (64R74)

Leiper, R. T. & Triffitt, M. J.

The eelworm problem. Rothamsted Conf. 16: 18-24. 1934.

Pethybridge G. H.

Potato diseases. Rothamsted Conf. 16: 9-17. 1934.

Salaman, R. N.

The raising of blight-resistant varieties and virus-free stocks. Rothamsted Conf. 16: 44-47. 1934.

Science (470Sci2)

Spain, W. C., Newell, J. M. & Meeker, M.

Susceptibility to poison ivy and poison oak. Science 80: 104. Jl.27, 1934. no.2065.

Wherry, E. T.

A source of botanical misinformation. Science 80: 74. Jl. 20,1934. no.2064.

Review of G.D. Aiken's Pioneering with wild flowers.

Science Progr. (London) (472Sci22)
Seward, A. C.
An extinct Malayan flora in England. Science Progr. 29: 1-24. Jl.1934. no.113.
Observations on the London clay flora by Mrs. E.M. Reid and Miss M.E.J. Chandler.

Seed World (Chicago) (61.8Se52)
Waller, L. D.
Breeding rust-proof Antirrhinums. Seed World 26(2):8-9. illus. Jl.20, 1934.

Svensk. Bot. Tidskr. (450Sv2)
Burstrom, H.
Ueber antagonistische erscheinungen bei der kationenaufnahme des hafers. Svensk Bot. Tidskr. 28: 157-263. Je.21, 1934. no.2.

Erdtman, G.
Sur la distribution actuelle du charme (Carpinus betulus L.) Svensk Bot. Tidskr. 28; 359-361. illus. (map) Je.21, 1934. no.2.

Erdtman, G.
Ueber die verwendung von essigsäureanhybrid bei pollenuntersuchungen. Svensk Bot. Tidskr. 28: 354-358. Je.21, 1934. no.2.

Florin, R.
Die spaltöffnungsapparate von Welwitschia mirabilis Hook. F. Svensk Bot. Tidskr. 28: 264-289. illus. Je.21, 1934. no.2.

Grapengiesser, S.
Norrländska vegetationsbilder. Svensk. Bot. Tidskr. 28: 300-353. illus. Je.21, 1934. no.2.

Liljefors, A.
Ueber normale und apospore embryosackentwicklung in der gattung Sorbus, nebst einigen bemerkungen über die chromosomentzahlen. Svensk Bot. Tidskr. 28: 290-299. illus. Je.21, 1934. no.2.
Vorläufige mitteilung.

Söderberg, E.
Groddknoppsbildning hos Anthericum liliago x ramosum. Svensk Bot. Tidskr. 28: 362-363. illus. Je.21, 1934. no.2.

Svensk. Bot. Tidskr. (cont.)

Söderberg, E.

Ueber die chromosomenzalh von Crepis scaposa R.E. Fr. Svensk Bot. Tidskr. 28: 361-362. illus. Je.21, 1934. no.2.

Symbol. Bot. Upsal. (451Up72)

Junell, S.

Zur gynäceummorphologie und systematik der verbenaceen und labiaten nebst bemerkungen über ihre samenentwicklung. Symbol. Bot. Upsal. no.4. 219 p. illus., viii pl. 1934.

Nannfeldt, J. A.

Poa rigens Hartm. versus Poa arctica R.Br. Symbol. Bot. Upsal. No.3. 21p. illus., ii pl. 1934.

P. rigens not identical with P. arctica but belongs to P. pratensis.

Thar. Forstl. Jahrb. (Berlin) (99.8T32)

Schmithüsen, J.

Vegetationskundliche studien im niederwald des linksrheinischen schiefergebirges. Thar. Forstl. Jahrb. 85: 197-217, 225-264. illus., map. 1934. no.4,5.

Torreya (450T63)

Torrey, R. H.

Cladoniae of the North Woods. Torreya 34: 57-74. 3 pl. My./Je. 1934. no.3.

Trans. Highl. & Agr. Soc. Scotl. (10H536)

O'Brien, D. G. & Dennis, R. W. G.

The dry disinfection of oat seed. Trans. Highl. & Agr. Soc. Scotl. V,46: 91-112. Illus., col.pl. 1934.

Robb, W.

Experimental oat and potato breeding, Some recent developments. Trans. Highl. & Agr. Soc. Scotl. V.46: 126-145. illus. 1934.

Trans. Sapporo Nat Hist. Soc. (410Sa6)

Enomoto, S.

On the rest period and its shortening in smut spores. Trans. Sapporo Nat. Hist. Soc. 13: 167-172. Je. 1934. no.3.

Preliminary report. Ustilago hordei, U. tritici, U. nuda, U. grandis.

Trans. Sapporo Nat. Hist. Soc. (cont.)

Fujita, K. & Miura, O.

On the parasitism of Heterodera schachtii Schmidt on beans. Trans. Sapporo Nat. Hist. Soc. 13: 359-364. Je. 1934. no.3.

Fukushi, T.

Plants susceptible to dwarf disease of rice plant. Trnas. Sapporo Nat. Hist. Soc. 13: 162-166. Je. 1934. no.3.

Hiratsuka, N.

On some new species of Phragmidium. Trans. Sapporo Nat. Hist. Soc. 13: 134-138. Je. 1934. no.3.

P. itoanum, P. brevipedicellatum, P. arisanense, P. rubi-oldhami, n.spp.

Hiura, M. & Kanegae, H.

Studies on the downy mildews of cruciferous vegetables in Japan. I. Trans. Sapporo Nat. Hist. Soc. 13: 125-133. Je. 1934. no.3.

Homma, Y.

A life-cycle of Sphaerotheca fuliginea (Schlecht.) Pollacci parasitic on Taraxacum ceratophorum DC. Trans. Sapporo Nat. Hist. Soc. 13: 173-178, pl. 6. Je.1934. no.3.

Hotta, T.

Morphological and systematic studies on female flowers of mulberry trees. Trans. Sapporo Nat. Hist. Soc. 13: 246-255. Je. 1934. no.3.

Imai, S.

Studies on the Geoglossaceae of Japan. Trans. Sapporo Nat. Hist. Soc. 13: 179-184. pl.vii. Je. 1934. no.3.

Imai, Y.

Studies on the transmission of broad bean mosaic. Trans. Sapporo Nat. Hist. Soc. 13: 241-245. Je. 1934. no.3.

Transmitted by 3 species of aphid, Aphis laburni, Acyrthosiphon pisi, Rhopalosiphum persicae.

Ishiyama, T.

On some species of Septoria collected in southern Saghalien. Trans. Sapporo Nat. Hist. Soc. 13: 218-222. illus. Je. 1934. no.3.

S. picridis, S. gentianicola, n.spp.

Trans. Sapporo Nat. Hist. Soc. (cont.)

Iwadare, S.

Studies on Epicoccum oryzae Ito et Iwadare, n.sp. Trans. Sapporo Nat. Hist. Soc. 13: 210-217. illus. Je. 1934. no.3.

Kamei, S.

Identification of a peridermial stage on the seedlings of Abies mayriana and the injury caused thereby. Trans. Sapporo Nat. Hist. Soc. 13: 153-161. illus. Je. 1934. no.3.

Uredinopsis hirosakiensis.

Matsumoto, T.

Some remarks on the taxonomy of the fungus Hypochnus sasakii Shirai. Trans. Sapporo Nat. Hist. Soc. 13: 115-120. illus. Je.1934. no.3.

Hypochnus sasakii should be named Corticium sasakii.

Miyabe, K. & Tatewaki, M.

Contributions to the flora of northern Japan. III. Trans. Sapporo Nat. Hist. Soc. 13: 106-111. Je. 1934. no.3.

Miyabe, K & Nagai, M.

Note on a new form of Laminaria japonica Aresch. Trans. Sapporo Nat. Hist. Soc. 13: 112-114. illus. Je. 1934. no.3.

Forma membranacea.

Miyabe K, & Tatewaki, M.

On Aconitum ito-seiyanum, sp.nov. Trans. Sapporo Nat. Hist. Soc. 13: 105-106. illus. Je. 1934. no.3.

Sakamoto, M.

Catenulate conidia formation in Ophiobolus miyabeanus Ito et Kuribayashi. Trans. Sapporo Nat. Hist. Soc. 13: 237-240. illus., pl.ix. Je. 1934. no.3.

Sawada, K.

A physical consideration of the mechanism of the cracking of sweet cherries. Trans. Sapporo Nat. Hist. Soc. 13: 365-376. illus. Je. 1934. no.3.

Shimada, S.

Conidia formation in Trichoderma narcissi Tochinai et Shimada. Trans. Sapporo Nat. Hist. Soc. 13: 223-224. illus. Je. 1934. no.3.

Trans. Sapporo Nat. Hist. Soc. (cont.)

Stow, I.
On the triploid Japanese lily of the valley found in the wild of Hokkaido. Trans. Sapporo Nat. Hist. Soc. 13: 191-195. illus. 1934. no.3.

Tagawa, T.
A brief note on the action of the top of a plant upon the absorption of water by the root. Trans. Sapporo Nat. Hist. Soc. 13: 233-236. Je. 1934. no.3.

Takasugi, H.
Additional list of the fungi of Manchukuo. Trans. Sapporo Nat. Hist. Soc. 13: 185-190. Je. 1934. no.3.

Tanaka, I.
Eine neue art des falschen mehltaupilzes auf dem buchweizen. Trans. Sapporo Nat. Hist. Soc. 13: 203-206. illus. Je. 1934. no.3.
Peronospora fagopyri.

Terui, M.
On the occurrence of the wilt disease of sesame in Japan. Trans. Sapporo Nat. Hist. Soc. 13: 225-226. Je. 1934. no.3.

Tochinai, Y & Ishizuka, K.
The after effect of the fungus filtrate of Gibberella fujikuroi on rice plants. Trans. Sapporo Nat. Hist. Soc. 13: 148-152. illus. Je. 1934. no.3.

Tochinai, Y. & Yamagiwa, S.
Note on some new species of fungi collected in Mt. Taisetsu. Trans. Sapporo Nat. Hist. Soc. 13: 144-148. illus. Je. 1934. no.3.
Meliola vaccinii, Didymosphaeria atropunctata, Gnomonia polyasca, Bagnisiopsis coptidis, n.spp.

Togashi, K. & Oda, K.
Spore-size variability in subsequent spore prints of some hymenomycetous fungi. Trans. Sapporo Nat. Hist. Soc. 13: 121-125. Je.1934. no.3.

Tokida, J.
Phycological observations. I. Trans. Sapporo Nat. Hist. Soc. 13: 196-202. illus., pl.viii. Je. 1934. no.3.
Rhododermis geogrii var. fucicola, Polycoryne denticulata.

Trans. Sapporo Nat. Hist. Soc. (cont.)

Tokunaga, Y.

Notes on the Lagenidiaceae in Japan. Trans. Sapporo Nat. Hist. Soc. 13: 227-232. illus. Je. 1934. no.3.

Yamaguchi, S.

On the resorption of urea by the root system of the higher plants. Trans. Sapporo Nat. Hist. Soc. 13: 207-209. Je.1934. no.3.

Yamamoto, W.

Cercospora from Formosa. I- Trans. Sapporo Nat. Hist. Soc. 13: 139-143. illus. Je. 1934. no.3.

Trop. Natuur. (410.9T75)

Steenis, C. G. G. J. van

Het moerasboschje bij Tjitjadas, Res. Batavia. Trop. Natuur. 23: 105-109. illus. Je.1934. no.6.

U. S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Cash, E. K.

Alaskan fungi. U.S. Dept. Agr. Plant Dis. Rep. 18: 74-88. Jl.1,1934. no.7.

Miller, J. H.

Diseases of the Austrian winter pea in northern Georgia. U.S. Dept. Agr. Plant Dis. Rep. 18: 95-96. Jl.1, 1934. no.7.

Pisum arvense.

Sprague, R.

Rust diseases of grain crops in Oregon in 1933-34. U.S. Dept. Agr. Plant Dis. Rep. 18: 89. Jl.1, 1934. no.7.

Vic. Nat. (Melbourne) (410V66)

Additions and alterations to a census of the plants of Victoria. Vict. Nat. 51: 44. Je. 1934. No.2.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig) (442.8Z34)

Bohn, W.

Einige untersuchungen über die tetradenaufspaltung bei den basidiomyceten. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67: 435-445. 1934. no.3/4.

Zeitschr. Indukt. Anstamm. u. Vererbungsl. (cont.)

Hobusch, L.

Untersuchungen über die kreuzungsschwierigkeiten bei den bastarden zwischen Linum austriacum und Linum perenne und deren nachfolgegenerationen. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 67: 389-434. illus. 1934. no.3/4.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)

Havelik, K.

Das absterben der bäume, hauptsächlich der weisstannen (Abies pectinata) und rotbuchen (Fagus silvatica) nach frösten. Zeitschr. Pflanzenkr. 44: 355-362. illus. Jl.1934. no.7.

Steiner, H.

Ein beitrag zur frage der getreiderostbekämpfung auf kulturellem wege. Zeitschr. Pflanzenkr. 44: 348-354. Jl. 1934. no.7.

Zeitschr. Wiss Mikros. (Leipzig) (440.8Z3)

Frey-Wyssling, A.

Ueber verschiebungsfiguren zellulosiger zellwände. Zeitschr. Wiss. Mikros. 51: 29-36. illus. Je. 1934. no.1.

Guilliermond, A.

Sur la nature du vacuome. Zeitschr. Wiss. Mikros. 51: 203-212. Je. 1934. no.1.

Höfler, K.

Kappenplasmolyse und salzpermeabilität. Zeitschr. Wiss. Mikros. 51; 70-87. illus. Je. 1934. no.1.

Jungers, V.

A propos de bonne fixation et d'un bon fixateur. Zeitschr. Wiss. Mikros. 51: 48-50. Je. 1934. no.1.

Martens, P.

Etude experimentale des sporocytes de Tradescantia II. Action du "suc" de la plante sur les cellules vivantes. Zeitschr. Wiss. Mikros. 51: 88-102. illus. Je. 1934. no.1.

Zeitschr. Wiss. Mikros. (cont.)

Schmelzer, W.

Bemerkungen zur anwendung saurer karminlösungen auf pflanzliche gewebe. Zeitschr. Wiss. Mikros. 51: 66-67. Je. 1934. no.1.

Schmidt, W. J.

Ueber eigentümliche veranderungen von zellulosefäden in Kanadabalsampräparaten. Zeitschr. Wiss. Nikros. 51: 2-11. illus., pl.i. Je. 1934. no.1.

In seeds of Cobaea scandens.

Zeitschr. Zellforsch. & Mikrosk. Anat. (Berlin) (442.8Z33B)

Breslawetz, L.P., Medwedewa, G.B., Afanasjewa, A. C. & Kostromina, A.

Die vergrösserung der zelle und des zellkerns unter einwirkung von chemikalien. Zeitschr. Zellforsch. & Mikrosk. Anat. 21: 279-293. Je. 23, 1934. no.2.

McClintock, B.

The relation of a particular chromosomal element to the development of the nucleoli in Zea mays. Zeitschr. Zellforsch. & Mikrosk. Anat. 21: 294-328. illus., pl.viii-xiv. Je.23, 1934. no.2.

Zentralbl. Bakt. Abt.II. (Jena) (448.3C33)

Hermann, S. & Neiger, R.

Untersuchungen über die fungizide wirkung von salicylsäure und salicylsaureverbindungen auf Tilletia tritici. Zentralbl. Bakt. Abt.II, 90: 258-267. Jl.2, 1934. no.9/13.

Potter, M. C.

Soil micro-organisms; their influence upon the potential difference between the plant and the soil. Zentralbl. Bakt. Abt.II. 90: 255-258. illus. Jl.2, 1934. no.9/13.

Reimesch, E.

Die bedeutung der hefeverteilung im nährmedium für den gärungsverlauf. Zentralbl. Bakt. Abt. II, 90: 218-225. Jl.2, 1934. no.9/13.

Der Züchter (Berlin) (442.8Z8)

Emme, H.

Vererbung von anheftungstypen der blüten und einiger anderer merkmale beim Hafer. (concl.) Der Züchter 6: 137-140. Je. 1934. no.6.

Der. Züchter (cont.)

Lindenbein, W.
Cytologische untersuchungen am markstammkohl.
Der. Züchter 6: 129-136. illus. Je. 1934. no.6.

Rudloff, C. F.
Die befruchtungsverhältnisse bei unseren obstsorten. II. Pflaumen. Der Züchter 6: 121-129. Je. 1934. no.6.
Sammelreferat.

Ternovsky, M. F.
Die fragen der immunität bei vertretern der gattung Nicotiana. Der Züchter 6: 140-144. Je. 1934. no.6.

Exp. Stat. Publ.

Indiana agricultural experiment station.
[Report of]Dept. of botany. In its Rep.46 (1932/33): 18-21. 1933 (100In2P)

Iowa agricultural experiment station.
Botany and plant pathology section. In its Rep. 1932-33: 44-58. illus. [1933?] (100Io9)
I.E. Melhus chief.

Swanson, A. F. & Laude, H. H.
Varieties of sorghum in Kansas. Kansas Agr. Exp. Stat. Bull. 266. 51 p. illus. Ap. 1934. (100K13S)

Hutchins, A. E.
Morphological relationships in the ontogeny of the cultivated cucumber, Cucumis sativus L. Minnesota Agr. Exp. Stat. Techn. Bull. 96. 35 p. illus. Ap. 1934. (100M66)

Gershoy, A.
Studies in North American violats. III. Chromosome numbers and species characters. Vermont Agr. Exp. Stat. Bull. 367. 92 p. 27 pl. Mr. 1934. (100V59)

New Books.

Bailey, L. H.
Gardener's handbook, successor to The gardener. N.Y., Macmillan, 1934 (90.02B15G)

New Books (cont.)

Bitancourt, A.
A podridão de pé das laranjeiras. [São Paulo] 1933 (464.06Sa6).
Phytophthora citrophthora & P. parasitica.

Canada. Dept. of Agriculture - Experimentalfarms branch
Annual report of the Canadian plant disease survey 13th, 1933. 128 p. 1934 (464.9C16S)
Mimeographed. compiled by I.L. Conners.

Coker, W. C. & Totten, H. R.
Trees of the southeastern states. Chapel Hill, University of North Carolina press, 1934. (455.5C66)

Holman, R. M. & Robbins, W. W.
A textbook of general botany for colleges and universities. 3d ed. N.Y., J. Wiley & Sons, 1934(463H73)

Laurie, A. & Chadwick, L. C.
Commercial flower forcing. Phila. Blakiston's son & Co., 1934. (90.13L37)
Diagnosing greenhouse ills: p.209-289.

Millardet, P. M. A.
The discovery of Bordeaux mixture....A translation by F.J. Schneiderhan.... Ithaca, American phytopathological society, 1933(Phytopathological classics, no.3.) (464.05M61D)
Transl. of 3 papers Traitement du mildiou et du rot (Jour. Agr. Prat, 2: 513-517. 1885); Traitement du mildiou par le mélange de sulphate de cuivre et du chaux (l.c.2; 707-710. 1885); Sur l'Histoire du traitment du mildiou... (l.c.2; 801-805. 1885)

Saunders, C. F.
Useful wild plants of the United States and Canada. Rev. ed. N.Y., R.M. McBride, 1934 (452.8Sa81)

Steedman, E. C.
A description of trees, shrubs, and lianes of Southern Rhodesia. Bulawayo, The author, 1933. (460.46St3)

Reprints from publications not yet rec'd or not available.

Atanasoff, D.
Bitter pit of pome fruits is a virus disease.
Preprint from Godishn. Sofiisk, Univ. V, Agron Fac.
(Annuaire Univ. Sofia, V. Fac. Agron.) 13: 1-8.
illus. 1934.

Correction.

v.16, no.14, p.25.
under Philipp. Agr.
author's name should be Juliano.

Filed out of place.

Acta Phytotaxon. & Geobot. Kyoto.

Tagawa, M.
Spicilegium pteridographiae Asiae orientalis.
6. Acta Phytotaxon. & Geobot. Kyoto. 3: 28-37.
My.1934. no.1.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ AUG 27 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 16. July 30-Ag.11, 1934.

Amer. Forests (Washington) (99.8F762)
Strausbaugh, P. D.
Cranberry glades. Amer. Forests 40: 362-364, 382-383. illus. Ag. 1934. no.8.
Near western border of Pocahontas County, W.Va. Recently included in the Monogahela national forests.

Amer. Midl. Nat. (Notre Dame, Ind.) (410M58)
Geise, J.
The Indiana species of Cyperus. Amer. Midl. Nat. 15:241-291. illus. My. 1934. no.3.

Giersch, C.
The anatomy of Ranunculus asiaticus L. var. superbissimus (Hort.) Amer. Midl. Nat. 15: 343-357. illus., pl.vii-xi. My. 1934. no.3.

Hebert, P. E.
Ferns and flowering plants of Berrien County, Michigan. Amer. Midl. Nat. 15: 323-342. My. 1934. no.3.

Hoskins, J. H.
Psaronius illinoensis. Amer. Midl. Nat. 15: 358-362. illus. My. 1934. no.3.

McDonald, E. S.
The ferns and the flowering plants of Saint Joseph County, Indiana. Amer. Midl. Nat. 15: 203-240. illus. (maps) My. 1934. no.3.

Thornton, L.
The Indiana species of Scirpus. Amer. Midl. Nat. 15: 292-322. illus. My. 1934. no.3.

Amer. Orchid Soc. Bull. (80Am329)

Lumsden, D.
Rare and beautiful species of orchids. Amer. Orchid Soc. Bull. 3: 3. illus. Je. 1934. no.1.
Cattleya warscewiczii var. firmin lambeau (the white Cattleya gigas).

Warne, R. E.
Orchid culture in the Philippines. Climate of the Philippines and its relation to orchids. (cont.) Amer. Orchid Soc. Bull. 3: 7-15. illus. Je.1934. no.1.

Wherry, E. T.
Native orchids. Our eastern orchids and their cultivation. 6. The crested orchids. Amer. Orchid Soc. Bull. 3: 4-6. illus. Je. 1934. no.1.

Amer. Potato Journ. (75.8P842)

Rathlef, H. v.
The flesh color of the potato. Amer. Potato Journ. 11: 180-184. Jl. 1934. no.7.

Angew. Bot. (Berlin) (450An4)

Klemm, M.
Beitrag zur kenntnis von pflanzenbau und pflanzenschutz in der Burjato-Mongolei. Angew. Bot. 16: 259-298. illus. My./Je. 1934. no.3.

Pape, H. & Rademacher, B.
Erfahrungen über befall und schaden durch den getreidemehltau (Erysiphe graminis D.C.) bei gleichzeitigem anbau von winter- und sommergerste. Angew. Bot. 16: 225-250. illus. My./Je. 1934. no.3.

Bemerkungen zur der abhandlung von A. Wieler: "Rauchsäuren als bodenzerstörender faktor". Angew. Bot. 16: 250-259. My./Je. 1934. no.3.

Ann. Mycol. (Berlin) (450An76)

Boedijn, K. B.
Ueber die neue gattung Trigonia van Beyma thoe Kingma. Ann. Mycol. 32: 302. 1934. no.3/4.
Triangularia boedijn nov.nom.

Gäumann, E.
Mykologische notizen. Ann. Mycol. 32: 300-301. 1934. no.3/4.
Puccinia bulbocastani, P. arrhenatheri.

Ann. Mycol. (cont.)

Lohwag, H.
Zu Lycoperdellon. Ann. Mycol. 32: 244-255. illus. 1934. no.3/4.
Probably an imperfect stage of an ascomycete.

Mains, E. B.
The status of the genus Schroeteriaster. Ann. Mycol. 32: 256-259. pl.v. 1934. no.3/4.
Questions whether S. alpinus should be separated from Uromyces; the other species of Schroeteriaster "should be placed in the genus Bubakia, if the latter is to be kept separate from Phakopsora".

Schaeffer, J.
Russula-monographie. Ann. Mycol. 32: 141-243. col.pl. i-iv. 1934. no.3/4.

Schopfer, W. H.
Recherches sur la biométrie des spores d'une mucorinée en rapport avec le sexe. Ann. Mycol. 32: 260-271. 1934. no.3/4.
Phycomyces blakesleeanus.

Sydow, H.
Mycotheca germanica Fasc. LIII-LVI (no.2601-2800). Ann. Mycol. 32: 272-285. 1934. no.3/4.

Sydow, H.
Novae fungorum species. XXII. Ann. Mycol. 32: 286-299. 1934. no.3/4.

Ann. Rep. Dept. Plant Path. Seale-Hayne Agr. Coll. (Newton Abbott) (103Sel)

Beaumont, A.
Control of finger and toe by liming. Ann. Rep. Dept. Plant Path. Seale-Hayne Agr. Coll. 10(1932/33, its Pamph. 42): 37. Ap. 1934.

Beaumont, A.
Fungal diseases of Devon and Cornwall. Ann. Rep. Dept. Plant Path. Seale-Hayne Agr. Coll. 10(1932/33, its Pamph.42): 38-39. Ap. 1934.

Beaumont, A.
Notes on fungal diseases during the year. Ann. Rep. Dept. Plant Path. Seale-Hayne Agr. Coll. 10(1932/33, its Pamph.42): 29-33. Ap.1934.

Ann. Rep. Dept. Plant Path. Seale-Hayne Agr. Coll. (cont.)

Beaumont, A.
Potato blight and the weather. Ann. Rep. Dept. Plant Path. Seale-Hayne Agr. Coll. 10(1932/33, its Pamph. 42): 34-36. Ap. 1934.

Staniland, L. N.
The spread of potato eelworm in consignments of seed potatoes. Ann. Rep. Dept. Plant Path. Seale-Hayhe Agr. Coll. 10(1932/33, its Pamph.42): 5-6. Ap. 1934.

Staniland, L. N.
Violet eelworm (Aphelenchoides olesistus). Ann. Rep. Dept. Plant Path. Seale-Hayne Agr. Coll. 10(1932/33, its Pamph.42): 8-11. illus. Ap.1934.

Ann. Rep. Maine Pomol. Soc. (81M28)

Folsom, D.
Report from plant pathology department of the Maine agricultural experiment station to the Maine state pomological society at Portland meeting, November 22, 1933. Ann. Rep. Maine Pomol. Soc. 1932: 83-86. [1933]

Steinmetz, F. H.
Apple rusts found in Maine orchards. Ann. Rep. Maine Pomol. Soc. 1932: 62-64. [1933]

Arb. Biol. Reichsanst. Land- u. Forstw. Berlin. (410.9G31)

Böhme, R. W.
Das vorkommen von virosen auf dem Dahlemer versuchsfelde. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 21: 1-58. illus. 1934. no.1.

Gassner, G. & Straib, W.
Untersuchungen über das auftreten biologischer rassen des weizengelbrostes im jahre 1932. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 21: 59-72. 1934. no.1.

Gassner, G. & Straib, W.
Weitere untersuchungen über biologische rassen und über die spezialisierungsverhältnisse des gelbrostes Puccinia glumarum (Schm., Erikss. und Henn.). Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 21: 121-145. 1934. no.1.

Goffart, H.
Ueber die biologie und bekämpfung des kartoffel-nematoden (Heterodera schachtii Schmidt). Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 21: 73-108. pl.i-ii. 1934. no.1.

Arb. Biol. Reichsanst. Land- u. Forstw. Berlin (cont.)

Ronsdorf, L.
Einige versuche über biologische rassen des gerstenzwergrostes. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 21: 109-114. 1934. no.1.

Stroede, W.
Untersuchungen über die geographische verbreitung der physiologischen formen des weizenbraunrostes, Puccinia triticina Erikss. in Deutschland. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 21: 115-120. 1934. no.1.

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Boas, F.
Tatsachen und gedanken zu einer dynamischen botanik. Ber. Deut. Bot. Ges. 52: 272-282. Je.28, 1934. no.5.

Czaja, A. T.
Der nachweis des wuchsstoffes bei holzpflanzen. Ber. Deut. Bot. Ges. 52: 267-271. Je.28, 1934. no.5.

Schmucker, T.
Zur verbreitung und ökologie von Allium ursinum. Ber. Deut. Bot. Ges. 52: 259-266. illus. Je.28, 1934. no.5.

Weisse, A.
Morphologische untersuchungen an einigen vitaceensämligen. Ber. Deut. Bot. Ges. 52:242-259. Je.28, 1934. no.5.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Orechoff, A. & Konowalowa, R.
Ueber die alkaloide von Convolvulus pseudocantabricus. II. Ber. Deut. Chem. Ges. 67: 1153-1156. Jl.4, 1934.

Der Biologe (Munchen) (442.8B527)

Schreiber, E.
Forschungen an meeresalgen. Der Biologe 3: 177-178. Jl.1934. no.7.

Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. (442.9C14)

Garrett, S. D.
Factors affecting the pathogenicity of cereal foot-rot fungi. Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. 9: 351-361. Jl. 1934. no.3.

Blumen u. Pflanzenb. Vereinigt Gartenw. (Berlin) (80G196)

Encke, F.

Alpenpflanzen in fensterkästen. Blumen u. Pflanzenb. Vereinigt Gartenw. 38: 373-374. Jl.20, 1934. no.29.

Pape, H.

Die botrytiskrankheit der lilien. Blumen u. Pflanzenb. Vereinigt Gartenw. 38: 363. illus. Jl.13, 1934. no.28.

Bol. Min. Agr. Brazil (Rio de Janeiro) (9.2Ag83)

Ducke, A.

Colheita de material botânico na regiāo Amazonica. Bol. Min. Agr. Brazil 23: 71-79. Ja./Mr.1934. no.1/3.

Filho, H. M. & Sampaio, A. J. de

Contribuĩcao botânica ao estudo da juta. Bol. Min. Agr. Brazil 23: 61-64. Ja./Mr. 1934. no.1/3.

Boll. Sez. Ital. Soc. Intern. Microbiol. (Milano) (448.3Sol)

Castellani, E.

Recherches morphologiques et systématiques sur quelques rhizoctones. Boll. Sez. Ital. Soc. Intern. Microbiol. 6: 119-121. Ap. 1934. no.4.

Castellani, E.

Recherches préliminaries sur le biologie de quelques rhizoctones. Boll. Sez. Ital. Soc. Intern. Microbiol. 6: 117-119. Ap.1934. no.4.

Bot. Mag. Tokyo (450B651)

Emoto, Y.

Die myxomyceten Japans. II-III. Bot. Mag. Tokyo 48: 342-353, 408-417. illus. My., Je. 1934. no.569. 570.

Japanese. with brief German résumé.

Fukuyama, N.

Studia orchidacearum japonicarum. I. Orchidaceae formosanae novae atque citicae. Bot. Mag. Tokyo 48: 297-308. illus. My.1934. no.569.

Hiratsuka, N.

Physiological studies on Uromyces fabae, f.sp. viciae-fabae. Bot. Mag. Tokyo 48: 309-325. illus. My. 1934. no.569.

Bot. Mag. Tokyo (cont.)

Honda, M.

Nuntia ad floram Japoniae. XXII. Bot. Mag. Tokyo 48: 406-407. Je. 1934. no.570.

Rubia isensis, Euphorbia tsukamotoi n.spp.

Ichikawa, C.

Chemical studies on the gnarl of some trees. Bot. Mag. Tokyo 48: 354-357. My. 1934. no.569.

Japanese.

Kanehira, R.

New or noteworthy trees from Micronesia. VI. Bot. Mag. Tokyo 48: 400-405. illus. Je.1934. no.570.

Miki, S.

On fresh water plants new to Japan. Bot. Mag. Tokyo 48: 326-337. illus., pl. My.1934. no.569.

Vallisneria asiatica, Nuphar oguraensis, Myriophyllum oguraense n.spp.

Ohki, K.

Additional note to the systematic importance of spodograms in the leaves of Bambusaceae. I. Bot Mag. Tokyo 48: 338-341. illus. My.1934. no.569.

Japanese with English résumé: p.340-341.

Sakurai, K.

Beobachtungen über Japanische moosflora. VI. Bot. Mag. Tokyo 48: 383-399. Je. 1934. no.570.

Bot. Mus. Leafl. Harvard Univ. (451H262)

Ames, O.

Epidendrum cystosum, a new species from the Republic of Honduras. Bot. Mus. Leafl. Harvard Univ. 2: 105-111. illus. Jl.31, 1934. no.9.

Brooklyn Bot. Gard. Rec. (451B79R)

Graves, A. H.

Report on winter injury to the woody plants in the Brooklyn botanic garden, 1933-1934. Brooklyn Bot. Gard. Rec. 23: 171-209. Jl.1934. no.3.

Bull. Amer. Iris Soc. (81Am39)

Essig, H. O.

Twelve years of intensive iris breeding in California - methods and records. Bull. Amer. Iris Soc. 52: 3-30. illus. Jl. 1934.

Bull. Amer. Iris Soc. (cont.)

Mitchell, S. B.

The breeding of yellow irises. Bull. Amer. Iris Soc. 52: 67-71. illus. Jl. 1934.

Randolph, L. F.

Chromosome numbers in native American and introduced species and cultivated varieties of iris. Bull. Amer. Iris Soc. 52: 61-66. Jl. 1934.

Bull. R. Soc. Tosc. Ortic. (Firenze) (86R22)

Traverso, O.

Graphium ulmi la moria degli olmi. Bull. R. Soc. Tosc. Ortic. 19: 78-80. illus. My./Je. 1934. no.5/6.

Bull. Soc. Centr. For. Belgique (99.9B83)

Marc, B.

L'oidium du chene. Bull. Soc. Centr. For. Belgique 1934: 270-283. Jl.1934. no.7.

Bull. Techn. & Sci. Serv. Min. Agr. Egypt (24Eg93)

Fahmy, T.

Genetic basis of selection procedure with cotton wilt disease. Bull. Techn. & Sci. Serv. Min. Agr. Egypt 128. 35 p. 1934.

Fahmy, T.

The selection of wilt immune strains of long staple cotton (Sakha 4 gidid). Bull. Techn. & Sci. Serv. Min. Agr. Egypt 130. 25 p. 5 pl. diagrs. (part fold.) 1934.

Milad, Y.

Fruit growing on sandy soils. Bull. Techn. & Sci. Serv. Min. Agr. Egypt 132. 20 p. 6 pl. 1934.

Morris, G. P., El Dib, M. & Munir, A.

A record of wheat breeding 1921-1931. Bull. Techn. & Sci. Serv. Min. Agr. Egypt 127. 127 p. ix pl. 1933.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Baxter, E. M.

California cacti. XIII. Opuntia parishii. Cactus & Succ. Journ. 6: 12-13. 8llus. Jl.1934. no.1.

Cactus & Succ. Journ. (cont.)

Gates, H. E.
New Neomammillarias from Mexico. Cactus & Succ. Journ. 6: 3-5. illus. Jl. 1934. no.1.

Smith, A.
What grows where. Cacti listed in accordance with their geographical origin. Compiled and copyrighted for Mrs. John D. Wright, Santa Barbara, Calif., 1933. (cont.) Cactus & Succ. Journ. 6: 15. Jl.1934. no.1.

Tiegel, E.
Mammillaria crucigera Mart. Cactus & Succ. Journ. 6: 14-15. illus. Jl.1934. no.1.

Walther, E.
Succulent illustrations. 8. Pedilanthus macrocarpus Bentham. Cactus & Succ. Journ. 6: 11. illus. Jl. 1934. no.1.

Woods, R. S.
On pronunciation of scientific names. Cactus & Succ. Journ. 6: 7-8. illus. Jl. 1934. no.1.

Canad. Flor. (Peterboro, Ont.) (80C163)

Tilford, P. E.
Stem canker disease of gardenia. Canad. Flor. 29: 232. Ag.7, 1934.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Dingwall, A., McKibbin, R. R. & Beans, H. T.
Studies on the distribution of molybdenum in biological material. I. A spectrographic study of the occurrence of molybdenum in plants grown in the Province of Quebec. Canad. Journ. Res. 11: 32-39. illus.pl. Jl.1934. no.1.

Hildebrand, A. A.
Recent observations on strawberry root rot in the Niagara Peninsula. Canad. Journ. Res. 11: 18-31. illus.,pl. Jl. 1934. no.1.

Mounce, I., & Diehl, W. W.
Note on a new Ophiobolus on eelgrass. Canad. Journ. Res. 11: 31. Jl.1934. no.1.
O.halimus to be described in August issue.

Truscott, J. H. L.
Fungous root rots of the strawberry. Canad. Journ. Res. 11: 1-17. illus., iv pl. Jl.1934. no.1.

Circ. Mysore Coffee Exp. Stat. (Bangalore) (68.29In22C)
Mysore coffee experiment station.
Report on the disease situation in coffee areas in 1933. Its Circ. 1. 8 p. 1934.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)
Fron,
Sur la présence de Fusarium a la base des chaumes de blé lors de l'épiaison. Compt. Rend. Acad. Agr. France 20: 740-742. Jl.4, 1934. no.22.

Compt. Rend. Acad. Sci. Paris (505P21)
Chabrolin, C.
La germination des graines de Thesium humile exige l'intervention de champignons saprophytes. Compt. Rend. Acad. Sci. Paris 199: 225-226. Jl.16, 1934. no.3.

Dauphiné, A.
Sur le mode de formation de la membrane pecto-cellulosique. Compt. Rend. Acad. Sci. Paris 199: 307-309. Jl.23, 1934. no.4.

Lepape, A. & Trannoy, R.
Influence du radium sur les rendements culturaux de quelques plantes. Compt. Rend. Acad. Sci. Paris 199: 316-318. Jl.23, 1934. no.4.
Experiments with "orge, haricot, pavot, pomme de terre".

Martens, P.
Nouvelles observations sur la cuticle des épidermes floraux. Compt. Rend. Acad. Sci. Paris 199: 309-311. Jl.23, 1934. no.4.
Experiments with Lythrum salicaria, Epilobium spicatum, Viola tricolor, Pelargonium zonale, Tradescantia virginica and others.

Vladesco, A.
Cultures expérimentales de fougères; formation de prothalles aposporiques. Compt. Rend. Acad. Sci. Paris 199: 220-222. Jl.16, 1934. no.3.

Compt. Rend. Congr. Intern. Mais 1st, Pau. (59.9C767)
Bensin, B.
Analyse agroecologique des sortes et des races du mais (Zea mays) résistantes à la sécheresse. Compt. Rend. Congr. Intern. Mais 1st Pau, 1930. 2: 33-47. Ap. 1934.

Compt. Rend. Congr. Intern. Mais 1st, Pau. (cont.)
Carles de Carbonnieres, F.
La première génération hybride du mais. Compt. Rend. Congr. Intern. Mais 1st, Pau, 1930 2: 7-15. Ap.1934.

Foex, E. & Dufrenoy, J.
Les maladies du maïs. Compt. Rend. Congr. Intern. Mais 1st Pau, 1930 2: 79-159. illus. Ap.1934.

Savulescu, T. & Rayss, T.
Une nouvelle maladie de mais en Roumanie provoquée par Nigrospora oryae (B. et Br.) Petch. Compt. Rend. Congr. Intern. Mais 1st Pau, 1930 2: 161-166. Ap. 1934.

Compt. Rend. Labor. Carlsberg (390.9C19)
Ege, V.
Johannes Schmidt 1877-1933. Compt. Rend. Labor. Carlsberg 20(1): I-IX. port. 1934.

Olsen, C.
The absorption of manganese by plants. Compt. Rend. Labor. Carlsberg v.20,no.2. 34 p. illus. 1934.

Compt. Rend. Soc. Biol. Paris (442.9P21)
Guilliermond, A. & Obaton, F.
Sur l'action du pH du milieu dans la coloration vitale des cellules végétales. Compt. Rend. Soc. Biol. Paris 116: 984-988. 1934. no.25.

Contr. Biol. Lab. Sci. Soc. China Bot. Ser. (442.9Sci2B)
Cheng, W. C.
An enumeration of vascular plants from Chekiang. II. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 58-91. illus. S. 1933. no.1.

Cheng, W.-C.
The studies of Chinese conifers. I. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 18-23. S. 1933. no.1.

Chien, S. S.
Notes on some species of Lysimachia. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 24-29. S. 1933. no.1.

Contr. Biol. Lab. Sci. Soc. China Bot. Ser. (cont.)

Ching, R. C.

On the nomenclature and systematic position of Polypodium dryopteris L. and related species. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 30-43, illus. S.1933. no.1.

Fang, S.

On some species of Scenedesmus of Nanking. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 97-107. illus. S.1933. no.1.

P'ei, C.

Notes on Anemone from Szechuen. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 1-7. illus. S.1933. no.1.

P'ei, C.

The vascular plants of Nanking. III. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 44-57. S.1933. no.1.

Wang, C. C.

A brief account of the occurrence of the Myxophyceae of Nanking. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 8-17. S.1933. no.1.

Wang, C. C.

Three new species of Myxophyceae of Nanking. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 9: 92-96. illus. S.1933. no.1.

Arthrospira pellucidis, A.brevis, Cylindrospermum puniceum n.spp.

Contr. Gray Herb. (Boston)

Robinson, B. L.

Mikania scandens and its near relatives. Contr. Gray Herb. 104:55-71. 1934.

Robinson, B. L.

Records preliminary to a general treatment of the Eupatorieae. XI. Contr. Gray Herb. 104: 3-49. 1934.

Robinson, B. L.

The variability of two wide-ranging species of Mikania. Contr. Gray Herb. 104: 49-55. 1934.

M.hookeriana, M. vitifolia.

Contr. Gray Herb. (cont.)
Smith, L. B.
Studies in the Bromeliaceae. V. Contr. Gray Herb. 104: 71-82. pl.i-iii. 1934.

Cyprus Agr. Journ. (21C992)
Nattrass, R. M.
Flax dodder, a recently observed pest in Cyprus. Cyprus Agr. Journ. 29:41-43. illus. Je.1934. no.2.

Econ. y Técn. Agr. (Spain) (Madrid) (15Ec7)
Mas Guindal, J.
Hongos comestibles. Econ. y Técn. Agr. (Spain) 3: 307-311. illus. Je.1934. no.26.

Erdész. Kisérl. (Hungary) (Sapron) (99.9Er22)
Kővessi, F.
Kisérleti adatok az erjesztósejtek (Saccharomyces spec.) fejlödésében uralkodó aperiódusos és periódusos csillapított rezgömezgás jelenségeinek bizonyításához. V-VI. (Angaben und erläuterungen zum experimentellen nachweis der aperiodischen und periodischen gedämpften schwingungen, die bei sich der entwicklung der gärungs-pilze (Saccharomyces spec.) zeigen. V-VI. Erdész. Kisérl. (Hungary) 35:335-395. illus. 1933. no.4.
German summary.

Magyar, P.
Erdötipusvizsgálatok a Börzsönyi- és a Bükkhegységben. (Waldtypenstudien im Börzsönyer- und Bükkgebirge). Erdész. Kisérl. (Hungary) 35: 396-450. 1933. no.4.
German summary.

Ernahr. Pflanze (Berlin) (57.8Er6)
Trenel, M.
Ueber die physiologische bedeutung von tonerde- und kieselsäurehydrat im sauren mineralboden. Ernähr. Pflanze 30: 249-256. illus. Ag.1934. no.15/16.

Farming So. Africa (Pretoria) (24So842)
Dippenaar, B.J.
Downy mildew of cabbage and related plants. Farming So. Africa 9: 279-280. illus. Jl.1934. no.100.

Flora (Jena) (450F66)

Francke, H. L.

Beiträge zur kenntnis der mykorrhiza von Monotropa hypopitys L. analyse und synthese der symbiose. Flora 129 (n.s.29): 1-52. illus. 1934. no.1.

Helm, J.

Ueber baueigentümlichkeiten der infloreszenzen einiger tropischer gräser. Flora 129(n.s.29): 53-93. illus. 1934. no.1.

Troll, W.

Grundsätzliches zum stigmarienproblem. Flora 129(n.s.29): 94-112. illus. 1934. no.1.

Gard. Chron. (London) (80G162)

Balls, E. K.

Plant collecting in Persia. XV. A trying time on Kuh-i-Jupar. Gard. Chron. III,96: 40-41. illus. Jl.21,1934. no.2482.

Elliott, C.

Colour variation in collected plants. Gard. Chron. III, 96: 42. Jl.21,1934. no.2482.

Johnson, A. T.

Notes on alpine phloxes. Gard. Chron. III, 96: 22. Jl.14, 1934. no.2481.

Vosmaer, C. J. J. G.

Paeonia moutan, Sims. Gard. Chron. III, 96: 39. Jl.21,1934. no.2482.

Gard. Chron. Amer. (80G1632)

Anderson, A. W.

Plants and their names. Gard. Chron. Amer. 38: 223-224, 244. Ag. 1934. no.8.

Genetica (The Hague) (442.8G282)

Frets, G. P. & Wanrooy, G.

Die erblichkeit der bohnenform und des bohnengewichtes bei Phaseolus vulgaris. I-II. Genetica 16: 45-76, 297-314. 1934. no.1/2, 3/4.

Lindegren, C. C.

The genetics of Neurospora. VI. Bisexual and akaryotic ascospores from N. crassa. Genetica 16: 315-320. illus. 1934. no.3/4.

Genetics (cont.)

McCullagh, D.
Chromosome and chromosome morphology in Plantaginaceae.I- Genetica 16: 1-44. illus. 1934. no.1/2.

Prakken, R.
Inheritance of colours and pod characters in Phaseolus vulgaris L. Genetica 16: 177-296. illus. pl.i-ii. 1934. no.3/4.

Rathlef, H. v. & Siebeneick, H.
Ueber einige kreuzungen peruanischer sorten von Solanum andigenum Juz. et Buk. mit Richters Jubel und die genetik von schalenfarbe, knollenfarbe, fleischfarbe, blütenfarbe und knollenform bei der kartoffel. Genetica 16: 153-176. 1934. no.1/2.

Tollenaar, D.
Untersuchungen über mutation bei tabak. I. Genetica 16: 111-152. illus. 1934. no.1/2.

I.Entstehungsweise und wesen künstlich erzeugter gen-mutanten.

Vandendries, R.
Nouvelles recherches expérimentales sur les barrages sexuels de Lenzites betulina (L.) Fr. Genetica 16: 389-400. fold.pl. iii. 1934. no.3/4.

Hadar (Jaffa) (80H11)

Oppenheimer, H. R. & Mendel, K.
Some experiments on water relations of citrus trees. Hadar 7: 35-37, 59-61, 150-153. F., Mr., Je.1934. no.2,3,6.
I. The water saturation deficit of citrus leaves. II. Regulation of leaf transpiration in citrus. III. The daily march of stomatal aperture and transpiration on winter days.

Hawaiian Plant. Rec. (Honolulu) (25H311)

Wadsworth, H.A.
Soil moisture and the sugar cane plant. Hawaiian Plant. Rec. 38: 111-119. illus. 1934. no.2.

Indian For. (Dehra Dun) (99.8In2)

Venkata Rao, M. G. & Gopalaiyengar, K.
Studies in spike disease of sandal. I-II. I.Two types of spike disease. II.The movement of the virus in sandal plants. Indian For. 60: 481-491. pl.44-46. Jl. 1934. no.7.

Irish Nat. Journ. (410Ir42)

Praeger, R. L.
Helianthemum vulgare in Ireland. Irish Nat. Journ. 5: 76-77. Jl. 1934. no.4.

Rea, M. W.
The Wm. Thompson collection of British marine algae. Irish Nat. Journ. 5: 81-83. Jl. 1934. no.4.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)

Brooks, C. & Harley, C. P.
Soft scald and soggy break-down of apples. Journ. Agr. Res. 49: 55-69. illus. Jl.1, 1934. no.1 (Rec'd Ag.1)

Brown, N. A.
A gall similar to crown gall, produced on Gypsophila by a new bacterium. Journ. Agr. Res. 48: 1099-1112. illus. Je.15, 1934 (Rec'd Ag.1) no.12.
Bacterium gypsophilae sp.nov.

Brunson, A. M. & Latshaw, W.L.
Effect of failure of pollination on composition of corn plants. Journ. Agr. Res. 49: 45-53. Jl.1, 1934 (Rec'd Ag.1) no.1.

Caldwell, R. M., Kraybill, H. R., Sullivan, J. T. & Compton, L. E.
Effect of leaf rust (Puccinia triticina) on yield, physical characters, and composition of winter wheats. Journ. Agr. Res. 48: 1049-1071. illus. Je.15, 1934 (Rec'd Ag.1) no.12.

Jones, F. R.
Testing alfalfa for resistance to bacterial wilt. Journ. Agr. Res. 48: 1085-1098. Je.15, 1934(Rec'd Ag.1) no.12.

Lutman, B. F.
Carbon dioxide formation by clean and scabby potatoes. Journ. Agr. Res. 48: 1135-1144. illus. Je.15, 1934 (Rec'd Ag.1) no.12.

Sprague, G. F.
Experiments on iarovizing corn. Journ. Agr. Res. 48: 1113-1120. illus. Je.15, 1934 (Rec'd Ag.1) no.12.

Journ. Agr. Res. (cont.)

Stanton, T. R., Reed, G. M. & Coffman, F. A.
Inheritance of resistance to loose smut and covered smut in some oat hybrids. Journ. Agr. Res. 48: 1073-1083. Je.15, 1934 (Rec'd Ag.1) no.12.

Journ. Bot. (London) (450J82)

Norman, C.
Notes on tropical Africal Umbelliferae. Journ. Bot. 72: 205-206. Jl. 1934. no.859.
Pimpinella nyasica, Caucalis incognita n.spp.

Polunin, N.
The flora of Akpatok Island, Hudson Strait. Journ. Bot. 72: 197-204. Jl.1934. no.859.

Rendle, A. B.
Robert Chodat (1865-1934). Journ. Bot. 72: 207-208. Jl.1934. no.859.

Salisbury, E. J.
On the morphology, ecology, and distribution of Ranunculus lenormandi F. Schultz and R.hederaceus L. Journ. Bot. 72: 185-196. illus. Jl. 1934. no.859.

Journ. Genetics (London) (442.8J823)

Harland, S. C.
The genetics of cotton. XI. Further experiments on the inheritance of chlorophyll deficiency in New World cottons. Journ. Genetics 29: 181-195. Jl. 1934. no.2.

Marsden-Jones, E. M. & Turrill, W. B.
Further breeding experiments with Saxifraga. Journ. Genetics 29: 245-268. pl.xiv-xx. Jl. 1934. no.2.

Philp, J.
Note on the cytology of Saxifraga granulata L., S. rosacea Moench, and their hybrids, Journ. Genetics 29: 197-201. illus. Jl.1934. no.2.

Journ. Helminth. (London) (436.8J82)

Goodey, T.
On gall-formation due to the nematode Anguillulina graminis. Journ. Helminth. 12: 119-122. illus. Je.1934. no.3.
Probably Festuca capillata.

Journ. Hered. (Washington) (442.8Am3)

Huskins, C. L.

Anomalous segregation of a triploid tomato. Journ. Hered. 25: 281-286. illus. Jl.1934. no.7.

McKinney, H. H. & Sando, W. J.

Twisted wheat and twisted trees. Journ. Hered. 25: 261-263. illus. Jl.1934. no.7.

Twisting of the rachis of wheat heads by short daily photoperiods suggests a new approach to studies of twisted trees.

Wiebe, G. A.

Complementary factors in barley giving a lethal progeny. Journ. Hered. 25: 273-274. illus. Jl. 1934. no.7.

Journ. Pomol. & Hort. Sci. (London) (80J825)

Copeman, P. R. v.d.R.

Variation in the fruits of Washington navel oranges with reference to the standardization of quality by means of the sugar/acid ratio. Journ. Pomol. & Hort. Sci. 12: 81-98. Jl.1934. no.2.

Drummond, R.

Notes on the wither-tip disease of plums caused by Sclerotinia cinerea and on the blackening of apples caused by Sclerotinia fructigena. Journ. Pomol. & Hort. Sci. 12: 105-109. Jl.1934. no.2.

Halma, F. F.

Scion influence in citrus. Journ. Pomol. & Hort. Sci. 12: 99-104. 5 pl. Jl. 1934. no.2.

McKay, R.

Injury to apple trees due to paraffin oil used for the control of woolly aphis. Journ. Pomol. & Hort. Sci. 12: 167-175. ii pl. Jl.1934. no.2.

Rogers, W. S. & Vyvyan, M. C.

Root studies. V. Rootstock and soil effect on apple root systems. Journ. Pomol. & Hort. Sci. 12: 110-150. illus. viii pl. Jl.1934. no.2.

Thomas, L. A. & Roach, W. A.

Injection of fruit trees: preliminary experiments with artificial manures. Journ. Pomol. & Hort. Sci. 12: 151-166. illus. Jl.1934. no.2.

London Nat. (420L843)

Nicholson, C.

Araujia sericifera Brot. (Syn.: Physianthus albeus Mart.). London Nat. 1933: 84. Je.26, 1934.

Payne, L. G.

Ferns of the Home counties. London Nat. 1933: 58-66. pl. iii-iv. Je.26,1934.

Essex, Herts, Middlesex, Surrey and Kent.

Mem. y Rev. Soc. Sci. Antonio Alzate (Mexico) (516M57)

Gandara, G.

La hierba de la leche Euphorbia lancifolia Schlech., Euforbiácea. Mem. y Rev. Soc. Sci. Antonio Alzate 52: 237-246. 1934. no.5/8.

Gandara, G.

Nota acerca del hongo comestible Mexicano llamado el enchilado. Mem. y Rev. Soc. Sci. Antonio Alzate 52: 253-257. 1934. no.5/8.

Roldan, A.

Apuntes acerca de la flora forestal del territorio de Quintana Roo. Mem. y Rev. Soc. Sci. Antonio Alzate 52: 179-183. 1934. no.5/8.

Mitt. Forstwirtsch. u. Forstwiss. (Hannover)

Rohde, T.

Die frostkernfrage. Eine kritische gesamtdarstellung ihres heutigen standes. Mitt. Forstwirtsch. u. Forstwiss. 4: 591-629. illus. 1933. no.4.

Mitt. Landw. (Berlin) (18D48M)

Pape, H.

Bekämpfung der hülsenfruchtlerschädlinge. Mitt. Landw. 49: 656-658. illus. Jl.28, 1934. no.30.

Fuss= und welkekränkheiten;brennfleckenkrankheiten; rostpilzen; echte mehltau: p.656.

Naturwissensch. (Berlin) (474N213)

Wettstein-Westersheim, W. v.

Fragen zur forstpflanzungszüchtung. Naturwissensch. 22: 490-491. Jl.20, 1934. no.29.

Mycologia (450M99)

Dodge, B. O.
A lethal for ascus abortion in Neurospora. Mycologia 26: 360-376. illus., pl.42-44. Jl./Ag.1934. no.4.

Jones, L. R.
Arthur Bliss Seymour 1859-1933. Mycologia 26: 279-290. port. Jl./Ag. 1934. no.4.

Linder, D. H.
The genus Myxomycidium. Mycologia 26: 332-343. illus., pl.39. Jl./Ag. 1934. no.4.
M. guianense, M.nudosum n.spp.

Seaver, F. J.
Photographs and descriptions of cup fungi. XXI. The genus Calycina. Mycologia 26: 344-347. pl.40. JL/Ag. 1934. no.4.

Smith, A. H.
Investigations of two-spored forms in the genus Mycena. Mycologia 26: 305-331. pl.34-38. Jl./Ag. 1934. no.4.
M. cholea n.sp.

Snell, W. H.
Notes on boletes. III. Mycologia 26: 348-359. pl. 41. Jl./Ag. 1934. no.4.

Sparrow, F. K. jr.
[Scherffeliomyces] Mycologia 26:377. Jl/Ag. 1934.
Scherffelia described as new genus in his New chytridiaceous fungi, changed to Scherffeliomyces.

Zeller, S. M.
Some new or noteworthy fungi on ericaceous hosts in the Pacific Northwest. Mycologia 26: 291-304. illus., pl.33. Jl./Ag. 1934. no.4.
Dermatea brunneo-pruinosa, Exobasidium burtii, Didymosporium arbuticola n.spp.

Nachr. Schädlingsbekämpfung (Leverkusen, b. Koln a.Rh.) (464.8N112)

Janson, A.
Ueber Ceresan-dauerbeizung zu buschbohnen. (The effect of "Ceresan" disinfection of dwarf beans after prolonged storage.) Nachr. Schädlingsbekämpfung 9: 37-42. My. 1934. no.1.
English summary: p.58-59.

Nachr. Schädlingsbekampfung (cont.)

Meimberg, W.

Ein beizversuch zur bekämpfung der streifenkrankheit der gerste. (A disinfection experiment for the control of the stripe disease of barley). Nachr. Schädlingsbekämpfung 9: 27-29. My.1934. no.1.

English summary: P.58. Control by use of Ceresan and Uspulun.

O'Brien, D. G.

Die streifenkrankheit bei hafer. (The leaf-stripe disease of oats). Nachr. Schädlingsbekämpfung 9: 1-27. illus. My. 1934. no.1.

English summary: p.57.

Nat. Georgr. Mag. (470N213)

White, J. R.

Among the big trees of California. Nat. Geogr. Mag. 66: 219-232. illus. Ag.1934. no.2.

Nat. Hort. Mag. (Washington, D.C.) 81N219)

Berry, S.S.

Iris wattii. Nat. Hort. Mag. 13: 158-161. illus. Ap.1934. no.2.

DeFrance, J. A.

Ilex cornuta, "horned holly" or "Chinese holly", and Ilex cornuta var. burfordii, "smooth-leaf holly". Nat. Hort. Mag. 13: 193-195. illus. Ap.1934. no.2.

Gerardi, J.

The gerardi hican. Nat. Hort. Mag. 13: 184-185. Ap. 1934. no.2.

Griffiths, D.

Lilium leucanthum Baker. Nat. Hort. Mag. 13: 139-144. illus. Ap.1934. no.2.

Henry, M. G.

Collecting plants beyond the frontier in northern British Columbia. II. Nat. Hort. Mag. 13:162-181. illus. Ap.1934. no.2.

James, D.

Ilex cornuta. Nat. Hort.Mag. 13: 188-189. Ap. 1934. no.2.

McFarland, J. H.

Some new roses in 1933. Nat. Hort. Mag. 13: 103-112. illus. Ap.1934. no.2.

Nat. Hort. Mag. (cont.)

Pierce, R. G.
The maroon-throated Erythronium. Nat. Hort. Mag. 13: 196. Ap.1934. no.2.

Russell, P.
Prunus serrulata Lindl. Oriental cherry. Variety Taki-nioi. Nat. Hort. Mag. 13: 198-200. illus. Ap. 1934. no.2.

Slavin, A. D.
Forms of pine. III. Nat. Hort. Mag. 13: 126-138. illus. Ap.1934. no.2.

Nature (London) (472N21)

Allison, F. E.
Importance of carbohydrate supply in legume symbiosis. Nature 134: 144. Jl. 28, 1934. no.3378

Klar, R.
Alleged influence of heavy water on mould growth. Nature 134: 104. Jl.21, 1934. no.3377.

Petersen, H. E.
Wasting disease of eelgrass (Zostera marina) Nature 134: 143-144. Jl.18, 1934. no.3378.
Ophiobolus maritimus Sacc.?

Sprague, T. A.
Dr. N. L. Britton. Nature 134: 131. Jl.28, 1934. no.3378.

Nat. Pecan Assoc. Bull. (Mobile) (94.69N21)

Demaree, J.B., Fowler, E.D. & Crane, H.L.
Report of progress on experiments to control pecan rosette. Nat. Pecan Assoc. Bull. 32(1933): 90-99. [1934]

Dodge, F.N. & Crane, H. L.
Time and duration of growth of several types of shoots in relation to fruiting performance of the pecan. Nat. Pecan Assoc. Bull. 32(1933); 64-69. [1934]

Gossard, A. C.
The importance of maintaining vigorous terminal growth of pecan trees. Nat. Pecan Assoc. Bull. 32(1933): 84-89. [1934]

Nat. Pecan Assoc. Bull. (cont.)

Shuhart, D. V.

Pecan pollination. Nat. Pecan Assoc. Bull. 32(1933):32-35. [1934]

Sitton, B. G.

Some of the influences of foliage on set and filling of the pecan. Nat. Pecan Assoc. Bull. 32(1933):89-90. [1934]

Smith, C. L. & Romberg, L. D.

Further studies on periods of receptivity and pollen viability in the pecan. Nat. Pecan Assoc. Bull. 32(1933):49-55. [1934]

Smith, C. L. & Thor, C. J. B.

A physiological study of fruit development in the pecan (Hicoria pecan). Nat. Pecan Assoc. Bull. 32(1933):46-49. [1934]

New Jersey State Hort. Soc. News (81N46)

Blake, M. A.

Relation of growth status of apple trees to fire blight. New Jersey State Hort. Soc. News 15:618-619,629. Jl.1934. no.5.

Peterm. Mitt. (Gotha) (474M69)

Brockmann-Jerosch, H.

Kulturpflanzen ausserhalb ihres natürlichen bereiches. Peterm. Mitt. 80:221-222. pl.14-15. 1934. no.7/8.

Pharm. Zentralh. (Dresden) 396.8P492)

Friese, W.

Von den frischpilzen bis zu den trockenpilzen, deren beschaffenheit und lagerung. Pharm. Zentralh. 75: 439-443. Jl.12,1934. no.28.

Philipp. Agr. (Laguna) (25p542)

Celino, M. S.

Blight of Cinchona seedlings. Philipp. Agr. 23:111-127. illus., pl. Jl.1934. no.2.

Phytophthora faberi.

Phosphorsäure (57.8P562)

Achromeiko, A. I.

Zur frage der pflanzenaufnehmbarkeit der $P_2 O_5$ aus eisen- und aluminiumphosphaten und deren domplexen salzen. Phosphorsäure 4:429-440. illus. 1934. no.7.

Proc. Amer. Phil. Soc. (Philadelphia) (500P533)

Davis, B. M.

What is Oenothera hookeri Torrey & Gray? Proc. Amer. Phil. Soc. 74:245-251. pl. Jl.1934. no.3.

Smith, F. H.

Prochromosomes and chromosome structure in Impatiens. Proc. Amer. Phil. Soc. 74:193-214. iii pl. Jl.1934. no.3.

Proc. Crop Sci. Soc. Japan (22.5C88)

Chizaki, Y.

Breeding of a new interspecific hybrid between Hibiscus esculentus, L. and H. manihot, L. Proc. Crop Sci. Soc. Japan 6:164-172. Je.1934. no.2.

Japanese.

Minami, T. & Kikuchi, M.

On the wilt-resistant varieties of flax. Proc. Crop Sci. Soc. Japan 6:107-117. illus. Je.1934. no.2.

Japanese.

Miura, S.

Root development of rice plant in well- vs. ill-drained soil conditions. Proc. Crop Sci. Soc. Japan 6:207-211. illus. Je.1934. no.2.

Miyagi, S. & Yasukawa, D.

Experimental observations into photoperiodism in certain grain crops. Proc. Crop Sci. Soc. Japan 6:231-238. illus. Je.1934. no.2.

Japanese.

Miyazawa, B.

Several examples of mutation in rice plant Proc. Crop Sci. Soc. Japan 6:156-158. Je.1934. no.2.

Japanese.

Nakatomi, S.

Varietal differences in peroxidase contents of cotton seeds. Proc. Crop Sci. Soc. Japan 6:118-125. Je.1934. no.2.

Japanese.

Onodera, J.

Symptoms of dry injury on leaves of rice plant as related to drought resistance. Proc. Crop Sci. Soc. Japan 6:126-156. illus. Je.1934. no.2.

Japanese with English resumé.

Proc. Crop Sci. Soc. Japan (cont.)

Saito, K.

Ecological studies in "mino-wase" radish. 1. Effect of air temperatures on root growth. Proc. Crop Sci. Soc. Japan 6:173-183. Je.1934. no.2.

Japanese.

Tabata, K., Tedsuka, T. & Hatabuchi, M.

Effects of short day upon several characters of rice plant. Proc. Crop Sci. Soc. Japan 6:212-221. illus. Je.1934. no.2.

Terada, S. & Horiwa, S.

Morphology of the "snaky" cotton plant. Proc. Crop Sci. Soc. Japan 6:187-189. Je.1934. no.2.

Japanese.

Terazawa, Y.

A morphological description of Brassico-Raphanus plant. Proc. Crop Sci. Soc. Japan 6:159-163. pl. Je. 1934. no.2.

Japanese.

Progr. Agr. & Vitic. (Montpellier) (14P94)

Armet, H.

Bouillies célestes au sulfate d'ammoniaque et solutions cupriques aux composés tartriques. Progr. Agr. & Vitic. 102:86-89. Jl.22,1934. no.29.

Bènes, G.

Court-noué et chlorose. Progr. Agr. & Vitic. 102:81-84. Jl.22,1934. no.29.

Nicolas, G.

Les bouillies cupro-ammoniacales. Progr. Agr. & Vitic. 102:62. Jl.15,1934. no.28.

Protoplasma (Leipzig) (442.8P94)

Colla, S.

Ricerche sul movimento degli stami in alcune berberidacee. VI. Le modificazion cellulari durante la contrazione. Protoplasma 21:1-33. illus. Ap.1934. no.1.

Protoplasma (cont.)

Dent, K. W.

Studies on toxic action. VII. The toxicity of aliphatic esters towards potato tuber. Protoplasma 21:62-72. Ap.1934. no.1.

Eichberger, R.

Ueber die lebensdauer isolierter tonoplasten. Protoplasma 20:606-632. illus. F.1934. no.4.

Henner, J.

Untersuchungen über spontankontraktion der vakuolen. Protoplasma 21:81-111. illus. Ap.1934. no.1.

Experiments with Ligustrum vulgare, Allium cepa, Polygonatum verticillatum.

Iljin, W. S.

Kann das protoplasma durch den osmotischen druck des zellsaftes zerdrückt werden? Protoplasma 20:570-585. F.1934. no.4.

Martens, P.

Recherches sur la cuticule. III. Structure, origine et signification du relief cuticulaire. Protoplasma 20:483-515. illus. F.1934. no.4.

Seifriz, W.

The origin, composition, and structure of cellulose in the living plant. Protoplasma 21:129-159. illus., pl.i. Ap.1934. no.1. "Sammelreferate".

Zirkle, C.

Amines in cytological fixing fluids. Protoplasma 20:473-482. pl.vi-vii. F.1934. no.4.

Quart. Journ. Pharm. & Pharmacl. (London) (396.8Q2)

Breyer-Brandwijk, M. G.

The phytochemistry of the root-bark of Phyllanthus engleri Pax. Quart. Journ. Pharm. & Pharmacol. 7:167-178. Ap./Je.1934. no.2.

Rep. Bot. Soc. & Exch. Club Brit. Isles (451B653)

Bishop, E. B.

A few additions to the flora of Northamptonshire. (In memoriam - George Claridge Druce). Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:571-582. Je. 1934. no.3.

Butcher, R. W.

Notes on the variation of the British species of Zostera. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:592-597. pl.56-57. Je.1934. no.3.

Cotton, A. D.

Zostera marina in Britain. Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:623-624. Je. 1934. no.3.

Elliot, G. F. S.

The birch - Betula alba L. Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:651-665. Je.1934. no.3.

Elliot, G. F. S.

The hedge woundwort - Stachys sylvatica L. Rep. Bot. Soc. & Exch. Club. Brit. Isles. 10:640-650. illus. Je.1934. no.3.

Fraser, J.

Mints that sport. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:589-591. Je.1934. no.3.

Variations in several species of Mentha described.

Hall, P. M. & Pearsall, W. H.

Notes on the British Orchidaceae. Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:670-681. Je. 1934. no.3.

Little, J. E.

Evidence of a prehistoric flora in the Ivel district. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:637-639. Je.1934. no.3.

Parkin, J.

The classical carpel and recent attacks. Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:598-606. Je.1934. no.3.

Pearsall, W. H.

Beginning the study of grasses. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:631-637. Je. 1934. no.3.

Rep. Bot. Soc. & Exch. Club. Brit. Isles (cont.)

Pearsall, W. H.
The British species of Myriophyllum. Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:619-621. Je.1934. no.3.

Pearsall, W. H.
Crepis biennis L. in Yorkshire. Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:625-627. Je. 1934. no.3.

Pearsall, W. H.
Notes on the Orchidaceae of Kent. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:629-630. Je. 1934. no.3.

Pearsall, W. H.
Some hybrid Carices. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:682-685. Je.1934. no.3.

Riddelsdall, H. J.
A flora of Glamorganshire. Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:666-669. Je.1934. no.3.

Turrill, W. B.
Dr. O. Stapf, V.R.S. 1857-1933. Rep. Bot. Soc. & Exch. Club. Brit. Isles 10:511-514. Je. 1934. no.3.

Turrill, W. B.
Variation and a variant of Cerastium vulgatum from Dorset. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:583-588. Je.1934. no.3.

Vachell, E.
A list of Glamorgan plants. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:686-743. Je. 1934. No.3.

Wolley-Dod, A.
Curiosities of plant life. Rep. Bot. Soc. & Exch. Club Brit. Isles 10:607-618. Je.1934. no.3.
Movement of plants, behavior of plants, dispersal of seeds.

Rev. Bot. Appl. (Paris) 26R323)

Chevalier, A.
Les Aleurites d'Indochine producteurs d'huile de bois. Rev. Bot. Appl. 14:389-399. Je.1934. no.154.

Chevalier, A.
Dissotis leonensis Hutch. et Dalziel. Rev. Bot. Appl. 14:411-413. pl.viii. Je.1934. no.154.

Chevalier, A.
Sur un trèfle fourrager du Cameroun. Rev. Bot. Appl. 14:439-441. Je. 1934. no.154
Trifolium ruppelianum.

Ducke, A.
Les genres Coumarouna Aubl. et Taralea Aubl. Rev. Bot. Appl. 14:400-407. Je.1934. no.154.
C. ferrea, C. magnifica n.spp.

Normand, D.
Note sur quelques bois du Gabon. Rev. Bot. Appl. 14:414-421. pl.ix. Je.1934. no.154.
Izombé (Testulea gabonensis) - Copaliers (species of Copaifera).

Parrin, O.
Les tabacs de Turquie d'Asie. Rev. Bot. Appl. 14:426-432. Je. 1934. no.154.
From Rev. Intern. Tabacs 1933.

Russell, W.
Origines et particularités des racines adventives caulinaires de quelques Aeschynomene. Rev. Bot. Appl. 14:407-411. illus. Je.1934. no.154.

Walker, A.
Sur trois arbres de la foret gabonaise. Rev. Bot. Appl. 14:421-426. Je.1934. no.154.
Copaifera sp. (olumi rouge), Detarium sp. (olumi noir), Grewia coriacea (arbre à briquet).

Rev. Hort. (Paris) (80R32)

Jahandiez, E.
Les plantes grasses autres que les cactées. Les crassulacées (cont.). Rev. Hort. 106:160-162. illus. Jl.16, 1934. no.7.

Rev. Hort. (cont.)
Jarry-Desloges, R.
Contribution a l'étude des avocatiers sur la Cote-d'Azur, leur floraison. Rev. Hort. 106: 152-154. illus. Jl.16, 1934. no.7.

Riv. Ital. Essen. e Profumi (Milano) (308.8R52)
Rovesti, G. & Rovesti, P.
Flora officinale del Parco mazionale d'Abruzzo e della zona limitrofa. Riv. Ital. Essen e Profumi 16:197-221. illus. Jl.15, 1934. no.7.

Science (470Sci2)
Bennett, E.
Why dandeloins? Science 80:142. Ag.10, 1934. no.2067.
Food values of mangold leaves, lettuce, cabbage leaves and spinach as well as dandeloins, given.

Drake, C. J., Martin, J. N. & Tate, H. D.
A suggested relationship between the protoplastic bridges and virus diseases in plants. Science 80:146. Ag.10, 1934. no.2067.

Roberts, R. H. & Kraus, J. E.
Respiratory types and photoperiodism. Science 80:122-123. Ag.3,1934. no.2066.
Experiments with potted apple plants, poinsettias and others.

Rusby, H. H.
Nathaniel Lord Britton. Science 80:108-111. Ag.3, 1934. no.2066.

Stockwell,P.
A stain for difficult plant material. Science 80:121-122. Ag.3, 1934. no.2066.
Version of Fleming triple stain.

Scient. Agr. (Ottawa) 7Sci2)
Hockey, J. F. & Boyle, J. A.
Gravesteins - Time of picking in relation to spot scald. Scient. Agr. 14:608-613. illus. Jl.1934. no.11.

Sci. Rep. Tohoku Imp. Univ., 4. Ser. (Biol.) (Sendai) (513T57Ab)
Hiramatsu, K.
On compensation point of woody plants. Sci. Rep. Tohoku Imp. Univ., 4. Ser. (Biol.) 9:71-77. Je.1934. no.1.

Sci. Rep. Tokyo Bunrika Daigaku Sect. B (513T578B)

Miwa, T. & Yoshii, S.

Ueber die bildung der urease bei Aspergillus niger. Sci. Rep. Tokyo Bunrika Daigaku Sect. B. 1:243-270. My.31,1934. no.23.

Scott. Journ. Agr. (Edinburgh) (10Sco82So)

Braid, K. W.

History of the bracken disease. Scott. Journ. Agr. 17:297-305. Jl.1934. no.3.

Howells, D. V.

Strawberry culture. II. Scott. Journ. Agr. 17:287-292. Jl.1934. no.3.

Red core (Phytophthora sp. Alcock) (Lanarkshire strawberry disease.): p.287-289.

Sinensia, Nanking (410.9Si62)

Tai, F. L. & Wei. C. T.

Notes on Chinese fungi. III. Peronosporaceae. Sinensia, Nanking 4:83-128. illus. N.1933. no.5.

Teng, S. C. & Teng, K. L.

Notes on slime-molds from China. Sinensia, Nanking 4:61-81. O.1933. no.4.

Soil Sci. (Baltimore) (56.8So3)

Godfrey, G. H.

Indicator plants for measuring soil populations of the root-knot nematode, Heterodera marioni (Cornu) Goodey. Soil Sci. 38:3-27. Jl.1934. no.1.

Tijdschr. Plantenz. (464.8T44)

Banga, O.

Het steelrot van appels. Tijdschr. Plantenz. 40:157-169. pl.xiv. Jl.1934. no.7.

German summary: p.167-168.

Two fungi isolated but these are wound parasites (Phomopsis & Cylindrocarpon), cause not yet definitely determined.

Trans. Amer. Micros. Soc. (440.9Am33)

Transeau, E. N.

The genera of the Zygnemataceae. Trans. Amer. Micros. Soc. 53:201-207. Jl.1934. no.3.

Trans. Indiana Hort. Soc. (81In2)

Dutton, W. C.

Comparisons of new and old materials for scab control. Trans. Indiana Hort. Soc. 73(1933): 102-105. 1934.

McCown, M.

The fruit disease situation in Indiana orchards. Trans. Indiana Hort. Soc. 73(1933):11-14. 1934.

Magness, J. R.

The moisture problem in the orchard. Trans. Indiana Hort. Soc. 73(1933):28-39. 1934.

Trop. Agriculture West Indies (Trinidad) (26T754)

Cheesman, E. E.

Principles of banana breeding. (concl.) Trop. Agriculture West Indies 11:203-209. Ag.1934. no.8.

Trudy Prikl. Bot., Gen. i Selek. Ser. V, Zernov. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. V. Ser., Grain Crops) (451R92G)

Orlov, A. A.

Iachmeni Arabii (Barleys of Arabia). Trudy Prikl. Bot., Gen. i Selek. Ser. V, Zernov. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. V. Ser., Grain Crops) 2:1-40. illus. (incl.map). 1934.

Russian with English summary.

Schreiber, L.

Pshenitsy sredizemnomorskikh ostrovov (Wheats of the islands of the Mediterranean). Trudy Prikl. Bot., Gen. i Selek. Ser. V, Zernov. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. V. Ser., Grain Crops) 2:41-240. illus. (incl. maps). 1924.

Russian with English summary.

Tumanian, M.

Botanicheskii sostav dikikh pshenits Armenii i usloviia ikh proizrastaniia v prirode (The botanical diversity of the wild wheats in Armenia). Trudy Prikl. Bot., Gen. i Selek. Ser. V, Zernov. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. V. Ser., Grain Crops) 2:241-268. illus. 1934.

Russian with English summary.

Tumanian, M.

Vetvistaia miagkaia pshenitsa. (Branched soft wheat). Trudy Prikl. Bot., Gen. i Selek. Ser. V, Zernov. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. V. Ser., Grain Crops) 2:269-282. illus. 1934.

Russian with English summary.

Věstník Českosl. Akad. Zeměd. (Prague) (19.5C332)

Karel, M.

Metoda na rozlišování makových odrůd podle barvy klíčků vyrostlých na světle. (Eine methode zur unterscheidung von mohnsorten nach der farbe der lichtkeime). Věstník Českosl. Akad. Zeměd. 10:439-443. illus. 1934. no.6/7.

German summary: p.442-443.

Rozsypal, J.

Houby na hád'átku řepném Heterodera schachtii Schmidt v moravských půdách. (Pilze in cysten von Heterodera schachtii Schmidt aus mährischen rübenboden). Věstník Českosl. Akad. Zeměd. 10:413-422. illus., pl.ii. 1934. no.6/7.

German summary: p.422.

Trichosporium populneum, Protomycopsis sp., Olpidium nematodae.

Welsh Journ. Agr. (Cardiff, Wales) (10W46)

Shippindale, H. C.

The effect of "ceresan" on the germination of grass-seeds. Welsh Journ. Agr. 10:284-288. Ja.1934.

Jenkins, J. R. W.

Potato eelworm disease. Welsh Journ. Agr. 10:301-308. Ja.1934.

Walker, R. G.

The inimical effects of presoaking on the seeds of oats. Welsh Journ. Agr. 10:278-284. Ja.1934.

State Publications

Aust, F. A.

Rock gardens. Wisconsin Univ. Agr. Ext. Serv. Stenc. Circ. 134. 14 p. pl. F.1934. (275.29W75B)

Mimeographed.

Norris, N. A.

Native shrubs common to Wisconsin. Wisconsin Univ. Agr. Ext. Serv. Stenc. Circ. 138. 17 p. illus. S.1933. (275.29W75B)

Mimeographed.

Roberts, R. H.

Strawberry "black root" injury. Wisconsin Univ. Agr. Ext. Serv. Stenc. Circ. 139. 2 p. pl. S.1933. (275.29W75B)

Mimeographed.

State Publications. (cont.)

Vaughn, R. E.
Treat potato seed. Wisconsin Univ. Agr. Ext. Serv. Stenc. Circ. 129. 3 p. [1934?] (275.29W75B)
Mimeographed.

Vaughn, R. E.
Ways to treat seed grain. Wisconsin Univ. Agr. Ext. Serv. Stenc. Circ. 128. 2 p. Mr. 1934. (275.29W75B)
Mimeographed.

Exp. Stat. Publ.

Ware, J. O. & Young, V. H.
Control of cotton wilt and "rust". Arkansas Agr. Exp. Stat. Bull. 308. 23 p. Je.1934. (100Ar42)

Karraker, P. E. & Bortner, C. E.
Studies of frenching of tobacco. Kentucky Agr. Exp. Stat. Res. Bull. 349:63-109. illus. Ap.1934. (100K41)

Phillips, T. G., Smith, T. O. & Dearborn, R. B.
The effect of potassium deficiency on the composition of the tomato plant. New Hampshire Agr. Exp. Stat. Techn. Bull. 59. 16 p. Je.1934. (100N45)

Havis, L. & Gourley, J. H.
The russeting of apples. Ohio Agr. Exp. Stat. Bimonth. Bull. 19:147-155. illus. Jl./Ag.1934. no.169. (100Oh35)

Featherly, H. I. & Still, C. E.
The ferns of Oklahoma. Oklahoma Agr. Exp. Stat. Circ. 80. 24 p. illus. Je.1934. (100Ok4).

Davis, R. L.
Sugarcane variety P.O.J. 2878 in Puerto Rico. Puerto Rico Agr. Exp. Stat. Bull. 35. 45 p. illus. Je.1934. (1Ex65)

Carolus, R. L.
Tomato fertilization. II. The effect of different fertilizer ratios on the chemical composition of tomatoes. Virginia Truck Exp. Stat. Bull. 81:1085-1117. O.1,1933. (100V813B)

New Books.

Andrade, E. N. d.
Manual de citricultura Pt. I. Culture e estatistica. São Paulo, Chacaras e Quintaes, 1933. (93.33N22)

Bender, H. B.
The fungi imperfecti, order Sphaeropsidales, with keys and references to genera. North Woodbury, Conn., The author, Mr. 1934. (462.07B43)

Bonnier, G. & Sablon, L. d.
Cours de botanique. Anatomie; physiologie; classification; applications agricoles, industrielles, médicales. fasc. 8. Paris, Librairie générale de l'enseignement, 1934. (463B64)

Bonnier, G. & Douin, R.
Flore complete illustrée en couleur de France ... Suisse et Belgique. v.12, f.119. pl. 709-714. Paris, [1934]. (f. 459B64)

Chow, H.-F.
The familiar trees of Hopei. (Peiping], Peking natural history bulletin, 1934 (Peking society of natural history, Handbook no.4). (513P36B)

Craib, W. G.
Florae siamensis enumeratio. A list of plants known from Siam with records of their occurrence. v.2, pt.2 Rubiaceae (concl.) to Dipsacaeae. Bangkok, The Bangkok times press, F.28,1934. (460.13C84F)

Janssonius, H. H.
Mikrographie des holzes der auf Java vorkommenden baumarten ... 11. lfg. Leiden, E. J. Brill, 1934. (463.4J26)

Kavina, K., ed. & Pilat, A.
Atlas des champignons de l'Europe. Praha, 1934. (462.12K17)
V.1, Amanita par Rudolf Veselý (16 p. 8 pl.)

Kendall, C. E.
A study of the domestic water supply of Winchester, Massachusetts. 2d ed. Winchester, Mass., Winslow press, 1934. (292K33).

New Books, (cont.)

Mills, F. W.
An index to the genera and species of Diatomaceae and their synonyms... 1816-1932. pt.xii-xiii. London, Wheldon & Wesley, My., Je. 1934.

Percival, J.
Wheat in Great Britain. Reading, Engl., The author, 1934. (59.26P41W)

Pieters, A. J.
The little book of Lespedeza. Washington, D. C. The author, 1934. (60.3P61)

Post, G. E.
Flora of Syria, Palestine and Sinai... 2d ed., extensively rev. and enl. by J. E. Dinsmore. v.2. Beirut, American press, 1933. (460.17P84F)

Pulle, A.
Flora of Surinam (Dutch Guyana). Amsterdam, 1934 (K. Ver. Kolon. Inst. Amsterdam. Meded. no.XXX, Afd. Handelsmus. no.11) (503Am82).

v.1 (p.49-160). Polygonaceae, Cyperaceae, Caryophyllaceae, Proteaceae, Aizoaceae (pars) - v.2 (p.113-114) Myristicaceae, Menispermaceae, Anacardiaceae (pars). - v.3 (p. 65-160) Guttiferae, Lecythidaceae, Punicaceae, Bixaceae, Araliaceae (pars) - v.4 (p.113-304) Rubiaseae, Ericaceae, Campanulaceae (pars).

Record, S. J.
Identification of the timbers of temperate North America, including anatomy and certain physical properties of wood. New York, John Wiley & sons, 1934. (99.79R24)

Sawyer, R. V. & Perkins, E. H.
Water gardens and goldfish. 2d ed. New York, A. T. De La Mare co., 1934.

Sharp, L. W.
Introduction to cytology. 3d ed. New york, McGraw-Hill book co., 1934. (442Sh2)

Sinnott, E. W., Houghtaling, H. & Blakeslee, A. F.
The comparative anatomy of extra- chromosomal types in Datura stramonium. Washington, Je. 1934 (Carnegie institution of Washington Publication 451). (463.5Si6)

New Books (cont.)

Swingle, D. B.
A textbook of systematic botany. 2d ed. New York, McGraw-Hill book co., 1934. (452Sw5)

Went, J. C.
Fusarium-aantastingen van erwten. Utrecht, Hoeijenbos & Co., 1934. (464.04W48)
English summary: p.78.

Zschacke, H.
Epigloeaceae, Verrucariaceae und Dermatocarpaceae Leipzig, 1933 (Dr. L. Rabenhorst's Kryptogamenflora von Deutschland, Oesterreich und der Schweiz IX bd., abt., I, 1, lfg.4, p.481-695.)

Non-current indexing.

Acta Horti Bot. Latv. (Riga) (451L35)

Suseklis, H. & Zamelis, A.
Ein schon F_1 an konstanter bastard - Viola arteficiosa Ausekl., erhalten durch kreuzung von V. bosniaca Form. ♀ mit V. arvensis Murr. ♂. Acta Horti Bot. Larv. 6:95-121. pl. 1931. no.2/3.

Melderis, A.
Genetical and taxonomical studies in the genus Erythraea Rich. I. Acta Horti Bot. Latv. 6:123-158. illus. 1931. no.2/3.

Melderis, A. & Viksne, A.
Notes on the genus Lathyrus. Acta Horti Bot. Latv. 6:90-94. 1931. no.2/3.

Ozolina, E.
Ueber die höhere vegetation des Usma-Sees. Acta Horti Bot. Latv. 6:1-74. illus. 1931. No. 1.

Viksne, A.
Notes sur la variabilité de la première génération de l'hybride Rosa rugosa Thunb. ♀ x R. pimpinellifolia L. forma flore pleno ♂. Acta Horti Bot. Latv. 6:75-83. 1931. no.2/3.

Viksne, A.
Vorläufige mitteilung über die kreuzungsversuche mit Ribes (1924-1931). Acta Horti Bot. Latv. 6:86-89. illus. 1931. no.2/3.

Non-current indexing (cont.)

Acta Horti Bot. Latv. (cont.)

Zamelis, A. & Melderis, A.

Pseudogamie bei der selbststerilen Veronica pinnata L. infolge der bestäubung mit dem pollen von Veronica longifolia L. Acta Horti Bot. Latv. 6:159-192. illus. 1931. no.2/3.

Zamelis, A.

Ueber entstehung neuer sippen durch monogenesis. Acta Horti Bot. Latv. 6:193-202. illus. 1931. no.2/3.

Vorläufige mitteilung.

Bot. Zhurn. SSSR (451R923)

Bobrov, E. G.

K poznaniiu roda Cephalaria Schard. (Beitrag zur kenntnis der gattung Cephalaria Schard.) III. Mehrjährige arten aus USSR). Bot. Zhurn. SSSR 17:483-505. illus. (incl. maps). 1932. no.5/6.

Russian with Latin diagnoses.

Korovin, E. P.

Novyi tretichnyi tip semeistva Proteaceae iz Srednei Azii. (Genus novum fossile palaeogenum familiae Proteacearum ex Asiae Media). Bot. Zhurn. SSSR 17:506-523. illus. 1932. no.5/6.

Palibinia.

Russian with Latin diagnoses.

Komarov, V.

Mnogosemiannye vidy archi v Srednei Azii (Sabinae polyspermae Asiae Mediae). Bot. Zhurn. SSSR 17: 474-482. 1932. no.5/6.

Russian with Latin diagnoses (Juniperus seravschanica, J. schugnanica n. spp.)

Litvinov, L. S.

K voprosu o kriterii otsenki pochvennogo uvlazhneniia. (On the criterion of estimation of soil moisture). Bot. Zhurn. SSSR 17:451-473. 1932. no.5/6.

Russian with English summary.

Stepanova, V. S.

Skorost vegetativnogo rosta riaski. (Die geschwindigkeit des vegetativen wachstums der gattung Lemna). Bot. Zhurn. SSSR 17:523-529. 1932. no.5/6.

Russian with German summary.

Bull. Agr. Chem. Soc. Japan (J385Ag8B)
Kawahara, T.
On the phytase of Aspergillus species. Bull. Agr. Chem. Soc. Japan 5:7-8. Ja./My.1929. no.1/5.

Sasaki, S.
Studies on the germination of seeds. II. Starch produced during the germination of soy-bean seeds. Bull. Agr. Chem. Soc. Japan 5:6-7. Ja./My.1929. no.1/5.

Sumiki, Y.
Studies on the saponin of soy-bean. I. Bull. Agr. Chem. Soc. Japan 5:27-32. Ja./S.1929. no.6/9.

Jaarb. Nederl. Dendrol. Vereenig. (99.9N28)
Springer, L. A.
Een en ander over het seslacht Salix (Wilgen). Jaarb. Nederl. Dendrol. Vereenig. 1928:77-85.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ SEP 10 1934 ★
U. S. Department of Agriculture

Vol.16, no.17 Aug.13-25, 1934.

Agr. Rev. Agropec. (Madrid) (15Ag84)
Arana, M. d.
El Instituto de cerealicultura y los nuevos tipos de trigo. Agr. Rev. Agropec. (Madrid) 4:437-448. illus. Jl.1934. no.67.

Ann. di Bot. (Roma) (450An71)
Gioelli, F.
Fenomeni di antagonismo tra "Penicillium digitatum" (Pers.) Sacc. e "Penicillium italicum" Weber. Ann. di Bot. 20:327-346. D.31,1933. no.2.

Ann. Mus. Colon. Marseille (410.9M35)
Motte, J.
Le funori, colle d'algues japonaise. Ann. Mus. Colon. Marseille v.42(V,2) fasc.2. 24 p. illus. 1934.

Ann. R. Accad. Agr. Torino (16T63)
Mattirolo, O.
Di un nuovo centro di produzione del tartufo bianco del Piemonte (Tuber Magnatum Pico) in Istria. Ann. R. Accad. Agr. Torino 75(1932): 29-45. 1933.

Voglino, P.
Ricerche sulla fusariosi degli astri della Cina. Ann. R. Accad. Agr. Torino 75(1932):53-70. illus., pl. 1933.

Ann. Appl. Biol. (London) (442.8An72)
Brenchley, W. E.
The effect of rubidium sulphate and palladium chloride on the growth of plants. Ann. Appl. Biol. 21:398-417. illus., pl.xx. Ag.1934. no.3.

Ann. Appl. Biol. (cont.)

Brierley, W. B.
Some viewpoints of an applied biologist. Ann. Appl. Biol. 21:351-378. Ag.1934. no.3.

Davies, W.
Grassland experiments in Mid-Wales; the Cilmery Park experiments. Ann. Appl. Biol. 21:379-397. pl.xix. Ag.1934. no.3.

Norman, A. G.
The biological decomposition of plant materials. IX. The aerobic decomposition of hemicelluloses. Ann. Appl. Biol. 21:454-475. Ag.1934. no.3.

Robson, W. S.
The seedling characters of some cultivated Brassicae. Ann. Appl. Biol. 21:418-429. pl.xxi-xxii. Ag.1934. no.3.

Sheffield, F. M. L.
Experiments bearing on the nature of intracellular inclusions in plant virus diseases. Ann. Appl. Biol. 21:430-453. pl.xxiii-xxv. Ag.1934. no.3.

Ann. Bot. (London) (450An7)

Benson, M.
Note on the "spores" of Schuetzia bennieana (Kidston). Ann. Bot. 48:819-820. illus. Jl.1934. no.191.

Catcheside, D. G.
The chromosomal relationships in the swede and turnip groups of Brassica. Ann. Bot. 48:601-633. illus. Jl.1934. no.191.

Chapman, R. E.
The composition of the salts on the leaves of some desert plants. Ann. Bot. 48:777-780. Jl. 1934. no.191.

Reaumuria hirtella, Tamarix arborea, Cressa cretica.

Chesters, C. G. C.
Three methods of using cotton blue as mycological stain. Ann. Bot. 48:820-822. Jl.1934. no.191.

Dickson, H.
Studies in Coprinus sphaerosporus. I. The pairing behaviour and the characteristics of various haploid and diploid strains. Ann. Bot. 48:527-547. illus., pl.xi. Jl.1934. no.191.

Ann. Bot. (cont.)

Drew, K. M.

Contributions to the cytology of Spermothamnion turneri (Mert.) Aresch. Ann. Bot. 48:549-573. illus., pl.xii-xiii. Jl.1934. no.191.

Gould, S. A., Pearl, R., Edwards, T. I. & Miner, J. R.

On the effects of partial removal of the cotyledons upon the growth and duration of life of canteloup seedlings without exogenous food. Ann. Bot. 48:575-599. illus. Jl.1934. no.191.

Naylor, G. L. & Russell-Well, B.

On the presence of cellulose and its distribution in the cell-walls of brown and red algae. Ann. Bot. 48:635-641. illus. Jl.1934. no.191.

Saunders, E. R.

On carpel polymorphism. VI. Ann. Bot. 48:643-692. illus. Jl.1934. no.191.

Schafer, B. & La Cour, L.

A chromosome survey of Aconitum. I. Ann. Bot. 48:693-713. illus. Jl.1934. no.191.

Seward, A. C. & Conway, V.

A phytogeographical problem: Fossil plants from the Kerguelen Archipelago. Ann. Bot. 48:715-741. illus., pl.xiv-xv. Jl.1934. no.191.

Smyth, E. S.

A contribution to the physiology and ecology of Peltigera canina and P. polydactyla. Ann. Bot. 48:781-818. illus. Jl.1934. no.191.

Warington, K.

Studies in the absorption of calcium from nutrient solutions with special reference to the presence or absence of boron. Ann. Bot. 48:743-776. Jl.1934. no.191.

Experiments with Vicia faba.

Ann. Rep. Dept. Agr. Mauritius. (24M443A)

Mauritius. Dept. of agriculture

Botanical division. In its Ann. Rep. 1932: 32-38. 1933.

E.F.S.Shepherd, botanist and mycologist.

Ann. Rep. Tea Res. Inst. Ceylon (68.19C33)

Tea research institute, Ceylon

Report of the mycologist for 1933. In its Ann. Rep. 1933(Bull. 11):20-25. [1934]

C.H.Gadd, mycologist.

Ber. Bayer. Bot. Ges.-Erforsch. Heim. Flora (München) (451B34B)

Suessenguth, K.

Neue beobachtungen über die phanerogamen- und gefässkryptogamenflora von Bayern. VII. Ber. Bayer. Bot. Ges.-Erforsch. Heim. Flora 21:1-60. 1934.

p.58-60: Nova Hieracina bavarica von H. Schach.

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Beger, H.

Gustav Hegi. Ber. Deut. Bot. Ges. 51:201-207. Je.13,1934.

Harms, H.

Rudolf Marloth. Ber. Deut. Bot. Ges. 51:220-230. port. Je.13,1934.

Hoffmann, C.

Wilhelm Nienburg. Ber. Deut. Bot. Ges. 51:231-245. port. Je.13,1934.

Klebahn, H.

Wilhelm Olbers Focke. Ber. Deut. Bot. Ges. 51:128-156. port. Je.13,1934.

Knoll, F.

Karl Fritsch. Ber. Deut. Bot. Ges. 51:157-184. port. Je.13,1934.

Kolbe, R. W.

Sergei Kostytschew. Ber. Deut. Bot. Ges. 51:208-219. port. Je.13,1934.

Leisering, B.

Carl Steinbrinck. Ber. Deut. Bot. Ges. 51:246-257. port. Je.13,1934.

Mildbraed, J.

Walter Busse. Ber. Deut. Bot. Ges. 51:61-71. port. Je.13,1934.

Senn, G.

Hermann Christ-Socine. 12. Dezember 1833 bis 23. November 1933. Ber. Deut. Bot. Ges. 51:72-95. port. Je.13,1934.

Tobler, F.

Oscar Drude. Ber. Deut. Bot. Ges. 51:96-127. ports. Je.13,1934.

Weisse, A.

Paul Graebner. Ber. Deut. Bot. Ges. 51:185-200. port. Je.13,1934.

Biochem. Journ. (London) (382B52)

Bacharach, A. L., Cook, P. M. & Smith, E. L.
The ascorbic acid content of certain citrous fruits and some manufactured citrous products. Biochem. Journ. 28:1038-1047. 1934. no.3.

Birkinshaw, J. H. & Raistrick, H.
Studies in the biochemistry of micro-organisms. XXXVIII. The metabolic products of Penicillium minio-luteum Dierckx. minioluteic acid. Biochem. Journ. 28:828-836. 1934. no.3.

Buston, H. W.
The polyuronide constituents of forage grasses. Biochem. Journ. 28:1028-1037. 1934. no.3.

Butler, M. R.
Some properties of the polysaccharide complex extracted from a marine alga, Chondrus crispus. Biochem. Journ. 28:759-769. 1934. no.3.

Channon, H. J. & Foster, C. A. M.
The phosphatides of the wheat germ. Biochem. Journ. 28:853-864. 1934. no.3.

Clark, A. & Waters, R. B.
The presence of a sapotoxin in Xanthosoma atrovirens, a tropical food-tuber. Biochem. Journ. 28:1131-1134. 1934. no.3.
Tanniatoxin - name suggested for a highly poisonous acid sapotoxin.

Richter, D.
The action of inhibitors on the catechol oxidase of potatoes. Biochem. Journ. 28:901-908. 1934. no.3.

Biochem. Zeitschr. (Berlin) (384B522)

Virtanen, A. I., Hausen, S. v. & Saastomoinen, S.
Die entwirkung des follikelhormons auf das blühen der pflanzen. Biochem. Zeitschr. 272: 32-35. illus. Jl.23,1934.

Blue Anchor (Sacramento) (286.83B62)

Pentzer, W. T. & Asbury, C. E.

Sulphur dioxide as an acid in the preservation of grapes in transit and storage. Blue Anchor 11(8): 2-4, 23. illus. Ag.1934.

Blumen u. Pflanzenb. Vereinigt Gartenw. Berlin. (80G196)

Pape, H.

Die botrytiskrankheit der lilien. (concl.) Blumen u. Pflanzenb. Vereinigt Gartenw. 38:387. Jl.27,1934. no.30.

Boll. R. Staz. Patol. Veg. Roma (Firenze) (464.9R662)

Biraghi, A.

Sul significato biologico dei presunti appressori nel gen. Gloeosporium. Boll. R. Staz. Patol. Veg. Roma. n.s. 14:202-210. illus. 1934. no.2.

Brief English summary.

Biraghi, A.

Variazioni in due ceppi di Gloeosporium olivarum Alm. di provenienze diverse. Boll. R. Staz. Patol. Veg. Roma n.s. 14:223-253. illus. 1934. no.2.

Brief English summary.

Breazzano, A.

Alcune osservazioni sulle decisioni prese dalla riunione di esperti tenutasi in Berlino nel 1930 per la discussione dei metodi di analisi tossimetrica delle sostanze conservatrici del legno. Boll. R. Staz. Patol. Veg. Roma n.s. 14:185-201. 1934. no.2.

English summary.

Gigante, R.

Fenditure di origine non parassitaria nei tralci della vite. Boll. R. Staz. Patol. Veg. Roma n.s. 14:211-222. illus. 1934. no.2.

Brief English summary.

Gigante, R.

La maculatura grigia interna dei tuberi di patata. Boll. R. Staz. Patol. Veg. Roma n.s. 14:256-267. illus. 1934. no.2.

Goidànich, G.

La verticilliosi dell'Acer platonoides L., dell'Acer pseudoplatanus L. e della Maclura aurantiaca L. Boll. R. Staz. Patol. Veg. Roma n.s. 14:268-272. illus. 1934. no.2.

Brief English summary.

Boll. R. Staz. Patol. Veg. Roma (cont.)

Petri, L.

Micropressa per l'estrazione di succhi da tessuti freschi. Boll. R. Staz. Patol. Veg. Roma n.s. 14:254-255. illus. 1934. no.2.

Petri, L.

Sull'arricciamento (court-noué) della vite. Boll. R. Staz. Patol. Veg. Roma n.s. 14:273-278. 1934. no.2.

English summary.

Bot. Mus. Leafl. Harvard Univ. (451H262)

Darrah, W. C.

Leo Lesquereux. Bot. Mus. Leafl. Harvard Univ. 2:113-119. Ag.10,1934. no.10.

Botaniste (Paris) (450B657)

Chow, C. H.

Contribution à l'étude du développement des coprins. Botaniste 26:89-234. illus., pl. ix-xx. Ap.1934. no.2.

Dangeard, P.

Les caractères du vacuome dans les grains de pollen et dans les tubes polliniques. Botaniste 26:235-238. pl.xxi. My.1934. no.3.

Dangeard, P. A.

Mémoire sur l'Apistonema submarinum sp. nov. et considérations générales sur la structure des protozoaires et des protophytes. Botaniste 26:261-344. illus., pl.xxv-xxviii. My.1934. no.3.

Dangeard, P.

Sur quelques algues marines nouvelles ou rares en France. Botaniste 26:241-258. pl.xxii-xxiv. My.1934. no.3.

Kühner, R.

Observations sur la localisation cytologique des substances colorées chez les agarics et les bolets. Botaniste 26:347-369. My.1934. no.3.

Raymond, J. R.

Contribution à la connaissance cytologique des ascomycètes. Botaniste 26:371-537. illus., pl.xxix-xlii. Je.1934. no.4/5.

Botaniste (cont.)

Wang, D. T.

Contribution à l'étude des ustilaginées (Cytologie du parasite et pathologie de la cellule hôte). Botaniste 26:539-670. illus., pl.xliii-liv. Je.1934. no.4/5.

Bull. Dept. Agr. Kenya (Nairobi) (24Ea72)

Kenya department of agriculture. Coffee berry disease committee.

Report of committee on coffee berry disease. Bull. Dept. Agr. Kenya 3. 20 p. 1934.

Part A is based on the report of Mr. H. B. Wilkinson, covering the period from 1st January, 1933, to 24th April, 1934.

Trench, A. D.

Preliminary observations on coffee roots in Kenya. Bull. Dept. Agr. Kenya 2. 10 p. illus. 1934.

Bull. Dept. Agr. Nyasaland Prot. (24N98)

Barker, F.

The rices of northern Nyasaland. Bull. Dept. Agr. Nyasaland Prot. 12, 15 p. 6 pl. F.1934.

Bull. Imp. For. Exp. Stat. Tokyo (J99.8R47)

Kawada, M.

Plant indicators relating to silviculture in Japan. Bull. Imp. For. Exp. Sta. Tokyo 33(App.): 5-7. D.1933.

Kitajima, K.

Laboratory tests on the durability of Japanese coniferous wood used in structural service against various species of wood-rotting fungi. Bull. Imp. For. Exp. Stat. Tokyo 33:49-102. 2 pl. D.1933.

Japanese with English résumé: p.100-102.

Ohseko, M.

Plant succession in relation to the "genya" (natural grass-land) management in Japan. Bull. Imp. For. Exp. Stat. Tokyo 33(Appl.):9-11. D. 1933.

Shibamoto, T.

Studies on the mineral nutrient requirements of sugi, hinoki and akamatsu. First report. Bull. Imp. For. Exp. Stat. Tokyo. 33:1-21. D.1933.

Japanese with English summary: p.20-21.

Sugi (Cryptomeria japonica), hinoki (Chamaecyparis obtusa), akamatsu (Pinus densiflora).

Bull. Min. Agr. Gt. Brit. (10G794B)
Great Britain. Ministry of agriculture & fisheries
Specifications and methods of analysis for certain insecticides and fungicides. Its Bull. 82. 10 p. Jl.1934.

Bull. Mus. Hist. Nat. Paris (410.9P213)
Gagnepain, F.
Les aspidistrées d'Indo-Chine. Bull. Mus. Hist. Nat. Paris II, 6:189-192. F.1934. no.2.
Colania (C. tonkinensis), Antherolophus (A. glandulosus), Evrardiella (E. dodecandra) n. gen., n. spp.

Gagnepain, F.
Quelques plantes des ilots de la mer de Chine. Bull. Mus. Hist. Nat. Paris II, 6:286. Ap.1934. no.3.

Guillaumin, A.
Contribution a la flore de la Nouvelle-Calédonie. LXII. Plantes de collecteurs divers. Bull. Mus. Hist. Nat. Paris II, 6:198-203. F.1934. no.2.

Jovet, P.
Deux espèces nouvelles de Mitreola L., genre nouveau pour Madagascar. Bull. Mus. Hist. Nat. Paris II. 6:291-301. illus. Ap.1934. no.3.
M. perrieri, M. turgida.

Perrier de la Bathie, H.
Les vanilles de Madagascar. Bull. Mus. Hist. Nat. Paris II, 6:193-197. F.1934. no.2.
Vanilla decaryana.

Pruvot-Fol, A.
Sur le nom de genre Fritillaria H. Fol (Question de nomenclature). Bull. Mus. Hist. Nat. Paris II, 6:184-185. F.1934. no.2.

Tardieu, M. L. & Christensen, C.
Les fougères d'Indochine. Bull. Mus. Hist. Nat. Paris II, 6:287-290. Ap.1934. no.3.

Bull. Pop. Inform. Arnold Arb. (99.9Ar6B)
Whitaker, T. W.
The shrubby Robinias. Bull. Pop. Inform. Arnold Arb. 2:25-28. pl. Ag.9,1934. no.6.

Bull. Shizuok, Agr. Exp. Sta. (J107.6Sh6B)

Noro, K. & Yago, M.

Studies on sterility of the Japanese pear Chojure, with special reference to hand pollination, dehiscence of anthers and visiting insects. Bull. Shizuok. Agr. Exp. Stat. 29. 13 p. Ja.1934.

Brief English summary.

Cactus (Mont St. Amad, Belg.) (450C112)

Backeberg, C.

Le genre Parodia. Cactus (Mont St. Amad, Belg.) 4:54-58. illus. Ag.1934. no.4.

Calif. Citrogr. (Los Angeles) (80C125)

Gandhi, S. R.

Cultivation of citrus fruits in India. I. Calif. Citrogr. 19:303. illus.(map) S.1934. no.11.

Shamel, A. D. & Pomeroy, C. S.

Relation of foliage to fruit size in the Marsh grapefruit. Calif. Citrogr. 19:296,329. S.1934. no.11.

Cane Grow. Quart. Bull. Queensl. (65.9Q3C)

Bell, A. F.

Disease resistance trials. Cane Grow. Quart. Bull. Queensl. 2:11-12. Jl.1,1934. no.1.

Red stripe (top rot) disease. Downy mildew.

Kerr, H. W.

New cane varieties in the southern districts. Cane Grow. Quart. Bull. Queensl. 2:13-15. illus. Jl.1,1934. no.1.

La Cellule (Lierre, Belgium) (442.8C33)

Hoare, C. V.

A comparative study of the chromosomes of Scilla nonscripta during somatic and meiotic mitosis. La Cellule 43:7-41. illus., ii pl.(fold.) 1934. no.1.

Joyet-Lavergne, P.

Nouvelles méthodes générales pour la recherche du chondriome leur application à l'étude des champignons. La Cellule 43:45-66. illus. 1934. no.1.

La Cellule (cont.)

Mol, W. E. d.

Drei aufeinanderfolgende jahre der mutation und modifikation bei hyazinthen, nach kaltem aufbewahren während des zellteilungsprozesses zur blütenbildung. La Cellule 43:131-146. pl. 1934. no.1.

Cereal Chem. (59.8C33)

Snider, S. R. & Coleman, D. A.

Some observations on the use of selenium and its compounds as a catalyst in the determination of protein in wheat by the Kjeldahl method. Cereal Chem. 11:414-430. Jl.1934. no.4.

Whymper, R. & Bradley, A.

Studies on the vitality of wheat. I. Prolongation of vitality of wheat seeds. Cereal Chem. 11:349-360. Jl.1934. no.4.

Chem. & Industr. (London) (382M31)

Smith, A. M. & Dryburgh, A.

The examination of soils by means of Aspergillus niger. Chem. & Industr. 53:250-254. Ag.10, 1934. no.32.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Arêa Leao, A. E. de

Sur une mucose osseuse par Acremoniella. Nouvelle espèce de champignon trouvée chez l'homme: Acremoniella rugulosa n. sp. Compt. Rend. Soc. Biol. Paris 116:1158-1160. 1934. no.26.

Current Science (Bangalore) (475Sci23)

Anandan, M. & Krishnaswami, V.

'Barren-sterile' - A new mutant in rice and its inheritance. Current Science 3:21-23. illus. Jl.1934. no.1.

Mehra, P. N.

Artificial culture of the male gemetophyte of Ephedra foliata Boiss. and Ephedra gerardiana Wall. and a study of the number and morphology of their chromosomes. Current Science 3:11-14. illus. Jl.1934. no.1.

Mohan Johri, B.

A note on the embryo sac of Sagittaria sagittifolia L. Current Science 3:17-18. illus. Jl.1934. no.1.

Ramiah, K.

Rice research in Madras. Current Science 3:34-36. Jl.1934. no.1.

Current Science (cont.)

Sastri, B. N. & Sreenivasaya, M.
The study of plant tissue fluids. A critical review. Current Science 3:8-11. Jl.1934. no.1.

Insect transmission of spike-disease. Current Science 3:27-28. Jl.1934. no.1.

D. N. C. Rev. Dep. Nac. Café Rio de Janeiro (286.83D44)

Freire, C. V.
Contribuicão ao estudo histológico dos cafeeiros no Brasil. D. N. C. Rev. Dep. Nac. Café Rio de Janeiro 2:987-992. illus. Jl. 1934. no.13.

Desert (Pasadena) (450D45)

Cutak, L.
Talinum calycinum from the midwest. Desert (Pasadena) 6:52-53. illus. Ag.1934. no.4.

Moran, R. V.
A crested flower. Desert (Pasadena) 6:54. illus. Ag.1934. no.4.
Opuntia basilaris.

Warner, J.
Characteristics and peculiarities of euphorbias. Desert (Pasadena) 6:55. Ag.1934. no.4.

Empire Journ. Exp. Agr. (Oxford) (10Em7)

Blackman, G. E.
The control of annual weeds in cereal crops by dilute sulphuric acid. Empire Journ. Exp. Agr. 2:213-227. Jl.1934. no.7.

Robb, W.
Oat-breeding in Scotland. Empire Journ. Exp. Agr. 2:251-257. Jl.1934. no.7.

Flor. Exch. (N. Y.) (80F666)

Young, W. J.
The pronounciation of botanical names. Flor. Exch. 83(8):13,17. Ag.25,1934.

Wyman, D.
A survey of clipped hedges as grown at Ottawa, Can. on the Dominion experimental farm. Flor. Exch. 83(7):17-18, 83(18):23,25. illus. Ag. 18,25,1934.

Flor. Rev. (Chicago) (80W41)

Jones, L. H. & Bourgeois, G. A.
Advocate use of jardinieres over pots to conserve moisture. Flor. Rev. 74(1915):10-11. illus. Ag.9,1934.

Fortschr. Bot. (Berlin) (450F772)

Bünning, E.
Physikalisch-chemische grundlagen der biologischen vorgänge. (cont.) Fortschr. Bot. 3(1933): 63-82. illus. 1934.

Geitler, L.
Morphologie und entwicklungsgeschichte der zelle. (cont.) Fortschr. Bot. 3(1933):1-8. 1934.

Guttenberg, H. v.
Wachstum und bewegung. (cont.) Fortschr. Bot. 3(1933):190-208. 1934.

Hirmer, M.
Paläobotanik. (cont.) Fortschr. Bot. 3(1933):33-52. illus. 1934.

Höfler, K.
Zellphysiologie und protoplasmatik. (cont.) Fortschr. Bot. 3(1933):83-94. illus. 1934.

Huber, B.
Wasserumsatz und stoffbewegungen. (cont.) Fortschr. Bot. 3(1933):95-104. 1934.

Irmscher, E.
Systematische und genetische pflanzengeographie. (cont.) Fortschr. Bot. 3(1933):53-62. 1934.

Mothes, K.
Stoffwechsel organischer verbindungen. (cont.) Fortschr. Bot. 3(1933):129-167. 1934.

Oehlkers, F.
Entwicklungsphysiologie. (cont.) Fortschr. Bot. 3(1933):229-245. illus. 1934.

Oehlkers, F.
Vererbung. (cont.) Fortschr. Bot. 3(1933): 209-228. 1934.

Pirschle, K.
Mineralstoffwechsel. (cont.) Fortschr. Bot. 3(1933):105-128. 1934.

Fortschr. Bot. (cont.)

Rippel, A.
Mikrobiologie des bodens. (cont.) Fortschr. Bot. 3(1933):168-177. 1934.

Schlösser, L. A.
Entwicklungsgeschichte und fortpflanzung. (cont.) Fortschr. Bot. 3(1933):22-32. 1934.

Schmucker, T.
Oekologie. (cont.) Fortschr. Bot. 3(1933): 246-254. 1934.

Troll, W.
Morphologie, einschliesslich anatomie. (cont.) Fortschr. Bot. 3(1933):9-21. illus. 1934.

Walter, H.
Oekologische pflanzengeographie. (cont.) Fortschr. Bot. 3(1933):178-189. 1934.

Fruit World Australasia (Melbourne) (80F948)

Cunningham, G. H.
Orchard sprays. Combinations reduce expenses. Fruit World Australasia 35:345-348. Jl.1,1934. no.7.

Fish, S.
Brown rot control. Fruit World Australasia 35:367-368. Jl.1,1934. no.7.
Of peach and apricot, chiefly.

Gard. Chron. (London) (80G162)

Grant, W.
Flowering shrubs of outstanding merit in the North. Gard. Chron. III, 96:56. Jl.28,1934. no.2483.

Grove, A.
Lilium michiganense. Gard. Chron. III, 96:75. illus. Ag.4,1934. no.2484.

Redgrove, H. S.
Wild flower preservation. Gard. Chron. III, 96:58-59. Jl.28,1934. no.2483.

Ward, F. K.
Mr. F. Kingdon Ward's twelfth expedition in Asia. I. Gard. Chron. III, 96:76-77. illus. Ag.4,1934. no.2484.

Gard. Chron. (cont.)

Felicia knella. Gard. Chron. III, 96:56-57. Jl.28,1934. no.2483.

We have failed to find any authority for the name F. knella, and suggest that the plant referred to may be F. tenella (syn. F. fragilis), first introduced from South Africa in 1769. - Eds.

Gard. Illus. (London) (80G169)

Bunyard, G. N.

Colour in flag irises. Gard. Illus. 56:441-442. illus. Jl.28,1934. no.2890.

Ward, F. K.

Hunting for rock plants in high Asia. (concl.) Gard. Illus. 56:446-447. Jl.28,1934. no.2890.

The Assam route to Shugden Gompa-Primulas at 18,000 feet.

Gard. Bull. Straits Settlem. (Singapore) (22.5St8)

Christensen, C. & Holttum, R. E.

The ferns of Mount Kinabalu. Gard. Bull. Straits Settlem. 7:191-324. illus., pl.51-62. Je.1,1934. no.3.

Gartenbauwiss. (Berlin) (80G195)

Moog, H.

Untersuchungen über die variabilität des sortentypischen blattes von Vitis L. Gartenbauwiss. 8:685-712. illus. Jl.25,1934. no.5.

Giorn. Risicolt. (Vercelli) (59.8G43)

Chiappelli, R.

Varietà di riso "Roma". Giorn. Risicolt. 24:125-127. illus. Je.30,1934. no.6.

Sampietro, G.

La luce bianca quale fattore di variazione sul riso. Giorn. Risicolt. 24:119-123. Je.30, 1934. no.6.

Gladiolus Rev. (Goshen, Ind.) (81Am360)

McCulloch, L.

Lye treatment for gladiolus corms. Gladiolus Rev. 11:127. Je./Ag.1934. no.6/8.

Hong Kong Nat. (410H75)

Crook, A. H.

The early herbal and the study of pharmacology. Hong Kong Nat. 5:112-116. Je.1934. no.2.

Hong Kong Nat. (cont.)
Herklots, G. A. C.
The flowering shrubs and trees of Hong Kong. V. Hong Kong Nat. 5:108-111. illus., 2 pl. Je.1934. no.2.

Horticulture (Boston) (80H787)
Stearns, M.
Native ferns in the garden. Horticulture 12:288. Ag.15,1934. no.16.

Illinois Biol. Monogr. (442.9I16B)
Eddy, S.
A study of fresh-water plankton communities. Illinois Biol. Monogr. v.12, no.4. 93 p. 1934. (Univ. Illinois Bull. v.31, no.45).

Industr. Saccarifera Ital. (Genova) (65.8In23)
Munerati, O.
Ancora sulla cuscuta della barbabietola. Industr. Saccarifera Ital. 27:315-318. illus. Jl.1934. no.7.

Informe Anual Com. Agr. y Comerc. Puerto Rico (8P832R)
Porto Rico. Insular experiment station
Seccion de botanica y fitopatologia. Informe Anual Com. Agr. y Comerc. Puerto Rico. 1932/33:128-144. 1934.
M. T. Cook, chief.

Intern. Bull. Plant Prot. (464.8In8)
Liro, J. I.
Finland: The onion smut. Intern. Bull. Plant Prot. 8:150-151. Jl.1934. no.7.

Ital. Agr. (Milan) (16It1)
Tosti-Croce, E.
Sull'autosterilità del susino Burbank. Ital. Agr. 71:575-580. illus. Jl.1934. no.7.

Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) (Sofia) (451B61)
Khristov, A.
Nekolko novi rastitelni bolesti za Bŭlgarii͡a II (Some plant diseases new for Bulgaria). Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) 6:37-48. 1934.
Bulgarian with English summary.

Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) (cont.)

Kirilov, D. A.

Treti prinos kŭm florata na Alibotush (Dritter beitrag zur flora des Alibotuschgebirges) Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) 6: 83-86. 1934.

Bulgarian.

Petkov, S.

Dva roda novi za vodoraslovata flora na Bŭlgarii͡a (Deuz genres nouveaux pour la flore algologique de Bulgarie) Izv. Bulg. Bot. Druzh. (Bull. Soc.Bot. (Bulgarie)6:117-120. illus. 1934.

Bulgarian with French summary. Sphaeroplea, Schiogonium.

Radoslavov, A.

IV prinos kum parazitnata gubna flora na Bŭlgari͡a (Vierter beitrag zur flora der parasitischen pilze Bulgariens) Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) 6:78-82. 1934.

Bulgarian.

Sirjaev, G.

De Lathyris nonnulis. Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) 6:60-62. 1934.

L. verae, L. čelakovskyi n. spp.

Stoitchkoff, O. P.

The period of blossom bud differentiation in the yellow bellflower and kasseler reignette apples. Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) 6:114-116. 1934.

Stojanoff, N., Achtaroff, B. & Georgieff, T.

Materialien zur kenntnis der flora Bulgariens. Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) 6:63-73. 1934.

Zakhariev, B. I.

Za estestvenitĕ nakhodishcha na iglolistnitĕ v Osogovska planina (Sur les habitats naturels des conifères dans le massif d'Ossogowo). Izv. Bŭlg. Bot. Druzh. (Bull. Soc. Bot. Bulgarie) 6:10-36. map. 1934.

Bulgarian with French summary.

Japan. Journ. Bot. (Tokyo) (450J27)

Asai, T.

Ueber das vorkommen und die bedeutung der wurzelpilze in den landpflanzen. Japan. Journ. Bot. 7:107-150. illus. Je.18,1934. no.1/2.

Japan. Journ. Bot. (cont.)

Kagawa, F. & Chizaki, Y.

Cytological studies on the genus hybrids among Triticum, Secale and Aegilops, and the species in Aegilops. Japan. Journ. Bot. 7:1-32. illus. Je.18,1934. no.1/2.

Morinaga, T. & Fukushima, E.

Cyto-genetical studies on Oryza sativa L. I. Studies on the haploid plant of Oryza sativa. Japan. Journ. Bot. 7:73-106. illus. Je.18, 1934. no.1/2.

Noguchi, Y.

Metaxenia in the Japanese persimmon. Shape and sweetness. Japan. Journ. Bot. 7:61-71. illus. Je.18,1934. no.1/2.

Ohwi, J.

Carices formosanae. Japan. Journ. Bot. 7: 187-206. Je.18,1934. no.1/2.

C. apodostachya, C. brachyathera, C. hatusimana, C. trichosperma, C. urelytra n. spp.

Tagawa, T.

The relation between the absorption of water by plant root and the concentration and nature of the surrounding solution. Japan. Journ. Bot. 7:33-60. illus. Je.18,1934. no.1/2.

Experiments with Phaseolus vulgaris.

Wakakawa, S.

Embryological studies on the different seed-development in reciprocal interspecific crosses of wheat. Japan. Journ. Bot. 7:151-185. illus., ii pl. Je.18,1934. no.1/2.

Journ. Agr. Res. (Washington, D. C.) (1Ag84J)

Csonka, F. A. & Jones, D. B.

The cystine, tryptophane, and tyrosine content of the soybean. Journ. Agr. Res. 49:279-282. Ag.1,1934(Rec'd Ag.16). no.3.

Lachmund, H. G.

Damage to Pinus monticola by Cronartium ribicola at Garibaldi, British Columbia. Journ. Agr. Res. 49:239-249. illus. Ag.1,1934(Rec'd Ag.16) no.3.

Journ. Agr. Res. (cont.)

Lachmund, H. G.
Seasonal development of Ribes in relation to spread of Cronartium ribicola in the Pacific Northwest. Journ. Agr. Res. 49:93-114. illus.(map) Jl.15,1934(Rec'd Ag.13). no.2.

Pierce, W. H.
Resistance to common bean mosiac in the great northern field bean. Journ. Agr. Res. 49:183-188. illus. Jl.15,1934(Rec'd Ag.13). no.2.

Rands, R. D. & Dopp, E.
Variability in Pythium arrhenomanes in relation to root rot of sugarcane and corn. Journ. Agr. Res. 49:189-221. illus. Ag.1,1934(Rec'd Ag.16). no.3.

Richards, L. A. & Blood, H. L.
Some improvements in auto-irrigator apparatus. Journ. Agr. Res. 49:115-121. illus. Jl.15, 1934(Rec'd Ag.13). no.2.

Schaal, L. A.
Relation of the potato flea beetle to common scab infection of potatoes. Journ. Agr. Res. 49: 251-258. illus. Ag.1,1934(Rec'd Ag.16). no.3.

Stephens, J. C. & Quinby, J. R.
Anthesis, pollination, and fertilization in sorghum. Journ. Agr. Res. 49:123-136. Jl.15, 1934(Rec'd Ag.13). no.2.

Webber, J. M.
Chromosome number and meiotic behavior in Gossypium. Journ. Agr. Res. 49:223-237. illus. Ag.1,1934(Rec'd Ag.16). no.3.

Journ. Amer. Soc. Agron. (Geneva, N. Y.) (4Am34P)

Brink, R. A.
The anthocyanin plant color and yield in corn. Journ. Amer. Soc. Agron. 26:697-703. Ag.1934. no.8.

Butler, O. & Bissey, R.
Effect on the growth of oats of cooper sprays used for the control of mustard. Journ. Amer. Soc. Agron. 26:693-697. Ag.1934. no.8.

Garber, R. J. & Hoover, M. M.
Dehulled seed, glume color, and reaction to smut in a certain oat cross. Journ. Amer. Soc. Agron. 26:673-680. Ag.1934. no.8.

Journ. Amer. Soc. Agron. (cont.)

Peltier, G. L. & Kiesselbach, T. A.

The comparative cold resistance of spring small grains. Journ. Amer. Soc. Agron. 26:681-687. Ag.1934. no.8.

Suneson, C. A. & Peltier, G. L.

Effect of stage of seedling development upon the cold resistance of winter wheats. Journ. Amer. Soc. Agron. 26:687-692. Ag.1934. no.8.

Journ. Biol. Chem. (Baltimore) (381J824)

Hilbert, G. E. & Jansen, E. F.

A study of the absorption spectra of some carotenoid pigments at liquid air temperatures and its applications to the carotenoid pigments of cow-pea leaves (Vigna sinensis). Journ. Biol. Chem. 106:97-105. illus. Ag.1934. no.1.

Journ. Bombay Nat. Hist. Soc. (513B63)

Blatter, E.

Revision of the flora of the Bombay Presidency. XXIII. Cyperaceae. Journ. Bombay Nat. Hist. Soc. 37:15-35. iii pl. Ap.15,1934. no.1.

Blatter, E. & Fernandez, J.

The flora of Waziristan. III. Journ. Bombay Nat. Hist. Soc. 37:150-171. pl.iv-v. Ap.15, 1934. no.1.

Blatter, E. & Millard, W. S.

Some beautiful Indian trees. XIV. Journ. Bombay Nat. Hist. Soc. 37:36-37. illus., pl. xxii-xxiii (1 col.) Ap.15,1934. no.1.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)

Clarke, G. H.

Important weeds of South Australia. 6. Stinkwort, Inula graveolens, Desf. Journ. Dept. Agr. So. Australia 37:1443-1446. illus., col.pl. Je.15,1934. no.11.

Hutton, E. M.

The important pasture plants of South Australia, considered as to their identification and characteristics. I-II. Journ. Dept. Agr. So. Australia 37:1400-1403. illus. Je.15,1934. no.11.

I. The rye grass group or Loliums. II. The Canary grass group or Phalaris grasses.

Journ. Dept. Agr. Victoria (Melbourne) (23V66J)

Miller, W. B. & Millikan, C. R.

Investigations on flag smut of wheat caused by Urocystis tritici Koern. Journ. Dept. Agr. Victoria 32:365-380. illus. Jl.1934. no.7.

Journ. Econ. Entom. (Geneva, N. Y.) (421J822)

Jacot, A. P.

Acarina as possible vectors of the Dutch elm disease. Journ. Econ. Entom. 27:858-859. Ag. 1934. no.4.

Journ. Fac. Sci. Imp. Univ. Tokyo Sect. III, Bot. (513T571B)

Watari, S.

Anatomical studies on some leguminous leaves with special reference to the vascular system in petioles and rachises. Journ. Fac. Sci. Imp. Univ. Tokyo Sect. III, Bot. v.4, no.3. 365 p. illus., viii pl. Mr.20,1934.

Journ. Hort. Assoc. Japan (J87H78)

Asano, M.

Some contrivances for ready determination of leaf area in pear tree. Journ. Hort. Assoc. Japan 5:133-138. Jl.1934. no.1.

Japanese.

Eguchi, T.

Effects of the relative length of day and night before and after bud differentiation on formation and development of flower bud in the Victoria strawberry. Journ. Hort. Assoc. Japan 5:42-62. illus. Jl.1934. no.1.

Japanese.

Fujimura, J. & Yasuda, R.

Studies on root systems of fruit trees grown in the sand soil. Journ. Hort. Assoc. Japan 5:69-101. illus., 2 pl. Jl.1934. no.1.

Japanese.

Inoue, Y.

Some studies on an anomalous type of flower in the Fuyu persimmon. Journ. Hort. Assoc. Japan 5:63-68. illus. Jl.1934. no.1.

Japanese.

Kadiura, M. & Kawara, K.

Studies on the fruit splitting of Japenese persimmons. Journ. Hort. Assoc. Japan 5:129-132. Jl.1934. no.1.

Japanese.

Journ. Hort. Assoc. Japan (cont.)

Kumazawa, S.
Studies on manipulations of pollination in vegetable fruit crops. Journ. Hort. Assoc. Japan 5:102-104. Jl.1934. no.1.
Japanese.

Matsuda, O.
On the garden plants in the age of Mannyo. Journ. Hort. Assoc. Japan 5:110-118. Jl.1934. no.1.
Japanese.

Matsumoto, K.
Studies on the respiration of some fruits during their growing period. Journ. Hort. Assoc. Japan 5:13-19. Jl.1934. no.1.
Japanese.

Niinu, H. & Kadiura, M.
Relation of time of thinning to fruit size, June drop and yields of peaches. Journ. Hort. Assoc. Japan 5:34-41. Jl.1934. no.1.
Japanese.

Oinoue, Y.
Teneur eu sucre dans les raisins nés sur les rameaux effeuilles á différents degré et l'inclination de concentration des hydrates de carbon facilement hydrolisables dans ces rameaux. Journ. Hort. Assoc. Japan 5:20-27. Jl.1934. no.1.
Japanese with French résumé.

Shima, Z.
Lateral fruit bud formation of the Jonathan apple influenced by pruning. Journ. Hort. Assoc. Japan 5:1-7. Jl.1934. no.1.
Japanese.

Shima, Z.
Relation between the pollination and the stigmatic infection of the apple young fruit rot fungus (Sclerotinia mali Takahashi). Journ. Hort. Assoc. Japan 5:8-12. Jl.1934. no.1.
Japanese.

Shisa, M.
The optimum reaction of germination media for different pollen. Journ. Hort. Assoc. Japan 5:105-109. Jl.1934. no.1.
Japanese.

Journ. Indian Bot. Soc. (Madras) (450J821)

Datta, S.
Embryological and cytological studies in Nolana atriplicifolia and Nolana prostrata. Journ. Indian Bot. Soc. 12:131-152. iv. pl. Ap.1933. no.2.

Gupta, K. M.
On the structure of a new species of Indian moss, Physcomitrellopsis indica, Dixon, sp. nov. from Benares. Journ. Indian Bot. Soc. 12:122-128. v. pl. Ap.1933. no.2.

Joshi, A. C.
Megaspore formation and embryo-sac of Argemone mexicana, Linn. Journ. Indian Bot. Soc. 12:83-91. illus., pl. Ap.1933. no.2.

Maheshwari, P.
Notes on staining with iron-alum haematoxylin. Journ. Indian Bot. Soc. 12:129-130. Ap.1933. no.2.

Mahju, N. A.
A contribution to our knowledge of Indian coprophilous fungi. Journ. Indian Bot. Soc. 12:153-164. ii pl. Ap.1933. no.2.

Malhotra, R. C.
Changes in plants during low temperatures. II. Is hardiness inherited in Pyrus malus? Journ. Indian Bot. Soc. 12:183-187. iii pl. Ap.1933. no.2.

Mullan, D. P.
Observations on the biology and physiological anatomy of some Indian halophytes. II. Journ. Indian Bot. Soc. 12:165-182. x pl. Ap.1933. no.2.

Pande, S. K.
On the morphology of Riccia robusta, Kashyap. Journ. Indian Bot. Soc. 12:110-121. illus., iii pl. Ap.1933. no.2.

Sahni, B.
Explosive fruits in Viscum japonicum, Thunb. Journ. Indian Bot. Soc. 12:96-101. illus. Ap.1933. no.2.

Journ. Indian Bot. Soc. (Madras) (cont.)

Saran, A. B.

Some observations on the flowers of Erythrina indica, Lam. Journ. Indian Bot. Soc. 12:92-95. pl. Ap.1933. no.2.

Singh, H. D.

A contribution to our knowledge of the algal flora of Lahore soils. Journ. Indian Bot. Soc. 12:102-109. Ap.1933. no.2.

Sinha, B. N.

Observations in short-cut to nectary in Cestrum fasciculatum, Mirs. Journ. Indian Bot. Soc. 12:77-82. ii pl. Ap.1933. no.2.

Journ. Landw. (Berlin) (18J825)

Loo, W. v. d.

Die bodenlösung als nährsubstrat der pflanze. Journ. Landw. 82:137-172. 1934. no.2.

Journ. Malay. Br. Roy. Asiatic Soc. (513Si6)

Edwards, W. N.

Triassic wood from the Malay states. Journ. Malay. Br. Roy. Asiatic Soc. 11:236-241. illus., pl.xi-xii. D.1933. no.2.

Hamilton, A. W.

A Malay garden. Journ. Malay. Br. Roy. Asiatic Soc. 11:139-141. D.1933. no.2.

Botanical determinations by R. E. Holttum, arranged under Malayan names.

Journ. N. Y. Bot. Gard. (89N48J)

Dodge, B. O.

Controlling the hollyhock rust. Journ. N. Y. Bot. Gard. 35:186-189. illus. Ag.1934. no.416.

Howe, M. A.

Nathaniel Lord Britton, 1859-1934. Journ. N. Y. Bot. Gard. 35:169-180. , port. Ag.1934. no.416.

Small, J. K.

Do cycads branch? Journ. N. Y. Bot. Gard. 35:180-184. illus. Ag.1934. no.416.

"We have found three of the four Florida species to be branched, rather frequently," Zamia integrifolia, Z. umbrosa, & Z. silvicola. All three grow in regions frequently fire-swept.

Journn. S. E. Agr. Coll. Wye (103W97J)

Goodwin, W., Martin, H., Salmon, E. S. & Ware, W. M.
The control of apple scab: Allington pippin and Newton Wonder, 1933. Journ. S. E. Agr. Coll. Wye 34:136-144. Jl.1934.

Harrison, R. M.
Weed survey of the college farms, 1933. Journ. S. E. Agr. Coll. Wye 34:216-226. Jl. 1934.

Hooper, C. H.
Apples, the relative order of flowering of the different varieties and its bearing on cross-fertilization. Journ. S. E. Agr. Coll. Wye 34:210-215. Jl.1934.

Martin, H., Salmon, E. S. & Ware, W. M.
Spraying experiments against pear scab. Journ. S. E. Agr. Coll. Wye 34:145-154. illus. Jl.1934.

Salmon, E. S. & Ware, W. M.
The downy mildew of the hop in 1933. Journ. S. E. Agr. Coll. Wye 34:107-113. Jl.1934.

Salmon, E. S.
Two new hops: "Brewer's favourite" and "Brewer's gold". Journ. S. E. Agr. Coll. Wye 34:93-106. illus. Jl.1934.

Kakteenk. Deut. Kakteen-Ges. (451D482)

Baum, H.
Kakteen am heimatlichen standort. 2-4. Kakteenk. Deut. Kakteen-Ges. 1934:157-158. Ag.1934. no.8.
2. Cañon bei St. Vicente in der nähe von Jaumave, Tan, 3. Obregonia denegrii Frič. 4. Echinocereus leptacanthus K. Schum.

Bödeker, F.
Ueber Mammillaria formosa (Gal.) Scheidw. Kakteenk. Deut. Kakteen-Ges. 1934:146-147. Ag.1934. no.8.

Werdermann, E.
Drei lobivien aus Argentinien. Kakteenk. Deut. Kakteen-Ges. 1934:141-145. illus. Ag. 1934. no.8.
Echinopsis(Lobivia)hamatispina, E. densispina, E. scoparia.

Kosmos (Stuttgart) (474K842)

Litzelmann, E.

Die entdeckung der heimat: blumen, die am waldrand blühen. Kosmos 31:261-267. illus. Ag.1934. no.8.

Möbius, M.

Die entdeckung des befruchtungsvorgangs bei den pflanzen. Kosmos 31:270-272. Ag.1934. no.8.

Sommerkamp, W.

Die schartigkeit von roggenähren und ihre ursachen. Kosmos 31:269-270. illus. Ag. 1934. no.8.

Landbouw, Nederl.-Indië (Buitenzorg) (22.5L23)

Wellensiek, S. J.

Over jarowisatie of vernalisatie. (On iarovization or vernalization). Landbouw, Nederl.-Indië 9:537-544. My.1934. no.11.

Brief English summary.

Medd. Norsk. Skogforsøks. (99.9N833)

Ording, A.

Om nye metoder og hjelpemidler ved pollenanalytiske undersøkelser. (On new methods and facilities concerning pollenanalytical investigations). Medd. Norske Skogforsøks. 5:161-196. 1934.

English summary: p.184-194.

Metr. Žem. Ukio Akad. Dotnava (106D74)

Brundza, K.

Medžiaga Lietuvos erysiphacejoms pažinti. Metr. Žem. Ukio Akad. Dotnava 1933:107-197. ii pl., fold. tab. 1934.

Verzeichnis der nährpflanzen: p.178-186.

German summary: p.187-195.

Klivečka, J.

Varpiniu žolių (Gramineae) žydejimo eiga dienos metu vidurineje Lietuvoje. (The course of the flowering of the grasses during night and day in the middle Lithuania). Metr. Žem. Ukio Akad. Dotnava 1933: 215-221. 1934.

English summary: p.216.

Povilaitis, B.

Brantai (Cuscuta sp.) mūsų dobiluose ir linuose. Metr. Žem. Ukio Akad. Dotnova 1933:198-214. illus. (maps) 1934.

German summary: p.214.

Moller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)

Frič, A. V.

Die benennung der kakteen. I. Möller's Deut. Gärtn.-Zeit. 49:238-239. Jl.21,1934. no.20.

Gleisberg, J.

Bekämpfung der Septoria-blattfleckenkrankheit des sellerie. Möller's Deut. Gärtn.-Zeit. 49: 230-231. Jl.21,1934. no.20.

Nicolai, W.

Orchideen-hybridisation. Grundsätzliches zur gewinnung neuer orchideen-formen. Möller's Deut. Gärtn.-Zeit. 49:231-232. illus. Jl.21,1934. no.20.

Assimilation der lebensstoffe bei kakteen. I. Möller's Deut. Gärtn.-Zeit. 49:239-240. illus. Jl.21,1934. no.20.

Nachr. Schädlingsbekämpfung (Leverkusen b. Köln a. Rh.) (464.8N112)

Boshart, K.

Die krankheiten und schädlinge der wichtigsten arznei- und gewürzpflanzen. (Diseases and pests which attack the most important medicinal plants and spices). Nachr. Schädlingsbekämpfung 9:57-82. illus. Ag.1934. no.2.

Brief English summary: Anhang p.[1]

Koudelka, H.

Neue probleme in der brandpilzfrage. (New problems in the question of smut fungus). Nachr. Schädlingsbekämpfung 9:100-104. illus. Ag.1934. no.2.

Brief English summary: Anhang p. [3]

Oettingen, H. v.

Die perlschnur- (sklerotien-) krankheit der gräser. (The "string of pearls" (Sclerotia) disease of grasses.) Nachr. Schädlingsbekämpfung 9:86-89. Ag.1934. no.2.

English summary: Anhang p.[2]. On Phalaris arundinacea.

Steinberg, J.

Frühere und höhere bohnenernten durch beizung. (Earlier and bigger crops of beans through seed disinfection). Nachr. Schädlingsbekämpfung 9:82-85. illus. Ag.1934. no.2.

English summary: Anhang p.[1-2]. Use of Ceresan.

Natur u. Volk (Frankfurt a. M.) (509F856)

Härdtl, H.
Erkennen und entstehen der baumgestalt. Natur u. Volk 64:102-107. illus. Mr.1934. no.3.

Hennig, B.
Frühlingspilze. Das rätsel des lorchelgiftes. Natur u. Volk 64:168-173. illus. My.1934. no.5.

Zilch, A.
Der grosssporige kopfschimmel (Mucor macrocarpus). Natur u. Volk 64:189-190. illus. (cover) My.1934. no.5.

Nature (London) (472N21)

Nicol, H.
Micro-organisms and plant growth. Nature 134:218. Ag.11,1934. no.3380.

Naturforsch. (Berlin) (410N219)

Hennig, B.
Der schmarotzer-röhrling, Boletus parasiticus Bull., ein werkwürdiger pilzparasit. Naturforsch. 11:158-160. illus. Ag.1934. no.5.

Niklitschek, A.
Die dickfüssige wasserhyazinthe (Eichhornia crassipes). Naturforsch. 11:165-166. illus., pl.xi. Ag.1934. no.5.

Naturwissensch. (Berlin) (474N213)

Pringsheim, E. G.
Ueber die pH-grenzen einiger saprophytischer flagellaten. Naturwissensch. 22:510. Jl.27, 1934. no.30.

Rudloff, C. F.
Obstzüchtung. Naturwissensch. 22:501-504. Jl.27,1934. no.30.

Naucho-Proizv. Vypusk Vses. Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) (Krasnodar) (77.9K86)

Duda, G. I.
Makhorka, kak maslichnoe rastenie [Nicotiana rustic as an oil plant] Nauchno-Proizv. Vypusk Vses. Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) 7:85-96. 1934.
Russian.

Nauchno-Proizv. Vypusk Vses Nauchno-Issled. Inst. Masl. Kul'tur, etc. (cont.)

Duda, G. I.
Perilla - Perilla ocymoides L. Nauchno-Proizv. Vypusk Vses. Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) 7:3-27. illus. 1934.
Russian.

Serebria, A. I.
Nekotorye bolezni molochai͡a [Some diseases of Euphorbia lathyris] Nauchno-Proizv. Vypusk Vses. Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) 7:79-80. 1934.
Russian. Uromyces euphorbiae, Cladopsorium sp.

Sergeeva, N. F.
Pervye vyvody selektsionnoĭ raboty s molochaem (Euphorbia lathyris L.) [Principal conclusions on breeding work with the milkweed (Euphorbia lathyris L.)] Nauchno-Proizv. Vypusk Vses. Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) 7:65-72. illus. 1934.
Russian.

Shutko, A. S.
Molochaĭ - Euphorbia lathyris L. (non Georgi) Nauchno-Proizv. Vypusk Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) 7:39-63. illus. 1934.
Russian.

Umen, D. P.
Biologii͡a tsvetenii͡a arakhica (Biology of peanut flowering). Nauchno-Proizv. Vypusk Vses. Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) no.6. 57 p. illus. 1933.
Russian.

Umen, D. P.
Tseli i zadachi selektsionnoĭ raboty s perilloĭ [Aims and problems in breeding work with Perilla]. Nauchno-Proizv. Vypusk Vses Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) 7:29-33. 1934.
Russian.

Zhukov, N. I.
K voprosu izuchenii͡a vli͡anii͡a zarazikhi na perillu i ee kornevoi sistemy [On the effect of Orobanche on Perilla and its root system] Nauchno-Proizv. Vypusk Vses. Nauchno-Issled. Inst. Masl. Kul'tur (Sci. Industr. Issue All Union Inst. Sci. Res. Oil Cult.) 7:35-37. illus. 1934.
Russian.

Northwest Fruit Grower (Wenatchee) (80W48)

Fisher, D. F., Harley, C. P. & Brooks, C.

The influence of temperature on the development of water core. Northwest Fruit Grower 6(7):5, 11. Jl.1934.

North West. Nat. (Arbroath, Scotland) (410N81)

Boydon Ridge, W. T.

On the history of our native angiospermous flora. North West. Nat. 9:108-115. Je.1934. no.2.

Flintoff, R. J.

Boring apparatus of Agropyrum repens Beauv. North West. Nat. 9:159. pl.12. Je.1934. no.2.

Fox, C.

Some notable museums. X. The National museum of Wales. North West. Nat. 9:99-108. pl.5-10. Je.1934. no.2.

The department of botany: p.103-105.

Murray, J.

Cumberland mosses. (cont.) North West. Nat. 9:58-59, 161. Mr.,Je.1934. no.1,2.

Stiles, M. H.

Kentmere diatoms. North West. Nat. 9:124-127. Je.1934. no.2.

Turner, A.

Platanthera chlorantha Reichb., large butterfly orchid in South Lancs. North West. Nat. 9:159. Je.1934. no.2.

Obst- u. Gemüseb. (Berlin) (80P7750)

Bremer, H.

Die mehlkrankheit der zwiebeln. Obst- u. Gemüseb. 80:102-103. illus. Jl.15, 1934. no.7.

Wauer, O.

Der einfluss der trockenperioden auf die obstbäume. Obst- u. Gemüseb. 80:103-104. Jl.15,1934. no.7.

Ohio Journ. Sci. (Columbus) (410Oh3)

Braun, E. L.

A history of Ohio's vegetation. Ohio Journ. Sci. 34:247-257. Jl.1934. no.4.

Orchid Rev. (Richmond, Engl.) (80Or15)

Colyear, T. A.

Cymbidium grandiflorum var. kalawensis. Orchid Rev. 42:248. Ag.1934. no.494.

From southern Shan States, Burma.

Wilson, G.

Dendrobium orgon. Orchid Rev. 42:242. Ag.1934. no.494.

Hybrid between D. moschatum and D. flaviflorum.

Parfum. Mod. (Lyon, France) (308.8P412)

Gilbert, E. J.

Osmologie mycologique. Parfum. Mod. 28:321-327. Jl.1934. no.7.

Pflanzenbau (Berlin) (18P48)

Meyer-Hermann, K.

Erfolgreiche bekämpfung der herz- und trockenfäule der rübe durch borax. Pflanzenbau 11:24-28. Jl.1934. no.1.

Ullmann, W.

Die züchtung der kleeartigen futterpflanzen ausserhalb des Deutschen reiches. II. Kanada, Australien, Süd- und Ost-Afrika, Britisch-Indien, Frankreich, Nordafrika, Italien, Ägypten, Belgien, Niederlande, Schweiz, Alt-Oesterreich. Pflanzenbau 11:32-48. 1934. no.1.

Wacker, F. W.

Wiesen and wiesenpflanzen in Mitteldeutschland. V. Das verhalten der pflanzen auf wiesen verschiedener düngung und verschiedenen nährstoffgehaltes. Pflanzenbau 11:1-24. Jl.1934. no.1.

Philipp. Journ. Agr. (25P543)

Paguirigan, D. B.

Present Philippine standard varieties of tobacco. Philipp. Journ. Agr. 5:71-85. illus. 1934. no.2.

Palo, M. A. & Fajardo, T. G.

Two destructive leaf diseases of celery in the Philippines. Philipp. Journ. Agr. 5:31-45. 3 pl. 1934. no.2.

Septoria apii-graveolentis, Cercospora apii.

Phytopath. (464.8P56)

Doolittle, S. P. & Summer, C. B.

Probable occurrence of Australian spotted wilt of tomatoes in Wisconsin. Phytopath. 24:943-946. illus. Ag.1934. no.8.

Phytopath. (cont.)

Guba, E. F.
Control of the Verticillium wilt of eggplant. Phytopath. 24:906-915. illus. Ag.1934. no.8.

Harter, L. L.
A new wilt of peas. Phytopath. 24:950-951. Ag.1934. no.8.
Fusarium oxysporum var. aurantiacum, F. vasinfectum var. lutulatum.

Holmes, F. O.
A masked strain of tobacco-mosaic virus. Phytopath. 24:845-873. illus. Ag.1934. no.8.

Levine, M.
Experimental production of crown gall on Opuntia. Phytopath. 24:929-937. illus. Ag.1934. no.8.

Snyder, W. C.
A leaf, stem, and pod spot of pea caused by a species of Cladosporium. Phytopath. 24:890-905. illus. Ag.1934. no.8.
C. pisicolum n. sp.

Sprague, R.
Preliminary note on another foot rot of wheat and oats in Oregon. Phytopath. 24:946-948. illus. Ag.1934. no.8.
Gibellina cerealis.

Stakman, E. C., Cassell, R. C. & Moore, M. B.
The cytology of Urocystis occulta. Phytopath. 24:874-889. illus., iii pl. Ag.1934. no.8.

Steiner, G.
Root-knot and other nematodes attacking rice and some associated weeds. Phytopath. 24:916-928. illus. Ag.1934. no.8.

Tullis, E. C.
The root-knot nematode on rice. Phytopath. 24:938-942. illus. Ag.1934. no.8.

Wellman, F. L.
Weather conditions associated with seasons of severe and slight celery early-blight epidemics in Florida. Phytopath. 24:948-950. Ag.1934. no.8.

Phytopath. Zeitschr. (Berlin) (464.8P562)

Gassner, G. & Straib, W.
Experimentelle untersuchungen zur epidemiologie des gelbrostes (Puccinia glumarum [Schm.] Erikss. und Henn.) Phytopath. Zeitschr. 7:285-302. 1934. no.3.

Gassner, G. & Franke, W.
Ueber den einfluss der temperatur auf stickstoff gehalt und rostresistanz junger getreidepflanzen. Phytopath. Zeitschr. 7:315-326. 1934. no.3.
Wheat and rye.

Gassner, G. & Kirchhoff, H.
Versuche zur bekämpfung des gerstenflugbrandes. Phytopath. Zeitschr. 7:303-314. 1934. no.3.

Gassner, G. & Kirchhoff, H.
Versuche zur bekämpfung des weizenflugbrandes mittels benetzungsbeize. II. Phytopath. Zeitschr. 7:271-284. 1934. no.3.

Hassebrauk, K.
Die bedeutung der bodenfeuchtigkeit für das verhalten von Puccinia graminis und Puccinia triticina auf verschiedenen weizensorten. Phytopath. Zeitschr. 7:259-269. 1934. no.3.

Köck, G.
Ueber dei rauchgasfiltrationswirkung eines fichtenbestandes. Phytopath. Zeitschr. 7:255-258. illus. 1934. no.3.

Rischkov, V. & Karatschewski,
Ueber die entstehung von "fern-leaf" bei tomaten. Phytopath. Zeitschr. 7:231-244. illus. 1934. no.3.

Scharrer, K. & Schropp, W.
Wasserkulturversuche über die wirkung des bors in düngemitteln. Phytopath. Zeitschr. 7:245-254. illus. 1934. no.3.
Experiments with summer wheat, summer rye, fodder maize, sugar beet and fodder beet.

Tiddens, B. A.
Ueber die wurzelfäule der Primula obconica, verursacht durch Thielaviopsis basicola Ferraris. Phytopath. Zeitschr. 7:223-230. illus. 1934. no.3.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Boysen-Jensen, P.

Ueber wuchsstoff in wurzeln, die mit erythrosin vergiftet sind. Planta Arch. Wiss. Bot. 22:404-410. illus. Jl.19,1934. no.3.

Bünning, E.

Elektrische potentialänderungen an seismonastisch gereizten staubfäden. Planta Arch. Wiss. Bot. 22:251-268. Jl.19,1934. no.3.

Experiments with Sparmannia and Berberis.

Helm, J.

Ueber die anlegung des karpells von Potamogeton trichoides Cham. et Schlecht. Planta Arch. Wiss. Bot. 22:443-444. illus. Jl.19,1934. no.3.

Paauw, F. v. d.

Der einfluss der temperatur auf atmung und kohlensäureassimilation einiger grünalgen. Planta Arch. Wiss. Bot. 22:396-403. Jl.19,1934. no.3.

Paauw, F. v. d.

Zur methodik der kohlensäureassimilationsmessung. Ein vergleich zwischen der apparatur nach Warburg und der nach van der Paauw. Planta Arch. Wiss. Bot. 22:393-395. Jl.19,1934. no.3.

Pringsheim, E. G.

Untersuchungen zu Uspenskis eisenhypothese der algenverbreitung. Planta Arch. Wiss. Bot. 22:269-312. Jl.19,1934. no.3.

Propach, H.

Cytologische untersuchungen an Antirrhinum. I. Die embryosackentwicklung und die reifeteilungen in den pollenmutterzellen von Antirrhinum majus. Planta Arch. Wiss. Bot. 22:368-374. illus., pl.i-ii. Jl.19,1934. no.3.

Schanderl, H.

Ein aktinometer für botanische zwecke. Planta Arch. Wiss. Bot. 22:428-442. illus. Jl.19,1934. no.3.

Schwarnikow, P. K.

Ueber die grosse der meristematischen zellen von trisomen pflanzen von Crepis tectorum. Planta Arch. Wiss. Bot. 22:375-392. illus. Jl.19, 1934. no.3.

Planta Arch. Wiss. Bot. (cont.)

Silberschmidt, K.

Die verteilung proteolytischer aktifität in den stengelteilen von normalen pflanzen und pfropfungen. Planta Arch. Wiss. Bot. 22:313-367. Jl.19,1934. no.3.

Uhrová, A.

Ueber die hormonale natur der hemmungswirkung der blätter bei Bryophyllum crenatum. Planta Arch. Wiss. Bot. 22:411-427. illus. Jl.19, 1934. no.3.

Poona Agr. Coll. Mag. (22P79)

Kadam, B. S. & Patankar, V. K.

Inheritance of chlorophyll in Zinya rice. Poona Agr. Coll. Mag. 26:10-16. Jl.1934. no.1.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Freising) (464.8P88)

Strobel, A.

Regierungsrat. 1. Kl. Professor Dr. Gustav Korff, 31. Mai 1872 - 1. Juli 1934. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 34(n.s.12):97-98. port. Jl./Ag.1934. no.4/5.

Zattler, F.

Beiträge zur kenntnis der nährstoffaufnahme der pflanze. Wasserkulturversuche mit hopfen bei zeitweiliger darbietung und entziehung von kalium, phosphor, stickstoff und kalzium. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 34(n.s.12):99-154. illus. Jl./Ag.1934. no.4/5.

Prakt. Ratg. Obst.-u. Gartenb. (Frankfurt a. d. O.) (80P883)

Fischer, R.

Pflanzenschäden, die infolge lusttrockenheit auftreten. Prakt. Ratg. Obst.-u. Gartenb. 49:389-390. illus. Ag.5,1934. no.32.

Proc. Idaho State Hort. Assoc. (81Id12)

Davidson, R. H.

Noxious weed control in orchards. Proc. Idaho State Hort. Assoc. 38(1933):54-59. [1934]

Hungerford, C. W.

Nonparasitic diseases of fruit trees. Proc. Idaho State Hort. Assoc. 38(1933):90-95. [1934]

Mainly on apple.

Overholser, E. L.

Fundamental principles of fruit tree growth. Proc. Idaho State Hort. Assoc. 38(1933):9-21. [1934]

Proc. Iowa Acad. Sci. (Des Moines) (500Io93)

Conard, H. S.
A boreal moss community. Proc. Iowa Acad. Sci. 39(1932):57-61. [1934]
Pine Hollow, Dubuque Co., Iowa.

Conard, H. S.
A gametophyte of Botrychium obliquum Muhl. Proc. Iowa Acad. Sci. 39(1932):56. [1934]

Cavanagh, L. M.
Notes on Iowa mosses. V i.e.IV Proc. Iowa Ada. Sci. 39(1932):53-55. [1934]

Cratty, R. I.
Iowa plant notes. V. Proc. Iowa Acad. Sci. 39(1932):85-88. [1934]

Harrington, H. D.
The value of twig and bud characters in keys for the identification of trees in summer condition. Proc. Iowa Acad. Sci. 39(1932):81-84. [1934]

King, C. M.
Germination studies of woody plants, with notes on some buried seeds. Proc. Iowa Acad. Sci. 39(1932):65-76. illus. [1934]

Wolden, B. O.
The plants of Emmet County, Iowa. Proc. Iowa Acad. Sci. 39(1932):89-132. [1934]

Proc. Leeds Phil. & Lit. Soc. Sci. Sect. (501L51)

Wray, E. M.
The structural changes in a woody twig after summer pruning. Proc. Leeds Phil. & Lit. Soc. Sci. Sect. 2:560-570. illus., pl. My.1934. no.12.
Experiments with apples (Edward VII & Blenheim orange)

Proc. Nat. Acad. Sci. (500N21P)

Haig, C.
The spectral sensibility of Avena. Proc. Nat. Acad. Sci. 20:476-479. Ag.1934. no.8.

Skoog, F. & Thimann, K. V.
Further experiments on the inhibition of the development of lateral buds by growth hormone. Proc. Nat. Acad. Sci. 20:480-485. illus. Ag. 1934. no.8.
Experiments with Vicia faba.

Proc. West Virginia Acad. Sci. (Morgantown) (500W52)

Gilbert, F. A.

The preservation of cut flowers. Proc. West Virginia Acad. Sci. 7:27-28. Mr.15,1934.

Queensl. Agr. Journ. (Brisbane) (23Q33)

White, C. T.

Queensland weeds. III. Gomphrena weed (Gomphrena decumbens). Queensl. Agr. Journ. 42:83-84. illus. Jl.1,1934. no.1.

Repert. Spec. Nov. Fedde (Berlin) (450R29)

Erichsen, C. F. E.

Neue pertusarien. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 11/13):379-400. Jl.15, 1934. no.18/25.

Furtado, C. X.

Palmae Malesicae. Repert. Spec. Nov. Fedde 35:273-283. Jl.15,1934. no.18/25.

Iguanura arakudensis and species of Pinanga.

Görz, R.

Einige kritische Salices aus Persien. Repert. Spec. Nov. Fedde 35:283-292. Jl.15,1934. no.18/25.

Salix neodaviesii, S. dischgensis n. spp.

Gyelnik, V.

Additamenta ad cognitionem parmeliarum. IV. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 11/13):367-377. Jl.1934. no.18/25.

Holzfuss, E.

Die rosenflora der "Langen Berge" bei Stargard (Pom.). Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 11/13):361-365. Jl.15,1934. no.18/25.

Iljin, M.

Neue arten der gattung Serratula L. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 11/13): 353-360. Jl.15,1934. no.18/25.

Knoblauch, E.

Olea mildbraedii, ein beispiel für die variabilität der oleaceen. Repert. Spec. Nov. Fedde 35:343-349. Jl.15,1934. no.18/25.

Knuth, R.

Additamenta cognitionis lecythidacearum. I. Repert. Spec. Nov. Fedde 35:338-342. Jl.1934. no.18/25.

Repert. Spec. Nov. Fedde (Berlin) (cont.)

Mansfeld, R.
Abola Lindl. and Caucaea Schltr. Repert. Spec. Nov. Fedde 35:342-343. Jl.1934. no.18/25.
C. radiata (A. radiata)

Sirjaev, G.
Lathyrus haussknechtii sp. nova. Repert. Spec. Nov. Fedde 35(Repert. Europ. & Med. 4, 11/13):377-378. Jl.15,1934. no.18/25.

Smith, J. J.
Einige neue sumatranische Ericaceae. Repert. Spec. Nov. Fedde 35:292-297. Jl.15,1934. no.18/25.
Gaultheria abbreviata, G. atjehense, Diplycosia patenticalyx, D. apiculifera, n. spp.

Suessenguth, K.
Neue and kritische amarantaceen aus Süd- und Mittel-Amerika. Repert. Spec. Nov. Fedde 35:298-337. pl.clxix. Jl.15,1934. no.18/25.

Rep. Hokkaido Agr. Exp. Stat. (J107.6H68N)

Ito, S. & Iwadare, W.
Studies on the red blotch of rice-grains. Rep. Hokkaido Agr. Exp. Stat. 31:1-84. illus., pl.i-iii (1 col.) Mr.1934.
Japanese with English summary. Caused by Epicoccum neglectum & a new species, E. ōryzae.

Tanaka, I.
American gooseberry mildew in Japan. Rep. Hokkaido Agr. Exp. Stat. 31:123-139. pl.ix-x. Mr.1934.
Japanese with English summary.

Tanaka, I.
Studies on the canker disease of pear tree caused by Diaporthe ambigua Nitschke. Rep. Hokkaido Agr. Exp. Stat. 31:85-122. pl.iv-viii. Mr.1934.
Japanese with English summary.

Rev. Vitic. (Paris) (95.8R322)

Branas, J. & Dulac, J.
Sur le traitement du mildiou par le sulfure cuivrique. Rev. Vitic. 81:73-76. Ag.2,1934. no.2092.

Viala, P. & Marsais, P.
Le court-noué. 1. Rev. Vitic. 81:69-73. illus., col.pl. Ag.2,1934. no.2092.

Rhodora (Boston) (450R34)

Fernald, M. L.

Draba in temperate northeastern America. (cont.) Rhodora 36:285-305. illus.(maps), pl.290-298. Ag.1934. no.428.

Maguire, B.

Distribution notes concerning certain plants of Glacier national park, Montana. Rhodora 36:305-308. Ag.1934. no.428.

Potter, D.

Plants collected in the southern region of James Bay. Rhodora 36:274-284. illus.(map) Ag.1934. no.428.

Rickett, H. W.

Cornus amomum and Cornus candidissima. Rhodora 36:269-274. Ag.1934. no.428.

Schweiz. Obst.- u. Gartenb. Zeit. (Münsingen) (80Sch92)

Gummifluss an kirschbäumen. Schweiz. Obst.- u. Gartenb. Zeit. 1934:218-220. Ag.1,1934. no.15.

Sci. Bull. Dept. Agr. So. Africa (24So84S)

Saunders, A. R.

Studies on phanerogamic parasitism, with particular reference to Striga lutea Lour. I-III. Sci. Bull. Dept. Agr. So. Africa 128. 56 p. iv pl. 1933.

I. The economic importance, distribution, life history, and parasitism of Striga lutea. II. Experiments on the control of parasite in the field. III. The breeding of resistant host varieties.

Science (470Sci2)

Horn, E. E., Ward, J. C., Munch, J. C. & Garlough, F. E.

The effect of thallium on plant growth. Science 80:167-168. Ag.17,1934. no.2068.

Luyet, B. J.

On the duration of some imbibition processes. Science 80:168. Ag.17,1934. no.2068.

Roscoe, M. V.

Cultivated apple chromosomes. Science 80:186. Ag.24, 1934. no.2069.

Alpha cellulose from aspen trees. Science v.80, no.2069. Suppl. pl.6-7. Af.24,1934.

Scient. Agr. (Ottawa) (7Sci2)

Aamodt, O. S. & Platt, A. W.

Resistance of wild oats and some common cereal varieties to freezing temperatures. Scient. Agr. 14:645-650. illus. Ag.1934. no.12.

Hurst, R. R.

Observations on the brown heart disease of turnips. Scient. Agr. 14:679-686. illus.(map), pl. Ag.1934. no.12.

Peterson, R. F.

Improvement of rye through inbreeding. Scient. Agr. 14:651-668. Ag.1934. no.12.

Smithson. Misc. Coll. (Washington) (500Sm6M)

Meier, F. E.

Lethal response of the alga Chlorella vulgaris to ultraviolet rays. Smithson. Misc. Coll. v. 92, no.3. 12 p. 3 pl. Ag.6,1934.

So. African Sugar Journ. (Durban) (65.8So8)

McMartin, A.

The locust fungus. Further observations. So. African Sugar Journ. 18:329,331. Je.30, 1934. no.6.

Empusa.

New variety canes in Queensland. So. African Sugar Journ. 18:351. Je.30,1934. no.6.

Succulenta (Leeuwarden) (450Su1)

Backeberg, C.

De verspreiding der cactussen in verhouding tot haar systematische indeeling. Succulenta 16:142-143. Ag.1934. no.8.

Mamillaria viereckii Böd. 1927. Succulenta 16:125-128. illus. Ag.1934. no.8.

Swuste, F.

Het geslacht Lithops. Succulenta 16:129-132. illus. Ag.1934. no.8.

Svenska Linné-Sällsk. Årsskr. (502Sv2)

Mörner, C. T.

Om nomineringen av Browallia-släktet och dess arter, särskilt de Linnéanska. Svenska Linné-Sällsk. Årsskr. 17:1-26. illus. 1934.

Brief English summary: p.138-139.

Sernander, R.

Linnés Dalaresor. Ett 200-årsminne. Svenska Linné-Sällsk. Årsskr. 17:vii-xii. 1934.

Brief English summary: p.138.

La Terre et la Vie (Paris) (410T27)

Gattefossé, J.

La flore marocaine et l'horticulture. La Terre et la Vie 4:224-240. illus. Ap.1934. no.4.

Hédin, L.

Observations botaniques et agricoles sur les savanes de Bingerville et de Grand Bassam (Cote d'Ivoire). La Terre et la Vie 4:345-354. illus. Je.1934. no.6.

Reymond, A.

Observations sur la flore et la faune de Mongolie et du Sin-Kiang (Turkestan Chinois). La Terre et la Vie 4:288-296. illus. My. 1934. no.5.

De Pékin à Urumtsi, à travers le désert de Gobi et les monts Célestes avec la mission Citroën-centre-Asie.

Trans. & Proc. Roy. Soc. So. Austr. (514Ad3)

Black, J. M.

Additions to the flora of South Australis. 31. Trans. & Proc. Roy. Soc. So. Austr. 57:143-158. pl.viii-ix. 1933.

Cashmore, A. B.

Two new Danthonias. Trans. & Proc. Roy. Soc. So. Austr. 57:72. 1933.

D. duttoniana, D. richardsonii, n. spp.

Cleland, J. B.

Australian fungi: Notes and descriptions, 9. Trans. & Proc. Roy. Soc. So. Austr. 57:187-194. 1933.

Ising, E.H.

Notes on the flora of South Australia. 1-2. Trans. & Proc. Roy. Soc. So. Austr. 57:91-93, 183-186. illus. 1933.

Bassia blackiana, B. andersonii, Triglochin elongata n. spp.

Rogers, R. S.

Contributions to the orchidology of Australia. Trans. & Proc. Roy. Soc. So. Austr. 57:95-96. 1933.

Bulbophyllum weinthalii, n. sp.

Trop. Natuur (410.9T75)

Clason, E. W.
Het Noord-westelijk Baloerangebied. Trop. Natuur 23:121-128. illus. Jl.1934. no.7.

Spoon, W.
De passievrucht of Moeah Negri in Holland. Trop. Natuur 23:133-135. illus. Jl.1934. no.7.

U. S. Dept. Agr. Circ. (Ag84C)

Ballard, W. W.
A new method of self-pollinating cotton. U. S. Dept. Agr. Circ. 318. 4 p. illus. Jl.1934.

Griffiths, D.
Bulbs from seed. U. S. Dept. Agr. Circ. 311. 32 p. illus. Je.1934.

May, C.
Outbreaks of the Dutch elm disease in the United States. U. S. Dept. Agr. Circ. 322. 19 p. illus. Ag.1934.

Nixon, R. W.
The Dairee date, a promising Mesopotamian variety for testing in the Southwest. U. S. Dept. Agr. Circ. 300. 12 p. illus. Jl. 1934.

U. S. Dept. Agr. Leafl. (1Ag84L)

Westover, H. L.
Crested wheatgrass. U. S. Dept. Agr. Leafl. 104. 8 p. illus. [1934]

U. S. Dept. Agr. Miscellaneous mimeographed publications.

Dana, B. F.
The curly-top disease of vegetables in the Pacific northwest. Washington, D. C., Jl.1934. 4 p. (1.9P772Ct)

Mimeographed publication from Div. Fruit & Vegetable Crops & Dis., U. S. Dept. Agr.

Kellerman, K. F.
Summary of the Dutch elm disease situation in the United States as of June 20, 1934. Washington, D. C., Je.20, 1934. 3 p. (1.9En862S)

Mimeographed publication from Div. Plant Dis. eradication, But. Ent. & Plant Quarantine, U. S. Dept. Agr.

Univ. Calif. Publ. Biol. Sci. (Berkeley) (500C125Bi)

Beckwith, T. D.

Metabolic studies upon certain Chlorellas and allied forms. Univ. Calif. Publ. Biol. Sci. 1: 1-33. N.9,1933. no.1.

Plunkett, O. A.

Contributions to the knowledge of Southern California fungi. I. Myxomycetes. Univ. Calif. Publ. Biol. Sci. 1:35-47. Mr.14, 1934. no.2.

Univ. Iowa Stud. Nat. Hist. (500Io9)

Gilbert, H. C.

Three new species of Myxomycetes. Univ. Iowa Stud. Nat. Hist. 16:153-159. illus. Jl.15,1934. no.2.

Humenobolina pedicellata, Macbrideola (gen. nov.) M. scintillans, M. decapillata.

Harrington, H. D.

The woody plants of Iowa in winter condition. Univ. Iowa Stud. Nat. Hist. 16(1):5-116. ii pl. Je.1,1934.

Martin, G. W.

The genus Stypella. Univ. Iowa Stud. Nat. Hist. 16:143-150. illus., pl.vi. Jl.15,1934. no.2.

Rogers, D. P.

The basidium. Univ. Iowa Stud. Nat. Hist. 16:160-182. pl.vii. Jl.15,1934. no.2.

Rose, E. T.

Notes on the life history of Aphanizomenon flos-aquae. Univ. Iowa Stud. Nat. Hist. 16:129-138. pl.iv-v. Jl.15,1934. no.2.

Turrell, F. M.

A method for the measurement of the internal exposed surface of foliage leaves. Univ. Iowa Stud. Nat. Hist. 16:119-126. pl.iii. Jl.15, 1934. no.2.

Veröffentl. Staatl. Stelle Natursch. Württ. Landes. Denkmalpfl. (410.9W96)

Faber, A.

Pflanzensoziologische untersuchungen in württembergischen Hardten. (Mit bemerkungen über die deutschen fundorte van Arcyptera fusca Pall.) Veröffentl. Staatl. Stelle Natursch. Württ. Landes. Denkmalpfl. 10:36-54. illus. 1934.

Vict. Nat. (Melbourne) (410V66)

Rupp, H. M. R.

A thrice-named orchid. Vict. Nat. 51:81-82. illus. Jl.1934. no.3.

Bulbophyllum macphersonii, nomen novum (B. purpurascens Bailey, Osyricera purpurascens (Bail.) Deane)

Sargent, O. H.

Pollination in Pterostylis. Vict. Nat. 51:82-84. Jl.1934. no.3.

La Vida Agr. (Lima) (9.8V66)

Ferrero, R. A.

La lucha contra el wilt. Selección de un linaje inmune de la variedad Tangüis. La Vida Agr. 11:237-248. Mr.1934. no.124.

Cotton.

López Dominguez, F. A.

Variedades de caña de azucar en el Perú. I-V. La Vida Agr. 10:1605-1615. D.1933: 11:181-197, 259-264, 321-326, 387-405. F.-My.1934. no.121, 123,124,125,126.

Zeitschr. Pilzk. (Leipzig) (450Z352)

Kallenbach, F.

Polyporus apalus Lév., der mehlstaub-porling. Zeitschr. Pilzk. 18(n.s.,13):66-67. pl.10. Jl.1934. no.3.

Schmid, G.

Pietra fungaja. Ein mykologischer briefwechsel Goethes. Zeitschr. Pilzk. 18(n.s.,13):71-80. pl.13. Jl.1934. no.3.

Sigl,

Zwei pilze aus der gattung Xylaria Hill, gefunden in Murnau, Oberbayern. Zeitschr. Pilzk. 18(n.s.,13):82-83. pl.9. Jl.1934. no.3.

X.hypoxylon, X. polymorpha.

Exp. Stat. Publ.

Breazeale, J. F. & Crider, F. J.

Plant association and survival, and the build-up of moisture in semi-arid soils. Arizona Agr. Exp. Stat. Techn. Bull. 53:95-123. illus. Je.15, 1934. (100Ar4)

Exp. Stat. Publ. (cont.)

Janssen, G., Bartholomew, R. P. & Watts, V. M.
Some effects of nitrogen, phosphorus, and potassium on the composition and growth of tomato plants. Arkansas Agr. Exp. Stat. Bull. 310. 43 p. illus. Je.1934. (100Ar42)

Gaddum, L. W.
The pectic constituents of citrus fruits. Florida Agr. Exp. Stat. Techn. Bull. 268. 23 p. Je.1934. (100F66S)

Louisiana agricultural experiment station
Plant pathology. In its Rep. 1931/1933:22-24. [1934] (100L93)

Plakidas, A. G.
Control of strawberry leaf blights in Louisiana. Louisiana Agr. Exp. Stat. Bull. 252. 17 p. illus. Je.1934. (100L93)
Rev. of Bull. 225.

Plakidas, A. G.
The rosette disease of blackberries and dewberries. Louisiana Agr. Expt. Stat. Bull. 250. 8 p. illus. Je.1934. (100L93)

Sprague, H. B.
Utilization of nutrients by Colonial bent (Agrostis tenuis) and Kentucky bluegrass (Poa pratensis). New Jersey Agr. Exp. Stat. Bull. 570. 16 p. My.1934. (100N46S)

Lehman, S. G.
Practices relating to control of tobacco mosaic. North Carolina Agr. Exp. Stat. Bull. 297. 8 p. illus. My.1934. (100N81)

Texas agricultural experiment station
Plant pathology and physiology. In its Ann. Rep. 46(1933):70-92. 1934. (100T31S)
J. J. Taubenhaus, W. N. Ezekiel.

Berg, A.
Black pox and other apple-bark diseases commonly known as measles. West Virginia Agr. Exp. Stat. Bull. 260. 31 p. illus., vii pl. Je. 1934. (100W52)
Helminthosporium papulosum n. sp.

State Publications

Glenn, P. A.
[Report of] Div. of plant inspection. Ann. Rep. Dept. Agr. Illinois 16(1932/33):34-45. illus. [1934?] (2I16R)

Welch, D. S., Herrick, G. W. & Curtis, R. W.
The Dutch elm disease. Cornell Ext. Bull. 290. 19 p. illus. Je.1934. (275.29N48E)

New books

Armer, L. A.
Cactus. New York, F. A. Stokes Co., 1934. (452.35Ar5)

Arthur, J. E.
Manual of the rusts in United States and Canada. Lafayette, Ind., Purdue Research Foundation, 1934. (462.062Ar7)

Brown, H. P. & Panshin, A. J.
Identification of the commercial timbers of the United States. New York, McGraw-Hill book co., 1934. (99.31B81)

Diels, L. & Pritzel, E.
Wälder in nordost-Queensland. In Karsten, G. Vegetationsbilder. r.24,h.3. pl.13-18. 1934. (f°452.9K142)

Di͡urinskii, A. K. & Khokhri͡akov, M. K.
Bolezni batat v SSSR po dannym obsledovanii͡a 1932 g. (Sweet potato diseases in USSR. Observations in 1932) In Bogdanov-Kat'kov, N.N. Vrediteli i bolezni batat [Pests and diseases of sweet potatoes] Moskva, Leningrad, 1933. v.1. p.218-232. illus. (423B634P)
Russian.

Fedchenko, B. A. & Popov, M. G.
Flora Turkmenii. v.1, pt.1-2. Leningrad, Izdanie Akademiĭ nauk SSSR i Botanicheskogo instituta Turkmenskoi SSR, 1932. (460.16F312Tu)
Russian

Kains, M. G.
Modern guide to successful gardening. New York, Greenburg,1934. (90.3K12)

New books (cont.)

Komarov, V. A.
Proiskhozhdenie rastenii. [Origin of plants] Izdanie vtoroe [2d ed.] Leningrad, Izdatel'stvo Akademii nauk SSSR, 1934. (402.1K83)
Russian.

Komuro, H.
Cyto-karclogical observations of radicle-tissue of young plants soaked in coaltar solution and of the coaltar painted animal-tissue. [Kyoto? 1933] (Pamph.463.43K)
Japanese.
Reprinted from Nihon-byôrigakkwai kwaisi XXII Dec. 2592 [1933]

Komuro, H.
Mein neues färbungsverfahren, günstig für das mit ... - fixiermittel behandelte material. [Tokyo? 1933] (Pamph.442K)
Japanese.

Lassime, J.
Contribution à l'étude de la végetation du Haut-Armagnac. Le pays lectourois. Toulouse, H. Basuyau & cie, 1932. (459.5L33)

Macbride, T. H. & Martin, G. W.
The Myxomycetes. A descriptive list of the known species with special reference to those occurring in North America. New York, The MacMillan Co., 1934. (462.02M12)

Macfarlane, J. M.
The evolution and distribution of flowering plants. Philadelphia, Noel printing company, 1933. (463.67M16)
v.1. The Apocynaceae and Asclepiadaceae.

Mills, F. W.
An index to the genera and species of Diatomaceae and their synonyms... 1816-1932. pt. Na (cont.) London, Wheldon & Wesley, 1934. (461.44M621)

Phillips, G. A.
Aristocrats of the flower border. The finest perennials for garden effect. London, Country Life, 1934. (97.42P54)

New books (cont.)

Radzievakaiâ, S. B., Serbinov, V. I. & Tsygankov, S. K.
Vrediteli i bolezni khlopchatnika [Pests and diseases of cotton] Moskva, Tashkent, Ob'edinenie gosudarstvennykh izdatel'stv sredneaziatskoe otdelenie, 1934. (464.042R11)
Diseases: p.104-118.
Russian.

Raunkiaer, C. C.
The life forms of plants and statistical plant geography, being the collected papers of C. Raunkiaer. Oxford, Clarendon Press, 1934. (463.8R192)

Rohde, E. S.
Gardens of delight. Bosron, Hale, Cushman & Flint, 1934. (97R632)

Takenouchi, M.
Kuju-sani no shokubutsu ni tsukite (On the vegetation of the Kuju mountain range). [Tokyo? 1932] (J460.15T13)
Reprinted from Ringakukai Zasshi (Journ. of Forestry Society) v.14, no.8. Ag.1932.
Japanese.

Takenouchi, M.
Shokubutsu no ha no hyohisaiho sobakabe no kukkyokudo no gaiteki joken ni ojuru heni to sono phytometer to shiteno oyokachi. (Variation of waviness in the lateral walls of epidermal cells of leaves caused by environment conditions and its phytometric value). [Tokyo? 1933] (J463.43T13)
Japanese.
Reprinted from Ringakukai Zasshi (Journ. of Forestry Society) v.15, no.6. Je.1933.

Tolmachev, A. I.
Flora tsentral'noi chasti vostochnogo Taimyra Leningrad, 1932. (Trudy Poliarnoi komissii. Akademiia nauk SSSR. no.8, 13) (460.16T58)
Russian.

Tsitsin, N. V.
Problema ozimykh i mnogoletnikh pshenits (Pshenichno-pyreinye gibridy) (Problems of winter and hardy wheats. Triticum x Agropyrum hybrids). Omsk, 1933. (59.26T78)
Russian with English summary.

New books (cont.)

Willstaedt, H.

Carotinoide bakterien- und pilzfarbstoffe. Stuttgart, F. Enke, 1934 (Sammlung chemischer und chemisch-technischer vortrage ... n.f., h.22. (384Sa4)

Wright, R.

The story of gardening, from the hanging gardens of Babylon to the hanging gardens of New York. New York, Dodd, Mead & co., 1934. (90.51W95)

1.9
B76Bc

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ SEP 25 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 18. Aug.27-Sept.8, 1934.

Agron. Colon. (Paris) (26Ag812)
Bouriquet, G.
La culture du blé à Madagascar et les rouilles. Agron. Colon. 23: 40-46. illus. Ag. 1934. no.200.

Amer. Journ. Sci. (New Haven) (470Am34)
Knight, J. B.
A salt-marsh study. Amer. Journ. Sci. 28: 161-181. illus. S. 1934. no.165.
At Killam's Point, near New Haven, Conn.

Ann. Rep. East Malling Res. Stat. (103Ea7)
Berkeley, G. H.
Strawberry root rot. Ann. Rep. East Malling Res. Stat. 21(1933): 154-155. pl. My. 1934.
Coniothyrium sp.

East Malling research station, Kent.
Plant pathology, mycology and bacteriology. In its Ann. Rep. 21(1933): 47-51. My. 1934.

Ing, E. G.
Plum rootstocks - a note on some root-systems. Ann. Rep. East Malling Res. Stat. 21(1933): 108-110. 3 pl. My. 1934.

Knight, R. C.
Further observations on the parts played by root and stem in stock influence. Ann. Rep. East Malling Res. Stat. 21(1933); 114-116. My. 1934.

Moore, M. H.
A field spraying trial of combined fungicide-contact insecticide sprays. Ann. Rep. East Malling Res. Stat. 21(1933): 156-165. My. 1934.
Control of scab and various insects.

562156

350-372

Ann. Rep. East Malling Res. Stat. (cont.)

Moore, M. H.

Some field observations on apple canker (Nectria galligena). Ann. Rep. East Malling Res. Stat. 21 (1933): 166-175. My. 1934.

Roach, W. A.

Tree injection, a progress report. Ann. Rep. East Malling Res. Stat. 21(1933): 137-141. illus. My. 1934.

Rogers, W. S.

Root studies IV. A method of observing root growth in the field; illustrated by observations in an irrigated apple orchard in British Columbia. Ann. Rep. East Malling Res. Stat. 21(1933): 86-91. pl. My. 1934.

Vyvyan, M. C.

The distribution of growth between roots, stems and leaves in a young apple tree and its possible bearing on the problem of stock effect on tree vigor. Ann. Rep. East Malling Res. Stat. 21(1933): 122-131. My. 1934.

Wormald, H.

Bacterial diseases of stone fruit trees in Britain V. Some field observations and experiments on plum bacterial canker. Ann. Rep. East Malling Res. Stat. 21(1933): 147-153. My. 1934.

Wormald, H.

Notes on plant diseases in 1933. Ann. Rep. East Malling Res. Stat. 21(1933): 142-146. My. 1934.

Reprinted from Fruit-Grow. 77:649-650 where it appeared under title: The incidence of fruit diseases.

Arch. Roumain. Path. Exp. Microbiol. (448.3Ar22)

Savulescu, T.

Une nouvelle espèce du genre Paranthostomella et considérations systématiques sur les Sphaeriales pseudostromatae. Arch. Roumain. Path. Exp. Microbiol. 7: 7-32. illus., fold.pl. Mr.1934. no.1.

Peltosphaeria. (P. cantacuzinoi n.sp.)

Arvernia Biol. (Clermont-Ferrand) (442.9Ar8)

Chevalier, P.

Contribution à l'étude des houblons mâles de Lorraine. Nancy, 1933. Reprinted in Arvernia Biol. no.11. [art.6] 28 p. Je. 1934.

Thése - Clermont-Ferrand.

Beih. Bot. Centralbl. Abt. A. (Dresden) (450B65B)

Hrubý, K.

Zytologie und anatomie der mitteleuropäischen salbei-arten. Beih. Bot. Centralbl. Abt. A 52: 298-380. illus., pl. xvi-xxii. Ag. 1934. no.2.

Kopetzky-Rechtperg, O.

Notizen über die von Palla als "karyoide" bezeichneten inhaltskörper der konjugaten. Beih. Bot. Centralbl. Abt.A. 52: 258-268. pl.xiv. Ag. 1934. no.2.

Lohwag, H.

Mykologische studien. IX. Ueber die fruchtkörperentwicklung der geastraceen. Beih. Bot. Centralbl. Abt.A. 52: 269-289. illus., pl.xv. Ag.1934. no.2.

Niklitschek, A.

Das problem der oscillatorien-bewegung. I. Beih. Bot. Centralbl. Abt.A. 52: 205-257. illus., pl.iii-xiii. Ag.1934. no.2.

Plavsić, S.

Ueber die harzkanale in blattkissen der gattung Picea. Beih. Bot. Centralbl. Abt.A. 52: 290-297. illus. Ag.1934. no.2.

Bergens Mus. Arbok Naturv. Rekke (502B45)

Faegri, K.

Ueber die längenvariationen einiger gletscher des Jostedalsbre und die dadurch bedingten pflanzensukzessionen. Bergens Mus. Arsbok Naturv. Rekke 1933, no.7. 255 p. illus. (incl.mpas), table. 1934. no.2.

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Bachmann, E.

Ein hexenbesen auf einer flechte. Ber. Deut. Bot. Ges. 52: 291-295. illus. Jl.26, 1934. no.6.

Fungus (not determined) on Cladonia rangiferina.

Böhner, P. P.

Zur thermonastie der tulpenblüte. Ber. Deut. Bot. Ges. 52: 336-347. illus. Jl.26, 1934. no.6.

Bothe, F.

Vorschläge zur einheitlichen benennung der fortpflanzungsorgane niederer pflanzen. Ber. Deut. Bot. Ges. 52: 313-320. Jl.26, 1934. no.6.

Ber. Deut. Bot. Ges. (cont.)

Docters van Leeuwen, W. M.
Endozoische samenverbreitung durch den indischen purpurstar: Aplonis panayensis strigatus Horsf. Ber. Deut. Bot. Ges. 52: 284-290. Jl.26, 1934. no.6.

Figdor, W.
Ueber generativ vermehrte nachkommen von Bryophyllum calycinum Salisb. Ber. Deut. Bot. Ges. 52: 296-302. pl.vii. Jl.26, 1934. no.6.

Gassner, G. & Goeze, G.
Der einfluss der anzuchttemperatur auf assimilation, chlorophyllgehalt und transpiration junger getreideblätter. Ber. Deut. Bot. Ges. 52: 321-335. diagrs. Jl.26, 1934. no.6.
Wheat and rye.

Höfler, K.
Neuere ergebnisse der vergleichenden permeabilitätsforschung. Ber. Deut. Bot. Ges. 52: 355-372. illus. Jl.26, 1934. no.6.

Kugler, H.
Zur blutenökologie von Asarum europaeum L. Ber. Deut. Bot. Ges. 52: 348-354. illus. Jl.26, 1934. no.6.

Overbeck, F.
Eine richtigstellung zu der arbeit von Dr. H. Koch: "Ein profil aus dem Bourtanger Moor". Ber. Deut. Bot. Ges. 52: 303-307. Jl.26, 1934. no.6.

Schopfer, W. H.
Versuche uber die wirkung von reinen kristallisierten vitaminen B auf Phycomyces. Ber. Deut. Bot. Ges. 52: 308-312. pl.viii. Jl.26, 1934. no.6.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Asahina, Y. & Tanase, Y.
Untersuchungen über flechtenstoffe XLIII. Ueber die identität der saxatilsäure mit salazinsäure. Ber. Deut. Chem. Ges. 67: 1434-1435. Ag.8, 1934. no.8.

Ber. Ohara Inst. Landw. Forsch. (Kurashiki) (107.60hl)

Kondo, M. & Okamura, T.

Beziehung zwischen der wassertemperatur und dem wachstum der reispflanzen. 4-6. mitteilung. Ber. Ohara Inst. Landw. Forsch. 6: 187-204, 205-209, 211-218. illus. 1934. no.2.

4. Schädlicher einfluss der wassertemperatur auf den körnerertrag der unter wasser stehenden reispflanzen. 5. Ueber den graduellen unterschied der schädigung, der die reispflanzen bei überschwemmung mit klaren oder mit trubem wasser ausgesetzt sind. 6. Ursache des absterbens der reispflanz, die eine zeitlang unter wasser gestanden hat.

Nishikado, Y., Matsumoto, H. & Yamauti, K.

Studies on a new Cephalosporium, which causes the stripe disease of wheat. Ber. Ohara Inst. Landw. Forsch. 6: 275-306. pl.ix-xv. 1934. no.2.

C. gramineum (Described in paper read before Japanese phytopathological society, Ap.1933)

Biol. Zentralbl. (Leipzig) (442.8B523)

Schlösser, L. A.

Zur frage der genomstabilisierung bei heteroploiden. Biol. Zentralbl. 54: 436-445. illus. 1934. no.7/8.

Experiments with Solanum lycopersicum.

Blumen u. Pflanzenb. Vereinigt Gartenw. (Berlin) (80G196)

Lerch, V.

Etwas von der wünschelrute. Blumen u. Pflanzenb. Vereinigt Gartenw. 38: 409. Ag.10, 1934. no.32.

Bol. Mens. Min. Agr. Argentine (9B633)

Carrera, C.

Informe preliminar sobre una enfermadad nueva comprobada en los citrus de Bella Vista (Corrientes) Bol. Mens. Min. Agr. Argentine 34: 275-280. illus. Ag./S. 1933. no.2/3.

Anthracnose. Lista de las principales enfermedades observadas durante mi actuacion: p.380.

Bot. Jaarb. (Gent) (450B658)

Van Oye, P.

Korte geschiedenis van het Botanisch jaarboek. Bot. Jaarb. 25: 11-27. 3 ports. 1934.

Contains account of Dr. Caesar de Bruycker, with list of his works and list of works of Van Oye.

Bull. Coll. Agr. & For. Univ. Nanking. (107N15B)
Wei, C. T.
Rhizoctonia sheath blight of rice. Bull. Coll. Agr. & For. Univ. Nanking n.s., no.15. 20 p. pl. My.1934.
Chinese with English summary.

Wei, C. T.
Rice diseases. Bull. Coll. Agr. & For. Univ. Nanking n.s., no.16. 39 p., 2 l. 5 pl. Ap.1934.
Chinese with English summary.

Bull. Deli Proefst. Medan, Sumatra. (109.5D37B)
Poel, J. van der
De invloed van den basentoestand van den grond op tabaksbibit en eenige andere tropische gewassen in Deli. Bull. Deli Proefst. Medan. Sumatra no.31. 64 p. 1934.
English summary: p.59-62.
De invloed op den groei. - De invloed op de slijmziekte.

Bull. Econ. Indochine. (22.5In2)
Crevost, C. & Pételot, A.
Catalogue des produits de l'Indochine (suite) Plantes médicinales. Bull. Econ. Indochine 37: 267-341, 507-556. plates. Mr./Ap., My./Je. 1934.

Bull. Imp. Inst. Gt. Brit. (London) (26G79)
Essential oils from East Africa. Bull. Imp. Inst. Gt. Brit. 32: 195-252. Jl.1934. no.2.
Reports of recent investigations at the Imperial institute selected from the Reports made to the Dominion, Colonial and Indian governments.

Worsley, R. R. LeG.
Some East African essential oils. Bull. Imp. Inst. Gt. Brit. 32: 253-270. pl. Jl.1934. no.2.

Bull. Inst. Egypte (515Eg9)
Driault, E. & Houth, E.
Alyre Raffeneau-Delille. Bull. Inst. Eygpte 16: 85-92. 1934. no.1.

Issa Bay, A.
Abou Hanifa el Dinawari et son "Livre des plantes". Bull. Inst. Egypte 16: 1-7. 1934.
Ahmed ibn Daoud ibn Wanad Abou Hanifa el Dinawari, died 24 July 895.

Bull. Misc. Inform. Kew. (London) (89K51B)

Airy-Shaw, H. K.

A key to the species of Deutzia sect. Mesodeutzia. Bull. Misc. Inform. Kew 1934: 177-181. no.5.

D. kongoa, D. amurensis, D. hookeriana, D. staurothrix, n.spp.

Bullock, A. A.

Further note on the genus Kraussia. Bull. Misc. Inform. Kew 1934: 211. no.5.

Fischer, C. E. C.

The Koenig collection in the Lund herbarium. Bull. Misc. Inform. Kew 1934: 221-222. no.5.

Goossens, A. P.

Notes on African grasses XVI. Bull. Misc. Inform. Kew 1934: 195-202. illus. no.5.

Holland, J. H.

Poorman or Kawau orange of New Zealand. Bull. Misc. Inform. Kew 1934: 219-221. no.5.

Hoyle, A. C. & Dunkley, H.

New trees and shrubs from tropical Africa. III. Bull. Misc. Inform. Kew 1934: 182-190. illus. no.5.

Petch, T.

Gontributions to the flora of tropical America. XX. Entomogenous fungi from British Guiana. Bull. Misc. Inform. Kew 1934: 202-205. no.5.

Ridley, H. N.

Firmiana and Erythropsis. Bull. Misc. Inform. Kew 1934: 214-217. no.5.

... "Firmiana and Erythropsis though very distinct are still constantly confused".

Sprague, T. A. & Sandwith, N. Y.

Ceratophytum tetragonolobum. Bull. Misc. Inform. Kew 1934: 222-223. no.5.

C. tetragonolobum (Bignonia)

Sprague, T. A.

Generic names published in Zinn's Catalogus. Bull. Misc. Inform. Kew 1934: 217-219. no.5.

Bull. Misc. Inform. Kew (cont.)

Sprague, T. A.

Pseudogeneric names. Bull. Misc. Inform. Kew 1934: 222. no.5.

Stapf, O.

Botryostege: a new genus of Ericaceae. Bull. Misc. Inform. Kew 1934: 191-195. pl. no.5.

B. bracteata (Tripetaleia).

Summerhayes, V. X.

African orchids. VI. Bull. Misc. Inform. Kew 1934: 205-214. no.5.

Bull. Soc. Nat. Acclim. France. (Paris) (410.9P21)

Trochain, J.

Les conditions de la végétation au Sénégal. Le "gana" de l'arachide. Bull. Soc. Nat. Acclim. France 81:302-312. Jl. 1934. no.7.

Bult. Sci. Fak. Terkult. Kjuŝu Imp. Univ. (J107.6K995B)

Yoshii, H.

Pathological studies on watermelon wilt. III-IV. Bult. Sci. Fak. Terkult. Kjuŝu Imp. Univ. 6: 1-15, 16-33. illus. Jl.1934. no.1.

III. Pathological anatomy of the diseased seedling. IV. The pathology anatomy of the affected plants.

Japanese with English résumés.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Aamodt, O. S. & Torrie, J. H.

The relation between awns and yield in spring wheat. Canad. Journ. Res. 11: 207-212. Ag. 1934. no.2.

Hunter, A. W. S.

A karyosystematic investigation in the Gramineae. Canad. Journ. Res. 11: 213-241. illus. Ag.1934. no.2.

Koch, L. W.

Studies on the overwintering of certain fungi parasitic and saprophytic on fruit trees. Canad. Journ. Res. 11: 190-206. illus., iii pl. Ag. 1934. no.2.

Mounce, I. & Diehl, W. W.

A new Ophiobolus on eelgrass. Canad. Journ. Res. 11: 242-246. illus. Ag.1934. no.2.

O. halimus.

Compt. Rend. Acad. Sci. Paris. (505P21)

Bertrand, P.

Observations sur la classification des vrais Pecopteris. Compt. Rend. Acad. Sci. Paris 199: 438-439. Ag.6, 1934. no.6.

Lavialle, P. & Jaeger, P.

Cytologie et particularités nucléaires du grain pollen des dipsacées. Compt. Rend. Acad. Sci. Paris. 199: 485-487. illus. Ag. 1934. no.8.

Compt. Rend. Soc. Phys. & Hist. Nat. Genève. (508G28C)

Schopfer, W. H.

Essai de généralisation de l'action du facteur de croissance chez les mucorinées. Compt. Rend. Soc. Phys. & Hist. Nat. Genèvè 51:23-26. 1934. no.1.

Schopfer, W. H.

Sur l'existence dans les pollinies d'orchidées d'un facteur de croissance de microorganisme. Compt. Rend. Soc. Phys. et Hist. Nat. Genève 51: 29-30. 1934. no.1.

Deut. Landw. Presse (Berlin) (18D482)

Zekl, F.

Ursachen des weizen-rostes. Deut. Landw. Presse 61: 397-398. Ag.11, 1934. no.32.

Difesa Piante Torino (464.9D56)

Bongini, V.

Un nuovo fungillo della peonia. Difesia Piante Torino 11: 109-121. illus. Ag. 1934. no.4.

Sphaeropsis paeoniae.

Servazzi, O.

Sull'arrossamento fogliare del kaki. Difesa Piante Torino 11: 122-137. illus. Ag. 1934. no.4.

Coryneum delleanii n.sp.

Flor. Exch. (N.Y.) (89F666)

Karl Frederic Kellerman. Flor. Exch. 83(10): 17. S.8, 1934.

The new, upright barberry. Flor. Exch. 83(10): 21. illus. S.8, 1934.

Developed and introduced by Cole Nursery Co. of Painesville, O.

Flor. Rev. (Chicago) (80W41)

Plants for the hardy garden. Flor. Rev. 74(1917): 22; 74(1918): 18. Ag.23,30, 1934.

Scabiosa lucida, Campanula punctata, C. waldsteiniana, Sedum divergens, Platycodon, Achillea filipendulina. Amsonia tabernaemontana, Campanula raineri.

Forestry (Gt. Brit.) (London) (99.8F767)

Wilkinson, J.

A preliminary report on a cytological method of distinguishing Salix alba var. coerulea from closely related species, varieties and hybrids. Forestry (Gt. Brit.) 8: 64-66. illus. Je.1934.

Friesia (København) (450F91)

Larsen, P.

Undersøgelser over storsvampe-vegetationen paa et Vestjydsk hereomraade (Untersuchungen uber die macromycet-vegetation eines heidegebietes in West-Jütland). Friesia 1: 157-193. 1934. no.3.

Danish with German summary.

Gard. Chron. (London) (80G162)

Bancroft, H.

Notes on the status and nomenclature of the British elms. Gard. Chron. III, 96: 122-123. illus. Ag.18, 1934. no.2486.

Behaviour of garden plants. XIV. Eryngiums and Echinops. Gard. Chron. III,96: 113. Ag.18, 1934. no.2486.

Dr. L. Cockayne, C. M. G. Gard. Chron. III, 96: 111. Ag.11, 1934. no.2485.

Notice of death.

Gorbold, R.

Mammillaria. Gard. Chron. III, 96: 98. illus. Ag.11,1934. no.2485.

Hall, A. D.

Tulipa montana, Lindley. Gard. Chron. III,96: 121. Ag.18, 1934. no.2486.

Johnson, A. T.

Plants that transgress. Gard. Chron. III, 96: 99. Ag.11, 1934. no.2485.

Ward, F. K.

Mr. F. Kingdon Ward's twelfth expedition in Asia. II. The last of Ondo-Malaya. Gard. Chron. III,96: 120-121. illus. Ag.18, 1934. no.2486.

Gard. Chron. Amer. (80G1632)

Anderson, A. W.

Plants and their names. (cont.) Gard. Chron. Amer. 38: 262,266. S.1934. no.9.

Bade, E.

Black star rust on roses. Gard. Chron. Amer. 38: 258, 266. illus. S.1934. no.9.

Creasey, L. B.

Giant rhododendrons. Gard. Chron. Amer. 38: 255-256, 266. S. 1934. no.9.

Wherry, E. T.

The Sedums of the eastern United States. Gard. Chron. Amer. 38: 264-266. illus. S. 1934. no.9.

Gard. Illus. (London) (80G169)

Flegg, O. D.

Botanical exploration in China. Gard. Illus. 56: 472-473. Ag.11, 1934. no.2892.

Gartenfl. (Berlin) (80G19)

Kadner, Th.

Assimilation der lebensstoffe bei kakteen. Gartenfl. 83: 218-220. illus. Ag.1934.

Giorn. Risicolt. (Vercelli) (59.8G43)

Chiappelli, R.

La golpe bianca del frumento (Fusarium roseum). Giorn. Risicolt. 24: 147-148. illus. Jl.31, 1934. no.7.

Hadar (Jaffa) (80H11)

Grasovsky, A. & Shiff, M.

The effect of ammonium bi-carbonate on the storage of oranges. Hadar 7: 168-172. Jl.1934. no.7.

Reichert, I. & Perlberger, J.

Xyloporosis - the new citrus disease. Hadar 7: 163-167,172. illus. Jl. 1934. no.7.

Fungi present are saprophytes which penetrate the bark after internal decomposition has set in. The disease attacks chiefly trees grafted on sweet lime.

Heil & Gewürz-Pflanzen (Munich) (71.8H36)

Hecht, W.

Bioklimatische versuche zur erforschung der ursachen der gehaltsschwankungen der arzneipflanzen. III. Versuch einer analyse der zusammenhänge zwischen der witterung und den biologischen und biochemischen versuchsergebnissen derjahre 1929-1930. Heil & Gewürz-Pflanzen 16: 1-57. illus. Jl.30,1934. no.1/2.

Indian For. (Dehra Dun) (99.8In2)

Raizada, M. B.

New or little known plants from Kumaon. Indian For. 60: 529-538. pl.53-55. Ag.1934. no.8.

Reverend Ethelbert Blatter. Indian For. 60: 574. Ag. 1934. no.8.

Died at Poona, on May 26, 1934.

Indian Journ. Agr. Sci. (Calcutta) (22Ag831)

Dastur, R. H. & Agnihotri, S. D.

Study of the pectic changes in the potato tubers at different stages of growth and in storage. Indian Journ. Agr. Sci. 4:430-450. Je.1934. no.3.

Gulati, A. N.

A note on the differentiation of hairs from the epidermis of cotton seeds. Indian Journ. Agr. Sci. 4: 471-475. pl.xxxii-xxxiv. Je. 1934. no.3.

Mitra, S. K. & Ganguli, P. M.

Inheritance of albino and white-striped characters in rice. Indian Journ. Agr. Sci. 4: 537-545. pl. xxxv-xxxvi. Je. 1934. no.3.

Parija, P.

Physiological investigations on water-hyacinth (Eichhornia crassipes) in Orissa with notes on some other aquatic weeds. Indian Journ. Agr. Sci. 4: 399-429. illus., pl.xxv-xxx. Je. 1934. no.3.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)

Gessner, F.

Wachstum und wanddehnbarkeit am Helianthus-hypokotyl. Jahrb. Wiss. Bot. 80: 143-168. 1934. no.1.

Gradmann, H.

Ueber die messung von bodensaugwerten. Jahrb. Wiss. Bot. 80: 92-111. 1934. no.1.

Jahrb. Wiss. Bot.

Harder, R. & Störmer, I.

Ueber die einfluss des follikelhormons auf das blühen von pflanzen. Jahrb. Wiss. Bot. 80: 1-19. illus. 1934.

Schratz, E.

Beiträge zur biologie der halophyten. I. Zur keimungsphysiologie. Jahrb. Wiss. Bot. 80: 112-142. 1934. no.1.

Schüepp, O.

Untersuchungen in konstruktionen zur theorie der zweizeilig dorsiventralen blattstellung. Jahrb. Wiss. Bot. 80: 36-73. illus. 1934. no.1.

Schumacher, W.

Die absorptionsorgane von Cuscuta odorata und der stoffübertritt aus den siebröhren der wirtspflanze. Jahrb. Wiss. Bot. 80: 74-91. illus. 1934. no.1.

Walter, H. & Thren, R.

Die berechnung des osmotischen wertes auf grund von kryoskopischen messungen und der vergleich mit saugkraftbestimmungen. Jahrb. Wiss. Bot. 80: 20-35. 1934. no.1.

Journ. Agr.Prat. (Paris) (14J82)

Fron, G.

Le piétin du blé. Méthode de lutte. Journ. Agr. Prat. 98(1): 135-137. Ag.18, 1934. no.33.

Journ. Amer.Pharm. Assoc. (Easton, Pa.) (396.9Am33J)

Kremers, E.

Phytochemical literature. (cont.) Journ. Amer. Pharm Assoc. 23: 803-810. Ag. 1934. no.8.

Journ. Bacteriol. (Baltimore) (448.3J82)

Kritschewski, I. L. & Ponomarewa, I. W.

On the pleomorphism of bacteria. I. On the Pleomorphism of B. paratyphi B. Journ. Bacteriol. 28: 111-126. illus. Ag.1934. no.2.

Lewis, I. M.

Cell inclusions and endospore formation in Bacillus mycoides. Journ. Bacteriol. 28: 133-144. illus. Ag. 1934. no.2.

Rahn, O.

The disagreement in mitogenetic experiments, a problem in bacterial physiology. Journ. Bacteriol. 28: 153-158. Ag. 1934. no.2.

Journ. Bot. (London) 450J82)

Alston, A. H. G.

Notes on Selaginella. VI. The Selaginellae collected by Thaddeus Haenke and described by Karel Borewog Presl. Journ. Bot. 72: 223-230. Je. 1934. no.860.

Barton, W. C. & Riddelsdell, H. J.

Rubus "latifolius" of Cornwall. Journ. Bot. 72: 230-232. Ag. 1934. no.860.

Gunther, R. T.

Letters from John Ray to Peter Courthope. Journ. Bot. 72: 217-223. pl.606 Ag. 1934. no.860.

Rendle, A. B.

George Fransic Scott Elliot. (1862-1934). Journ. Bot. 72: 233-235. Ag. 1934. no.860

Journ. Coll. Agr. Imp. Univ. Tokyo (107.6J27J)

Imai, Y.

The mode of duplication of petals in the double flowers of Prunus mume. Journ. Coll. Agr. Imp. Univ. Tokyo 12: 387-408. illus., pl.xi, fold.tab. Jl. 1934. no.3.

Imai, Y.

On the mutable genes of Pharbitis, with special reference to their bearing on the mechanism of bud-variation. Journ. Coll. Agr. Imp. Univ. Tokyo 12: 479-523. illus., pl.xiii (col.) Jl.1934. no.3.

Imai, Y. & Kanna, B.

Some remarks on fasciation of Pharbitis nil. Journ. Coll. Agr. Imp. Univ. Tokyo 12: 410-419. illus. Jl. 1934. no.3.

Kanna, B.

Genetic studies in Impatiens balsamina L. Journ. Coll. Agr. Imp. Univ. Takyo 12: 421-477. pl. xii (col.) Jl.1934. no.3.

Journ. Ecol. (Cambridge, Engl.) (450J829)

Armstrong, J. I., Ingold, C. T. & Vear, K. C.

Vegetation map of the Mourne mountains, Co. Down, Ireland. Journ. Ecol. 22: 439-444. maps. Ag. 1934. no.2.

Journ. Ecol. (cont.)

Chippindale, H. J. & Milton, W. E. J.
On the viable seeds present in the soil beneath pastures. Journ. Ecol. 22: 508-531. Ag. 1934. no.2.

De Silva, B. L. T.
The distribution of "calcicole" and "calcifuge" species in relation to the content of the soil in calcium carbonate and exchangeable calcium, and to soil reaction. Journ. Ecol. 22: 532-553. Ag. 1934. no.2.

Good, R. D'Oyley & Waugh, W. L.
The vegetation of Redcliff sand; a contribution to the ecology of the Humber. Journ. Ecol. 22: 420-438. illus., pl.xl-xli. Ag. 1934. no.2.

Koslowska, A.
The influence of plants on the concentration of hydrogen ions in the medium. Journ.Ecol. 22: 396-419. diagrs. Ag. 1934. no.2.

Phillips, J.
Succession, development, the climax, and the complex organism: an analysis of concepts. I. Journ. Ecol. 22: 554-571. Ag. 1934. no.2.

Polunin, N.
The vegetation of Akpatok island. I. Journ. Ecol. 22: 337-395. illus. (maps) pl.xxvii-xxxix. Ag. 1934. no.2.

Watt, A. S.
The vegetation of the Chiltern Hills, with special reference to the beechwoods and their seral relationships. (cont.) Journ. Ecol. 22: 445-507. Ag. 1934. no.2.

Journ. Hered. (Washington) 442.8Am3)

Kearney, T. H.
American wild cottons with thirteen chromosomes. Journ. Hered. 25: 305-312. illus. Ag. 1934. no.8.

Leding, A. R.
A new spine character in cactus. Echinocereus from Texas shows "woolly" character in juvenile state. Journ. Hered. 25: 327-328. illus. Ag. 1934. no.8.
E. chloranthus.

Journ. Hered. (cont.)

Showalter, H. M.

The box type four o'clock. A mutation of stalk character in Mirabilis jalapa. Journ. Hered. 25: 323-325. illus. Ag. 1934. no.8.

Journ. Roy. Micr. Soc. (London) (440.9R81J)

Akahurst, S. C.

Eudorina elegans, Ehrenberg, forma ellipsoida sub. var. tubifera. Journ. Roy. Micros. Soc. III, 54: 99-103. pl.i-ii. Je.1934. no.2.

Koshy, T. K.

Chromosome studies in Allium. II. The meiotic chromosomes. Journ. Roy. Micr. Soc. III,54: 104-120. illus., pl.iv-v. Je. 1934. no.2.

Landw. Jahrb. (Berlin) (18L23)

Lehmann, E., Bader, A., Mittmann, G. & Schnitzler, O.

Berberitzenverbreitung und schwarzrostauftreten in Württemberg. Landw. Jahrb. 80: 1-37. illus., fold.map. 1934.

Lingnan Sci. Journ. (Canton, China) (22.5C16)

Ching, R. C.

On the genus Onychium Kaulf. from the far orient. Lingnan Sci. Journ. 13: 493-501. Jl.30,1934. no.3. moupinense, O. tenuifrons, n.spp.

McClure, F. A.

Latin diagnosis of Arundinaria amabilis. Lingnan Sci. Journ. 13: 503. Jl.30, 1934. no.3.

Metcalf, F.P.

Notes on Umbelliferae. Lingnan Sci. Journ. 13: 517-518. pl. 57. Jl.30,1934. no.3.

Oenanthe normanii n.sp.

Metcalf, F. P.

Rhododendron levinei Merrill. Lingnan Sci. Journ. 13: 521-522. illus. Jl.30, 1934. no.3.

Malayan Agr.Journ. (Kuala Lumpur) (22.5F312)

Milsum, J. N.

Fruit Cultivation in Java. Malayan Agr. Journ. 22: 313-328. 4 pl. on 2. Jl. 1934. no.7.

Malayan For. (99.8M292)

Desch, H. E.

Notes on Malayan timbers. Malayan For. 3: 90-102, 138-147. plates. Ap.,Jl. 1934. no.2,3.

Thomas, A. V.

Wood preservation. Malayan For. 3: 119-125. Jl. 1934. no.3.

Medd. Centralanst. Förksv. Jordbruksomr. Avd.Landtruksbot. (Stockholm) (104Sw33M)

Lundegardh, H.

Markbeskaffenhet och gödslingsbehov. (Studies on the relations between soil conditions and the absorption of nutrient salts by plants). Medd. 444 Centralanst. Förksv. Jordbruksomr. Avd. Lantbruksbot. no. 52. 67 p. illus. 1934.

English summary: p.60-65.

Meded. Landbouwhoogesch. Wageningen. (105.2W122)

Boonstra, A. E. H. R.

Physiologisch onderzoek ten dienste van de plantenveredeling. Meded. Landbouwhoogesch. Wageningen. v.38, no. 1, 99. p. diagrs. 1934.

English summary: p.95-96.

Nature (London) (472N21)

Emerson, R. & Green, L.

Kinetics of photosynthesis. Nature 134: 289-290. Ag.25, 1934. no.3382.

Glynne, M. D.

Infectivity of summer sporangia of potato wart disease in incipient infections on varieties immune in the field. Nature 134: 253. Ag. 18, 1934. no.3381.

Levan, A.

Distribution of chromosome numbers in a progeny of triploid Allium schoenoprasum. Nature 134: 254. Ag. 18, 1934. no.3381.

Naturwissensch. (Berlin) (474N213)

Schmidt, M.

Immunitätszüchtung bei tabak. Naturwissensch. 22: 557-559. Ag.17, 1934. no.33.

New Jersey Agr. (275.28N46)

Blake, M. A.

What is hardiness in peaches? New Jersey Agr. 16(4): 3. Jl./Ag. 1934.

Martin, W. H;

Brown stem of potato and its control. New Jersey Agr. 16(4): 1. Jl./Ag. 1934.

Rhizoctonia.

New Phytol. (London) (450N42)

Millner, M. E.

Anatomy of Silene vulgaris and Silene maritima as related to ecological and genetical problems. I. Root structure. New Phytol. 33: 77-95. illus. Ap.28, 1934. no.2.

Oliver, F. W.

Dukinfield Henry Scott 1854-1934. New Phytol. 33: 73-76. Ap.28, 1934. no.2.

Saunders, E. R.

Comments on "Floral anatomy and its morphological interpretation". New Phytol. 33: 127-170. Ap.28, 1934. no.2.

Refers to A. Arber's article in previous number of journal.

Thomson, R. B.

A seed-plant feature of the root in Marattiaceae. New Phytol. 33: 96-100. illus. Ap.28, 1934. no.2.

Wanscher, J. H.

The basic chromosome number of the higher plants. New Phytol. 33: 101-126. Ap.28, 1934. no.2.

Notas Prel. Mus. La. Plata (516L31N)

Burkart, A.

Observaciones sobre la diseminación hidrófila de las especies de Mimosa del delta del Paraná. Notas Prel. Mus. La Plata 2: 161-175. illus. 1934.

Cabrera, A. L.

Las especies argentinas del género Haplopappus. Notas Prel. Mus. La Plata 2: 233-257. illus. 1934.

Molfino, J. F.

Profesor Augusto C, Scala (1880-1933). Notas Prel. Mus. La Plata 2: 333-351. port. 1934.

Su obra cientifica (by M.M.Job); p.342-351.

Notas Prel. Mus. La Plata (cont.)

Rudorf, G. & Langman, E. R.

Síntesis de las primeras investigaciones sobre Puccinia graminis tritici (Pers.) Erikss. et Henn. y Puccinia triticina Erikss. Notas Prel. Mus. La Plata 2: 65-75. 1934.

Nuovi Ann. Agr. Min. Agr. e For. Italy (16N92)

Crocioni, A

Sull'azione stimolante di alcune sostanze usate nella disinfezione del grano da semente. Nuovi Ann. Agr. Min. Agr. e For. Italy 14: 279-290. Je.30, 1934. no.2.

Nuovo Giorn. Bot. Ital. (Firenze) 450N92)

Cappelletti, C.

Osservazioni sulla respirazione superficiale e profonda del legno di Platanus orientalis e Diospyros lotus. Nuovo Giorn. Bot. Ital. 41: 439-441. 1934. no.2.

Cappelletti, C.

Ricerche sulla germinazione dei semi di Orobanche. Nuovo Giorn. Bot.Ital. 41: 441-443. 1934. no.2.

Chiarugi, A.

Riconoscimento di cordaitali paleozoiche ad affinitá gondwaniche fra i tronchi di Gymnospermae silicizzate del Sahara italiano. Nuovo Giorn. Ital. 41: 435-437. 1934. no.2.

Colla, S.

Sui gas contenuti nelle piante acquatiche. I. Nuovo Giorn. Bot. Ital. 41: 292-319. illus. 1934. no.2.

Colla, S.

Sul movimento degli stami in alcune berberidacee. VII. I movimento dello stame nel fiore ed i rapporti tra i varii organi fiorali e la contrattilità dello stame. Nuovo Giorn. Bot. Ital. 41: 443-444. 1934. no.2.

Forti, A.

Studi sulle alghe della Torbiera di Fiavé (Trentino) Nota preliminare. Nuovo Giorn. Bot. Ital. 41: 446-449. 1934. no.2.

Francini, E.

Ibridazione interspecifica nel genere Paphiopedilum. Cariologia di Paphiopedilum villosum Pfitz e Paph. x harrisianum (Paph. villosum ♀ x Paph. barbatum ♂). Nuovo Giorn. Bot. Ital. 41: 189-237. illus., pl. ii-vi. 1934. no.2.

Nuovo Giorn. Bot. Ital. (cont.)

Marcello, A.
Osservazioni microbiologische sui nettarii di piante alpine. II. Nuovo Giorn. Bot. Ital. 41: 249-256. 1934. no.2.

Montelucci, G.
L'Artemisia verlotorum Lamotte a Roma e in altre località italiane. Nuovo Giron. Bot. Ital. 41: 242-248. 1934. no.2.

Negodi, G.
Per una teoria della metamorfosi il fondamento costituzionalistico dello sziluppo eteroblastico. Nuovo Giorn. Bot. Ital. 41: 257-291. illus. 1934. no.2.

Negodi, G.
Sul modo con cui le foglie ingialliscono in autunno. Nuovo Giorn. Bot. Ital. 41: 320-326. 1934. no.2.

Negri, G.
Ricerche sulla distribuzione altimetrica della vegetazione in Italia. Nuovo Giorn. Bot. Ital. 41: 327-364. 1934. no.2.
Introduzione.

Verona, O.
Sul potere azotofissatore dei funghi. Nuovo Giorn. Bot. Ital. 41: 238-241. 1934. no.2.

Zenari, S.
Ricerche sulla distribuzione altimetrica della vegetazione in Italia. I. Associazioni e limiti di vegetizione nel gruppo M. Schiara - M. Pelf (Belluno) Nuovo Giorn. Bot. Ital. 41:365-433. 1934. no.2.

Oesterr. Bot. Zeitschr. (Wien) (4500s7)

Müller, L.
Verholzung in einer orchideenblüte. Oesterr. Bot. Zeitschr. 83: 98-108. illus. Je.30,1934. no.2.

Schussnig, B. & Kothbauer, E.
Der phasenwechsel von Ectocarpus siliculosus. Oesterr. Bot. Zeitschr. 83: 81-97. illus. Je.30, 1934. no.2.
Nach untersuchungen an materialien aus der Adria und aus dem Mittelmeer.

Oesterr. Bot. Zeitschr. (cont.)
Tobisch, J.
Beiträge zur kenntnis der pilzflora von Kärnten. IV. Oesterr. Bot. Zeitschr. 83: 109-150. Je.30, 1934. no.2.

Wagner, R.
Ueber Komplikationen des blütenstandes der Brassica oleracea L. var. gemmifera DC. Oesterr. Bot. Zeitschr. 83: 151-153. illus. Je.30, 1934. no.2.

Orchidee (Bandoeng) (80Or18)
Latif, S. M.
Viviparie en vegetatieve vermeerdering van orchideeën Orchidee (Bandoeng) 3: 185-187. Jl. 1934. no.7.

Schmidt, K.
Eén succesvolle orchideeënjacht in de Philippijnen. Orchidee (Bandoeng) 3: 174-175. Jl. 1934. no.7.

Pacific Hop Grow. (Mt. Angel, Oreg.) (77.8P11)
Hoerner, G. R.
Diseases of hops. Pacific Hop Grow. 1(13): 4-5. Mr.1934.

Plant Physiology (450P692)
Baldwin, H. I.
Germination of the red spruce. Plant Physiology 9: 491-532. illus. Jl. 1934. no.3.

Burns, G. R.
Long and short wave-length limits of photosynthesis. Plant Physiology 9: 645-652. Jl. 1934. no.3.
Experiments with white pine and Norway spruce.

Clague, J. A. & Fellers, C. R.
Relation of benzoic acid content and other constituents of cranberries to keeping quality. Plant Physiology 9: 631-636. Jl.1934. no.3.

Clements, F. E. & Martin, E. V.
Effect of soil temperature on transpiration in Helianthus annuus. Plant Physiology 9: 619-630. illus. Jl.1934. no.3.

Plant Physiology (cont.)

Dexter, S. T.
Salt concentration and reversibility of ice-formation as related to the hardiness of winter wheat. Plant Physiology 9: 601-618. diagrs. Jl. 1934. no.3.

Dustman, R.
Effect of ethylene, ethylene chlorohydrin, and ultra-violet light on carbohydrate content of stored apples. Plant Physiology 9: 637-643. Jl. 1934. no.3.

Hartt, C. E.
Some effects of potassium on the growth of sugar cane and upon the absorption and migration of ash constituents. Plant Physiology 9: 399-451. illus., col. pl. Jl. 1934. no.3.

Hartt, C. E.
Some effects of potassium upon the amounts of protein and amino forms of nitrogen, sugars, and enzyme activity of sugar cane. Plant Physiology 9: 453-490. Jl.1934. no.3.

Homan, C., Young, T. F., & Shull, C. E.
Evaporation in its thermodynamic relation to the cohesion theory and to imbibitional and osmotic pressures of cell constituents. Plant Physiology 9: 653-661. illus. Jl. 1934. no.3.

Horner, C. K., Burk, D. & Hoover, S. R.
Preparation of humate iron and other humate metals. Plant Physiology 9: 663-669. Jl.1934. no.3.

Hurd-Karrer, A.M. & Dickson, A. D.
Carbohydrate and nitrogen relations in wheat plants with reference to type of growth under different environmental conditions. Plant Physiology 9: 533-565. illus. Jl. 1934. no.3.

Loehwing, W. F.
Physiological aspects of the effect of continuous soil aeration on plant growth. Plant Physiology 9: 567-583. Jl. 1934. no.3.
Experiments with sunflower and soy bean.

Plant Physiology (cont.)

Martin, E. V.
A large-capacity drying oven with constant uniform temperature and forced ventilation. Plant Physiology 9: 689-692. illus. Jl.1934. no.3.

Miller, E. S.
Application of quantitative spectral analyses to binary mixtures of the common carotenoids. Plant Physiology 9: 681-684. Jl.1934. no.3.

Miller, E. S.
Quantitative absorption spectra of the common carotenoids. Plant Physiology 9: 693-694. illus. Jl. 1934. no.3.

Platenius, H.
Chemical changes in carrots during growth. Plant Physiology 9: 671-680. Jl. 1934. no.3.

Vickery, H. B.
What the organic chemist can do for plant physiology. Plant Physiology 9: 685-688. Jl. 1934. no.3.

White, P. R.
Potentially unlimited growth of excised tomato root tips in a liquid medium. Plant Physiology 9: 585-600. illus. Jl.1934. no.3.

Proc. Amer.Phil. Soc. (Philadelphia) (500P533)

Mains, E. B.
The genera Cordyceps and Ophiocordyceps in Michigan. Proc. Amer. Phil. Soc. 74: 263-271. iv pl. Ag. 1934. no.4.
C. michiganensis, O. macularia, n.spp.

Protoplasma (Leipzig) (442.8P94)

Collander, R.
Plasmolytische beobachtungen an den epidermiszellen von Rhoeo discolor. Protoplasma 21: 226-234. illus. My. 1934. no.2.

Heyn, A. N. J.
Weitere untersuchungen über den mechanismus der zellstreckung und die eigenschaften der zellmembran. II. Das röntgendiagramm von jungen wachsenden zellwänden und parenchymatischen geweben. Protoplasma 21: 299-305. illus. My. 1934. no.2.

Protoplasma (cont.)

Malowan, S. L.

Wuchstoffe und pflanzenwachstum. Protoplasma 21: 306-322. My. 1934. no.2.

Sammelreferat.

Menke, W.

Chloroplasten-studien. Protoplasma 21: 279-298. illus. My. 1934. no.2.

Prát, S.

Local accumulation of the cell content and growth. Protoplasma 21: 181-189. illus. My. 1934. no.2.

Rubinstein, D. L. & Uspenskaja, V.

Ueber den isoelektrischen punkt der pflanzlichen plasmahaut. Protoplasma 21: 191-225. illus. My. 1934. no.2.

Publ. Bot.Inst. Sci. Dept. Kyoto Imp. Univ. (451K99)

Kuwada, Y & Nakamura, T.

Behaviour of chromonemata in mitosis III. Observation of living staminate hair cells in Tradescantia reflexa. Reprinted from Mem. Coll. Sci.Kyoto Imp. Univ. Ser.B,9: 343-366. pl.xv-xvi. 1934. as Publ. Bot.Inst. Sci. Dept. Kyoto Imp. Univ. no.37.

Rep. Prov. Mus. Nat. Hist. Brit. Columbua. (517B77)

Brinkman, A. H.

List of hepatics of Pacific Coast and adjoining territory. Rep. Prov. Mus. Nat. Hist. Brit. Columbia 1933: 24-33. 1934.

Graham, R.

Notes on the flora of the Peace River. Rep. Prov. Mus.Nat. Hist. Brit. Columbia 1933: 13-24. 1934.

Res. Bull. Imp. Hort Exp. Stat Okitsu, Japan. (J107.60k35)

Kishima, J.

Investigations on spawn culture of Psalliota compestris in Japan. Res. Bull. Imp. Hort. Exp. Stat. Okitsu, Japan. No.18, 91 p. illus. Jl. 1934.

Japanese with English summary.

Rev. Bot. Appl. (Paris) (26R323)

Chevalier, A.

Observations sur les quelques bananiers sauvages et cultivés. Rev. Bot. Appl. 14: 506-521. Jl. 1934. no.155.

Musa splendida, M. corbierii, n.spp.

Rev. Bot. Appl. (cont.)

Chevalier, A.

Orobanchacées parasites des bambous, du riz et de la canne à sucre. Rev. Bot. Appl. 14: 536-538. Jl. 1934. no.155.

Chevalier, A.

Plantes pour aquariums pouvant etre produites dans les colonies. Rev. Bot. Appl. 14: 479-491. illus. Jl. 1934. no.155.

Rev. Vitic. (Paris) (95.8R322)

Viala, P. & Marsais, P.

Le court-noué (cont.). Rev. Vitic. 81: 85-90. illus. Ag.9,1934. no.2093.

Rhodesia Agr. Journ. (Salisbury) (24R34)

Barnes, J. W.

Some trees, shrubs, shrubby-herbaceous plants, climbers and water plants. Rhodesia Agr. Journ. 31: 507-536. 14 pl. Jl. 1934. no.7.

Science (470Sci2)

The Beltsville research center. Science 80: 223-224. S.7, 1934. no.2071.

The elm tree disease in New York and New Jersey. Science 70: 200. Ag.31, 1934. no.2070.

Sitzungsb. Naturh. Ver. Preuss. Rheinl. u. Westfal. (Bonn) (509B64S)

Laubert, R.

Schmarotzerpilze aus dem Ruhrgebiet. Sitzungsb. Naturh. Ver. Preuss. Rheinl. u. Westfal. 1932/33, D: 49-52. 1934.

Loeske, L.

Ueber einige rheinische Didymodon-formen. Sitzungsb. Naturh. Ver. Preuss. Rheinl. u. Westfal. 1932/33,D: 16-19. 1934.

Ludwig, A.

Zur kenntnis der formen der Anemone nemorosa des Siegerlandes und des Westerwaldes. Sitzungsb. Naturh. Ver. Preuss. Rheinl. u. Westfal. 1932/33, D: 10-11. 1934.

Ludwig, A.

Beiträge zur pilzflora des Siegerlandes und des hohen Westerwaldes. Sitzungsb. Naturh. Ver. Preuss. Rheinl. u. Westfal. 1932/33,D: 27-33. 1934.

Sitzungsb. Naturh. Ver. Preuss. Rheinl. u. Westfal. (cont.)

Schumacher, A.

Sphagnumstrictum Sull, ein neues torfmoos für Deutschland. Sitzungsb. Naturh. Ver. Preuss. Rheinl. u. Westfal. 1932/33, D: 1-9. illus. 1934.

Skrift. Svalbard og Ishavet (Oslo) (409N76)

Devold, J. & Scholander, P. F.

Flowering plants and ferns of southeast Greenland. Skrift. Svalbard og Ishavet no.56. 209 p. illus. map. Ag.5, 1933.

Omang, S. O. F.

Uebersicht über die Hieraciumflora Ost-Grönlands und bemerkungen betreffend zwei monstrositäten des Hieracium alpinum (L.)Backh. Skrift. Svalbard og Ishavet no.55. 16 p. 3 pl., map. 1933.

H. scholanderi, H. devoldii n.spp.

Soil Sci. (Baltimore) (56.8So3)

Anderson, M. S. & Byers, H. G.

The carbon-nitrogen ratio in relation to soil classification. Soil Sci. 38: 121-138. Ag. 1934. no.2.

Farris, N. F.

Root habits of certain crop plants as observed in the humid soils of New Jersey. Soil Sci. 38: 87-111. illus. Ag.1934. no.2.

White potatoes, red clover and corn.

So. African Gard. (Johannesburg) (80So87)

Plants new or noteworthy. South African plants cultivated in the National botanic gardens, Kirstenbosch, and in our reader's gardens. So. African Gard. 24:197-198, 201. illus. Ag.1934. no.8.

Argyroderma aureum, A. luckhoffii, A. angustipetalum, A. villetii, L. Bolus,n.spp.

Sucrerie Belge. (66.8Sul)

Colin, H. & Picault, M.

L'espèce spontanée Beta patellaris Moq.-Tond. Sucrerie Belge 54: 2-7. illus. S.1, 1934. no.1.

Suomen Maataloust. Seuran Julk.(Acta Agralia Fenn.) (Helsinki) (20Su7)

Rancken, G.

Zytologische untersuchungen an einigen wirtschaftlich wertvollen wiesengräsern mit besonderer berücksichtigung von strukturellen abweichungen in dem chromosomenkomplement. Suomen Maataloust. Seuran Julk. (Acta Agralia Fenn.) no.29. 96 p. illus., ii pl. 1934.

Festuca elatior subsp. pratensis, Alopecurus pratensis, Poa pratensis, Dactylis glomerata.

Torreya (450T63)

Berry, C. T.
A Talbot cypress swamp at Greenbury Point, Maryland. Torreya 34: 85-91. Jl./Ag. 1934. no.4.

Core, E. L.
The blister pine in West Virginia. Torreya 34: 92-93. illus. Jl./Ag.1934. no.4.
Thinks it may be a distinct species, possibly derived by hybridization from A. balsamea and A. fraseri.

Knobloch, I. W.
A few unusual plants noted in western New York. Torreya 34: 94. Jl./Ag. 1934. no.4.

Latham, R.
Botanical notes from Long Island. Torreya 34:95. Jl./Ag. 1934. no.4.
Rumex hastatulus, Lythrum linear.

Torrey, R. H.
Lichens on old tombstones. Torreya 34: 96. Jl./Ag. 1934. no.4.

Trop. Agriculture West Indies (Trinidad) (26T754)

Baker, R. E. D.
Gummosis of citrus in Trinidad. I. "Marsh" grapefruit on sour orange stock. Trop. Agriculture West Indies 11: 236-239. illus. S.1934. no.9.

Wardlaw, C. W., Leonard, E. R. & Baker, R. E. D.
Observations on the storage of various fruits and vegetables. I-II. Trop. Agriculture West Indies 11: 196-200, 230-235. Ag., S. 1934. no.8, 9.

Trop. Woods, Yale Univ. Sch. For. (New Haven) (99.08Y1Tr)

Ducke, A.
Notes on vernacular names of trees from the Tapajoz river, Brazil. Trop. Woods, Yale Univ. Sch. For. 39: 11-16. S.1, 1934.

Ducke, A.
Recordoxylon: a new genus of Leguminosae-Caesalpinioideae. Trop. Woods, Yale Univ. Sch. For. 39: 16-18. S.1, 1934.
R. amazonicum (Melanoxylon).

Garratt, G. A.
Systematic anatomy of the woods of the Monimiaceae. Trop. Woods, Yale Univ. Sch. For. 39: 18-44. iv pl. S.1, 1934.

Trop. Woods, Yale Univ. Sch. For. (cont.)
Wieland, G. R.
Wood anatomy and angiosperm origin. Trop. Woods, Yale Univ. Sch. For. 39: 1-11. S.1, 1934.

U. S. Dept. Agr. Plant Dis. Rep. (1.9P69P)
Cobb, G. S., Steiner, G. & Blanton, F. S.
Observations on the significance of weeds as carriers of the bulb or stem nematode in narcissus plantings. U.S. Dept. Agr. Plant Dis. Rep. 18: 127-129. Ag.15, 1934. no.10.

Diehl, W. W.
A heath rust new to the United States. U.S. Dept. Agr. Plant Dis. Rep. 18: 126-127. Ag.15, 1934. no.10.
Uredo ericae.

Hastings, R. J.
The early development of dormant colonies of pre-adult Anguillulina dipsaci (Kuhn 1858) Gerv. & V. Ben. 1859, in narcissus bulbs in British Columbia and the significance of their resistance to heat. U. S. Dept. Agr. Plant Dis. Rept. 18: 129-130. Ag.15, 1934. no.10.

Stevens, N. E.
Bacterial wilt of corn in 1934. U.S. Dept. Agr. Plant Dis. Rep. 18: 120-122. Ag.15, 1934. no.10.

U. S. Dept. Agr. Techn. Bull. (1Ag84Te)
Stuart, W. & Milstead, E. H.
Shortening the rest period of the potato. U.S. Dept. Agr. Techn. Bull. 415. 31 p. illus., fold.tab. Jl. 1934.

Univ. Colorado Stud. (Boulder) (500C715)
Jones, M. H.
Two red algae in Colorado. Univ. Colorado Stud. 21: 273-274. Ag.1934. no.4.
Bactrachospermum, Chantransia.

Yale Univ. School For. Bull. (99.9Y1B)
Lutz, H. J.
Ecological relations in the pitch pine plains of southern New Jersey. Yale Univ. School For. Bull. 38. 80 p. plates, map. 1934.

Zeitschrift Pflanzenkr. (Stuttgart) (464.8Z3)

Tubeuf, C. v.

Absterben von ulmenästen. Zeitschr. Pflanzenkr. 44: 423-430. illus. Ag. 1934. no.8.

Zeitschr. Zuckerind. Cechoslovak. Rep. (66.8Z3)

Stehlik, V.

Einfluss des bodens auf die anfangsentwicklung der rübe mit besonderer rücksicht auf die rübenkrankheiten. Zeitschr. Zuckerind. Cechoslovak. Rep. 58: 437-444. illus. Ag.17, 1934. no.50.

Zeitschr. Zücht. A. Pflanzenzücht. (Berlin) (450Z36)

Crebert, H.

Beiträge zur züchtung einjährige hülsenfrüchte. Zeitschr. Zücht. A. Pflanzenzücht. 19: 526-549. Ag. 1934. no.4.

Honecker, L.

Ueber die modifizierbarkeit des befalles und das auftreten verschiedener physiologischer formen beim mehltau der gerste, Erysiphe graminis hordei Marchal. Zeitschr. Zücht. A. Pflanzenzücht. 19: 577-602. illus. Ag. 1934. no.4.

Kostoff, D.

Inheritance of natural immunity in plants with special reference to breeding of immune varieties. Zeitschr. Zücht. A. Pflanzenzücht. 19: 550-576. Ag. 1934. no.4.

Lebedeff, V. N.

Neue fäulle der formierung von amphidiploiden in Weizen-roggen-bastarden. Vorläufige mitteilung. Zeitschr. Zücht. A. Pflanzenzücht. 19: 509-525. illus. Ag. 1934. no.4.

Raum, H.

Fortgesetzte untersuchungen über die vererbung von ähreneigenschaften bei kreuzungen zwischen emmer- und dinkelreihe des weizens. Zeitschr. Zücht. A. Pflanzenzücht. 19: 467-508. Ag.1934. no.4.

Zentralbl. Bakt. Abt.II. (Jena) (448.3C33)

Diddens, H. A.

Eine neue pilzgattung, Hyalodendron. Zentralbl. Bakt. Abt.II. 90: 315-319. illus. Ag.10, 1934. no.14/19.

H. lignicola n.sp.

Zentralbl. Bakt. Abt.II. (cont.)

Stapp, C.

Eine bakteriose an chrysanthemen. Zentralbl. Bakt. Abt.II. 90: 320-329. illus. Ag.10, 1934. no.14/19.

Pseudomonas (Bacterium) syringae.

Der Züchter. (Berlin) (442.8Z8)

Boekholt, K.

Physiologie und pflanzenzüchtung. Der Züchter 6: 149-152. Jl. 1934. no.7.

Decker, K.

Welche zuchtziele fordert der deutsche weinbau? Der Züchter 6: 162-165. Jl. 1934. no.7.

Feistritzer, W.

Die jarovisation landwirtschaftlicher kulturpflanzen. Der Züchter 6: 153-155. Jl.1934. no.7.

Kattermann, G.

Entstehung und züchtung intermediär-konstanter weizenroggenbastarde. Der Züchter 6: 145-146. Jl. 1934. no.7.

Krug, C. A.

Beitrag zur cytologie des genus Coffea. Der Züchter 6: 166-168. illus. Jl. 1934. no.7.

Ostermayer, A.

Pflanzenzüchtung auf widerstandsfähigkeit gegen trockenperioden. Der Züchter 6: 155-162. Jl. 1934. no.7.

Schneider, F.

Identifizierung anonym gegebener morphologisch ähnlicher sorten von zücker- und futterrüben. Der Züchter 6: 147-149. Jl. 1934. no.7.

Exp. Stat. Publ.

Bainer, R. & Borthwick, H. A.

Thresher and other mechanical injury to seed beans of the lima type. California Agr. Exp. Stat. Bull. 580. 30 p. illus. Jl. 1934. (100C12S)

McCollum, J. P.

Vegetative and reproductive responses associated with fruit development in the cucumber. Cornell Agr. Exp. Stat. Mem. 163. 27 p. illus. Je. 1934 (Rec'd S.) (100N48C)

Exp. Stat. Publ. (cont.)

Keim, F. D. & Frolik, A. L.
Common grass weeds of Nebraska. Nebraska Agr. Exp. Stat. Bull. 288. 40 p. illus. Je. 1934 (Rec'd S.) (100N27)

Kiesselbach, T. A., Petersen, N. F. & Burr, W. W.
Bindweeds and their control. Nebraska Agr. Exp. Stat. Bull. 287. 47 p. illus. My. 1934. (Rec'd S.) (100N27)

Barnett, H. L. & Hanson, H. C.
Control of leafy spurge and review of literature on chemical weed control. North Dakota Agr. Exp. Stat. Bull. 277. 32 p. illus. My. 1934(Rec'd S.) (100N813)

Havis, L.
Some factors which influence the fruiting habit of Henderson's bush lima bean (Phaseolus lunatus). Ohio Agr. Exp. Stat. Bull. 535. 13 p. illus. Je. 1934(Rec'd Ag.) (1000h3S)

Ohio agricultural experiment station
Horticulture at the Ohio agricultural experiment station, Wooster, Ohio. Its Spec. Circ. 45. 51 p. illus. Ag.1934. (1000h3S)

Bold, H. C. & Gershoy, A.
Studies in North American violets. IV. Vermont Agr. Exp. Stat. Bull. 378. 35 p. xv pl. Je. 1934. (Rec'd S.) (100V59)

Vermont agricultural experiment station
Plant pathology. In its Ann. Rep. 47th(1933/34,Bull.380): 21-22. 1934. (100V59)
B.F. Lutman pathologist.

Baker, K. F. & Heald, F.D.
An investigation of factors affecting the incidence of lenticel infection of apples by Penicillium expanseum. Washington Agr. Exp. Stat. Bull. 298. 48 p. Je. 1934(Rec'd S.) (100W27E)

New Books.

Dioscorides,
The Greek herbal of Dioscoridies illustrated by a Byzantine A.D. 512, Englished by John Goodyear, A. D. 1655, edited and first printed A. D. 1933 by R.T. Gunther... Oxford, University press, 1934. (452.2D62G)

New Books (cont.)

Marshall, R. C.
Trees of Trinidad and Tobago. Trinidad, Government printing office, 1934. (456.3T732)

Martinez, M.
Las plantas medicinales de Mexico. Mexico, Ediciones Botas, 1933. (456.1M36P)

Stell, F.
Report of Mr. F. Stell, mycologist, Department of agriculture, on his visit to Ecuador to study witchbroom diseases (Marasmius perniciosus) of cocoa. Trinidad, Government printing office, 1933. (Trinidad and Tobago. Council paper no.137 of 1933) (464.09T73)

Zastrow, E.
Experimentelle studien über die anpassung von wasser- und sumpfmoosen. Jena, G. Fischer, 1934 (Pflanzenforschung hrsg., von R. Kolkwitz h.17) (463.3K83P)

Non-current indexing.

Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932 (90.09C7610)

Allan, H. H.
The horticultural significance of wild hybrids in the New Zealand flora. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.236-244. [1932]

Cayeux, L.
Note sur les maladies bactériennes et cryptogamiques constatées sur le Dahlia en France et leur traitement. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.153-156. [1932]

Dufrenoy, J.
Les facteurs biochimiques de l'immunité locale chez les plantes. Compt. Rend. Congr. Intern. Hort., 10e, Paris, 1932. p. 128-132. [1932]

Dufrenoy, J.
Les maladies à virus. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.94-127. illus. [1932]

Guillaumin, A.
Nécessité de ne pas omettre les noms d'auteur dans les catalogues horticoles. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.286-287. [1932]

Non-current indexing. (cont.)

Compt. Rend. Congr.Intern. Hort. 10e, Paris, 1932 (cont.)

Guinet, C.
Création et organisation moderne des jardins botaniques. Compt. Rend. Contr. Intern. Hort. 10e, Paris, 1932. p.259-272. [1932]

Hall, Sir D.
The genus Tulipa. Compt. Rend. Congr. Intern. Hort. 10e, Paris,1932. p.245-247. [1932]

Hall, Sir D.
The origin of the garden tulip. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.548-549. [1932]

Höfker, H.
Der geographish ökologische garten. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.273-276. [1932]

Klotz, L. J.
A resume of some aspects of disease resistance in plants. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.87-93. [1932]

Palmer, R. C. & Strachan, C. C.
Bud variation in the apple. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.185-192. [1932]

Porter, D. R.
Disease resistance among truck crop plants. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p. 133-152. [1932]

Pynaert, C.
Recherches et experience en vue de la destruction des germes nocifs contenus dans la terre entourant les racines des plantes. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.75-79. [1932]

Sander, O.
Zuchtungsfragen bei Primula malacoides. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.193-195. [1932]

Scheerlinck, H. & Charliers, N.
La desinfection du sol et la lutte contre les maladies des plantes. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.80-86. [1932]

Non-current indexing. (cont.)

Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932 (cont.)
Schoener, G. M. A.
The hybridization of roses in America. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932, p.222-235. [1932]

Simonet, M.
Polyploidie accompagnée de gigantisme chez les plantes horticoles. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.197-208. illus. [1932]

Woycicki, S.
Essais de solution du problème de l'hybridité végétative chez les lilas. Compt. Rend. Congr. Intern. Hort. 10e, Paris, 1932. p.214-221. illus. [1932]

Hong-Kong Nat. (410H75)
Herklots, G. A. C.
Orchidaceae of Hong Kong. V. i.e.,VI. Hong Kong Nat. 3: 170-185. illus. pl.24-25. D.1932. no.3/4.

Herklots, G. A. C.
The flowering shrubs and trees of Hong Kong. III. Hong Kong Nat. 3: 194-206. illus., pl.30-31. D. 1932. no.3/4.

McClure, F. A.
The Chinese sacred lily. Hong Kong Nat. 3: 186-193. illus., pl.26-29. D.1932. no.3/4.

La Terre et la Vie (Paris) (410T27)
Aubert de la Rüe, E.
La flore et la faune des Iles Saint-Paul et Amsterdam. La Terre et la Vie 2: 642-662. illus. N. 1932. no.11.

La Vida Agr. (Lima) (9.8V66)
Barton,
Las enfermedades parasitairias y no parasitarias que danan los árboles frutales y sus produccines en Lima y airededores. I-II. La Vida Agr. 8: 828-834. illus. D.1931; 9: 7-11. illus. Ja.1932.

Ferrero, R. A.
Aspectos del problema del wilt. La Vida Agr. 10: 1319-1330. Ag.1933. no.117.
Cotton.

Non-current indexing. (cont.)

La Vida Agr. (cont.)
Gaudron, J.
Una peste de los panamitos en el Valle de Canete. La enfermedad de la Roya del Fejol. La Vida Agr. 8: 313-318. illus. My.1931. no.90.
Uromyces appendiculatur.

Translations filed in Library of Bur. of Plant Industry.

Ivanov, L.A.
Solnechnai͡a radiatsii͡a kak ekologicheskii faktor (Solar radiation as an ecological factor) Trudy Prikl. Bot., Gen. i Sel. (Bull. Appl. Bot.,Gen. & Plant Breed. 18(5):345-368. 1928.

Kallenbach, F.
Polyporus squamosus Huds. (Melanopus squamosus Pat.) Zeitschr. Pilzk. 13(n.s.8): 154-156. So.30, 1929.

Kapshuk, A. A.
Bakteriologicheskoe izuchenie kornevogo raka plodovykh derev'ev (Bacterial study of crown gall of fruit trees). Trudy Severo-Kavkaz. Inst. Zashch. Rast. (Bull. North Caucas. Inst. Plant Prot.) 8: 69-78. 1933.

Klebahn, H.
Eine blattkrankheit der edelkastanie und einige sie begleitende pilze. (A leaf disease of chestnut accompanied by certain fungi). Zeitschr. Pflanzenkr. 44: 1-23. Ja.1934.

Kondo, M.
Ueber die harten samen von Astragalus sinicus L. und Robinia pseudoacacia L. (On the hard seeds of Astragalus sinicus L. and Robinia pseudoacacia L.) Ber. Ohara Inst. Landw. Forsch. 4: 289-293. 1929.

Lagerberg, T.
Rötskador a barrvirke i vatten. (Rot-damage to coniferous timbers in water) Svenska Skogsvardsfören. Tidskr. (Journ. Swedish For. Soc.) 26: 617-658. 1929.

BOTANY
CURRENT LITERATURE

LIBRARY
RECEIVED
★ OCT 8 - 1934 ★
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no. 19. Sept.10-22, 1934.

Abstr. Diss. Ph.D. Ohio State Univ. (241.80h3)
Hicks, L. E.
The original forest vegetation and the vascular flora of northeastern Ohio - Ashtabula County. Abstr. Diss. Ph.D. Ohio State Univ. 13: 109-116. 1934.

Adm. Rep. Travancore Dept. Agr. & Fish. (22T69)
Travancore. Dept. of Agriculture and fisheries
Mycology. In its Ann. Rep. 1932/33: 7-9. [1934]
M.K. Varghese mycologist.

Agric. Colon. (Firenze) (26Ag82)
Taschdjian, E.
Indentificazione fisiologica di differenti linee di Coffea arabica. Agric. Colon. (Firenze) 28: 428-431. Ag. 1934. no.8.

Agr. Gaz. N.S.W. (Sydney) (23N472)
Dawson, G. T.
Seed-borne flag smut infection effectively controlled by copper carbonate treatment. Agr. Gaz. N.S.W. 45: 431-432. illus. Ag.1, 1934. no.8.

Magee, C. J.
A new dip for potato scab. Agr. Gaz. N.S.W. 45:441-442. illus. Ag.1, 1934. no.8.
"The acidulated corrosive sublimate dip".

Agr. Journ. Dept. Sci. & Agr. Barbados (8B23)
Wiles, D. R. D.
Report of plant diseases inspector. Agr. Journ. Dept. Sci. & Agr. Barbados 3(2): 39-43. Ap. 1934.

Agronoomia (Tartu, Esthonia) (20Ag87)
Tomson, R.
Ristikuvähk ja teised ristiku haigused eestis. Agronoomia 14: 293-304. illus. Ag. 1934. no.8.
Sclerotinia trifoliorum.

Amer. Fern Journ. (450Am35)

House, H. D.
Saving the Scolopendrium fern. Amer. Fern Journ. 24: 65-71. pl.4-5. Jl./S. 1934. no.3.

Kittredge, E. M.
A Vermont fern garden. Amer. Fern Journ. 24: 84-86. Jl./S. 1934. no.3.

Maxon, W. R.
New tropical American ferns. XII. Amer. Fern Journ. 24:72-75. Jl./S. 1934. no.3.
Asplenium membranifolium, Oleandra archeri.

Sharpe, M. R.
Success with ferns. Amer. Fern Journ. 24: 76-79. Jl./S. 1934. no.3.

Taylor, T.M.C.
Notes on some Ontario pteridophytes. Amer. Fern. Journ. 24: 79-83. Jl./S. 1934. no.3.

Wherry, E. T.
American bracken on limestone. Amer. Fern Journ. 24: 93-93. Jl./S.1934. no.3.

More fern-garden lists. Amer. Fern Journ. 24: 87-92. Jl./S. 1934. no.3.
Lists received from various members.

Amer. Midl. Nat. (Notre Dame, Ind.) (410M58)

Bush, B. F.
Prof. Shepard's Trees of Greene County. Amer. Midl. Nat. 15: 581-585. S.1934. no.5.
Reprint with annotations of Prof. Shepard's "A list of the native trees of the county" which originally appeared in his A report on Greene County. Geol. Surv. Missouri [Publ.] v.12, pt.1. 1898.

Potzger, J. E.
A notable case of bog formation. Amer. Midl. Nat. 15: 567-580. illus. S.1934. no.5.
Baxter's Bog in Monroe Co., Indiana.

Amer. Nat. (470Am36)

Anderson, E. G. & Clokey, I. W.
Chromosomes involved in a series of interchanges in maize. Amer. Nat. 68: 440-445. S./O. 1934. no.718.

Amer.Nat. (cont.)
East, E. M.
The nucleus-plasma problem. II. Amer. Nat. 68: 402-439. S./O. 1934. no.718.

Sass, J. E.
Chromosome fragmentation in Lilium tigrinum Ker. Amer. Nat. 68: 471-475. illus. S./O. 1934. no.718.

Amer. Nurserym. (Rochester, N.Y.) (80Am371)
Chadwick, L. C.
New and worthy ornamental vines. Amer. Nurserym. 60(5): 5-6. S.1,1934.

Describes some vines observed growing at the Arnold arboretum which nurserymen should not overlook.

Wyman, D.
Causes of severe winter injury. Amer. Nurserym. 60(5): 3-4, 11. S.1, 1934.

Anal. Inst. Cerc. Agron. Românie (Ann. Inst. Rech. Agron. Roumania) (Bucuresti)
Savulescu, T. & Rayss, T.
Putrezirea uscată a stiuleţilor de porumb in România. Anal.Inst. Cerc. Agron. României (Ann. Inst. Rech. Agron. Roumanie) 5: 3-112. illus. D. 1933.

Ann. Inst. Pasteur (Paris) (448.3An75)
Volkonsky, M.
Sur la nutrition de quelques champignons saprophytes et parasites. Ann. Inst. Pasteur 52: 76-101. Ja. 1934. no.1.

Ann. Soc. Linn. Lyon (505L992)
Beauverie, M. A.
Le cicendietum en Dombes à propos d'une localité de Cicendia pusilla (Griseb.) Ann. Soc. Linn. n.s.,77: 46-54. illus. 1934.

Josserand, M.
Importance de l'ornemantation piléique pour la détermination des coprins. Ann. Soc. Linn. Lyon n.s.,77: 89-95. illus. 1934.

Josserand, M.
L'étude des coprins fimicoles. Ann. Soc. Linn. Lyon n.s.,77: 96-113. illus. 1934.

Ann. Soc. Linn. Lyon (cont.)

Lignier, O. & Pouchet, A.

Note sur trois myxomycètes nouveaux pour la France. Ann. Soc. Linn. Lyon n.s.,77: 80-88. illus. 1934.

1. Echinostelium minutum de Bary. 2. Cribaria violacea Rex. 3. Comatrichia carnea G. Lister et Cran.

Ann. Tecn. Agr. (Rome) (16An73)

Curzi, M.

Le malattie da virus delle piante. (cont.) Ann. Tecn. Agr.(Rome) 7: 257-272. Jl.1, 1934. no.3.

Jannone Lodispoto, G.

Studio botanico-agrario delle varietà di melograno coltivate in provincia di Bari. Ann. Tecn. Agr. (Rome) 7: 285-300. Jl.1, 1934. no.3.

Vezzani, V.

Le foglie e i rametti d'alberi diversi nell' alimentazione del bestiame. Ann. Tecn. Agr. (Rome) 7: 362-373. Jl.1,1934. no.3.

Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol (84B77)

Kearns, H. G. H. & Walton, C.L.

Experiments on the control of the chrysanthemum eelworm. (Aphelenchoides ritzema-bosi Schwartz). Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1933: 66-73. [1934]

Kearns, H.G.H., Marsh, R.W. & Swarbrick, T.

Further observations on the joint control of the apple sawfly and apple scab. Season 1933. Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1933: 60-65. fold.tab. [1934]

Ogilvie, L.

The effect of formalin on potato "sickness". Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1933: 86-87. [1934]

Ogilvie, L., Swarbrick, T. & Thompson, C. R.

A note on a strawberry disease resembling the American "crinkle". Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1933: 96-97. 3 pl. [1934]

Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol (cont.)

Ogilvie, L. & Mulligan, B. O.

Progress report on vegetable diseases V. Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1933: 98-120. 2 pl. [1934]

Thompson, C. R.

Raspberry varieties. An identification key and notes on varietal characters. Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1933: 48-59. [1934]

Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Develop. Soc. Cheshunt (103N93)

Ainsworth, G. C.

Virus disease investigations. (cont.) Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 54-64. illus. 1934.

Spotted wilt of tomato; mosaic disease of the cucumber; effect of manures on tomato plants infected with aucuba mosaic; experiment with seeds from "streaked" tomato plants.

Bewley, W. F. & Orchard, O. B.

Rose diseases. Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 45-47. 1934.

Bolas, B. D.

The influence of light and temperature on the assimilation rate of seedling tomato plants, variety E.S.1. Ann. Rep. Exp. & Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 84-87. 1934.

Melville, R.

Water-content and assimilation of seedling tomato plants. Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 87-92. illus. 1934.

Orchard, O. B.

A combined fungicide and insecticide for use in controlling tomato leaf mold and the red spider mite. Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 77. 1934.

Colloidal and copper compound mixed with an oil emulsion.

Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard.
Industr. Develop. Soc. Cheshunt (cont.)

Orchard, O. B. & Read, W.H.

Leaf mould of tomatoes. Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. devel. Soc. Cheshunt 19(1933): 67-68. 1934.

Control measures.

Read, W. H.

Physiological investigations of mosaic disease of the tomato. (cont.) Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 64-67. 1934.

Read, W. H. & Orchard, O. B.

Plant injury following the burning of sulphur in glasshouses. Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 98-100. 1934.

Soluble zinc salts result from combustion of sulphur in greenhouses containing galvanised wire or painted internally with "zinc white" paints.

Selman, I. W.

Some aspects of translocation in the seedling tomato plant. Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 93-97. 1934.

White, H. L.

The sterilization of lettuce seeds. Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 47-51. 1934.

White, H. L.

Vegetable diseases. 1-3. Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 52-54. 1934.

1. Botrytis rot, grey mould, or wilt of lettuce. 2. Bean wilt. 3. Rhubarb disease (Cause not determined)

Williams, P. H.

Leafy gall of the chrysanthemum. (cont.) Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt 19(1933): 39-44. 1934.

Ann. Rep. Ontario Veg. Grow. Assoc. (Toronto) (75.90n8)
Howitt, J. E.
Disease problems. Ann. Rep. Ontario Veg. Grow. Assoc. 29(1933): 30-33. 1934.
Tipburn of lettuce, a new lettuce disease (cause ?)

Ann. Rep. Pom. & Fruit Grow. Soc. Quebec (82Q3)
Brittain, W.H.
The pollination of the apple. Ann. Rep. Pom. & Fruit Grow. Soc. Quebec 40(1933): 62-68. [1934]

Burrell, A. B.
Trends in spray materials for apples in New York State. Ann. Rep. Pom. & Fruit Grow. Soc. Quebec 40(1933): 75-84. [1934]
Includes control of apple scab and injury by arsenicals.

Godbout, F.
Orchard spray service annual report - 1933. Ann. Rep. Pom. & Fruit Grow. Soc. Quebec 40(1933): 69-75. illus. [1934]
Includes scab control and review of development of apple scab epidemics since 1929.

Ann. Rep. Rubber Res. Inst. Malaya (Kuala Lumpur) (78.9R824A)
Beeley, F.
Annual report. Pathological division. Ann. Rep. Rubber Res. Inst. Malaya 1933: 105-115. Jl. 1934.

Arch. Suikerind. Nederl. Indië (Soerabaja) (65.8Ar2)
Bolle, P. C.
Over den tegenwoordigen stand van het pokkahboeng-vraagstuk. Arch. Suikerind. Nederl. Indie 1934(1): 435-440. Ag.1, 1934. no.15.

Beitr. Biol. Pflanz. Cohn (Breslau) (450C66)
Bürckner, E.
Ueber stecklingsversuche an Zebrina pendulata Schnizlein und Zebrina purpusii Brückner. Beitr. Biol. Pflanz. Cohn 22: 103-138. 1934. no.2.

Christiansen, W.
Das pflanzengeographische und soziologische verhalten der salzpflanzen mit besonderer berücksichtigung von Schleswig-Holstein. Beitr. Biol. Pflanz. Cohn 22: 139-154. 1934. no.2.

Grafe, V., Fronka, J., Grafe, E. & Müller, E.
Untersuchungen über die physiologie der pflanzenphosphatide. Beitr. Biol. Pflanz Cohn 22: 198-224. 1934. no.2.

Beitr. Biol. Pflanz. Cohn (cont.)

Hönnekes, H.

Ueber die beziehungen zwischen der azidität und dem vorkommen einiger standortspflanzen des buchenwaldes. Beitr. Biol. Pflanz Cohn 22: 155-197. ix pl. 1934. no.2.

Biochem. Zeitschr. (Berlin) (384B522)

Gustafson, F. G.

Athylalkohol und acetaldehyde in gewissen arten von kakteen. Biochem. Zeitschr. 272: 172-179. illus. Ag.16, 1934. no.3/4.

Schoeller, W. & Goebel, H.

Die wirkung des follikelhormona suf pflanzen. III. Biochem. Zeitschr. 272: 215-221. illus. Ag.16, 1934. no.3/4.

Biol. Bull. (Woods Hole, Mass.) (442.8B52)

Braarud, T.

A note on the phytoplankton of the Gulf of Maine in the summer of 1933. Biol. Bull. 67: 76-83. Ag.1934. no.1.

Clarke, G. L. & Oster, R. H.

The penetration of the blue and red components of daylight into Atlantic coastal waters and its relation to phytoplankton metabolism. Biol. Bull. 67: 59-75. Ag. 1934. no.1.

Bol. Patol. Veg. y Entom. Agr. (Madrid) (464.9M26)

Alfaro, A.

La "roseta" de naranjas y limones. Bol. Patol. Veg. y Entom. Agr. 7: 21-27. illus. D. 1933. no.27/30.

Benlloch, M. & Dominguez, F.

La enfermedad de los pimentales en Aldeanueva del Camino. Bol. Patol. Veg. y Entom. Agr. 7: 1-20. illus. D.1933. no.27/30.

Rodriguez Sardiña, J. & Urquijo Landaluce, P.

La podredumbre de la raíz de la viña. Bol. Patol. Veg. y Entom. Agr. 7: 208-216. illus. D. 1933. no.27/30.

Bot. Mus. Leafl. Harvard Univ. (451H262)

Ames, O., Hubbard, F. T. & Schweinfurth, C.

Notes on Mexican Epidendrums based largely on the Erik M. Ostlund collection. Bot Mus. Leafl. Harvard Univ. 3: 1-16. S.19, 1934. no.1.

E. cyanocolumna, E. magnispatha, E. oestlundii, E. tenuissimum n.spp.

Bot. Arch. (Leipzig) (450B6526)

Breindl, M.

Zur kenntnis der baumechanik des blütenkelches der dikotylen. Bot. Arch. 36: 191-268. illus. Ag. 1934. no.3.

English abstract: p.264-268.

Kolumbe, E.

Wald und heide in Schleswig-Holstein. (Eine stellungnahme zu den untersuchungsergebnissen von Fr. Mager). Bot. Arch. 36: 269-300. illus. Ag. 1934. no.3.

English abstract: p.298.

Stelzner, G.

Experimentelle untersuchungen über den die gerstenstreifenkrankheit hervorrufenden pilz Helminthosporium gramineum Rbh. unter besonderer berücksichtigung seiner infektionsverhältnisse. Bot. Arch. 36: 301-344. illus. Ag. 1934. no.3.

English abstract: p.343-344.

Bot. Zhurn. SSSR (451R923)

Aksent'ev, B. N.

Nekotorye dannye o gribnykh zabolevanii͡akh baklazhana (Solanum melongena L.) na ogorodakh v okrestnosti͡akh g. Odessy (Einiges über die pilzerkrankungen des Solanum melongena L. in den gemüsegärten bei Odessa) Bot. Zhurn. SSSR 19:11-15. 1934. no.1.

Russian with German summary.

Aleksandrov, V. G. & Dzhaparidze, L.I.

Materialy k poznanii͡u moshchnosti provodi͡ashchei vodu sistemy v listovykh chereshkakh (Zur kenntnis der leistungsfähigkeit des wasserleitungssystems in den blattstielen). Bot. Zhurn. SSSR 19: 163-169. 1934. no.2.

Russian with German summary.

Bot. Zhurn. SSSR (cont.)

Aleksandrov, V. G. & Wislouch, V. I.
Osnovnye cherti stroenii͡a razlichnykh organov opiĭnogo maka (Papaver somniferum L.) i stepen rasprostranenii͡a v etikh organakh mlechnykh trubokh (Die hauptzüge des baues verschiedener organes des opium-mohns (Papaver somniferum L.) und die verbreitung der milchröhren in dessen organen). Bot. Zhurn. SSSR 19:141-162. illus. 1934. no.2.
Russian with German summary.

Becker, S. E.
Vlii͡anie autokonservatsii zerna pshenitsy na ego mikrofloru (Der einfluss der selbstkonservierung des weizenkorns auf seine mikroflora). Bot. Zhurn. SSSR 19: 126-140. illus. 1934. no.2.
Russian with German summary.

Botvinovskiĭ, V. V.
O fotoperiodicheskoĭ reaktsii u Perilla ocymoides L. (Ueber die photoperiodische reaktion bei Perilla ocymoides L.). Bot. Zhurn. SSSR 19: 5-10. illus. 1934. no.1.)
Russian with German summary.

Hase, O. F.
Okrestnosti ozera Lache (severnogo krai͡a) v geobotanicheskom otnoshenii (Umgegend des Latsche-Sees im geobotanischen bezug). Bot. Zhurn. SSSR 19: 173-186. 1934. no.2.
Russian with German summary.

Iljin, M. M.
Eshche o saksaule (Noch einiges über saxaul) Bot. Zhurn. SSSR 19: 170-172. 1934. no.2.
Russian with brief German summary. Haloxylon & Arthrophytum.

Kalashnikov, L. N.
Opyt graficheskogo izobrazhenii͡a smeny rastitel'-nosti v prostranstve (Versuche einiger graphischen darstellung des vegetationswechsels im raum). Bot. Zhurn. SSSR 19: 26-32. 1934. no.1.
Russian with German summary.

Nazarov, M. I.
Ocnovnye tipy rastitel'nosti Buri͡ato-Mongol'skoĭ ASSR i ikh kormovoe znachenie (Die hauptvegetationstypen der Burjato-Mongoloischen ASSR und deren bedeutung als futterquellen). Bot. Zhurn. SSSR 19: 33-58. 1934. no.1.
Russian with German summary.

Bot. Zhurn. SSSR (cont.)

Nikitinskii, I. I.

K voprosu o vliíànii uglekislogo gaza khranenie zerna pshenitsy (Zur frage über den einfluss von kohlenoxydgas zur aufbewahrung des weizenkorns). Bot. Zhorn, SSSR 19: 103-105. 1934. no.2.

Russian.

Pavlov, N. V.

K. voprosu o nedostatkakh predeliteleĭ i flor (Zur frage über die mangel der beschreibenden floren). Bot. Zhurn. SSSR 19: 59-63. 1934. no.1.

Russian.

Tochidlovskaía, K. I.

Materialy po fenologii drevesnykh porod Odesskogo botanicheskogo sada (Materials on the phenology of different trees in the Odessa botanical garden). Bot. Zhurn. SSSR 19: 16-25. 1934. no.1.

Russian with English summary.

Voronikhin, N. N.

Obzor rabot russkikh avtorov po al'gologii za 1930-1931 gg. (Revue des travaux algologiques russes 1930-31. Bot. Zhurn. SSSR 19: 187-206. 1934. no.2.

Russian.

Wulff, E. V.

Itagi izucheniía istorii razvitiía flory SSSR za poslednie 16 let (Uebersicht der in den letzten 16 jahren erschienenen literatur über die entwicklungsgeschichte der flora der USSR) Bot Zhurn. SSSR 19: 64-100. 1934.

Russian.

Zabolotskii, M.

Vliíànie uglekislogo gaza na dykhanie i vskhozhest pshenichnogo zerna (Der einfluss von kohlenoxydgas auf die atmung und keimfähigkeit von weizenkorn). Bot. Zhurn. SSSR 19: 106-135. 1934. no.2.

Russian with German summary.

Bull. Dir. Gén. Agr. Comm. et Colon. Tunis. (24T83)

George, L.

Les dunes domaniales de Bizerte. Bull. Dir. Gén. Agr. Comm. et Colon. Tunis 38: 61-88. Illus., fold. map. 1934. no.156.

Bull. Pop. Inform. Arnold Arb. (99.9Ar6B)
Faul, J.H., Jack, J.G., Judd, W.H. & Schmitt, L.V.
Winter hardiness of trees and shrubs growing in the Arnold arboretum. I-II. Bull. Pop. Inform. Arnold Arb. IV,2: 29-36. S.12, 1934. no.7.

Bull. Pop. Inform. Morton Arb. (Lisle, Ill.) (99.9M84)
Kammerer, E. L.
Woody plants of the Japanese Island. I-II. Bull. Pop. Inform. Morton Arb. 9: 21-24, 25-28, Ag.1,25, 1934. no.6,7.

Bull. Soc. Sci. Nat. Maroc. (Rabat) (515So1)
Emberger, L.
Matériaux pour l'étude de la flore et de la végétation du Maroc. 3. Bull. Soc. Sci. Nat. Maroc 13: 291-306. D.31, 1933. no.7/8.

Emberger, L. & Maire, R.
Matériaux pour la flore Marocaine. 3. Bull. Soc. Sci. Nat. Maroc 13: 276-290. D.31, 1933. no.7/8.

Maire, R.
Contributions a l'étude de la flore de l'Afrique du Nord. 21. Bull. Soc. Sci. Nat. Maroc 13: 263-275. D.31, 1933. no.7/8.

Bull. So. Calif. Acad. Sci. (Los Angeles) (500So8)
Fosberg, F. R.
The Southern California prickly-pears. Bull. So. Calif. Acad. Sci. 33: 93-104. My./Ag. 1934. no.2.

Wheeler, L. C.
California Euphorbia notes. Bull. Soc. Calif. Acad. Sci. 33: 105-111. My./Ag. 1934.no.2.
E. abramsiana n.sp.

Bull. Trim. Off. Rég. Agr. Midi France (14B49)
Long, J.
Étude sur les blés au centre national d'expérimentation du Midi le Merle, par Salon (B.-duRh.) (Campagne 1930-1931). Bull. Trim. Off. Reg. Agr. Midi France 1934: 187-211. illus. Jl. 1934. no.51.

Cactus Journ. Gt. Brit. (London) (450C113)

Brown, N. E.

The genus Mossis, N.E.Br. Cactus Journ. Gt. Brit. 3:10-11. S.1934. no.1.

Farden, R. S.

Succulents other than cactaceae and Mesembryanthemae. (cont.) Cactus Journ. Gt. Brit. 3: 18-19. S.1934. no.1.

Canad. Field Nat. (Ottawa) (410.90t8)

Fernald, M. L.

M.O. Malte as a systematic botanist. Canad. Field Nat. 48: 91-93. S.1934. no.6.

Malte Oscar Malte. Canad. Field Nat. 48: 89-91. port. S.1934. no.6.

Cawthron Inst. Mycol. Publ. (Nelson, N.Z.) 464.9C31)

Curtis, K. M.

Fireblight, a survey of current knowledge and recent advances. Cawthron Inst. Mycol. Publ. no.10. 8 p. illus. 1934.

Reprinted from the Orchardist of New Zealand, Je.1, 1934.

Cereal Chem. (59.8C33)

Goulden, C.H., Geddes, W.F. & Whiteside, G.O.

A study of carotene content and other quality characters in a series of hybrid wheats., Cereal Chem. 11: 557-566. S.1934. no.5.

Whymper, R. & Bradley, A.

Studies on the vitality of wheat. II. Influence of moisture in wheat seeds upon imbibition and speed of germination. Cereal Chem. 11: 546-550. illus. S.1934. no.5.

Chem. & Industr. (382M31) (London)

Carrie, M. S.

Karakin, the glucoside of Corynocarpus laevigata. Chem. & Industr. 53: 288-289. S.7, 1934. no.36.

Rudge, E. A.

An inquiry into the mechanism of decay of wood. Chem & Industr. 53:282-288. S.7, 1934. no.36.

Claytonia (Lynchburg, Va.) (450C57)
Artz, L.
Parnassia asarifola Vent. Claytonia 1: 8-9. Je. 1934.

Dinwiddie, E. W.
Iris virginica. Claytonia 1: 6-7. Je. 1934. no.1.
Only one colony has been located in Virginia.

Taylor, R. L.
The present status of Pogonia affinis Aust. Claytonia 1: 7-8. Je. 1934. no.1.

Compt. Rend. Acad. Sci. Paris. (505P21)
Blaringhem, L.
La température des fleurs. Compt. Rend. Acad. Sci. Paris 199: 501-504. Ag.27, 1934. no.9.

Deut. Landw. Presse (Berlin) (18D482)
Gramberg, E.
Pilze als viehfutter. Deut. Landw. Presse 61: 414. Ag.18, 1934. no.33.

Lowig, E.
Jarowisationsversuche. Deut. Landw. Presse 61: 409-410. illus. Ag.18, 1934. no.33.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)
Schwartz, P.
Gipertetraploidnyĭ tabak, poluchennyĭ v rezul'tate mezhvidovoĭ gibruduzatsii (Hypertetraploid tobacco resulting from interspecific hybridization). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS). n.s., 3: 183-187. illus. Jl.21, 1934. no.3.
Russian and English.

Empire For. Journ. (99.8Em72)
Bourne, R.
Some ecological conceptions. Empire For. Journ. 13: 15-30. 1934. no.1.

Robertson, C. C.
The cultivation of Mexican pines in the Union South Africa, with notes on the species and their original habitat (cont.) Empire For. Journ. 13: 69-76. 2 pl. on 1. 1934. no.1.

Farming So. Farica (Pretoria) (24So842)
Malherbe, I deV.
Little-leaf or rosette of fruit-trees. Farming So. Africa 9: 312-313,315. illus. Ag. 1934. no.101.

Florida Grow. (Tampa) (80F622)
Hawkins, S.
Sprays to control tomato disease. Florida Grow. 42(7): 12. S.1934.
Fungicidal washes reduce decay in transit.

Flor. Exch. (N.Y.) (80F666)
Dr. Fredrica Detmers. Flor. Exch. 83(11):15. S.15, 1934.
Died Sept. 5, 1934.

Flor. Rev. (Chicago) (80W41)
Plants for the hardy garden. Flor. Rev. 74 (1919): 19; (1920); 25. S.6,13, 1934.
Arenaria grandiflora, Saxifraga caespitosa, Physocarpus monogynus, Doronicums. - Ruta patavina, Silene maritima, Salvia verbenaca, mulleins, two alpine Epilobiums, E. angustifolrium, E. latifolium.

Forstarchiv. (Hannover) (99.8F7723)
Liese, J.
Gerbstoffgewinnung aus der badanpflanze in Deutschland. Forstarchiv 10; 264-266. illus. Ag.15, 1934. no.16.

Fruit Grow. Fruiterer, Flor. & Mark. Gard. (London) (80F941)
Threat to our snapdragons. Spread of antirrhium rust. Fruit Grow., Fruiterer, Flor. & Mark. Gard. 78: 225-256, 260. Ag.23, 1934. no.2019.

Gard. Chron. (London) (80G162)
Bancroft, H.
Notes on the status and nomenclature of the British elms. (cont.) Gard. Chron. III,96: 139-140. illus. Ag.25, 1934. no.2487.

Grove, A.
Duchartre. Gard. Chron. III,96: 138-139, Ag.25, 1934. no.2487.

Ingwersen, W.
A few good Campanulas. Gard. Chron. III,96: 136. Ag.25, 1934. no.2487.

Gard. Illus. (London) (80G169)
Thompson, H. P.
Plant-hunting in the Balkans. I. Alpines in Bulgaria. Gard. Illus. 56: 504-505. illus. Ag. 25, 1934. no.2894.

Gartn.-Tid. (København) (80G192)
Hansen, W. F.
Cytisus og Genista. Gartn.-Tid. 50: 419-424. illus. Ag.28, 1934. no.35.

Genetics (442.8G28)
Burnham, C. R.
Cytogenetic studies of an interchange between chromosomes 8 and 9 in maize. Genetics 19: 430-447. S.1934. no.5.

Ferguson, M. C.
A cytological and a genetical study of Petunia. V. The inheritance of color in pollen. Genetics 19: 394-411. S.1934. no.5.

Hedwigia (Dresden) (450H35)
Hülsbruch, W.
Beobachtungen an der diatomee Peronia héribaudi Br. et Perag. von einem neuen fundort. Hedwigia 74: 161-169. pl.v. Ag. 10, 1934. no.3/4.

Wallner, J.
Ueber das raumparasitische vorkommen kalkablagernder süsswasseralgen. Hedwigia 74: 170-175. illus., pl.vi. Ag.10, 1934. no.3/4.
Oocardium stratum on various algae.

Wallner, J.
Ueber die bedeutung der sog. chironomidentuffe für die messung der jährlichen kalkproduktion durch algen. Hedwigia 74: 176-180. illus., pl.vi. Ag.10, 1934. no.3/4.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin) (384Z38)
Euler, H.v., Adler, E.& Schlötzer, A.
Verbreitung des gebundenen und des freien flavins in pflanzen. Hoppe-Seyl. Zeitschr. Phys. Chem. 226: 87-94. Ag.24,1934. no.2/3.

Kiesel, A., Belozersky, A., Agatow, P., Biwschich, N. & Pawlowa, M.
Vergleichende untersuchungen über organeiweiss von pflanzen. Hoppe-Seyl. Zeitschr. Phys. Chem. 226: 73-86. Ag.24, 1934. no.2/3.

Hoppe-Seyl. Zeitschr. Phys. Chem. (cont.)
Stenstom, T., Björling, C.O. & Ohlsson, E.
Amylasen in ruhenden und keimenden samen. IV. Weizen. Hoppe-Seyl. Zeitschr. Phys. Chem. 226: 265-271. Ag.29, 1934. no.4/6.

Intern, Bull. Plant Prot. (464.8In8)
Bouriquet, G.
Madagascar: Phytopathological notes. Intern. Bull. Plant Prot. 8: 175-176. Ag.1934. no.8.

Journ. Agr. Prat. (Paris) (14J82)
Fron, G.
Le piétin du blé. Methode de lutte. (cont.) Journ. Agr. Prat. 98(1): 157-158. Ag.25, 1934. no.34.

Journ. Bacteriol. (Baltimore) (448.3J82)
Richards, O. W.
The effect of deuterium on the growth of yeast. Journ. Bacteriol. 28: 289-294. S.1934. no.6.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)
Clarke, G. H.
Important weeds of South Australia. 7. Nut-grass. Cyperus rotundus, L. Journ. Dept. Agr. So. Australia 37: 1586-1589. illus., col.pl. Jl.16, 1934. no.12.

Journ. Dept. Agr. West. Austral. (Perth) (23W52J)
Hutton, E. M.
The important pasture plants of South Australia, considered as to their identification and characteristics. III-XV. Journ. Dept. Agr. So. Australia 37: 1540-1554. illus. Jl.16, 1934. no.12.

Davenport, N.
Wild turnip. (Bassica tournefortii). Methods. of control. Journ. Dept. Agr. West. Austral. II, 11: 346-348. illus. Je.1934. no.2.

Meadly, G. R. W.
Sorghum, Sudan grass, and Johnson grass poisoning. Journ. Dept. Agr. West. Austral. II,11: 268-272. Je.1934. no.2.

Wild, A. S.
Further field experiments with manganese as a control of grey speck disease in western Australia. Journ. Dept. Agr. West. Austral. II,11: 223-225. Je.1934. no.2.

Journ. Gen. Physiol. (Baltimore) (447.8J822)

Arnold, W. & Kohn, H. I.

The chlorophyll unit in photosynthesis. Journ. Gen. Physiol. 18: 109-112. S.20, 1934. no.1.

Experiments with Bryophyllum calycinum, Cholorella vulgaris, Lemna sp. etc.

Crozier, W. J., Tang, P. S. & French, C. S.

Temperature characteristics for metabolism of Chlorella. I. The rate of O_2 utilization of Chlorella pyrenoidosa with added dextrose. Journ. Gen. Physiol. 18: 113-124. S.20, 1934. no.1.

Schechter, V.

Electrical control of rhizoid formation in the red alga, Griffithsia bornetiana. Journ. Gen. Physiol. 18: 1-21. illus., 2 pl. S.20, 1934. no.1.

Thimann, K. V.

Studies on the growth hormone of plants. VI. The distribution of the growth substance in plant tissues. Journ. Gen. Physiol. 18: 23-24. illus. S.20, 1934. no.1.

Journ. Min. Agr. Gt. Brit. (10G79J)

Wormald, H.

The development of scab in stored apples. Journ. Min. Agr. Gt. Brit. 41: 551-556. 2 pl. S. 1934. no.6.

Journ. N.Y. Bot. Gart. (89N48J)

Everett, T. H.

Trifolium virginicum in cultivation. Journ. N.Y. Bot. Gard. 35: 208-210. illus. S.1934. no.417.

Merrill, E. D.

The Elizabeth Gertrude Britton Moss herbarium is established. Journ. N.Y. Bot. Gard. 35: 210-211. S.1934. no.417.

Small, J. K.

Ferns within one hundred miles of New York City. Journ. N.Y. Bot. Gard. 35: 197-207. illus. (map) S. 1934. no.417.

Journ. Sapporo Soc. Agr. & For. (J22.5So1)

Shima, Y.

The influence of pollination on the out-break of the apple young-fruit rot. Journ. Sapporo Soc. Agr. & For. 26: 173-182. illus. Jl.1934. no.120.

Japanese with English résumé: p.181-182.

Journ. Washington Acad. Sci. (500W276J)

Archer, W. A.
The dental plant of the Citará Indians in Colombia. Journ. Washington Acad. Sci. 24: 402-404. S.15, 1934. no.9.
Schradera marginalis, n. sp.(description by P. C. Standley)

Berry, C. T.
Pleistocene remains found near Lake Tacarigua Venezuela. Journ. Washington Acad. Sci. 24: 387-395. illus. S.15, 1934. no.9.
Chara requena n. sp.

Drechsler, C.
Pedilospora dactylopaga n. sp., a fungus capturing and consuming testaceous rhizopods. Journ. Washington Acad. Sci. 24: 395-402. illus. S.15, 1934. no.9.

Matlack, M. B.
The pigment of the India red pummelo (Citrus grandis Osbeck). Journ. Washington Acad. Sci. 24: 385-386. illus. S.15, 1934. no.9.

Kakteenk. Deut. Kakteen-Ges. (451D482)

Castellanos, A.
Opuntia geometrica Castellanos n. sp. Kakteenk. Deut. Kakteen-Ges. 1934: 172. illus. S. 1934. no.9.

Fobe, F.
Ueber verschiedene opuntien. Kakteenk. Deut. Kakteen-Ges. 1934: 173-176. illus. S. 1934. no.9.

Werdermann, E.
Thelocactus lophophoroides Werd. nov. spec. Kakteenk. Deut. Kakteen-Ges. 1934: 176-177. illus. S.1934. no.9.

Landbouw, Nederl.-Indië (Buitenzorg) (22.5L23)

Muelen, J. G. J. van der
De veredeling van de rijst aan het proefstation te Vercelli. (Rice breeding methods at the experiment station of Vercelli (Italy). Landbouw, Nederl.-Indië 9: 591-602. Je. 1934. no.12.
English summary: p.601-602.

Landw. Jahrb. (Berlin) (18L23)
Klemm, M.
Schwarzrostauftreten in Deutschland und Südosteuropa im jahre 1932. Landw. Jahrb. 80: 333-351. illus. (maps) 1934. no.2.

Leafl. Philipp. Bot. (460.25E16)
Elmer, A. D. E.
New Plants from Mount Pinatubo. Leafl. Philipp. Bot. 9: 3179-3226. My.5, 1934. no.126.

Elmer, A. D. E.
New Urticaceae and Rubiaceae. Leafl. Philipp. Bot. 9: 3227-3272. Je.14, 1934. no.127.

Sydow, H.
Parasitic fungi from Mt. Pinatubo. Leafl. Philipp. Bot. 9:3173-3177. Ap.20, 1934. no.125.
Elmerinula (nov.gen.) E. capnoides, Asterinella hapala, Asterostomula pinatubensis n.spp.

Malayan Agr. Journ. (Kuala Lumpar) (22.5F312)
Altson, R. A.
Fruit-rot or bunch-rot of the oil palm. Malayan Agr. Journ. 22: 360-366. 2 pl. Ag.1934. no.8.
"Due to operations of saprophytic orgnisms and not a specific disease caused by a specific pathogen".

Meded. Inst. Plantenz. Dep. Econ. Zaken Nederl. Ind. (Batavia) (464.9Ea72)
Leefmans, S.
Ziekten en plagen der cultuurgewassen in Nederlandsch-Indië in 1931. Meded. Inst. Plantenz. Dep. Econ. Zaken Nederl. Ind. no.82. 92 p. 1934.

Mem. Soc. Cubana Hist. Nat. (Habana) (410.9So15)
Bonazzi, A.
Estudios sobre fisiologia del arroz. 1. Periodo germinativo. Mem. Soc. Cubana Hist. Nat. 8: 169-188. illus. Ag.1934. no.3.

León, H.
La guano y su aprovechamiento. Mem. Soc. Cubana Hist. Nat. 8: 63-68. pl.6. Jl.1934. no.2.
Sterculia cubensis.

Mem. Soc. Cubana Hist. Nat. (cont.)
León, H.
Mrs. N. L. Britton (Elizabeth Gertrude Knight) 1858-1934. Mem. Soc. Cubana Hist. Nat. 8: 61-62. Jl. 1934. no.2.

Mitt. Landw. (Berlin) (18D48M)
Pape, H.
Luzerneschadlinge. Mitt. Landw. 49: 773-774. illus. S.1934. no.35.

Mitt. Naturf. Ges. Bern (508B45)
Lüdi, W.
Pflanzengeographische streifzüge im hohgantgebiet. Mitt. Naturf. Ges. Bern 1933: 135-188. 1934.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)
Frič, A. V.
Kakteen-benennung. II. Möller's Deut. Gärtn.-Zeit. 49: 273-274. illus. Ag.21, 1934. no.23.

Kemmer, E.
Die gestaltung der wurzelkrone bei obstgehölzen. Moller's Deut. Gärtn.-Zeit. 49: 259-260. illus. Ag.11, 1934. no.22.

Nachr. Schädlingsbekämpfung (Leverkusen b.Köln. a Rh.)
Henke, (464.8N112)
Den roggen muss man beizen. (Rye must be treated). Nachr. Schädlingsbekämpfung 9: 131-135. illus. Ag. 1934. no.3.
English summary: p.156.

Poulsen, A.
Warmwasserbehandlung von gerste. Nachr. Schädlingsbekämpfung 9: 141-145. illus. Ag. 1934. no.3.
English abstract: p.157. Combination with chemical treatment, for which Ceresan wet dressing was used.

Nat.Hort. Mag. (Washington, D.C.) (81N219)
Bates, A.
The illusive ivy. III. Nat. Hort. Mag. 13: 234-245. illus. Jl.1934. no.3.

Fox, H. M.
Notes on growing species tulips. Nat. Hort. Mag. 13: 297-300. Jl.1934. no.3.

Nat. Hort. Mag. (cont.)

Henry, M. G.
Collecting plants beyond the frontier in northern British Columbia III. Nat. Hort. Mag. 13: 269-290. illus. Jl.1934. no.3.

Jones, M. M.
The Jones hybrid hazels. Nat. Hort. Mag. 13: 262-264. Jl. 1934. no.3.

Slavin, A. D.
The forms of pine. IV. Nat. Hort. Mag. 13: 246-259. illus. Jl. 1934. no.3.

Stoke, H. F.
The Persian ("English") walnut in the eastern states. Nat. Hort. Mag. 13: 260-261. Jl.1934. no.3.

Tyson, D. R.
Our picturesque Eucalyptus trees. Nat. Hort. Mag. 13: 205-213. Jl. 1934. no.3.

White, E. C.
Gentiana porphyrio. Nat. Hort. Mag. 13: 303-307. illus. Jl. 1934. no.3.

Naturwissensch. (Berlin) (474N213)

Laibach, F., Müller, A. & Schäfer, W.
Ueber wurzelbildende stoffe. Naturwissensch. 22: 588-589. Ag.31, 1934. no.35.

Nederl. Kruidk. Arch. (Amsterdam) (451N28)

Jansen, P. & Wachter, W. H.
Grassen langs de Zuiderzeekust IV-V. Nederl. Kruidk. Arch. 44(1934): 203-218, 219-237. illus. Ag.31, 1934.

Kooistra, T. W.
De flora van Schokland. Nederl. Kruidk. Arch. 44(1934): 289-295. Ag.31, 1934.

Schoute, J. C.
In memoriam Prof. Dr. J. W. Moll. Nederl. Kruidk. Arch. 44: 106-109. port. Ag.31, 1934.

Soest, J. L. van
Aanteekeningen over Hieracium. Nedrl. Kruidk. Arch. 44(1934): 296-303. Ag.31, 1934.

Pacific Hop Grow. (Mt. Angel, Oreg.) (77.8P11)
Hoerner, G. R.
Crown gall of hops. Pacific Hop Grow. 2(5): 4,6. illus. S. 1934.

Pharm. Weekbl. (Amsterdam) (396.8P4922)
Potjewijd, T.
Phytochemische onderzoek van het levende kruid van Hyoscyamus muticus L. Pharm. Weekbl. 71: 1009-1016. suppl.pl. S.1, 1934. no.71.

Philipp. Agr. (Laguna) (25P542)
Ocfemia, G. O.
Bunchy-top of abaća: its nature and control. Philipp. Agr. 23: 174-186. illus. Ag.1934. no.3.

Phytopath. (464.8P56)
Dennis, R. W. G.
A new species of Pestalotia on Podocarpus. Phytopath. 24: 1026-1028. illus. S.1934. no.9.
P. podocarpi.

Drechsler, C.
Phytopathological and taxonomic aspects of Ophiobolus, Pyrenophora, Helminthosporium, and a new genus, Cochliobolus. Phytopath. 24: 953-983. illus. S.1934. no.9.
C. (Ophiobolus) heterostrophus.

Holmes, F. O.
Inheritance of ability to localize tobacco-mosaic virus. Phytopath. 24: 984-1002. illus. S. 1934. no.9.
In Capsicum frutescens, species of Nicotiana & Solanum melongena.

Johnson, C. O.
The effect of mildew infection on the response of wheat-leaf tissues normally resistant to leaf rust. Phytopath. 24: 1045-1046. illus. S. 1934. no.9.

Leach, L. D. & Borthwick, H. A.
Distribution of downy mildew mycelium in spinach fruits. Phytopath. 24: 1021-1025. illus. S. 1934. no.9.
Peronospora effusa.

Phytopath. (cont.)

Leach, J. G.
The production of perithecia in Ceratostomella ips Rumb. Phytopath. 24: 1037-1040. S.1934. no.9.

Peltier, G. L.
The inability of Aplanobacter insidiosum to enter alfalfa seedlings in the absence of wounds. Phytopath. 24: 1044-1045. S. 1934. no.9.

Rawlins, T. E. & Parker, K. G.
Influence of rootstocks on the susceptibility of sweet cherry to the buckskin disease. Phytopath. 24: 1029-1031. S. 1934. no.9.

Summers, E. M.
Types of mosaic on sugar cane in Louisiana. Phytopath. 24: 1040-1042. illus. S.1934. no.9.

Tullis, E. C., Jones, J. W. & Davis, L. L.
The occurrence of stem rot of rice in California. Phytopath. 24: 1047. S. 1934. no.9.

Tullis, E. C., Smith, A. L. & Johnson, A. G.
Panicles of Rexoro rice injured at emergence by sun scald. Phytopath. 24: 1043-1044. S.1934. no.9.

Walter, J. M.
The mode of entrance of Ustilago zeae into corn. Phytopath. 24: 1012-1020. illus. S. 1934. no.9.

Wellman, F. L.
A disease of banana, markedly similar to bunchy top, produced by celery virus 1 in U.S.A. Phytopath. 24: 1032-1034. illus. S.1934. no.9.

Wellman, F. L.
Infection of Zea mays and various other Gramineae by the celery virus in Florida. Phytopath. 24: 1035-1037. illus. S.1934. no.9.

White, P. R.
Multiplication of the viruses of tobacco and aucuba mosaics in growing excised tomato root tips. Phytopath. 24: 1003-1011. S.1934. no.9.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Almoslechner, E.
Die hefe als indikator für wuchsstoffe. Planta Arch. Wiss. Bot. 22: 515-542. illus. Ag.25, 1934. no.4.

Boas, F.
Ueber ionenwirkungen, besonders über das anionenphänomen. Planta Arch. Wiss. Bot. 22: 445-461. Ag.25, 1934. no.4.

Herzog, R.
Anatomische und experimentell-morphologische untersuchungen über die gattung Salvinia. Planta Arch. Wiss. Bot. 22: 490-514. illus. Ag.25, 1934. no.4.

Kilian, V.
Radiotropismus bei pflanzen, festgestellt an keimlingen von Pharbitis hispida. Planta Arch. Wiss. Bot. 22: 462-467. illus. Ag.25,1934. no.4.

Meyer, F. J.
Ein neues objekt für die demonstration des transpirationsstromes und der wirkungsweise der leitbündelverbindungen. Planta Arch. Wiss. Bot 22: 567-572. illus. Ag. 25,1934. no.4.

Reiss, E.
Tonische wirkungen der schwerkraft. Planta Arch. Wiss. Bot. 22: 543-566. illus. Ag.25, 1934. no.4.

Schroeder, H. & Herrmann, F.
Ueber die kohlenhydrate und den kohlenhydratstoffwechsel der laubblätter. III. Verfahren zur bestimmung von glukose und fruktose in mischlösungen und ihre anwendung auf extrakte aus pflanzenorganen. Planta Arch. Wiss. Bot. 22: 468-489. Ag.25, 1934. no.4.

Proc. Imp. Acad. Topyo (513T576)

Miyoshi, M.
Ueber das massenhafte vorkommen der moosbälle im Inawashirosee. Proc. Imp. Acad. Tokyo 10: 426-427. illus. Jl. 1934. no.7.
Dicranella squarrosa forma.

Proc. Imp. Acad. Tokyo (cont.)

Miyoshi, M.

Ueber einige merkwürdige pflanzen. Proc. Imp. Acad. Tokyo 10: 424-425. Jl. 1934. no.7.

Prunus ohiraensis n.sp. P. serrulata f. kinryu n.f.

Nishikawa, H.

Chemical constituents of the mycelium of Oospora aurantia (Cooke) Sacc. et Vogl. Proc. Imp. Acad. Tokyo 10: 414-416. illus. Jl.1934. no.7.

Preliminary note.

Watanabe, K.

Geschlechtliche fortpflanzung von Mitrastemon yamamotoi. Proc. Imp. Acad. Tokyo 10:421-423. illus. Jl. 1934. no.7.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin) (450R29B)

Schuster, K.

Orchidacearum iconum index, Zusammenstellung der in der literatur erschienenen tafeln und textabbildungen von orchideen. 5. lfg. Repert. Spec. Nov. Beih. 60: 321-400. 1934.

Rep. Food Invest. Bd. Gt. Brit. (389.9G792R)

Barker, J.

The substrate of respiration in the potato. Rep.Food Invest. Bd. Gt. Brit. 1933: 67-69. 1934.

Haynes, D. & Archbold, H. K.

Chemical work on fruit. Rep. Food Investigation Bd. Gt. Brit. 1933: 225-228. 1934.

Apples.

Horne, A. S.

Biological work on fruit. Rep. Food Investigation Bd. Gt. Brit. 1933: 228-245. pl. 1934.

Apples.

Huelin, F. E. & Barker, J.

The effect of ethylene on the respiration and sugar-content of potatoes. Rep. Food Invest. Bd. Gt. Brit. 1933: 69-70. 1934.

Hulme, A. C.

The acetaldehyde and ethyl alcohol contents of apples during storage. Rep. Food Invest. Bd. Gt. Brit. 1933: 70-73. 1934.

Rep. Food Invest. Bd. Gt. Brit. (cont.)

Kidd, F. & West, C.
The cause of low-temperature breakdown in apples. Rep. Food Invest. Bd. Gt. Brit. 1933: 57-60. 1934.

Kidd, F. & West, C.
The control of superficial scald of apples. Rep. Food Invest. Bd. Gt. Brit. 1933: 199-204. 1934.

Kidd, F. & West, C.
The effects of ethyl alcohol upon the respiratory metabolism of apples. Rep. Food Invest. Bd. Gt. Brit. 1933: 60-67. 1934.

Kidd, F. & West, C.
Gas-storage of apples. Rep. Food Invest. Bd. Gt. Brit. 1933: 193-199. 1934.
Experiments with Monarch, Cox' orange pippin, Blenheim orange, Worcester pearmain.

Kidd, F. & West, C.
The influence of the composition of the atmosphere upon the incidence of the climacteric in apples. Rep. Food Invest. Bd. Gt. Brit. 1933: 51-57. 1934.

Kidd, F. & West, C.
Injurious effects of atmospheres of pure oxygen upon apples and pears at low temperatures. Rep. Food Invest. Bd. Gt. Brit. 1933: 74-77. 1934.

Rep. Mass. Fruit Grow. Assoc. (81M384)

Boyd, O. C.
Summary of orchard diseases in Massachusetts in 1933. Rep. Mass. Fruit Grow. Assoc. 40(1934): 71-77. [1934]

Guba, E.
Apple rust, up to date. Rep. Mass. Fruit Grow. Assoc. 40(1934):48-52. [1934]

Rep. Mysore Agr. Dept. (22M99R)

Narasimhan, M. J.
Report of work done in the Mycological section. Rep. Mysore Agr. Dept. 1932/33: 53-56. 1934.

Rev. Agronómica (Lisboa) (15.5R32)

Carvalho e Vasconcellos, J. de
Alguns trigos estrangeiros cultivados em Portugal. Sua descrição botânica. Rev. Agronómica 21(1/2): 5-23. illus. 1934.

Loureiro Ferreira, M. J.
Uma sarna da batata. Rev. Agronómica 21(1/2): 45-56. illus., pl. 1934.
Rhizoctonia solani.

Rev. Mus. La Plata (Buenos Aires)

Frenguelli, J.
Contribuciones al conocimiento de las diatomeas argentinas. VIII. Diatomeas del plioceno superior de las Guayquerías de San Carlos (Provincia de Mendoza). Rev. Mus. La Plata 34(III,10): 339-372. illus., iii pl. 1934.

Harrington, H.
Sobre la presencia de restos de la flore de Glossopteris en las Sierras Australes de Buenos Aires y su significación en lo referente a las relaciones de la serie glacial y series superiores. Rev. Mus. La Plata 34(III,10): 303-338. illus. (map), iv pl. 1934.

Parodi, L. R.
Contribución al estudio de las gramíneas del género Munroa. Rev. Mus. La Plata 34(III,10): 171-193. illus., map. 1934.

Rudorf, G. & Job, M. M.
Estudio sobre ecología floral del trigo en lo referente a temperaturas extremas. Rev. Mus. La Plata 34(III,10): 195-253. illus. 1934.

Rev. Sudamer. Bot. (Montevideo) (450R3242)

Allen, G. O. & Herter, W. G.
Charales uruguayenses. Rev. Sudamer. Bot. 1: 87-91. Je.1934. no.3.

Phillips, E. P. & Dyer, R. A.
The genus Sutherlandia R. Br. Rev. Sudamer. Bot. 1: 69-80. illus. Je.1934. no.3.

Rau, W.
Cedroxylon canoasense, una madera fósil nueva del Rio Grande del Sud. Rev. Sudamer. Bot. 1: 65-68. illus. Je.1934. no.3.
English summary: p.68.

Rev. Sudamer. Bot. (cont.)
Suessenguth, K.
Für Venezuela neue pflanzen der sammlung Vogl.
Rev. Sudamer. Bot. 1: 81-86. Je.1934. no.3.

Rev. Vitic. (Paris) (95.8R322)
Viala, P. & Marsais, P.
Le court-noué (cont.) Rev. Vitic. 81: 133-139. illus. Ag.30, 1934. no.2096

Rhodora (Boston) (450R34)
Anderson, W. A.
Notes on the flora of Tennessee: Dioscorea.
Rhodora 36: 344-346. S. 1934. no.429.

Eaton, R. J. & Griscom, L.
Potamogeton panormitanus in the Sudbury river.
Rhodora 36: 312-313. S.1934. no.429.

Fernald, M. L.
Draba in temperate northeastern America. (cont.)
Rhodora 36: 314-344. illus.,pl.299-313. S.1934. no.429.

Fernald, M.L. & Weatherby, C.A.
Some inadequately characterized species of George Vassey. Rhodora 36: 346-348. S.1934. No.429.

Steyermark, J. A.
A grass new to Missouri. Rhodora 36: 313. S.1934. no.429.
Arthraxon hispidus var. cryptatherus.

Tidestrom, I.
Botanical notes. Rhodora 36: 309-312. S. 1934. no.429.
Aconitum lutescens A. Nels., Delphinium barbeyi Huth, Lathyrus polymorphus Nutt., Range extension of two plant immigrants [Conicummaculatum L., Diplotaxis tenuifolia (L.) DC], Diplotaxis tenuifolia (L.)DC.

Rhodesia Agr. Journ. (Salisbury) (24R34)
Arnold, H. C.
A promising fodder plant. Rhodesia Agr. Journ. 31: 593-595. pl. Ag. 1934. no.8.
Leucaena glauca.

Rhodesia Agr. Journ. (cont.)
Barnes, J.W.
Some trees, shrubs, shrubby-herbaceous plants, climbers and water plants. (cont.) Rhodesia Agr. Journ. 31: 596-606. 2pl. Ag.1934. no.8.

Rubber Res. Scheme, Ceylon, Quart, Circ. (78.9C33Q)
Murray, R. K. S.
Oidium leaf disease in Ceylon in 1934. Rubber Res. Scheme, Ceylon, Quart, Circ. 11: 36-42. Je. 1934. no.2.

Murray, R. K. S.
The sulphur dusting treatment for Oidium. Rubber Res. Scheme, Ceylon, Quart. Circ. 11: 43-53. vi pl. Je. 1934. no.2.

Science (470Sci2)
Gerhardt, F. & Ezell, B. D.
Retention of carbon dioxide gas in the intercellular atmosphere of pears and apples. Science 80: 253-254. S.14, 1934. no.2072.

Robbins, W. J.
Isolation of the infective principle of virus diseases. Science 80: 275-276. S.21, 1934. no.2073.

Snedecor, G. W.
Biological variation vs. errors in measurement. Science 80: 246-247. S.14, 1934. no.2072.

Webber, J. M.
Cytogenetic notes on cotton and cotton relatives. Science 80: 269. S.21, 1934. no.2073.

[Death of Frank Lincoln Stevens] Science 80: 263. S.21,1934. no.2073.
Died Aug.18th.

Rubber plant experiments. Science 80: 261-262. S.21,1934. no.2073.
In U.S. Dept. of agriculture.

Sci. Proc. Roy. Dublin Soc. (501D85)
Nolan, T. J.
The chemical constituents of lichens found in Ireland. I. Buellia canescens. Sci. Proc. Roy. Dublin Soc. n.s.,21: 67-71. pl.2. Ag.1934. no.6/12.

Sitzungsb. u. Abh. Flora Sächs. Ges. Bot.u. Gartenb. (85F66)

Dänhardt, W.

Oscar Drude zum gedächtnis. Sitzungsb.u. Abh. Flora Sächs. Ges. Bot. u. Gartenb. n.f.,36/38: 9-12. port. 1934.

Kendel, K.

Eine botanische reise quer durch Albanien. Sitzungsb. u. Abh. Flora Sächs. Ges. Bot.u. Gartenb. n.f., 36/38: 46-73. pl. 1934.

Schindler, O.

Erdbeeren. Sitzungsb. u. Abh. Flora Sächs. Ges. Bot. u. Gartenb. n.f. 36/38: 38-42. 1934.

South. Flor. (Fort Worth, Tex.) (80So86)

Woodbury, G. W.

Some effects of shading on greenhouse crops. South. Flor. 37(22): 4-5. S.7, 1934.

Sovetsk. Botanika (450So8)

Gorodkov, B. N.

Ob osnovanii͡akh i metodakh khozi͡aĭstvennoĭ klassifikatsii i bonitirovki olen'ikh pastbishch (Sur les principles et les méthodes d'une classification des pâturages de rennes). Sovetsk. Botanika 1934: 54-66. no.1.

Russian.

Keller-Leisle, E. F.

Transpiratsii͡a u razlichnykh modifikatsiĭ odnogo vida (Transpiration chez diverses modifications de la même espèce). Sovetsk. Botanika 1934: 101-102. no.1.

Russian.

Kraevoĭ, S.I͡a.

Vlii͡anie rentgenovykh lucheĭ na vosproizvoditel'nui͡u (polovui͡u) sistemu i semennui͡u produktivnost gorokha i chiny (Influence des rayons Röntgen sur le système reproductif (sexuel) et la production de graines chez le pois et Lathyrus). Sovetsk. Botanika 1934: 74-84. iii pl. no.1.

Russian.

Larin, I. V.

Metodika izuchenii͡a otavnosti rasteniĭ (Méthodique d'investigation de la faculté des plantes de repousser après leur coupe). Sovetsk. Botanika 1934: 95-101. no.1.

Russian.

Sovetsk. Botanika (cont.)

Nikitin, I.

Vli͡ianie lucheĭ rentgena na pyl'tsu drevesnykh i travi͡anistykh rasteniĭ (Influence des rayons Röntgen sur le pollen des plantes ligneuses et des herbes). Sovetsk. Botanika 1934: 66-74. illus. no.1.

Russian.

Pavlov, N. V. & Lipschitz, S. Iu.

Eskiz floristicheskikh elementov Syrdar'nnskogo Karatau (Esquisse des élements floristique du Syr-daria Karatau). Sovetsk. Botanika 1934: 13-42. no.1.

Russian.

Transhel, V.

"Pravilo Fishera" i "metod Transhelia" u rzhavchinnykh gribov (La "regle Fischer" et la "méthode Tranzschel" chez les urédinees). Sovetsk. Botanika 1934: 85-90. no.1.

Russian with Latin diagnosis of new species (Uromyces exspectatus).

Zazhurilo, K. K.

Problema rodoslovnogo dereva tsvetkovykh rasteniĭ v sovremennom osveshchenii (Problème de l'arbre généalogique des plantes phanérogames sous le jour de la science moderne). Sovetsk. Botanika 1934: 42-64. illus. no.1.

Russian.

Succulenta (Leeuwarden) (450Su1)

Hummelinck, P. W.

Over de cactussen van Curaçao, Aruba en Bonaire. Succulenta 16: 145-153. illus. S.1934. no.9.

Swüste, F.

De splitsingswet van Mendel en bastaardeering bij het geslacht Lithops. Succulenta 16: 153-158. illus. S.1934. no.9.

Le Terre et la Vie (Paris) (410T27)

Guinier, P.

Les arbres d'ornement et de rapport en France. La Terre et la Vie 4: 531-542. illus. S.1934. no.9.

Tijdschr. Plantenz. (464.8T44)
Goossens, J.
Onderzoek naar de eerste infectiebron van appel-en pereschurft. Tijdschr. Plantenz. 40: 174-176. Ag. 1934. no.8.

Trop. Natuur (410.9T75)
Schuitemaker, J.P. & Franssen, C. J. H.
Onderzoek naar de bekerfauna van eenige Nepenthaceae bij Mandor. I. Trop. Natuur 23: 146-151. illus. Ag.1934. no.8.
Botanisch gedeelte.

Trudy Inst. Nov. Lubian. Syr'ia [Trans. Inst. New Bast Fibers] (Moskva) (73.9M85)
Boiarkin, A. N.
Pozitivno-absorptsionnyi metod mikroskopii v anatomii rastenii [Positive absorption method of microscopy in plant anatomy] Trudy Inst. Nov. Lubian. Syr'ia [Trans. Inst. New Bast Fibers] 2(2): 93-111. illus. 1933.
Russian.

Breslavets, L.
Tsitologicheskie issledovaniia lubianykh rastenii [Cytological investigations in fiber plants] I-II. Trudy Inst. Nov. Lubian. Syr'ia [Trans. Inst. New Bast Fibers] 2(2):112-116, 142-148. illus. 1933.
Russian. I. Cannabis sativa (konopliа). II. Kendyr, rami, kenaf, kanatnik, san, bamiia.
G.Medvedeva, M. Magitt joint authors II.

Magitt, M.& Tiurk, E.
K anatomii roda Crotolaria. Trudy Inst. Nov. Lubian. Syr'ia [Trans. Inst. New Bast Fibers] 2(2): 45-52. illus. 1933.
Russian.

Magitt, M.
Struktura steblia [Stem structure]. Trudy Inst. Nov. Lubian, Syr'ia [Trans. Inst. New Bast Fibers] 2(2): 36-44. illus. 1933.
Russian.

Potapov, A. A. & Martyshkina, N. I.
Kharakteristika steblei dikikh kendyrei [Characteristics of stem of wild kendir] Trudy Inst. Nov. Lubian Syr'ia [Trans. Inst. New Bast Fibers] 2(2): 67-85. 1933.
Russian.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Blood, H. L.

Curly top (western yellow blight) of tomatoes in Utah. U.S. Dept. Agr. Plant Dis. Rep. 18: 131-133. S.15, 1934. no.11.

U.S. Dept. Agr. Miscellaneous mimeographed publications.

Hartley, C.

Diseases of locust nursery stock. Washington, D.C., Jl.1934.

Mimeographed publ. from Bur. of plant industry, U.S. Dept. of agriculture.

Vict. Nat. (Melbourne) (410V66)

Coleman, E.

Pollination of Prasophyllum parvifolium Lindl. The function of the caudicle. Vict. Nat. 51: 101-107. illus. Ag.1934. no.4.

Tadgell, A. J.

Notes on the Rasp ferns. Vict. Nat. 51: 87-88. col.pl.xvii. Ag. 1934. no.4.

Species of Doodia.

Zeitschr. Bot. (Jena) (450Z32)

Gassner, G. & Goeze, G.

Assimilationsverhalten, chlorophyllgehalt und transpirationsgrösse von getreideblättern mit besonderer berücksichtigung der kalium- und stickstoffernährung. Zeitschr. Bot. 37: 257-340. illus. 1934. no.5/6.

Wheat and rye.

Jahn, A.

Ueber wachstum, plasmaströmung und vegetative fusionen bei Humaria leucoloma Hedw. Zeitschr. Bot. 27: 193-250. illus. 1934. no.4.

Kaan Albast, A. v.

Anatomische und physiologische untersuchungen über die entstehung von siebröhrenverbindungen. Zeitschr. Bot. 27: 1-94. illus. 1934. no.1/2.

Overbeck, F.

Beiträge zur kenntnis der zellstreckung. (Untersuchungen am sporogonstiel von Pellia epiphylla). Zeitschr. Bot. 27: 129-170. illus. 1934. no.3.

Zeitschr. Zuckerind. Čechoslovak. Rep. (66.8Z3)
Stehlik, V.
Einfluss des bodens auf die anfangsentwicklung der rübe mit besonderer rücksicht auf die rübenkrankheiten. (concl.) Zeitschr. Zuckerind. Čechoslovak. Rep. 58: 445-452, 453-455. illus. Ag.24,31, 1934. no.51,52.

Zuckerrübenbau (Hannover) (66.8Z9)
Rademacher, B.
Zur nematodenfrage beim anbau von raps-rübsen als haupt- und zwischenfrucht in rübenwirtschaften. Zuckerrübenbau 16: 127-128. Ag.8, 1934. no.8.

Der Züchter (Berlin) (442.8Z8)
Bier, A.
Versuche, verschiedene pflanzenarten ineinander überzuführen und neue arten und rassen zu erzeugen. Der Züchter 6: 181-192. Ag.1934. no.8.
Experiments with Lupinus.

Klapp, E.
Scheinabbau, modifikationen und viruskrankheiten. (Zur neuregelung der kartoffelanerkennung). Der Zuchter 6: 177-181. illus. Ag.1934. no.8.

Pelshenke, P.
Qualitätszüchtung bei weizen. Der Züchter 6: 169-172. Ag. 1934. no.8.

Wiese, von
Methoden der gehaltsbestimmung bei runkeln. Der Zuchter 6: 172-176. Ag.1934. no.8.

Exper. Stat. Publ.
Platenius, H., Jamison, F. S. & Thompson, H.C.
Studies on cold storage of vegetables. Cornell Agr. Exp. Stat. Bull. 602. 24 p. illus. My. 1934 (Rec'd S.) (100N48C)

Idaho agricultural experiment station
Plant pathology. In its Ann. Rep. 1933(Bull. 205): 53-56. illus. My.1934 (Rec'd S.) (100Id1)
C.W. Hungerford plant pathologist.

Exper. Stat. Publ. (cont).

Jehle, R. A.

Potato seed maintenance studies in Maryland - Spraying early and late potatoes. Maryland Agr. Exp. Stat. Bull. 361: 345-364. illus. Mr.1934. (100M36S)

J.W. Heuberger joint author pt.I-II; E.N. Cory joint author pt.II.

Blake, M. A.

The relation of the growth status of apple and pear trees to injury by fire blight. New Jersey Agr. Exp. Stat. Circ. 327. 4 p. Jl.1934(Recd S.) (100N46S)

Haenseler, C. M.

Control of dewberry anthracnose by spraying. New Jersey Agr. Exp. Stat. Bull. 574. 12 p. illus. Je.1934(Recd S.) (100N46S)

Crawford, R. F.

The etiology and control of chile wilt, produced by Fusarium annuum. New Mexico Agr. Exp. Stat. Techn. Bull. 223. 20 p. illus. Je.1934. (100N465)

Lehman, S. G.

Contaminated soil and cultural practices as related to occurrence and spread of tobacco mosaic North Carolina Agr. Exp. Stat. Techn. Bull. 46. 43 p. illus. My.1934(Recd S.) (100N81)

Wilson, J.D. & Runnels, H.A.

Influence of bordeaux and oil sprays on the daily curve of transpiration. Ohio Agr. Exp. Stat. Bimonth. Bull. 19: 179-186. S./O. 1934. no.170. (100Oh3S)

New Books

Allyn, R. S.

The first plant patents. A discussion of the new law and Patent office practice. Brooklyn, Educational foundation, 1934 (311A15)

Boom, B. K.

Nederlandsche dendrologie. Wageningen, H. Veenman, 1934. (459.4B64)

New Books (cont.)

Coupin, H.
La fécondation chez les animaux et chez les végétaux. Paris, J.-B. Baillière, 1934. (442C883)

Fyson, P. F.
The flora of the south Indian hill stations, Ootacamund, Coonoor, Kotagiri, Kodaikannal, Yercaud and the country round. 2 v. Madras, Government press, 1932. (460.12F99F)

Grout, A. J.
Moss flora of North America north of Mexico v.3, pt.4. Newfane, Vt., The author, Ag. 1934. (461.31G91Mo)
Leskea and Pseudoleskea by A.J. Sharp. Fontinalaceae by Winona H. Welch.

Howard, A. L.
A manual of the timbers of the world, their characteristics and uses. Rev.ed. London, Macmillan, 1934. (99.79H83)

Hoyt, R. S.
Planting lists for southern California. A handbood of ornamental plants. Los Angeles, The Livingston press, 1933. (97.2H85)

Keller, B. A. & others, ed.
Sornye rasteniia SSSR (The weeds of USSR. A guide to the determination of the weeds of USSR) v.1. Leningrad, Izdatel'stvo Akademii nauk SSSR, 1934. (79B28)
Russian.

Ledeboer, M.S.J.
Physiologische onderzoekingen over Ceratostomella ulmi (Schwarz) Buisman. Baarn, N.V. Hollandia-drukkerij, 1934 (464.07L49)
Proefschrift - Utrecht.

Le Seur, A. D. C.
The care & repair of ornamental trees. London, Country Life, 1934. (99.05L56)

McNamara, K.
Landscape architecture. A classified bibliography with an author index. Cambridge, Mass., Harvard university school of landscape architecture, 1934. (241M23)

New Books (cont.)

Meyer, T.
Arzneipflanzenkultur und krauterhandel. 5., verb. aufl. Berlin, J.Springer, 1934. (396M576)

Ostenfeld, C. H. & Gröntved, J.
The flora of Iceland and the Faeroes. Copenhagen, Levin & Munksgaard, 1934. (459.10s7)

Stebbing, M. E.
Colour in the garden, plants and shrubs, their uses, culture and colour-grouping. London, [etc.] T. Nelson & sons, [1934] (97.2St3)

Tottingham, W. E.
Plant biochemistry. Minneapolis, Burgess publishing company, 1934. (463.2T64)

Wethered, H. N.
A short histroy of gardens. London, Methuen, 1933 (90.51W53)

White, F.
Flowers as food. London, J. Cape, 1934. (389.25W586)

Zander, R.
Zander's Grosses garten-lexikon. Berlin, Ullstein, 1934. (90.01Z1)

Zechmeister, L.
Carotinoide, ein biochemischer bericht uber pflanzliche und tierische polyenfarbstoffe. Berlin, J. Springer, 1934 (Monographien aus dem gesamtgebiet der physiologie der pflanzen und der tiere 31 bd.) (387.1Z1C)

Correction.

v.16, no.7, p.14.
Under Dauphiné, A. under Compt. Rend. Acad. Sci. Paris, the vol.no. should be 198.

v.16, no.17, p.4.
Entries under Ber. Deut. Bot. Ges. are incomplete, after vol. no. should have (Gen.-vers.heft 2) and paging should be inclosed in parenthesis, thus: 51(Gen.-vers.heft 2): (201)-(207).

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ OCT 23 1934 ★
U. S. Department of Agriculture

Vol. 16, no. 20. Sept.24-Oct.6, 1934.

Acta Hort. Berg. (Stockholm) (451Sw3)

Fries, R. E.
Revision der arten einiger anonaceen-gattung. III. Acta Horti Berg. v.12, no.1. 220 p. illus. 20 pl. 1934.

Acta Horti Gotoburg. (451G712)

Blom, C.
Rumex obovatus Dans. var. cordatus nov.var. Acta Horti Gotoburg 9:165-166. illus. 1934.

Blom, C.
Ueber einige Vulpia-arten. Acta Horti Gotoburg. 9: 153-164. illus. 1934.

Magnusson, A. H.
Die flechtengattung Maronea Mass. Acta Horti Gotoburg 9: 41-66. 1934.

Mauritzon, J.
Zur embryologie einiger lythraceen. Acta Horti Gotoburg. 9: 1-21. illus. 1934.

Nilsson, S.
Floristiska anteckningar från Bohuslän. Acta Horti Gotoburg. 9: 23-40. 1934.

Palm, B. T.
A Mitrastemon (Rafflesiaceae) from Sumatra. Acta Horti Gotoburg. 9: 147-152. illus. 1934.

Plantae sinenses, a Dre. H. Smith annis 1921-1922 et 1924 lectae. XXVII-XXXI. Acta Horti Gotoburg 9: 67-69, 71-98, 99-100, 101-145, 167-183. illus., pl. i-ii. 1934.

XXVII. Verbenaceae. XXVIII. Labiatae (ohne Thymus und Salvia). XXIX. Labiatae- Thymus L. XXX. Labiatae - Salvia L. (nebst revision der chinesischen und ost-birmanischen arten der gattung). XXXI. Valerianaceae.

Acta Horti Gotoburg. (cont.)

Skottsberg, C.

Additional notes on Santalum and Vaccinium from the Pacific. Acta Horti Gotoburg. 9: 185-192. illus. 1934.

Agricultura (Mexico) (8Ag822)

Navarro, A.

Enfermedades de la papa en Mexico. Agricultura (Mexico) 1: 335-338. Ag. 1934. no.5.

Amer. Journ. Bot. (450Am36)

Ahlstrom, E. H. & Tiffany, L. H.

The algal genus Tetrastrum. Amer. Journ. Bot. 21: 499-507. illus. O.1934. no.8.

Harris, H. A.

Frost ring formation in some winter-injured deciduous trees and shrubs. Amer. Journ. Bot. 21: 285-298. 2 pl. O. 1934. no.8.

Jackson, G.

The morphology of the flowers of Rosa and certain closely related genera. Amer. Journ. Bot. 21: 453-466. illus. O. 1934. no.8.

Johnansen, D. A.

Studies on the morphology of the Onagraceae. VIII. Circaea pacifica. Amer. Journ. Bot. 21: 508-510. illus. O. 1934. no.8.

McNair, J. B.

The evolutionary status of plant families in relation to some chemical properties. Amer. Journ. Bot. 21: 427-452. O. 1934. no.8.

Yarbrough, J. A.

History of leaf development in Bryophyllum calycinum. Amer. Journ. Bot. 21: 467-484. illus., 2 pl. O. 1934. no.8.

Amer. Nurserym. (Rochester, N.Y.) (80Am371)

Chadwick, L. C.

Soil acidity and plant growth. Amer. Nurserym. 60(6): 5-6. S.15, 1934.

"Tests of solubility of plant nutrients under varying pH readings told to arborists at Pittsburgh conference".

Amer. Potato Journ. (75.8P842)

Folsom, D.

Potato virus diseases in 1933. Amer. Potato Journ. 11: 235-242. S. 1934. no.9.

Snell, K.

Testing the identity and purity of potato varieties in Germany. Amer. Potato Journ. 11: 242-244. S. 1934. no.9.

Stevenson, F. J.

"What's inside the potato". Amer. Potato Journ. 11: 229-234. S. 1934. no.9.

Angew. Bot. (Berlin) (450An4)

Bojko, H.

Angewandte pflanzensoziologie. Angew. Bot. 16: 349-362. Jl./Ag. 1934. no.4.

Ihre beziehung zur land- und forstwirtschaft und ihre besondere bedeutung fur die volkswirtschaft überhaupt.

Liese, J. & Stamer, J.

Vergleichende versuche über die zerstörungsintensität einiger wichtiger holzzerstörender pilze und die herdurch verursachte festigkeitsverminderung des holzes. Angew. Bot. 16: 363-372. Jl./Ag. 1934. no.4.

Merulius domesticus, M. silvester, Coniophora cerebella, Polyporus vaporarius.

Scheibe, A.

Ueber die wildzuckerrüben Anatoliens, Beta lomatongona F. et M., B. intermedia Bge. und B. trigyna W. et K. Angew. Bot. 16: 305-349. illus. Jl./Ag. 1934. no.4.

Ann. Bryol. (450An73)

Bryophyta nova (17-25). Ann. Bryol. 7: 157-162. illus. 1934.

Descriptions by various authors.

Buch, H.

Methoden zur herstellung mikroskopischer dauerpraeparate von moosen unter anwendung wässeriger einschlussmittel. Ann. Bryol. 7: 6-8. 1934.

Buch, H.

Verzeichnis der von H. Roivanen in Südchile während der auer'schen Feuerlandexpedition im jahre 1929 gesammelten Plagiochila-arten. Ann. Bryol. 7:1-5. illus. 1934.

Ann. Bryol. (cont.)

Chalaud, G.

Observations sur les spores de Fegatella conica et leur mode de germination. Ann. Bryol. 7:9-18. illus. 1934.

Dixon, H. N.

Mosses of Celebes. Ann. Bryol. 7: 19-36. 1934.

Gams, H.

Beiträge zur kenntnis der steppenmoose. I-II. Ann. Bryol. 7: 37-56. illus. 1934.

I. Funaria hungarica Boros als aralokaspisches element. II. Die Pterygoneurum-arten in den alpen und das Stegonietum.

Herzog, T.

Studien über Drepanolejeunea. II. Ann. Bryol. 7: 57-94. illus. 1934.

Loeske, L.

Ueber Tortula freibergii, T. obtusifolia und verwandte formen. Ann. Bryol. 7: 98-107. 1934.

Malmborg, S.v.

Weiteres über die gattung Cryptothallus. Ann. Bryol. 7: 108-110. illus. 1934.

Moller, H.

H.W. Arnell. Ann. Bryol. 7: 163-164. port. 1934.

Schiffner, V.

Macvicaria und Madotheca ulophylla. Ann. Bryol. 7:111-120. illus. 1934.

Macvicaria included in Madotheca.

Walther, K.

Untersuchungen über die variabilität innerhalb des formenkreises von Polytrichum juniperinum Willd. Ann. Bryol. 7: 121-156. illus. 1934.

Ann. Inst. Nat. Agron. (Paris) (105.3In8)

Vavilov, N. I.

Le probléme de l'origine des plantes cultivées. Ann. Inst. Nat. Agron. 26: 239-246. 1934.

Ann. Mus. Colon. Marseille (410.9M35)

Choux, Pierre

Une nouvelle asclépiadacée cactiforme malgache. Ann. Mus. Colon. Marseille v.42(V,2) fasc.3. 22 p. illus., vi pl. 1934.

Stapelianthus decaryi.

Ann. Missouri Bot. Gard. (St. Louis) (451M69)
Steyermark, J. A.
Studies in Grindelia. II. A monograph of the North American species of the genus Grindelia. Ann. Missouri Bot. Gard. 21: 433-608. illus. S.1934. no.3.

Arch. Ital. Biol. (442.8Ar25)
Serono, C. & Cruto, A.
Sur l'action des hormones préhypophysaires sur les plantes. Arch. Ital. Biol. 91: 93-95. ii pl. Je.7, 1934. no.2.

Beih. Bot. Centralbl.Abt.II. (Dresden) (450B65Bo)
Gerassimow, D. A.
Die Sphagnum-moose des Urals und Westsibiriens. Beih. Bot. Centralbl. Abt.II, 52: 209-230. Ag. 1934. no.2.

Michaelis, P.
Oekologische studien an der alpinen baumgrenze, II. Die schichtung der windgeschwindigkeit, lufttemperatur und evaporation über einer schneefläche. Beih. Bot. Centralbl. Abt.II, 52: 310-332. illus. Ag. 1934. no.2.

Michaelis, G. & Michaelis, P.
Oekologische studien an der alpinen baumgrenze. III. Ueber die winterlichen temperaturen der pflanzlichen organe, insbesondere der fichte. Beih. Bot. Centralbl. Abt.II, 52: 333-377. illus. Ag.1934. no.2.

Moser, H.
Untersuchungen über die blattstruktur von Atriplex-arten und ihre beziehungen zur systematik. Beih. Bot. Centralbl. Abt.II, 52: 378-388. illus. Ag. 1934. no.2.

Redinger, K.
Studien zur ökologie der moorschlenken. Physikalisch-chemische und biologischer beobachtungen auf den Lunzer hochmooren. Beih. Bot. Centralbl. Abt.II,52: 231-309. illus., pl.xvii-xix. Ag.1934. no.2.

Skuja, H.
Untersuchungen uber die rhodophyceen des süsswassers. Beih. Bot. Centralbl. Abt.II, 52: 173-192. illus. Ag.1934. no.2.

Beih. Bot. Centralbl. Abt.II. (cont.)
Zerow, D.
Postglaziale geschichte der wälder und des klimas der nordwestlichen Ukraine auf grund von pollenstatistischen. Beih. Bot. Centralbl. Abt.II,52: 193-208. illus. Ag.1934. no.2.

Biol. Medd.K.Danske Vidensk. (København) (442.9D23)
Børgesen, F.
Some marine algae from the northern part of the Arabian Sea with remarks on their geographical distribution. Biol. Medd. K. Danske Vidensk. v.14, no.6. 72 p. illus., ii pl. 1934.

Hagerup, O.
Zur abstammung einiger angiospermen durch Gnetales und Coniferae. Biol. Medd. K. Danske Vidensk. v.11, no.4. 83 p. illus. 1934.

Mortensen, Th. & Rosenvinge, L. K.
Sur une algue cyanophycee, Dactylococcopsis echini n.sp., parasite dans un oursin. Biol. Medd. K.Danske Vidensk. v.11, no.7. 10 p. illus. 1934.

Blumen u. Pflanzenb. Vereinigt Gartenw. (Berlin) (80G196)
Berger, R.
Wurzelkropf an dahlien. Blumen u. Pflanzenb. Vereinigt Gartenw. 38: 167. Mr.30, 1934. no.13.
Bacterium tumefaciens.

Bol. Agr. Zootecn. e Veterin. Minas-Gerais (9.2M66)
Fernandes Da Silva, R.
Problemas da nossa economia rural. Os timbós. Bol. Agr. Zootecn. e Veterin. Minas-Gerais 7:213-223. illus. Ap.1934. no.4.
Os timbós = Lonchocarpus.

Bol. Estac. Exp. Agr. La Molina (Lima) (102.5L622B)
Carreras G., José.
Observaciones sobre la variedad de caña P.O.J. 2714. Bol. Estac. Exp. Agr. La Molina 4. 34 p. illus. Ap. 1934.

Boll. Sez. Ital. Soc. Intern. Microbiol. (Milano) (448.3Sol)
Carbone, D. & Arata, M.
Sur le mécanisme de l'immunité acquise chez les plantes. Boll. Sez. Ital. Soc. Intern. Microbiol. 6: 219-226. Je. 1934. no.6.
Note préliminaire.

Bot. Jahrb. Engl. (Leipzig) (450En3B)

Brinkmann, P.

Zur geschichte der moore, marschen und wälder nordwestdeutschlands. III. Bot. Jahrb. Engl. 66: 369-445. illus.,pl.iv-v. Ag.30, 1934. no.4.

Lanfer,K.

Beitrag zur klärung und zum richtigen verständnis der organogenetischen untersuchungen der coniferen-zapfen von O. Hagerup. Bot. Jahrb. Engl. 66: 471-480. Ag.30, 1934. no.4.

2nd pt. of R. Pilger's Anzeige von Hagerup, O.: Zur organogenie und phylogenie der coniferen-zapfen...

Pilger, R.

Vergleichende studien der weiblichen coniferenblüten. Bot. Jahrb. Engl. 66: 469-471. Ag.30, 1934. no.4.

Anzeige von Hagerup, O.: Zur organogenie und phylogenie der coniferen-zapfen,[and his] Zur abstammung einiger angiospermen durch Gnetales und Coniferae.

Smith, L. B.

Geographical evidence on the lines of evolution in the Bromeliaceae. Bot. Jahrb. Engl. 66: 446-468. illus. Ag.30, 1934. no.4.

Bot. Zhurn. SSSR (451R923)

Dzhaparidze, L. I. & Aneli, N. A.

K voprosu ob opadanii vetochek u karkasa (Celtis caucasica Willd.) (Zur frage vom abfallen der zweige bei Celtis caucasica Willd.) Bot. Zhurn. SSSR 18:353-361. illus. 1933. no.5.

Fursaev, A. D.

K flore i͡ugo-vostoka Evropeĭskoĭ chasti SSSR (Zur flora des süd-ostens des europäischen teils der USSR). Bot. Zhurn. SSSR 18:439-445. 1933.

Russian with brief German summary.

Ivanov, S. L. & Berdichevskii, E. I.

Vli͡ianie razlichnoĭ vlazhnosti na khranenie maslichnykh semi͡an i sostav masla (Der einfluss verschiedener feuchtigkeitsgrade auf die aufbewahrung von oelsaat und die zusammensetzung des oels). Bot. Zhurn. SSSR 18: 321-330. 1933. no.5.

Russian with German summary.

Bot. Zhurn. SSSR (cont.)

Maleev, V. P.

Mozhzhevelovyĭ les na myse Mart'i͡an v I͡uzhnom Krymu (Der wachholderwald des Kaps Martjan in der Süd-Krim). Bot. Zhurn. SSSR 18: 446-468. illus. 1933. no.6.

Russian with German summary.

Pavlov, N. V.

Kratkii obzor roda Stroganowia Kar. et Kir. (Kurze uebersicht der gattung Stroganowia). Bot. Zhurn. SSSR 18: 362-369. 1933. no.5.

Russian with German summary and Latin diagnoses of new species (S. cardiophylla, S. gracilis, S. robusta).

Rabotnov, T. A.

Veinik langsdorfa v tseentral'noĭ I͡akutii i ego kormovoe anachenie (Calamagrostis langsdorfii Trin. in Zentral-Jakutien und sein bedeutung als futtergras). Bot. Zhurn. SSSR 18: 407-411. 1933. no.5.

Russian with German summary.

Shanidze, M. A.

Materialy k izuchenii͡u anatomicheskoĭ struktury i rezhima plasticheskikh veshchestv vegetativnkh organov chaĭnogo kusta, Camellia sinensis (L.) O. Ktze. (Materials for the study of the anatomical structure and regime of the plastic substances in the vegetative organs of the tea plant). Bot. Zhurn. SSSR 18: 419-432, 433-438. illus. 1933. no.6.

T.A. Kezeli joint author first pt.

Russian with English summary.

Sinskai͡a, E. N.

Osnovnye cherti evoli͡utsii lesnoĭ rastitel'nosti Kavkaza v svi͡azi s istorieĭ vidov (The principal features of the forest evolution of the Caucasus, in connection with the history of the species). I-II. Bot. Zhurn. SSSR 18: 370-406, 487-515. fold.tab. 1933. no.5,6.

Russian with English summary: p.515.

Sokolovskai͡a, A. P.

Znachenie solnechnoĭ radiatsii, a takzhe nekotorykh mikroklimaticheskikh faktorov v temperaturnom rezhime rasteniĭ (Die bedeutung der sonnenausstrahlung und einiger anderer mikroklimatischer faktoren für das temperaturregime der pflanzen). Bot. Zhurn. SSSR 18: 331-352. illus. 1933. no.5.

Russian with German summary.

Bot. Zhurn. SSSR (cont.)

Tikhimirov, B. A.

Pozhary zarosleĭ kedrovogo stlanika (Pinus pumila Rgl.) v Penzhinskom krae (Brände der zwergzirbelkiefer-assoziationen (Pinus pumila Rgl.) im Penshina gebiet). Bot. Zhurn. SSSR 18: 469-486. 1933. no.6.

Russian with German summary.

Bryologist (Pittsburgh). (450B84)

Jennings, O. E.

The nomenclatúre of some of the mosses of the species Muscorum. Bryologist 37: 63-64. My./Je. 1934. no.3.

Pitman, E. M.

Additional mosses from Maine, U.S.A. Bryologist 37: 62-63. My./Je. 1934. no.3.

Steere, W. C.

Unreported or otherwise interesting bryophytes from Michigan. Bryologist 37: 57-62. My./Je. 1934. no.3.

Whitehouse, E.

The distribution of some Texas lichens. Bryologist 37: 53-55. My./Je. 1934. no.3.

Bull. Buffalo Soc. Nat. Sci. (500B86)

Zenkert, C. A.

The flora of the Niagara frontier region. Ferns and flowering plants of Buffalo, N.Y., and vicinity. Bull. Buffalo Soc. Nat. Sci. v.16, 328 p. illus., fold.map. Ag. 1934.

Bull. Misc. Inform. Kew (London) (89K51B)

Bancroft, H.

New material of Monotes kerstingii from the Gold Coast. Bull. Misc. Inform. Kew 1934: 233-237. pl.viii. 1934. no.6.

Bruce, E. A.

The giant Lobelias of East Africa. Bull. Misc. Inform. Kew. 1934: 374. 1934. no.6.

Dyer, R. A. & Milne-Redhead, E.

Notes on the flora of southern Africa. V. The genus Ruellia in Thunberg's Herbarium. Bull. Misc. Inform. Kew 1934: 264-270. 1934. no.6.

Jackson, A. K.

Additions to the flora of Cyprus. Bull. Misc. Inform. Kew 1934: 271-273. 1934. no.6.

Bull. Misc. Inform. Kew (cont.)

Kew. Royal gardens

Decades kewenses. Plantarum novarum in herbario Horti regii conservatarum. CXXXI. Bull. Misc. Inform. Kew 1934: 258-264. 1934. no.6.

Sprague, T. A.

Nathaniel Lord Britton. Bull. Misc. Inform. Kew 1934: 275-279. 1934. no.6.

Wakefield, E. M.

Contributions to the flora of tropical America. XXI. Fungi collected in British Guiana, chiefly by the Oxford University expedition, 1929. Bull. Misc. Inform. Kew 1934: 238-258. illus. 1934. no.6.

Neotyphula guianensis, Polydiscidium martynii n.gen & n.spp.

Bull. R. Soc. Tosc. Ortic. (Firenze) (86R22)

Maccioni, M.

Intorno alla colorazione dei fiori della Hydrangea hortensis Sieb. Bull. R. Soc. Tosc. Ortic. 59: 95-100. illus. Jl./Ag. 1934. no.7/8.

Philippis, A. de

Fra i più maestosi alberi ornamentali: i platani. Bull. R. Soc. Tosc. Ortic. 59:85-90. illus. Jl./Ag. 1934. no.7/8.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Baxter, E. M.

California cacti. XIV-XV. Cactus & Succ. Journ. 6: 28,41. illus. Ag., S.1934. no.2,3.

XIV. Opuntia brachyclada. XV. Opuntia chlorotica.

Hallenbeck, C.

Neomammillaria wrightii Eng. Cactus & Succ. Journ. 6: 23-24. illus. Ag.1934. no.2.

Lahman, M. S.

Notes on Oklahoma cacti. II. Coryphanta columnaris, a new species. Cactus & Succ. Journ. 6: 27. illus. Ag.1934. no.2.

Poindexter, R. W.

New garden species. I-II. Cactus & Succ. Journ. 6: 19-20, 43-44. illus. Ag., S.1934. no.2,3.

Schmoll, C.

Concerning Echinofossulocactus. Cactus & Succ. Journ. 6: 36-37. illus. S.1934. no.3.

Cactus & Succ. Journ. (cont.)

Swuste, F.

The genus Lithops. I-II. Cactus & Succ. Journ. 6:21-22, 38-39. Ag., S. 1934. no.2,3.

I. Propagation by seed. II. Mendelism and hybridization in the genus Lithops.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Farrington, J. B. & Marshall, J. B.

F_2 endosperm development in relation to breeding technique with inter-specific wheat crosses. Canad. Journ. Res. 11: 333-346. S. 1934. no.3.

Spier, J. D.

Chiasma frequency in species and species hybrids of Avena. Canad. Journ. Res. 11: 347-361. illus. S. 1934. no.3.

Chem. & Industr. (London) (382M31)

Woodman, R.M., Brenchley, G.H. & Hanley, F.

Soil treatment for Brassicae. I. The effect of sterilisation of the soil by mercuric chloride on the seedling growth of Brussels sprouts. Chem. & Industr. 53: 35T-36T. Ja.26, 1934. no.4.

Citrus News Melbourne. (80C494)

Brown, D. D.

Anthracnose control. Seasonal conditions generally favor fungus diseases. Interesting experiments at Swan Hill. Citrus News Melbourne 10: 65. Ap.2, 1934. no.4.

Compt. Rend. Acad. Sci. Paris (505P21)

Carpentier, A.

Contribution à l'étude des fructifications mâles des neuroptéridées. Compt. Rend. Acad. Sci. Paris 199: 607-608. S.17, 1934. no.12.

Hamet, R. & Millat, L.

Sur un nouvel alcaloïde des Mitragyna, la mitrinermine. Compt. Rend. Acad. Sci. Paris 199: 587-589. S.10, 1934. no.11.

Costa Azzurra Agr.-Flor. (Sanremo) (16C82)

Calvino, E. M.

Influenza dell'elettricità sulla vita vegetale. Costa Azzurra Agr. Flor. 14:203-208. Ag.1934. no.8.

Calvino, M.

Gomma elastica Italiana. Costa Azzurra Agr. Flor. 14: 197-203. illus. Ag.1934. no.8.

Current Science (Bangalore) (475Sci23)

Dastur, R. H.
Reverend Ethelbert Blatter, S. J. (1877-1934). Current Science 3:58-59. Ag.1934. no.2.

Dixit, S. C.
Equisetum in Gujerat. Current Science 3: 64-65. Ag.1934. no.2.

Sastri, B. N. & Sreenivasaya, M.
The study of plant tissue fluids. A critical review. (cont.) Current Science 3: 52-58. Ag. 1934. no.2.

Desert (Pasadena) (450D45)

Barnhart, P. D.
Boyce Thompson arboretum. Desert (Pasadena) 6; 77-78. illus. S.1934. no.5.

Breazeale, J. M.
Variation in the color of flowers of same species. Desert (Pasadena) 6: 74. S.1934. no.5.

Burchard, O.
Gnaphalium webbii Sch.-Bip. Desert (Pasadena) 5:19. illus. Je. 1934. no.2.

Morton, C. V.
A new species of Dudleya from Arizona. Desert (Pasadena) 6: 68. S.1934. no.5.
Dudleya collomae.

Shantz, H. L.
Botanical research. Desert (Pasadena) 6: 69, 72. S. 1934. no.5.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)

Kraevoĭ, S. I͡a.
O tri- tetra- i geksaploidnykh naborakh khromosom v somaticheskikh kletkakh Scorzonera tau-saghyz (On the tri- tetra- and hexaploid chromosome complements in somatic cells of Scorzonera tau-saghyz). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 3: 284-288. illus. Ag.1, 1934. no.4.
Russian with English summary.

Empire Cotton Grow. Rev. (London) (72.8Em7)
Gates, R. R.
The cytological study of cotton and its relatives. Empire Cotton Grow. Rev. 11: 194-201. pl. Jl. 1934. no.3.

Massey, R. E.
Studies on blackarm disease of cotton. III. Empire Cotton Grow. Rev. 11:188-193. pl. Jl. 1934. no.3.

Flor. Rev. (Chicago) (80W41)
Plants for the hardy garden. Flor. Rev. 74(1921): 24-25. S.20, 1934.
Some new phloxes, Aster porteri, A. foliaceus, Hesperis steveviana, Irs dichotoma, regal lilies.

Gard. Quart. San Francisco (80G1616)
Breazeale, J. M.
Color schemes of cacti. Gard. Quart. San Francisco 2(3): 33, 69-70. illus. S./N. 1934.

Fraser, D. C.
Western wildflowers. Gard. Quart. San Francisco 2(3): 51-53, 68-69. illus. S./N. 1934.

Purdy, C.
Pygmies for the rock garden. Gard. Quart. San Francisco 2(3): 32. illus. S./N. 1934.

Gard. Chron. (London) (80G162)
Green, D. E.
The virus of spotted wilt in Gloxinias. Gard. Chron. III, 96: 159. illus. S.1, 1934. no.2488.

Smith, E. H.
Sprain (g) or internal brown fleck of potatoes. (Pseudomonas solaniolens, Paine). Gard. Chron. III, 96: 178-179. illus. S.8, 1934. no.2489.

Ward, F. K.
Mr. F. Kingdon Ward's twelfth expedition in Asia. III. Gard. Chron. III, 96: 156-157. illus. S.1, 1934. no.2488.

Gard. Chron. Amer. (80G1632)
Creasey, L. B.
Giant rhododendrons. (cont.) Gard. Chron. Amer. 38: 297-298. O.1, 1934. no.10.

Gard. Illus. (London) (80G169)
Thompson, H. P.
Plant-hunting in the Balkans. (Alpines in Bulgaria) (concl.) Gard. Illus. 56:518, 532-533. illus. S.1,8, 1934. no.2895, 2896.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin) (384Z38)
Kögl, F. & Erxleben, H.
Ueber die konstitution der auxine a und b. Hoppe-Seyl. Zeitschr. Phys. Chem. 227: 51-73. S.6, 1934. no.1/4.
No.10 of their Mitteilung über pflanzliche wachstumsstoffe.

House and Gard. (Greenwich, Conn.) (80H81)
Darrow, A. G.
The forty-two best bellflowers. House and Gard. 66(4): 52-53. 92. illus. O.1934.

Guterman, G.E.F. & O'Leary, K.
The plant doctor looks critically at your lilies. House and Gard. 66(4): 70-71, 89, 96. illus. O.1934.

Wilder, L. B.
The pageant of the Calochortus for gardens in the East. Home & Gard. 66(4): 50-51, 93, 95. illus. O. 1934.

Indian For. (Dehra Dun) (99.8In2)
Aggarwal, K. L.
Soil flora in deodar forests and its importance. Indian For. 60: 602-607. S.1934. no.9.

Industr. & Engin. Chem. (Easton, Pa.) (381J825)
McDaniel, A. S.
Colloidal bentonite-sulfur. Industr. & Engin. Chem. 26: 340-345. illus. Mr.1934.

Intern. Bull. Plant Prot. (464.8In8)
McRae, W.
New diseases reported during the year 1933 [India] Intern. Bull. Plant Prot. 8: 199-202. S.1934. no.9.

Müller, A. S.
Brazil: Preliminary list of diseases of plants in the state of Minas Geraes. Intern. Bull. Plant Prot. 8: 193-198. S.1934. no.9.

Ital. Agr. (Milan) (16Itl)
Munerati, O.
Osservazioni sulla carie del grano. Ital. Agr. 71: 597-602. illus. Ag.1934. no.8.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)
Arens, K.
Die kutikuläre exkretion des laubblattes. Jahrb. Wiss. Bot. 80: 248-300. 1934. no.2.

Kisser, J. & Beer, I.
Untersuchungen über die chemotropische empfindlichkeit dikotyler keimpflanzen. Jahrb. Wiss. Bot. 80: 301-335. 1934. no.2.

Michaelis, P.
Oekologische studien en der alpinen baumgrenze IV. Zur kenntnis des winterlichen wasserhaushaltes. Jahrb. Wiss. Bot. 80: 169-247. illus. 1934. no.2.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)
Hurd-Karrer, A. M.
Selenium injury to wheat plants and its inhibition by sulphur. Journ. Agr. Res. 49: 345-357. illus., 2 pl. Ag.15, 1934(Rec'd S.28) no.4.

LeClerg, E. L.
Parasitism of Rhizoctonia solani on sugar beet. Journ. Agr. Res. 49: 207-431. illus. S.1, 1934. (Rec'd S.25) no.5.
Concluded "that Rhizoctonia root rot of sugar beets is probably caused by strains of R. solani distinct pathogenically from those on potato".

Shaw, L.
Studies on resistance of apple and other rosaceous plants to fire blight. Journ. Agr. Res. 49: 283-313. illus. Ag.15,1934(Rec'd S;28) no.4.

Smith, C. O.
Inoculations showing the wide host range of Botryosphaeria ribis. Journ. Agr. Res. 49: 467-476. pl.1-3. S.1, 1934(Rec'd S.25) no.5.

Journ. Amer. Pharm. Assoc. (Easton, Pa.) (396.9Am33J)
Wakemann, N.
Preliminary report upon chemical examination of the entire plant of Celastrus scandens. Journ. Amer. Pharm. Assoc. 23: 873-874. S.1934. no.9.
With Carl Buhler, Harvey Kimbel, Albert Niebuar, Andrew Ruzek and Vincent Wasz.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)

Bracken, A. F.

Effect of various smut treatments on yield of winter wheat. Journ. Amer. Soc. Agron. 26: 748-751. S.1934. no.9.

Harmon, G. W. & Keim, F. D.

The percentage and viability of weed seeds recovered in the feces of farm animals and their longevity when buried in manure. Journ. Amer. Soc. Agron. 26: 762-767. S.1934. no.9.

Jenkins, M. T.

Linkage relations of the A_2 a_2 factor pair in maize. Journ. Amer. Soc. Agron. 26: 719-720. S. 1934. no.9.

Myers, H. E.

Effect of chemical soil treatments on the root, crown, and shoot rot of milo. Journ. Amer. Soc. Agron. 26: 737-739. illus. S.1934. no.9.

Due to undetermined micro-organism which lives over in the soil.

St. John, R. R.

A comparison of reciprocal top crosses in corn. Journ. Amer. Soc. Agron. 26: 721-724. S.1934. no.9.

Smith, S. N.

Response of inbred lines and crosses in maize to variations of nitrogen and phosphorus supplied as nutrients. Journ. Amer. Soc. Agron. 26: 785-804. illus. S.1934. no.9.

Journ. Bombay Nat. Hist. Soc. (513B63)

Blatter, E. & Fernandez, J.

The flora of Waziristan. IV. Journ. Bombay Nat. Hist. Soc. 37: 391-424. pl.vi-viii. Ag.15, 1934. no.2.

Blatter, E.

Revision of the flora of the Bombay Presidency. XXIV. Cyperaceae. Journ. Bombay Nat. Hist. Soc. 37: 255-277. illus., iii pl. Ag.15, 1934. no.2.

Blatter, E. & Millard, W. S.

Some beautiful Indian trees. XV. Journ. Bombay Nat. Hist. Soc. 37: 310-313. illus., col.pl. 23. Ag.15, 1934. no.2.

Journ. Bombay Nat. Hist. Soc. (cont.)

McCann, C.
Ethelbert Blatter, S.J. Journ. Bombay Nat. Hist. Soc. 37:466-473. port. Ag.15, 1934. no.2.

McCann, C.
Occurrence of Isoëtes coromandelina L. in the Bombay Presidency. Journ. Bombay Nat. Hist. Soc. 37: 501-502. Ag.15, 1934. no.2.

Journ. Bot. (London) (450J82)

Britton, C. E.
Varieties of Galium mollugo Linn. in Britain. Journ. Bot. 72: 243-251. S.1934. no.861.

Martin, M. T.
Regeneration in Polysiphonia nigrescens Grev. Journ. Bot. 72: 241-243. illus. S.1934. no.861.

Rendle, A. B.
Dr. Leonard Cockayne (1855-1934). Journ. Bot. 72: 257-259. S.1934. no.861.

Ridley, H. N.
New Malayan Rubiaceae. Journ. Bot. 72: 251-257. S.1934. no.861.

Alston, A. H. G.
Mr. John Gossweiler's plants from Angola and Portuguese Congo. Journ. Bot. Suppl. to v.72, no.861. 8 p. S.1934.
Pteridophyta.

Journ. Counc. Sci. & Industr. Res. Austral. (Melbourne)

Angell, H. R.
Flag smut of wheat - early symptoms. (514Au72J) Journ. Counc. Sci. & Industr. Res. Austral. 7: 153-156. Ag.1934. no.3.

Hicks, E. W.
Finger dropping from bunches of Australina Cavendish bananas. Journ. Counc. Sci. & Industr. Res. Austral. 7: 165-168. Ag.1934. no.3.
Due to inadequate reduction of humidity in the later stages of ripening.

McMillan, J.R.A. & Bryan, W.W.
Maize breeding at the Queensland agricultural high school and college. Journ. Counc. Sci. & Industr. Res. Austral. 7: 157-160. Ag.1934. no.3.

Journ. Hered. (Washington) (442.8Am3)

Friend, W. H.

The origin of a superior red-fleshed grapefruit. Journ. Hered. 25: 358. S.1934. no.9.

Bud mutation of the Thompson variety of possible horticultural value.

McKinney, H. H. & Sando, W. J.

Recumbence in wheat, as influenced by light and the soil surface. Journ. Hered. 25: 351-357. illus. S.1934. no.9.

Shamel, A. D. & Pomeroy, X. S.

A bud variant of the Santa Rosa plum. Journ. Hered. 25: 379-382. illus. S.1934. no.9.

A late-maturing form possibly of commercial importance.

Journ. Pharm. Soc. Japan. (J396.9P49)

Inagaki, S.

Untersuchungen über bestandteile der in Japan einheimischen pilze. I. Mannitgehalt der pilze. Journ. Pharm. Soc. Japan 54: 125-127. Aug.1934. no.8.

Kranke Pflanze (Dresden) (464.8K86)

Stapp, C.

Die fettfleckenkrankheit der bohnen. Kranke Pflanze 11:97-99. pl. (front.) S.1934. no.9.

Bacterium medicaginis phaseolicola.

Landw. Jahrb. (Berlin) (18L23)

Köhler, E.

Beiträge zum studium des kartoffelabbaus. Landw. Jahrb. 79; 205-217. 1934. no.2.

Beobachtungen auf dem Dahlemer versuchsfelde der Biologischen reichsanstalt.

Lüstner, G.

Berichtüber die tätigkeit der Pflanzenpathologischen versuchsstation. In Bericht Lehr- u. Forstungsanst. Wein-, Obst-, u. Gartenb. Geisenheim a. Rh. 1933. Landw. Jahrb. 79(Ergänzungsbd.): 173-177. 1934.

Schander, R.

Bericht über die tätigkeit des Institutes für pflanzenkrankheiten 1933. In Jahresb. Preuss. Landw. Vers.- u. Forschungsanst. Landsberg. (Warthe) 1933. Landw. Jahrb. 79(Ergänzungsbd.): 15-22. 1934.

Medd. Stat. Växtskyddsanstalt, Stockholm. (464.9Sw3M)

Lindfors, T.

Försök med utsädesbetning utförda 1931-32. Medd. Stat. Växtskyddsanstalt, Stockholm no.5. 23 p. 1934.

German summary.

Mitt. Biol. Reichsanst. Landw. u. Forstw. Berlin. (410.9G31M)

Berlin. Biologische reichsanstalt für land- und forstwirtschaft.

Krankheiten und beschädigungen der kulturpflanzen im jahre 1931. Its Mitt. 48:1-62. illus. (maps) 1934.

Morstatt, H.

Ueber die frange der zunahme der pflanzenkrankheiten. Mitt. Biol. Reichsanst. Landw. u. Forstw. Berlin 48: 63-72. Mr. 1934.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)

Frič, A. V.

Kakteen-benennung. III. Möller's Deut. Gärtn.-Zeit. 49: 298-299. S.11, 1934. no.25.

Mycologia (450M99)

Ames, L. M.

Hermaphroditism involving self-sterility and cross-fertility in the Ascomycete Pleurage anserina. Mycologia 26: 392-414. illus. O.1934. no.5.

Arthur, J. C.

Interpretation of rule 49bis. Mycologia 26: 471-476. O. 1934. no.5.

Boyd, E. S.

A developmental study of a new species of Ophiodothella. Mycologia 26: 456-468. illus., pl.51. O. 1934. no.5.

Ophiodothella vaccinii.

Hotson, J. W. & Lewis, E.

Amanita pantherina of western Washington. Mycologia 26: 384-391. illus., pl.45-46. O. 1934. no.5.

Linder, D. H.

North American Hyphomycetes. II. New species and a new genus. Mycologia 26:436-440. pl.50. O. 1934. no.5.

Spondylocladiella (n.g.) S. botrytioides, Dactylaria pulchara, Bonordeniella aspera n.spp.

Mycologia (cont.)

McCrea, A.
Fungicidal value of some common dyes against dermatophytic fungi. Mycologia 26: 449-453. O. 1934. no.5.

McCrea, A.
Longevity of Merulius lacrymans in wood destroyed by its growth. Mycologia 26: 454-455. O. 1934. no.5.

Shimek, B.
Thomas Huston Macbride. Mycologia 26: 379-383. port. O. 1934. no.5.

Stevens, N.S.
Mycological letters from M.A. Curtis 1856-1861. Mycologia 26: 441-448. O. 1934. no.5.
Letters to Rev. Joseph Blake.

Stevenson, J. A.
Dr. Karl Frederic Kellerman... Mycologia 26: 477. O. 1934. no.5.

Whelden, R. M.
Cytological studies in the Tremellaceae. I. Tremella. Mycologia 26: 415-435. illus., pl.47-49. O. 1934. no.5.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)

Richter, H.
Eine noch nicht aufgeklärte lupinenkrankheit. Nachrichtenbl. Deut. Pflanzenschutzd. 14:81-82. illus. S.1934. no.9.

Nature (London) (472N21)

Renn, C. E.
Wasting disease of Zostera in American waters. Nature 134: 416. illus. S.15, 1934. no.3385.
In air spaces and cells of diseased leaves is found a mycetozoan very similar to the Labyrinthula described by Cienkowski. Further investigations necessary to determine its relation to the disease.

Naturaliste Canad. (Quebec) (410N216)

Rousseau, J.
Essai de bibliographie botanique canadienne. (cont.) Naturaliste Canad. 61: 231-236. Ag./S. 1934. no.8/9.

Naturforsch. (Berlin) (410N219)

Arndt, A.
Rasches aufblühen der nachtkerze (Oenothera biennis). Naturforsch. 11: 220-221. illus. S. 1934. no.6.

Klar, R. & Zickler, H.
Pflanzenwachstum in schwerem wasser (H_2O). Naturforsch. 11: 205-207. illus. S.1934. no.6.

Nederl. Boschb.-Tijdschr. (Utrecht) (99.8N28)

Buisman, C.
Iepencultuur en iepenziekte in Italie. Nederl. Boschb.-tijdschr. 6:147-152. illus. My. 1934. no.5.

Northwest Science. (Cheney, Washington) (470N81)

Beck, G. F.
Tertiary floras of central Washington. Northwest Science 8(3): 3. S.1934.
Abstract.

Notas Prel. Mus. La Plata (516L31N)

Cabrera, A. L.
Notas sobre el género Mutisia. Notas Prel. Mus. La Plata 3: 157-172. illus., ii pl. 1934. no.1.
M. hieronymi Sodiro in herb., M. microcephala Sodiro in herb.n.spp.

Cabrera, A. L.
Notas sobre los Senecio sudamericanos. Notas Prel. Mus. La Plata 3: 111-128. illus. 1934. no.1.
S. burkartii, S. grünerii, S. ventanensis, n.spp.

Frenguelli, J.
A propósito del género Cornua Schulz. Notas Prel. Mus. La Plata 3: 221-232. illus. 1934.
Dictyocha fibula.

MacDonagh, E. J.
Semblanza del doctor Angel Gallardo. Notas Prel. Mus. La Plata 3: 203-219. port. 1934. no.1.

Ringuelet, E. J.
Nota fitogeográfica preliminar sobre el Rincón de Viedma. Notas Prel. Mus. La Plata 3: 77-88. illus., iii pl. 1934. no.1.

Notizbl. Bot. Gart. Berlin. (451B45N)

Burret, M.
Palmae gerontogeae. III. Notizbl. Bot. Gart. Berlin 12: 44-46. Je.25, 1934. no.111,

Burret, M.
Palmae neogeae. VII. Notizbl. Bot. Gart. Berlin 12: 42-44. Je.25, 1934. no.111.

Glück, H.
Novae species et varietates generis Limosellae. Notizbl. Bot. Gart. Berlin 12: 71-78. Je.25, 1934. no.111.

Knoblauch, E.
Steganthus und Leuranthus, zwei neue gattungen der oleaceen. Notizbl. Bot. Gart. Berlin 12: 115-117. Je.25, 1934. no.111.

Loesener, T.
Celastraceae novae vel melius cognoscendae. Notizbl. Bot. Gart. Berlin 12: 29-38. Je.25, 1934. no.111.

Markgraf, F.
Die gattung Astronidium A. Gray. Notizbl. Bot. Gart. Berlin 12: 47-50. Je.25, 1934. no.111.

Mildbraed, J.
Neue und seltene arten aus Ostafrika (Tanganyika- Territ. Mandat) leg. H.J. Schlieben. VI. Notizbl. Bot. Gart. Berlin 12:79-108. Je.25, 1934. no.111.

Schulz, O. E.
Neue cruciferen aus Südamerika. Notizbl. Bot. Gart. Berlin 12: 39-41. Je.25, 1934. no.111.
Cardamine grandjotii, Draba azorellicola, n.spp., Lesquerella mendozina var. microcarpa n.var.

Schulze, G.K.
Neue arten der gattung Hybanthus. Notizbl. Bot. Gart. Berlin 12: 108-114. Je.25, 1934. no.111.

Sleumer, H.
Beiträge zur kenntnis der flacourtiaceen Südamerikas. II. Notizbl. Bot. Gart. Berlin 12: 50-56. Je.25, 1934. no.111.

Notizbl. Bot. Gart. Berlin (cont.)
Sleumer, H.
Ericaceae andinae novae. I- Notizbl. Bot. Gart. Berlin 12: 56-65. Je. 25, 1934. no.111.

Orchidee (Bandoeng) (800r18)
Schmidt, K.
Een succesvolle orchideeënjacht in de Philippijnen. II. Orchidee (Bandoeng) 3: 199-202. illus. Ag.1934. no.8.

Papers & Proc. R. Soc. Tasmania (Hobart) (514H65)
Scott, H. H.
Tasmanian Cycadophyta. 2. Papers & Proc. R. Soc. Tasmania 1933: 65-66. 1934.

Pflanzenbau (Berlin) (18P48)
Klapp, E. & Spennemann, F.
Strichelkrankheit und scheinabbau der kartoffel. Versuch der analyse eines fals schwerer, fortschreitender wuchsstörungen. Pflanzenbau 11: 67-78. illus. Ag.1934. no.2.

Scheibe, A. & Yekta, E.
Der saflor, Carthamus tinctorius L., als ölpflanze. Pflanzenbau 11: 49-67. illus. Ag. 1934. no.2.

Proc. Amer. Soc. Hort. Sci. (81So12)
Albert, D. W. & Hilgeman, R. H.
Fruit growth and temperature relationship in the date palm. Proc. Amer. Soc. Hort. Sci, 30(1933): 225-228. Je. 1934.

Aldrich, W. W.
Pear fruit thinning, in relation to yield and size of fruit for the same season. Proc. Amer. Soc. Hort Sci. 30(1933): 332-340. Je. 1934.

Angelo, E. & Becker, C.
Chromosome number of the Beta grape. Proc. Amer. Soc. Hort. Sci. 30(1933): 104. Je. 1934.

Auchter, E. C. & Roberts, J. W.
Experiments in spraying apples for the prevention of fruit set. Proc. Amer. Soc. Hort. Sci. 30(1933): 22-25. Je. 1934.

Beach, G.
A preliminary study of the fruiting habits of the black raspberry - Rubus occidentalis. Proc. Amer. Soc. Hort. Sci. 30(1933): 268. Je. 1934.

Proc. Amer. Soc. Hort. Sci. (cont.)

Beaumont, J. H. & Chandler, R. F.
A statistical study of the effects of potassium fertilizers upon the firmness and keeping quality of fruits. Proc. Amer. Soc. Hort. Sci. 30(1933): 37-44. Je. 1934.
Peach and apple.

Becker, C. L.
Chromosome number and self-fertility in Prunus virginiana and P. Pennsylvanica. Proc. Amer. Soc. Hort. Sci. 30(1933): 122-123. Je. 1934.

Becker, C. L.
A preliminary note on chromosome numbers in Iris. Proc. Amer. Soc. Hort. Sci. 30(1933): 591-593. Je. 1934.

Blake, M. A.
Additional facts in regard to the J. H. Hale peach as a parent in breeding work. Proc. Amer. Soc. Hort. Sci. 30(1933): 124-128. Je. 1934.

Borthwick, H. A. & Emsweller, S. L.
Carrot breeding experiments, Proc. Amer. Soc. Hort. Sci. 30(1933): 531-533. Je. 1934.

Boyd, R. L. & Latimer, L. P.
The relation of weather to pollination of the McIntosh apple. Proc. Amer. Soc. Hort. Sci. 30(1933): 12-16. Je. 1934.

Burrell, A. B.
The effect of irrigation on the occurrence of a form of the cork disease and on the size of apple fruits. Proc. Amer. Soc. Hort. Sci. 30(1933): 415-420. illus. Je. 1934.

Burrell, A. B.
Effectiveness and safety of fungicide-arsenical spray combinations on apple in the Champlain Valley of New York. Proc. Amer. Soc. Hort. Sci. 30(1933): 87-94. Je. 1934.
Second report on control of apple scab and insect troubles.

Cameron, S. H. Appleman, D.
The distribution of total nitrogen in the orange tree. Proc. Amer. Soc. Hort. Sci. 30(1933); 341-348. Je. 1934.

Proc. Amer. Soc. Hort. Sci. (cont.)

Chandler, W. H. & Tufts, W. P.
Influence of the rest period on opening of buds of fruit trees in spring and on development of flower buds of peach trees. Proc. Amer. Soc. Hort. Sci. 30(1933): 180-186. illus. Je. 1934.

Chandler, W. H., Hoagland, D. R. & Hibbard, P. L.
Little-leaf or rosette of fruit trees. III. Proc. Amer. Soc. Hort. Sci. 30(1933): 70-86. Je. 1934.

Christopher, E. P.
Carbon dioxide assimilation of Baldwin leaves on different sides of the tree. Proc. Amer. Soc. Hort. Sci. 30(1933); 322-325. Je. 1934.

Christopher, E. P.
Influence of the amount of air supplied to apple leaves upon their CO2 assimilation. Proc. Amer. Soc. Hort. Sci. 30(1933): 435-439. Je. 1934.

Clark, J. H.
Reaction of the nutrients medium as affecting growth of strawberry plants. Proc. Amer. Soc. Hort. Sci. 30(1933): 283-287. Je. 1934.

Colby, A. S.
Size inheritance in gooseberry fruits. Proc. Amer. Soc. Hort. Sci. 30(1933): 105-107. Je. 1934.

Combs, O. B.
Color of the central parenchyma of the leaf petioles as an index of the internal root color in table beets. Proc. Amer. Soc. Hort. Sci. 30(1933): 459-459. Je. 1934.

Compton, C.
Phosphorus in alternate-bearing sugar prunes. Proc. Amer. Soc. Hort. Sci. 30(1933): 151-153. Je. 1934.

Cordner, H. B.
External and internal factors affecting blossom drop and set of pods in Lima beans. Proc. Amer. Soc. Hort. Sci. 30(1933): 571-576. illus. Je. 1934.

Proc. Amer. Soc. Hort. Sci. (cont.)

Crane, H. L. & Hoffmann, G.P.
Coating pecan trees with paraffin in experimental stage and still an unsafe practice. Proc. Amer. Soc. Hort. Sci. 30(1933): 401-405. Je. 1934.

Darrow, G. M. & Waldo, G. F.
Raspberry and blackberry cane measurements. Proc. Amer. Soc. Hort. Sci. 30(1933): 269-274. Je. 1934.

Davidson, O. W.
The germination of "non-viable" peach seeds. Proc. Amer. Soc. Hort. Sci. 30(1933): 129-132. Je. 1934.

Davis, L. D. & Tufts, W. P.
The effect of size and of seed parent on the growth of pear seedlings. Proc. Amer. Soc. Hort. Sci. 30(1933): 368-372. Je. 1934.

Dorsey, M. & McMunn, R. L.
Fruit-seed dimensions in Elberta. Proc. Amer. Soc. Hort. Sci. 30(1933): 192-194. Je. 1934.

Dowd, O. J.
Preliminary studies on the internal atmosphere of apples. Proc. Amer. Soc. Hort. Sci. 30(1933): 162-163. Je. 1934.

Finch, A.H., Albert, D.W. & Kinnison, A.F.
A chlorotic condition of plants in Arizona related to iron deficiency. Proc. Amer. Soc. Hort. Sci. 30(1933): 431-434. illus. Je. 1934.

Finch, A. H.
Notes on pecan filling and maturity. Proc. Amer. Soc. Hort. Sci. 30(1933): 387-391. illus. Je. 1934.

French, A. P.
An unusual leaf variation of the apple. Proc. Amer. Soc. Hort. Sci. 30(1933): 143-146. illus. Je. 1934.

Furr, J. R. & Taylor, C. A.
The cross-transfer of water in mature lemon trees. Proc. Amer. Soc. Hort. Sci. 30(1933): 45-51. Je. 1934.

Proc. Amer. Soc. Hort. Sci. (cont.)

Gossard, A. C.
A preliminary report on growth rate studies on the pecan. Proc. Amer. Soc. Hort. Sci. 30(1933): 396-400. Je. 1934.

Harley, C. P., Masure, M. P. & Magness, J. R.
Fruit thinning and biennial bearing in yellow Newtown apples. Proc. Amer.Soc. Hort. Sci. 30(1933): 330-331. Je. 1934.

Haut, I.C.
The effect of various low temperatures upon the after-ripening of fruit tree seeds. Proc. Amer. Soc. Hort. Sci. 30(1933): 365-367. Je.1934.

Hibbard, A. D.
Metaxenia in the apple and squash. Proc. Amer. Soc. Hort. Sci. 30(1933): 140-142. Je.1934.

Hoagland, D. A. & Snyder, W. C.
Nutrition of strawberry plant under controlled conditions: (a) Effects of deficiencies of baron and certain other elements; (b) Susceptibility to injury from sodium salts. Proc. Amer. Soc. Hort. Sci. 30(1933): 288-294. illus. Je. 1934.

Hodgson, R. W.
Resistance to low winter temperatures of subtropical fruit plants. Proc. Amer. Soc. Hort. Sci. 30(1933); 349-354. Je. 1934.

Hoffman, M. B.
Carbon dioxide assimilation by apple leaves as affected by lime-sulphur sprays. II. Field experiments. Proc. Amer. Soc. Hort. Sci. 30(1933): 169-175. Je. 1934.

Kinnison, A. F. & Finch. A. H.
Some effects of special practices influencing the nutritional balance on yield, texture, and time of maturity of grapefruit. Proc. Amer. Soc. Hort. Sci. 30(1933): 95-101. Je. 1934.

Lagassé, F. S.
The circumferential variability of five varieties of apple trees on seedling and scion roots Proc. Amer. Soc. Hort. Sci. 30(1933): 377-381. Je. 1934.

Proc. Amer. Soc. Hort. Sci. (cont.)

Lilleland, O.
Growth study of the plum fruit. I. The growth and changes in chemical composition of the Climax plum. Proc. Amer. Soc. Hort. Sci. 30(1933): 203-208. Je. 1934.

Longley, L. E.
Some effects of storage of flowers in various gases at low temperatures on their keeping qualities. Proc. Amer. Soc. Hort. Sci. 30(1933): 607-609. Je. 1934.

MacDaniels, L. H., Hildebrand, E. M. & Burrell, A. B.
The effect of various bactericides on the set of fruit and the germination of the pollen of the apple. Proc. Amer. Soc. Hort. Sci. 30(1933): 26-31. Je. 1934.

McMunn, R. L.
The relationship between volume and the dimensions of the Elberta peach. Proc. Amer. Soc. Hort. Sci. 30(1933): 187-191. Je. 1934.

McMunn, R. L. & Dorsey, M. J.
A seven-years' study of the fruit bud level in Elberta. Proc. Amer. Soc. Hort. Sci. 30(1933): 176-179. Je. 1934.

Magness, J. R., Fletcher, L. A. & Aldrich, W. W.
Time during which fruit-bud formation in apples may be influenced in the Shenandoah-Cumberland fruit districts. Proc. Amer. Soc. Hort. Sci. 30(1933): 313-318. Je. 1934.

Morris, H. F.
A study of blackberry and dewberry varieties as breeding material. Proc. Amer. Soc. Hort. Sci. 30(1933): 117-121. Je. 1934.

Murneek, A. E.
Carbohydrate storage in apple trees. Proc. Amer. Soc. Hort. Sci. 30(1933): 319-321. Je. 1934.

Overholser, E. L. & Overley, F. L.
Fertilizers as related to leaf area in apple production. Proc. Amer. Soc. Hort. Sci. 30(1933): 52-54. Je. 1934.

Proc. Amer. Soc. Hort. Sci. (cont.)

Parker, M. M., Hester, J. B. & Carolus, R.L.
The effect of soil conditions on the growth and composition of certain vegetable crop plants as influenced by soil reaction. Proc. Amer. Soc. Hort. Sci. 30(1933): 452-457. Je. 1934.

Pentzer, W. T., Asbury, C. E. & Hamner, K. C.
The effect of sulphur dioxide fumigation on the respiration of Emperior grapes. Proc. Amer. Soc. Hort. Sci. 30(1933): 258-260. Je. 1934.

Pickett, W. F.
A comparative study of the intercellular spaces on apple leaves. Proc. Amer. Soc. Hort. Sci. 30(1933): 156-161. illus. Je. 1934.

Poole, C. F. & Porter, D. R.
Pollen germination and development in the watermelon. Proc. Amer. Soc. Hort. Sci. 30(1933): 526-530. illus. Je. 1934.

Pridham, A. M. S.
Application of probable error concept in floriculture. Proc. Amer. Soc. Hort. Sci. 30(1933): 594-595. Je. 1934.

Rasmussen, E. J.
A two-year study of labor and equipment used in spraying forty-two New Hampshire orchards. Proc. Amer. Soc. Hort. Sci. 30(1933): 1-3. Je. 1934.

Roberts, R. H.
Strawberry "black root" injury. Proc. Amer. Soc. Hort. Sci. 30(1933): 295-296. illus. Je.1934.

Sax, K.
The origin of the Pomoideae. Proc. Amer. Soc. Hort. Sci. 30(1933): 147-150. Je. 1934.

Schuster, C. E.
Leaf area and shoot growth in relation to size and filling of filberts. Proc. Amer. Soc. Hort. Sci. 30(1933): 392-395. Je. 1934.

Schwartze, C. D.
The genetic constitution of certain red raspberry varieties in relation to their breeding behavior. Proc. Amer. Soc.Hort. Sci. 30(1933): 113-116. Je.1934.

Proc. Amer. Soc. Hort. Sci. (cont.)

Scott, G. W.
Sex ratios and fruit production studies in bush pumpkins. Proc. Amer. Soc. Hort. Sci. 30 (1933): 520-525. Je. 1934.

Slate, G. L.
The best parents in purple raspberry breeding. Proc. Amer. Soc. Hort. Sci. 30(1933): 108-112. Je. 1934.

Snyder, J. C.
Primordial development of the inflorescence of the Concord grape. Proc. Amer. Soc. Hort. Sci. 30(1933): 247-252. illus. Je. 1934.

Steinbauer, C. E.
Chemical treatments for shortening the rest period in tubers of Jerusalem artichoke. Proc. Amer. Soc. Hort. Sci. 30(1933): 475-479. Je. 1934.

Stoutmeyer, V. T., Maney, T. J. & Pickett, B. S.
A rapid method of propagating raspberries and blackberries by leaf-bud cuttings. Proc. Amer. Soc. Hort. Sci. 30(1933): 278-282. illus. Je. 1934.

Sudds, R. H.
The comparative gross morphology of the raspberry. Proc. Amer. Soc. Hort. Sci. 30(1933): 261-262. Je. 1934.

Thies, W. H.
Effect of defloration on spur leaf area in the McIntosh apple. Proc. Amer. Soc. Hort. Sci. 30(1933): 309-312. Je. 1934.

Thompson, H. C. & Knott, J. E.
The effect of temperature and photoperiod on the growth of lettuce. Proc. Amer. Soc. Hort. Sci. 30(1933): 507-509. Je. 1934.

Thompson, H. C.
Temperature as a factor affecting flowering of plants. Proc. Amer. Soc. Hort. Sci. 30(1933): 440-446. Je. 1934.

Thompson, R. C.
Natural cross-pollination in lettuce. Proc. Amer. Soc. Hort. Sci. 30(1933): 545-547. Je. 1934.

Proc. Amer. Soc. Hort. Sci. (cont.)

Traub, H. P. & Auchter, E. C.
Propagation experiments with avocado, mango, and papaya. Proc. Amer. Soc. Hort. Sci. 30(1933): 382-386. Je. 1934.

Tucker, L. R.
A sweet Jonathan bud "sport". Proc. Amer. Soc. Hort. Sci. 30(1933): 154-155. Je. 1934.

Tufts, W. P. & Hansen, C. J.
Xenia and metaxenia in the Bartlett pear. Proc. Amer. Soc. Hort. Sci. 30(1933): 143-149. illus. Je. 1934.

Tukey, H. B.
Growth of the peach embryo in relation to growth of fruit and season of ripening. Proc. Amer. Soc. Hort. Sci. 30(1933): 209-218. Je. 1934.

Tukey, H. B. & Brase, K. D.
Trials with pear stocks in New York. (Preliminary report). Proc. Amer. Soc. Hort. Sci. 30(1933): 361-364. Je. 1934.

Verner, L.
Effects of nitrate fertilization on apple fruits. Proc. Amer. Soc. Hort. Sci. 30(1933): 32-36. Je. 1934.

Vincent, C. L. & Pawson, W. P.
Factors affecting potato seed piece decay. Proc. Amer. Soc. Hort. Sci. 30(1933): 491-495. Je. 1934.

Waldo, G.F.
Fruit bud formation in brambles. Proc. Amer. Soc. Hort. Sci. 30(1933): 263-267. illus. Je.1934.

Watts, V. M.
Factors affecting the production of wrinkled tomato fruits. Proc. Amer. Soc. Hort. Sci. 30(1933): 513-517. Je. 1934.

Wentworth, S. W.
Apple pollination studies in Maryland. Proc. Amer. Soc. Hort. Sci. 30(1933): 17-21. Je. 1934.

White, R. E.
Preliminary report on breeding rust resistant snapdragons. Proc. Amer. Soc.Hort. Sci. 30(1933): 589-590. Je. 1934.

Proc. Biol. Soc. Washington, (500W272)
Blake, S. F.
A new Erigeron from California and Nevada. Proc. Biol. Soc. Washington 47: 173-174. O.2, 1934.
E. uncialis.

English, C. S., Jr.
Notes on Northwestern flora. I. Proc. Biol. Soc. Washington 47: 189-192. O.2, 1934.
Claytonia nivalis, Lewisia rupicola, Talinum okanoganense, Gentiana saxicola, n. spp. all proved to be of value as rock garden subjects.

Peck, M. E.
New Oregon plants. Proc. Biol. Soc. Washington 47: 185-188. O.2, 1934.

Proc. Indiana Acad. Sci. (500In2)
Deam, C. C.
Plants new or rare to Indiana. XIX. Proc. Indiana Acad. Sci. 43(1933): 48-49. Ap. 1934.

Julian, P. L.
On the progenitors of certain plant alkaloids and the mechanism of their formation in the plant structure. Proc. Indiana Acad. Sci. 43(1933): 122-125. Ap. 1934.

Potzger, J. E.
Notes on Indiana grasses, 1933. Proc. Indiana Acad. Sci. 43(1933): 50-55. Ap. 1934.

Proc. Nat. Acad. Sci. (500N21P)
Goodspeed, T. H. & Uber, F. M.
Application of the Altmann freezing-drying technique to plant cytology. Proc. Nat. Acad. Sci. 20: 495-501. illus. S.15, 1934. no.9.

Proc. Oklahoma Acad. Sci. (500OK42)
Barkley, E. A.
A preliminary survey of the vascular plants of Pottawatomie county, Oklahoma. Proc. Oklahoma Acad. Sci. 14: 44-46. 1934.

Clark, O. M.
The cacti of Oklahoma. Proc. Oklahoma Acad. Sci. 14: 34-36. 1934.

Proc. Oklahoma Acad. Sci. (cont.)
Harper, H. J., Daniel, H. A. & Murphy, H. F.
The total nitrogen, phosphorus and calcium content of common weeds and native grasses in Oklahoma. Proc. Oklahoma Acad. Sci. 14:36-44. 1934.

Todd, R. L.
Fungi at various depths in typical Cleveland county, Oklahoma soils. Proc. Oklahoma Acad. Sci. 14: 61-64. illus. (map) 1934.

Proc. Roy. Soc. Queensl. (514B775)
Martelli, U.
Two Australian Pandani. Proc. Roy. Soc. Queensl. 65(1933): 23-26. pl.i-ii. Je.6,1934.
P. spiralis, P. copelandii, P. (Keura) brookei (n.sp.)

White, C. T.
The genus Pleiogynium in Papua. Proc. Roy Soc. Wueensl. 65(1933): 27-28. pl. iii. Je.6, 1934.
P. papuanum n.sp.

Progr. Agr. & Vitic. (Montpellier) (14P94)
Arnaud, G.
Le dépérissement de l'orme (Graphium ulmi). Progr. Agr. & Vitic. 102: 260-265. illus. S.9, 1934. no.36.

Rec. Auckland Inst. & Mus. (514Au22R)
Moore, L. B. & Cranwell, L. M.
Induced dominance of Microlaena avenacea (Raoul) Hook. f., in a New Zealand rain-forest area. Rec. Auckland Inst. & Mus. 1: 219-238. illus., pl.51-52. Jl.18, 1934.
In "Thames sub-district of the South Auckland botanical district".

Repert. Spec. Nov. Fedde (Berlin) (450R29)
Görz, R.
Salicaceae asiaticae. III. Repert. Spec. Nov. Fedde 36: 20-38. Ag.20, 1934. no.1/6.
S. blakii n.spp.

Mansfeld, R.
Orchideologische mitteilungen. II. Repert. Spec. Nov. Fedde 36: 58-64. Ag.20, 1934. no.1/6.

Repert. Spec. Nov. Fedde. (cont.)
Ohwi, J.
Plantae novae Japonicae. Repert. Spec. Nov. Fedde 36: 39-58. Ag.20, 1934. no.1/6.

Range, P.
Die flora des Namalandes. IV. Repert. Spec. Nov. Fedde 36: 1-19. Ag.20, 1934. no.1/6.

Schwarz, O.
Additamentum ad florulam Lydiae. I- Repert. Spec. Nov. Fedde 36(Repert. Europ. & Med. 6,14/15): 65-96. Ag.20, 1934. no.1/6.

Rep. Iowa State Hort. Soc.
Haber, E. C.
Spinach varieties. Rep. Iowa State Hort. Soc. 68(1933): 224-230. 1934.

Pellett, F. C.
The honeybee and fire blight. Rep. Iowa State Hort. Soc. 68(1933): 33-40. 1934.
Bees spread fireblight through accidental contact with it.

Rep. Scott. Soc. Res. Plant-Breed. (Edinburgh) (10Sco86)
Scottish society for research in plant-breeding.
Virus disease research. Its Rep. 1933/34: 15-17. 1934.
E. C. Barton-Wright chief.

Rev. Bot. Appl. (Paris) (26R323)
Boczkowska, M.
Maladies de nutrition des tourbières de Pologne et d'autres pays. Rev. Bot. Appl. 14: 781-791. S. 1934. no.157.

Camus, A.
Un Danthoniopsis nouveau de l'Afrique tropicale. Rev. Bot. Appl. 14: 780-781. S.1934. no.157.
D. chevalieri sp.nov.

Chevalier, A.
Deux plantes parasites de la vallée du moyen Niger. Rev. Bot. Appl. 14: 811-813. S.1934. no.157.
Orobanche aegyptiaca, Cuscuta epitribulum.

Rev. Bot. Appl. (cont.)

Chevalier, A.
Monographie de l'arachide (cont.) Rev. Bot. Appl. 14: 565-614, 615-632, 709-755. illus. Ag., S.1934. no.156-157.
La chimie de l'arachide et de ses produits: p. 615-632, by Mlle. M. Th. Francois; Les maladies et les ennemis de l'arachide: p.709-755.

Chevalier, A.
Les rubiacées à bacteries fixatrices d'azote. Rev. Bot. Appl. 14: 633-643. illus. Ag.1934. no.156.

Chevalier, A.
Sur deux graminées fourragères intéressantes pour les pays tempérés et les pays subtropicaux vivant depuis peu en France. Rev. Bot. Appl. 14: 663-573. illus. Ag.1934. no.156.
Bromus polyanthus, Spartina townsendi.

Chevalier, A.
Sur deux Salicornia du Sahara septentrional. Rev. Bot. Appl. 14: 804-806. S.1934. no.157.
S. deserticola, S. longispicata.

Perrier de la Bathie, H.
Des sols de Madagascar et des plantes qui en indiquent la valeur. Rev. Bot. Appl. 14: 756-779. illus. S. 1934. no.157.

Science (470Sci2)

Elliott, C. & Poos, F. W.
Overwintering of Aplanobacter stewarti. Science 80: 289-290. no.2074.

Sci. Bull. Dept. Agr. N.S.W. (23N47S)

Wenholz, H.
Plant breeding in New South Wales, 7th year of progress 1932-33. Sci. Bull. Dept. Agr. N.S.W. 45. 58 p. illus. 1934.

Science News Letter (470Sci24)

Poison ivy's poison lacquer same as that in lacquer. Science News Letter 26: 201. S.29, 1934. no.703.
Investigations of Prof. G. Albert Hill of Wesleyan Univ.

Sci. Papers Inst. Phys. & Chem. Res. (513T577)
Furukawa, S.
Studies on the constituents of Ginkgo bibloba L. fruits. I-III. Sci. Papers Inst. Phys. & Chem. Res. 24: 304-313, 314-319, 320-324. S.1934. no.513/523.

Sitzungsb. Preuss. Akad. Wiss. (Berlin) (509B452S)
Haberlandt, G.
Blatterpidermis und palisadengewebe der Crataegomespili und ihrer eltern. Sitzungsb. Preuss. Akad. Wiss. 1934: 178-190. illus. no.12.

Haberlandt, G.
Zur physiologie und pathologie der spaltöffnungen. II. Die spaltöffnungen von artbastarden. Sitzungsb. Preuss. Akad. Wiss. 1934: 115-151. illus. no.25.

So. African Gard. (Johannesburg) (80So87)
Johnston, J. H.
The cultivation of South African plants. I. So. African Gard. 24: 216-217. S.1934. no.9.

Plants new or noteworthy. South African plants cultivated in the National botanic gardens, Kirstenbosch, and in our readers' gardens. (cont.) So. African Gard. 24: 221. illus. S.1934. no.9.
Argyroderma ovale.

Sovetsk. Botanika (450So8)
Artsikhobskiĭ, V. M.
Listoraspolozhenie, ri͡ad Fibonachchi i sosudistovoloknistye puchki (Arrangement des feuilles, la série Fibonacci et les faisceaux fibro-vasculaires). Sovetsk. Botanika 1934(2): 78-82. illus.
Russian.

Artsikhovskii, V. M.
Pribory dl͡ia iskusstvennogo vozdeĭstvii͡a na tsvetushchie chasti rasteniĭ vysokoĭ i nizkoĭ temperaturoĭ i gazoobraznymi veshchestvami (Nouvel appareil pour agir sur les parties florifères des végétaux par moyen de hautes et de basses températures et de matières gazeuses). Sovetsk. Botanika 1934(2): 112-114. illus.
Russian.

Artsikhovskiĭ, V. M. & Osipov, A. P.
Saksaul, opredelenie ego vozrasti i ego fiziologicheskie osobennosti (Saxaoul (Ammodendron hyloxylon) détermination de son age et ses particularités physiologiques). Sovetsk. Botanika 1934(2): 28-53. illus.
Russian.

Sovetsk. Votanika (cont.)

Bogdanov, V. M.

K voprosu o rastenii͡akh-indikatorakh stepnoĭ polosy serv. Kavkaza (Sur la question des plantes indicateur dans la zone du Caucase). Sovetsk. Botanika 1934(2): 82-96.

Russian.

Danilov, A. N.

K voprosu o rodi pigmentov v prisposobleniĭ rastenii k svetu i teplu (Sur le rôle des pigments dans l'adaptation des plantes à la lumière et la chaleur). Sovetsk. Botanika 1934(2): 3-12.

Russian.

Jarmolenko, Al.V.

Znachenie iskopaemykh drevesin dli͡a stratigrafii osadochnykh porod (Importance des bois fossils pour la stratigraphie des roches sédimentaires). Sovetsk. Botanika 1934(2): 62-69.

Russian.

Rabotnov, T.

Nostic commune L. v napochvennom pokrove solontsevatykh pochv Iakutii (Nostoc commune L. dans la couverture des sol salants de la Jakoutie). Sovetsk. Botanika 1934(2): 107-108.

Russian.

Smirnov, L. A.

Metod polevogo opredelenii͡a chislennykh sootnoshemii elementov kompleksov rastitel'nogo pokrova (Méthode pour déterminer dans le champs les rélations numériques du complexe des éléments formants le tapis vegetal). Sovetsk. Botanika 1934(2): 102-107. illus.

Russian.

Tijdschr. Plantenz. (464.8T44)

Oort, A. J. P.

Een nieuwe methode ter bestrijding van tarwestuifbrand (Ustilago tritici). Tijdschr. Plantenz. 40: 185-197. S.1934. no.9.

English summary: p.196-197.

Trans. Illinois Acad. Sci. (500I16)

Alexopoulos, C. J. & Drummond, J.

Resistance of fungous spores to low temperatures. Trans. Illinois Acad. Sci. 26: 63. Mr. 1934. no.3.

Trans. Illinois Acad. Sci. (cont.)
Grant, C. L.
Flower variation in Zinnia. Trans. Illinois Acad. Sci. 26: 65. Mr.1934. no.3.

Harris, H. A.
Late winter injury of some common trees and shrubs. Trans. Illinois Acad. Sci. 26: 67. Mr.1934. no.3.
Abstract.

Noé, A. C.
Our present knowledge of American coal ball plants. Trans. Illinois Acad. Sci. 26: 103. Mr.1934. no.3.

Turner, L. M.
Grassland in the floodplain of Illinois rivers. Trans. Illinois Acad. Sci. 26: 71-72. Mr.1934. no.3.

Trab. Mis. Ciènc. Nat. Barcelona
Maire, R.
Fungi catalaunici. Contributions à l'étude de flore mycologique de la Catalogne. Trab. Mus. Cienc. Nat. Barcelona v.15, no.2 (Ser.Bot.) 120 p. illus., col.pl., 3 maps. Jl.10,1933.
Avec la collaboration de Dr. J. Codina et Dr. P. Font-Quer.

Trop. Agriculture West Indies (Trinidad) (26T754)
Myers, J. G.
Observations on wild cacao and wild bananas in British Guiana. Trop. Agriculture West Indies 11: 263-267. O. 1934. no.10.

Patterson, A. W. & Reed, R. L.
Variation in the size of Trinidad cacao beans and methods of its assessment. Trop. Agriculture West Indies 11: 252-261. O. 1934. no.10.

Umschau (Frankfurt) (474Um7)
Heinricher, E.
Was alles aus der nachkommenschaft einer pflanze entstehen kann. Die Umschau 38: 752-753. illus. S.16, 1934. no.38.
Primula.

U.S.Dept.Agr.Techn.Bull. (1Ag84Te)
Sudworth, G. B.
Poplars, principal tree willows and walnuts of the Rocky Mountain region. U.S.Dept.Agr.Techn. Bull. 420. 111 p. illus. (incl. maps) Ag.1934.
Review and some revision of this posthumous manuscript has been made by Perkins Coville. Keys prepared by W. A. Dayton.

Věda přirodni. (Prague) (410V51)
Hrubý, K.
Barvení chromosomu acetokarminovou metodou. Věda přirodni 15: 155-156. illus. 1934. no.5.

U.S. Dept. Agr. Miscellaneous mimeographed publications.
Sprague, R.
Cercosporella foot rot of winter grains in the Pacific northwest. Washington, D.C., Ag.17, 1934.
Mimeographed publication from Div. of cereal crops and diseases, Bur. of plant industry, U.S. Dept. of agriculture.

Univ. Calif. Publ. Bot. (Berkeley) (500C125B)
Ball, C. R.
New or little known west American willows. Univ. Calif. Publ. Bot. 17: 399-417. pl.67-74. S.7, 1934. no.14.
Salix parksiana, S. tracyi, S. setchelliana n.spp.

Goodspeed, T. H.
Nicotiana phylesis in the light of chromosome number, morphology and behavior. Univ. Calif. Publ. Bot. 17: 369-398. illus. Ag.31, 1934. no.13.

Verh. Naturf. Ver. Brünn (510B83)
Cernik, L. F.
Krankheiten und teratologische missbildungen an pflanzen der Olmützer flora. VI. Verh. Naturf. Ver. Brünn 65: 81-103. illus. 1933.

Verh. Naturf. Ver. Brünn (cont.)

Fietz, A.

Prae- und frühhistorische pflanzenreste aus Mähren. I- Verh. Naturf. Ver. Brünn 65: 104-108. illus. 1933.

Richter, O.

Durch strahlende energie in pflanzen hervorgerefane beschriftungen. Verh. Naturf. Ver. Brünn. 65: 68-80. illus. 1933.

Teuber, F. & Hruby, J.

Botanische studien in Mähren-Schlesien. Verh. Naturf. Ver. Brünn 65: 109-138. 1933.

Zeitschr. Bot. (Jena) (450Z32)

Schmitz, H.

Die periodischen bewegungen der blätter von Coleus penzigii. Zeitschr. Bot. 27: 353-411. 1934. no.7/8.

Zprávy Výzkumn. Ústavů Zeměd. ČSR.(Bull. Inst. Rech. Agron. Rep. Tchécosl.) (Prage) (19.5C99Z)

Kavka, B.

Cyclamen. (Bramboriky...) (La déscription des espèces, des variétés et de la culture). Zprávy Výzkumn. Ústavů Zeměd ČSR.(Bull. Inst. Rech. Agron. Rép. Tchécosl.) 61. 45 p. illus., col.front. 1934.

French summary.

Exp. Stat. Publ.

Metzger, C. H.

Growing potatoes in Colorado. Colorado Agr Exp. Stat. Bull. 412. 102 p. illus. Jl.1934(100C71S)

Clara, F. M.

A comparative study of the green-fluorescent bacterial plant pathogens. Cornell Agr. Exp. Stat. Mem. 159. 36 p. v pl. Ap. 1934 (100N48C)

Graf-Marin, A.

Studies on powdery mildew of cereals. Cornell Agr. Exp. Stat. Mem. 157. 48 p. illus. Ap.1934 (100N48C)

Townsend, G. R.

Bottom rot of lettuce. Cornell Agr. Exp. Stat. Mem. 158. 46 p. illus. Ap.1934 (100N48C)

Starring, C. C.

The premature seeding of celery. A second report Montana Agr. Exp. Stat. Bull. 292. 14 p. illus. Je.1934 (100M76)

Exp. Stat. Publ. (cont.)

McLean, H. C.
The results of spray residue studies on vegetables in 1932. Ann. Rep. New Jersey Agr. Exp. Stat. 53/54(1931/33, 1st Bienn. Rep.): 87-91. [1934?] (100N46S)

Martin, W. H.
Plant pathology. Ann. Rep. New Jersey Agr. Exp. Stat. 53/54(1931/33, 1st Bienn. Rep.): 57-66. [1934?] (100N46S)

New Jersey agricultural experiment station - Dept. of plant pathology.
The elm situation this fall. Its Nursery Dis. Notes 7: 10-13. S. 1934 (464.9N46)

Shive, J. W.
Plant physiology. Ann. Rep. New Jersey Agr. Exp. Stat. 53/54(1931/33, 1st Bienn. Rep.): 66-68. [1934?] (100N46S)

Zeller, S. M.
Slime-flux of ornamental hard-wood trees. Oregon Agr. Exp. Stat. Circ. Inf. 101. 2 p. Ag. 1934 (100Or3C)

New Books.

Ansaloni, A.
La moria degli olmi e la diffusione in Italia dell'olmo siberiana (Ulmus pumila L.) Bologna, Edizioni Selva, 1934 (464.07An8)

Blumer, S.
Die erysiphaceen Mitteleuropas mit besonderer berücksichtigung der Schweiz. Zürich, Gebr. Fertz, 1933 (Beiträge zur kryptogamenflora der Schweiz. bd. VII, h.1) (462.12B62)

Colla, S.
Laboulbeniales. In Flora italica cryptogama pars I, Fungi. fasc.16. 157 p. illus. Je.30, 1934. (462Sol)

Donk, M. A.
Revision der Niederländische Homobasidiomycetae-Alphyllophoraceae. II. Amsterdam-Haarlem, H. Stam, 1933 (Mededeelingen van het Botanische museum en herbarium van de Rijks universiteit te Utrecht no.9) (462.12D71)

New Books. (cont.)

Frye, T. C.

Ferns of the northwest, covering Washington, Oregon, Idaho, British Columbia, Montana, Wyoming, central and northern California. Portland, Oregon, Metropolitan press, 1934. (461.2F94)

Henderson, K. B.

Plant ecology of a bog in the Virginia piedmont Separate from Bull. Randolph-Macon Woman's Coll. Lynchburg, Va. 20: 5-14. 1933(455.39H38)

Bog about two miles from Lynchburg in valley between Candler Mts.

Jaczewski, A. A.

Osnovy mikologii (Éléments de la mycologie. Oeuvre posthume rédigée par N. Naoumoff (Naumov) Moskva, Leningrad, Gosudarstvennoe izdatel'stvo kolkhoznoĭ i sokhoznoĭ literary, 1933. (462IalE)

Russian.

Rubner, K.

Die pflanzengeographisch-ökologischen grundlagen des waldbaus. 3. vollig umgerab. aufl. Neudamm, J. Neumann, 1934. (463.83R82)

Stanford, E. E.

Economic plants. N.Y., Appleton, 1934. (Century biological series) (452.8St2)

Tapley, W. T., Enzie, W. D. & Van Eseltine, G. P.

Sweet corn. The vegetables of New York. Albany, 1934. v.1, pt.3. 111 p. col.plates. (plH35)

Thiemann, K.

Das plankton der flussmündungen. Berlin & Leipzig, W. de Gruyter & Co., 1934 (409T34)

Diss.-Hamburg.

Sonderdruck aus: Wissenschaftliche ergebnisse der deutschen atlantischen expedition auf dem forschungs- und vermessungsschiff "Meteor" 1925-1927, bd. XII.

BOTANY
CURRENT LITERATURE

LIBRARY
RECEIVED
★ OCT 2 - 1934 ★
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no. 21. Oct.8-20, 1934.

Agr. Gaz. N.S.W. (Sydney) (23N472)
Seddon, H. R.
Poisonous plants. I. Agr. Gaz. N.S.W. 45: 503-506. illus. S.1, 1934. no.9.
To stock.

Alpe Riv. For. Ital. (Piacenza) (99.8A17)
Pavari, A.
Le conifere esotiche nella selvicoltura Italiana. Alpe Riv. For. Ital. 21: 273-279. illus. Ag./S. 1934. no.8/9.
With contributions by various authors.

Amer. Orchid Soc. Bull. (80Am329)
Lager, J. E.
Rare and beautiful species of orchids. Cattleya warscewiczii (gigas) var. imperialis. Amer. Orchid Soc. Bull. 3: 21-22. illus. S. 1934. no.2.

Morey, G. W. & Schairer, J. F.
Forcing of the native Cypripedium reginae. Amer. Orchid Soc. Bull. 3: 27. illus. S.1934. no.2.

Wherry, E. T.
Native orchids. Our eastern orchids and their cultivation. 7. The spiral orchids. Amer. Orchid Soc. Bull. 3: 25-26. S.1934. no.2.

Ann. Crypt. Exot. (Paris) (450An74)
Lefèvre, M.
Contribution à la connaissance des flagellés d'Indochine. Ann. Crypt. Exot. 6: 258-264. illus. D. 1933. no.3/4.

Lefèvre, M.
Les peridinites des Barbades. Ann. Crypt. Exot. 6:215-229. illus. D. 1933. no.3/4.

Leon, Frère
Catalogue des mousses de Cuba. Ann. Crypt. Exot. 6: 165-214. D. 1933. no.3/4.

Ann. Crypt. Exot. (cont.)
Maheu, J. & Werner, R. G.
Etude sur la flore cryptogamique du Maroc. I. Lichens. Ann. Crypt. Exot. 6: 236-257. D.1933. no.3/4.

Petch, T.
Entomogenous fungi from Madagascar. Ann. Crypt. Exot. 6: 230-235. D. 1933. no.3/4.
Cordyceps cinnabarina, Spicaria rectangularis n.spp.

Ann. R. Accad. Agr. Torino (16T63)
Cappelletti, C.
Il problema immunitario nei vegetali in rapporto con l'agricoltura. Ann. R. Accad. Agr. Torino 76(1933): 91-111. 1934.

Mattirolo, O.
Rapporti simbiotici sviluppatisi tra il tartufo bianchetto (Tuber borchii Vittidini) en i pioppi americani detti canadesi. Ann. R. Accad. Agr. Torino 76(1933): 3-10. 1934.

Ann. Rep. Canad. Plant. Dis. Surv. (464.9C16S)
Bisby, G. R., Buller, A.H.R. & Dearness, J.
Additions to the fungous flora of Manitoba. II. Ann. Rep. Canad. Plant. Dis. Surv. 13(1933): 93-102 1934.

Ann. Rep. Dept. Agr. Nyasaland. (24N98A)
Leach, R.
Report of mycologist. Ann. Rep. Dept. Agr. Nyassaland 1933: 54-55. 1934.

Ann. Rep. Dept. Agr. Tanganyika Terr. (24T15)
Wallace, G. B.
Report of the mycologist, 1933. Ann. Rept. Dept. Agr. Tanganyika Terr. 1933: 76-78. 1934.

Atti Ist. Bot...... Univ. Pavia See p. 28

Bol. Mens. Min. Agr. Argentine (9B633)
Marchionatto, J.B. & Vallega, J.
Ensayos a campo del hongo verde (Sporotrichum paranense March.) de la langosta voladora. Bol. Mens. Min. Agr. Argentine 35: 69-77. illus. O./D. 1933. no.1/3.

Nieves, R., Barraza, J.A. & Horovitz, N.
Estudios sobre la distribucion y prevalencia relativa de la Tilletia tritici y Tilletia levis, en el sudeste de la Pampa, en 1932. Bol. Mens. Min. Agr. Argentine 35: 79-101. O./D. 1933. No.1/3.

Bot. Gaz. (Chicago) (450B652)

Arnold, C. A.
Callixylon whiteanum sp.nov., from the Woodford chert of Oklahoma. Bot. Gaz. 96: 180-185. illus. S. 1934. no.1.

Edwards, T.I., Pearl, R. & Gould, A.
Influence of temperature and nutrition on the growth and duration of life of Cucumis melo seedlings. Bot. Gaz. 96: 118-135. illus. S.1934. no.1.

Harper, H. J. & Daniel, H. A.
Chemical composition of certain aquatic plants. Bot. Gaz. 96: 186-189. S. 1934. no.1.

Kienholz, R.
Leader, needle, cambial, and root growth of certain conifers and their interrelations. Bot. Gaz. 96: 73-92. S.1934. no.1.

Langdon, L. M.
Embryogeny of Carya and Juglans, a comparative study. Bot. Gaz. 96: 93-117. illus., pl.i. S. 1934. no.1.

O'Hanlon, M. E., sister.
Comparative morphology of Dumortiera hirsuta. Bot. Gaz. 96: 154-164. illus. S.1934. no.1.

Ramalay, F.
Influence of supplemental light on blooming. Bot. Gaz. 96: 165-174. illus. S.1934. no.1.

Sherff, E. E.
Some new or otherwise noteworthy members of the families Labiatae and Compositae. Bot. Gaz. 96: 136-153. S. 1934. no.1.

Shull, C. A.
Persistence of subspecific types of Xanthium under field conditions. Bot. Gaz. 96: 175-179. illus. S.1934. no.1.

Veatch, C.
Chromosomes of the soy bean. Bot. Gaz. 96: 189. illus. S. 1934. no.1.

Voss, J.
Postglacial migration of forests in Illinois, Wisconsin, and Minnesota. Bot. Gaz. 96: 3-43. illus. (map) S.1934. no.1.

Bot. Gaz. (cont.)
Warning, W. C.
Anatomy of the vegetative organs of the parsnip. Bot. Gaz. 96: 44-72. illus. S. 1934. no.1.

Bot. Mus. Leafl. Harvard Univ. (451H262)
Ames, O.
A contribution to our knowledge of the orchids of Spanish Honduras. II. Bot. Mus. Leafl. Harvard Univ. 3: 17-36. incl. 3 pl. O.10,1934. no.2.

Bot. Not. (Lund, Sweden) (450B656)
Gustafsson, A.
Entwicklungswege der parthenogenetischen embryosackmutterzelle. Bot. Not. 1934: 333-338. 1934. no.4.

Hasslow, O. J.
Nagra characeer fran Amerka. Bot. Not. 1934: 346-348. 1934. no.4.

Hjelmqvist, H.
Die pyramidale orientbuche. Bot. Not. 1934: 310-332. illus. 1934. no.4.

Rosen, G. v.
Floristiska och växtgeografiska anteckningar fran Romanäs-halvön i säby s:n, Jönköpings Län. Bot. Not. 1934: 281-309. illus. 1934. no.4.

Sylvén, N.
Nya svenska fyndlokaler för Dactylis aschersoniana Graebn. och dess hybrid med D. glomerata L. Bot. Not. 1934: 339-343, illus. (map) 1934.

Bot. Zhurn. SSSR (451R923)
Aksentiev, B. N.
O stimulituiushchem deǐstvii azotnokislogo kaliia na semena pshenitsy i o prichinakh etogo deistviia (Ueber die stimulierende wirkung von salpeter auf weizensamen und über die ursachen derselben). Bot. Zhurn. SSSR 18: 107-126. no.3.
Russian with German summary.

Bot. Zhurn. SSSR (cont.)

Bogdanovskaja-Guenef, Y. D.

O rasprostranenii nekotorykh vidov sfagnov na Polistovskikh bolotakh (Ueber die verbreitung einiger Sphagnaarten auf dem Polistovo-Lovatischen hochmoor). Bot. Zhurn. SSSR 18: 60-65. 1933. no.1/2.

Russian with German summary.

Iljin, M. M.

Novyi vid roda Salsola L. kak Predpolagaemyi mezhdurodovoǐ gibrid (Eine neue art der gattung Salsola L., ein vermutlicher gattungsbastard). Bot. Zhurn. SSSR 18: 274-277. 1933. no.4.

Russian with Latin diagnoses of the seven new species (S. forcipitata, S. excellens, S. komarovi, S. maracandica, S. transhyrcanica, S. roshevitzii, S. deserticola).

Ivanov, L. A.

Kak izmeniaetaia stroenie drevesiny pri ee mekhanicheskom razrushenii (Wie sich die struktur des holzes bei mechanischer einwirkung ändert). Bot. Zhurn. SSSR 18: 38-51. illus. 1933. no.1/2.

Russian with German summary.

Komarov, V. I.

O vechno-zelenom mongol'skom kustarnike Piptanthus monogolicus Max. (Ueber die immergrüne [illegible]) Bot. Zhurn. SSSR 18: 55-59. illus. 1933. no.1/2.

Russian with Latin diagnosis.

Konovalov, N. A.

K voprosu o geobotanicheskom izuchemii lesov (Zur frage über die geobotanische erforschung der wälder). Bot. Zhurn. SSSR 18: 307-311. 1933. no.4.

Russian.

Kotov, M.

Botanicheskaia ekskursiia v raion massovogo proizrastaniia Azalea pontica L. v. Ukrainskoe zandrovoe Poles'e (Botanical excursion to the western Ukrainian Polessia, in the region characterised by Azalea pontica L.) Bot. Zhurn. SSSR 18: 211-214. illus. (map) 1933. no.3.

Russian with English summary.

Kotov, M.

Geobotanicheskii ocherk poluostrova Tiubek i Sivashe (Geobotanical survey of the Tubek peninsula in the Sivash). Bot. Zhurn. SSSR 18:95-98. 1933. no.1/2.

Russian with English summary.

Bot. Zhurn. SSSR (cont.)

Litvinov, L. S. & Gudlet, M. A.

O metodakh opredeleniia vodouderzhivaiushchei i vsasyvaiushchei sil pochvy (Method for determining the water-holding and suction forces of soils under field conditions). Bot Zhurn. SSSR 18: 262-273. 1933. no.4.

Russian with English summary.

L'vov, S. D. & Artsikhovskaja, E. V.

Vliianie yglevodnogo gododaniia na soderzhanie efirnykh masel u maiorana (Origanum majorana) i malfeia muskatnogo (Salvia sclarea) (Der einfluss von kohlenhydrathunger auf das gehalt ätherischer oele im Origanúm majoram Salvia sclarea). Bot. Zhurn. SSSR 18: 219-239. 1933. no.4.

Russian with German summary.

Miller, M. S.

K voprosu usvoeniia nitratov, nitritov i ammiaka vysshimi rasteniiami (On the question of the a bsorption of nitrate nitrite and ammonia by the higher plants). Bot. Zhurn. SSSR 18: 240-261. 1933. no.4.

Russian with English summary.

Pobedimova, E. G.

Guttatsiia u zimiushchikh pochek Cerastium dahuricum Fisch. (Guttation in hibernating buds of Cerastium dahuricum Fisch.) Bot. Zhurn. SSSR 18: 52-54. illus. 1933. no.1/2.

Russian with English summary.

Potapenko, G. I.

Pamiati G.I. Tanfil'eva. Bot. Zhurn. SSSR 18: 3-8. port. 1933. no.1/2.

Russian.

Rodin, L. E.

Tipy stepei Nazhnego Zavolzh'ia (Die steppentypen des unteren Transwolgagebietes). Bot. Zhurn. SSSR 18: 299-306. 1933. no.4.

Russian with German summary.

Sereiskii, A.

Fiziologo-morfologicheskie i ekologicheskie nabkiudeniia nad prorastaiushchimi semenami soi (Physiologisch-morphologische und oekologische beobachtungen an keimenden samen der soja). Bot. Zhurn. SSSR 18: 9-37. Illus. 1933. no.1/2.

Russian with German summary.

Bot. Zhurn. SSSR (cont.)

Shchepkina, T. V.
Issledovanie nektinovykh veshchestv kak koloidov u rastenii. Znachenie kolloidnykh veshchestv pri zasukhe i pri nekotorykh fiziologicheskikh protsessakh voobshche (Untersuchung der pektinstoffe in pflanzen und deren einfluss bei dürre und anderen physiologischen prozessen im allgemeinen). Bot. Zhurn. SSSR 18: 137-161. illus. 1933. no.3.
Russian with German summary.

Shishkin, I. K.
K poznaniiu ol'ginskoĭ listvennitsy (Larix olgensis A. Henry). (Zur kenntnis der olga-lärche) Bot. Zhurn. SSSR 18: 162-210 illus. (Map). 1933. no.3.

Sidorin, M. I.
Vytsventanie khlorofilla na priamom solnechoom svetu v ubitykh rastitel'nykh tkaniakh (Die entfärbung des chlorophylls an direktem sonnenlichte im abgetöteten pflanzlichen gewebe). Bot. Zhurn. SSSR 18: 127-136. illus. 1933. no.3.
Russian with German summary.

Sochava, V. B.
K istorii flory iuzhnoĭ chasti aziatskoĭ Beringii (Zur geschichte der flora des südlichen teiles von Asiatisch-Beringien). Bot. Zhurn. SSSR 18: 278-286. 1933. no.4.
Russian with German summary.

Stankov, S. S.
Osnovnye cherty v raspredelenii rastitel'nosti iuzhnogo Kryma (Savastopol-Feodosiia) (Principal features of vegetation distribution in the southern Crimea (Sebastopol - Theodosia) Bot. Zhurn. SSSR 18: 66-94. 1933. no.1/2.
Russian with English summary.

Tanfiliev, V. G.
K metodike ucheta massy travy. Koefitsienty nozhnitsysnokosilka (Zur methodik der bestimmung der grasmasse. (Zur methodik der bestimmung der grasmasse. Koeffiziente "schere-grasmäher). Bot. Zhurn. SSSR 18: 99-102. 1933. no.1/2.
Russian with German summary.

Zakharov, L. Z.
Splaviny Kubanskikh plaven (Die "Splaviny" der bänke des Kuban-flusses). Bot. Zurn. SSSR 18: 287-298. illus. (map) 1933. no.4.
Russian with German summary.

Bryologist (Pittsburgh) (450B84)
Addison, M.
Aulacomnium papillosum. Bryologist 37: 76. Jl./Ag. 1934. no.4.
Synonym of A. palustre.

Ammons, N.
Preliminary list of West Virginia mosses. Bryologist 37: 65-74. Jl./Ag. 1934. no.4.

Steere, W. C.
The occurrence of Erpodium domingense in the United States, with notes on its distribution. Bryologist 37: 74-75. Jl./Ag. 1934. no.4.
Cameron County, Texas.

Bull. Counc. Sci. & Ind. Res. Austr. (Melbourne) (514Au72B)
Cashmore, A. B.
A comparative study of Lolium perenne and Phalaris tuberosa at varying stages of growth. Bull. Counc. Sci. & Ind. Res. Austr. 81. 28 p. iv pl. 1934.

Bull. Sci. Pharm. (Paris) (396.8B872)
Lalanne, P. & Mathou, T.
Une aristoloche médicinale de la Guadeloupe. Bull. Sci. Pharm. 41: 460-467. Ag./S.1934. no.8/9.
A. eurystoma.

Maheu, J. & Chartier, J.
Pharmacographie des digitales. II. Bull. Sci. Pharm. 41: 280-291, 347-356. illus. My., Je. 1934. no.5,6.

Bull. Torr. Club (451T63B)
Craig, T.
A revision of the subgenus Hugelia of the genus Gilia (Polemoniaceae). Bull. Torr. Club 61: 385-396, pl.23. O. 1934. no.7.

Johansen, D. A.
Haploid chromosomes of Riccia glauca. Bull. Torr. Club 61: 381-383. illus. O. 1934. no.7

Johnson, M. A.
The origin of the foliar pseudo-bulbils in Kalanchoë daigremontiana. Bull. Torr. Club 61: 355-366. illus., pl.22. O.1934. no.7.

Bull. Torr. Club. (cont.)
Merl, E. M.
A new Brazilian species of the genus Utricularia. Bull. Torr. Club 61: 367-371. illus. O.1934. no.7

Pady, S. M.
Meiosis in Milesia marginalis. Bull. Torr. Club 61: 345-354. illus., pl.21. O. 1934. no.7.

Shreve, F.
Vegetation of the northwestern coast of Mexico. Bull. Torr. Club 61: 373-380. illus. O.1934. no.7.

Cactus (Mont St. Amand, Belg.) (450C112)
Lonjarret, H.
Description et classification. (cont.) Cactus (Mont St. Amand, Belg.) 4: 65-66. O.1934. no.5.

Lonjarret, H.
La nouvelle classification des Echinopsis. Cactus (Mont St. Amand, Belg.) 4: 69-73. illus. O.1934. no.5.

Chinese Journ. Physiol. (Pieping) (447.8C44)
Chen, J. S.
Determination of total lipoid in plant and animal tissues. Chinese Journ. Physiol. 8: 195-202. Ag.15, 1934. no.3.

Compt. Rend. Acad. Sci. Paris (505P21)
Jhillet, A. & Zitti, R.
Molinia caerulea Moench, graminée toxique, à acide cyanhydrique. Compt. Rend. Acad. Sci. Paris 199: 617-618. S.24, 1934. no.13.

Lami, R.
Sur l'alcalinisation spécifique et la répartition des algues dans les cuvettes littorales. Compt. Rend. Acad. Sci. Paris 199: 615-617. S.24, 1934. no.13.

Compt. Rend. Labor. Carlsberg (390.9C19)
Hartelius, V.
The growth of yeast in synthetic media and the factors produced by yeast which limit this growth. Compt. Rend. Labor. Carlsberg v.20, no.7. 44 p. 1934.

Empire Cotton Grow. Rev. (London) (72.8Em7)
Bailey, M. A.
Leaf curl disease of cotton in the Sudan. Empire Cotton Grow. Rev. 11: 280-288. 0.1934. no.4.

Flor. Exch. (N.Y.) (80F666)
Plants hardy in northeastern New York. Flor. Exch. 83(14): 15. 0.6, 1934.

Flor. Rev. (Chicago) (80W41)
Plants for the hardy garden. Flor. Rev. 74(1923): 22; (1924): 22. 0.4,11, 1934.
Uncommon tulip species. Achillea sericea; Sedum pruinatum, Limonius speciosum.

For. Bull. For. Res. Inst. India (99.9In22B)
Chowdhury, K. A.
The indentification of the commercial timbers of the Punjab. For. Bull. For. Res. Inst. India no.84. 70 p. xxviii pl. 1934.

Gard. Illus. (London) (80G169)
Arnold, R. E.
The Watsonias of South Africa. Gard. Illus. 56: 579. illus. S.29, 1934. no.2899.

Gartenbauwiss. (Berlin) (80G195)
Hilkenbäumer, F.
Ein neuer apparat zur erlangung einer keimzahlerhöhung und keimbeschleunigung bei hartschaligen leguminosen. Gartenbauwiss. 9: 92-94. illus. S.20, 1934. no.1.

Kostoff, D. & Kendall, J.
Studies on polyploid plants. III. Cytogenetics of tetraploid tomatoes. Gartenbauwiss. 9: 20-44. illus. S.20, 1934. no.1.

Nebel, B. R. & Kertesz, Z. I.
Metaxenia and Xenia in apples. Iv. Gartenbauwiss. 9: 45-64. S.20, 1934.

Rave, L.
Beitrag zur blattbasis beim tabak. Gartenbauwiss. 9: 1-19. illus. S.20, 1934. no.1.

Rudloff, C. F.
Venturia inaequalis (Cooke)Aderhold. I. Der einfluss des nahrbodens auf den pilz und die erhaltung seiner pathogenität. Gartenbauwiss. 9: 65-91. illus. S.20, 1934. no.1

Hadar (Jaffa) (80H11)
Reichert, I. & Perlberger, J.
Xyloporosis - the new citrus disease. (concl.)
Hadar 7: 193-202. Ag.1934. no.8.
Physiological.

Intern. Bull. Plant Prot. (464.8In8)
McRae, W.
India: New diseases reported during the year 1933. Intern. Bull. Plant Prot. 8: 199-202. S. 1934. no.9.

Müller, A. S.
Brazil: Preliminary list of diseases of plants in the state of Minas Geraes. Intern. Bull. Plant Prot. 8: 193-198. S. 1934. no.9.

Irish Nat. Journ. (410In42)
Praeger, R. L.
Caltha radicans in Ireland. Irish Nat. Journ. 5: 98-102. illus. S. 1934. no.5.

Praeger, R. L.
Fifteen miles of Elatine hydropiper. Irish Nat. Journ. 5: 102-104. S. 1934. no.5.
Newry Canal below Goraghwood station.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)
Beatus, R.
Die selbststerilität von Cardamine pratensis. Jahrb. Wiss. Bot. 80: 457-503. S. 1934. no.3.

Daxer, H.
Ueber die assimilationsökologie der waldbodenflora. Jahrb. Wiss. Bot. 80: 363-420. S.1934. no.3.

Freisleben, R.
Zur frage der mykotrophie in der gattung Vaccinium L. Jahrb. Wiss. Bot. 80: 421-456. illus. S. 1934. no.3.

Michaelis, P.
Oekologische studien an der alpinen baumgrenze. V. Osmotischer wert und wassergehalt während des winters in den verschiedenen höhenlagen. Jahr. Wiss. Bot. 80: 337-362. illus. S.1934. no.3.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)
Hutton, E. M.
The important pasture plants of South Australia considered as to their identification and characteristics. B. The clovers and clover-like plants. Journ. Dept. Agr. So. Australia 38: 54-60. illus. Ag. 1934. no.1.

Journ. For. (Washington, D.C.) (99.8F768)
Kramer, P. J.
Methods of breaking dormancy in certain forest trees. Journ. For. 32: 734-741. O.1934. no.7.

Kosmos (Stuttgart) (474K842)
Karsten, A.
Vorteilhafte einwirkung von neonlicht auf pflanzen. Kosmos 31: 355-356. illus. O.1934. no.10.

Landw.Jahrb. (Berlin) (18L23)
Steiner, H.
Ueber den einfluss der saatzeit auf den herbstlichen befall der winterungen mit braunrost (Puccinia triticina Erikss. und Puccinia dispersa Erikss.) Landw. Jahrb. 80: 401-415. illus. 1934. no.3.

Meld. Norges Landbruks. (Oslo) (104N762M)
Thorsrud, A. & Ødelien, M.
Forsøk med seksualhormoner. (Experiments with sexualhormons). Meld. Norges Landbruks. 14: 376-382. illus. 1934. no.4.
Experiments with hyacinth. English summary: p.381-382.

Möller's Deut. Gartn.-Zeit. (Erfurt) (80M73)
Fric, A. V.
Kakteen-benennung. IV. Möller's Deut. Gärtn. Zeit. 49: 311-312. S.21, 1934. no.26

Fric, A. V.
Zur hormon-frage. Der menschilche harn als pflanzen-wachstumsstoff. Möller's Deut. Gärtn.-Zeit. 49: 304. S.21, 1934. no.26.

Naturwissensch. (Berlin) (474N213)
Hackbarth, J.
Die bedeutung von tag- und nachtrhythmus (photoperiodismus) für die pflanzenzüchtung. Naturwissensch. 22: 646-647. S.21, 1934. no.38.

Naturwissensch. (cont.)
Waldmeier, M.
Die zahl der blütenblätter bei Anemone nemorosa L. Naturwissensch. 22: 648. S.21, 1934. no.38.

Neuheit. Geb. Pflanzensch. (Wien) (464.9V672)
Wenzl, H.
Zelloidinabzüge als hilfsmittel zur erkennung von pilzkrankheiten. Neuheit. Geb. Pflanzensch. 27: 83-85. S.1934. no.4.

Obst- u. Gemüseb. (Berlin) (80P7750)
Jlling, O.
Zur spargelrostbekämpfung. Obst- u. Gemüseb. 80: 136. S.16, 1934. no.9.

Oxford For. Mem. (99.90x22)
Marshall, R.C.
The physiography and vegetation of Trinidad and Tobago. A study in plant ecology. Oxford For. Mem. 17. 56 p. illus. (maps), 11 pl. 1934.

Pflanzenbau (Berlin) (18P48)
Ullmann, W.
Die zuchtung der kleeartigen futterpflanzen ausserhalb des Deutschen reiches: III. Böhmen, Ungarn, Rumänien, Bulgarien, Jugoslawien, Schweden, Norwegen, Dänemark, Ostsee-Randstaaten, Polen. Pflanzenbau 11: 111-127. S.1934. no.3.

Zimmermann, J. G.
Der zeitpunkt des ährenschiebens und der reife von wintergerste und winterweizen als sorteneigenschaft und seine phänologische bedingtheit. Pflanzenbau 11: 90-11. S.1934. no.3.

Philipp. Agr. (Laguna) (25P542)
Juliano, J. B.
Studies on the morphology of the Meliaceae. II. Sterility in santol, Sandoricum koetjape(Burm.F.) Merrill. Philipp. Agr. 23: 253-262. illus., pl. i-ii. S.1934. no.4.

Phytopath. Zeitschr. (Berlin) (464.8P562)
Gassner, G. & Pieschel, E.
Untersuchungen zur frage der uredoüberwinterung der getreideroste in Deutschland. Phytopath. Zeitschr. 7: 355-392. 1934. no.4.

Phytopath. Zeitschr. (cont.)

Kisser, J. & Portheim, L.

Versuche über die verwendbarkeit von wasserstoffsuperoxyd als saatgutbeizmittel. Phytopath. Zeitschr. 7: 409-426. 1934. no.4

Nelson, R. M.

Effect of bluestain fungi on southern pines attacked by bark beetles. Phytopath. Zeitschr. 7: 327-353. illus. 1934. no.4.

Pieschel, E.

Ueber eine weissporige uredoform eines rostpilzes und über die entstehung zusammengesetzter uredopusteln. Phytopath. Zeitschr. 7: 393-408. illus. 1934. no.4.

Melampsora euphorbiae f.sp. pepli on Euphorbia peplus.

Proc. Roy. Soc. Victoria (Melbourne) (514M482)

Eckersley, A. M.

Some sap-staining organisms of Pinus radiata, D.Don, in Victoria, Australia. Proc. Roy. Soc. Victoria n.s.,46: 179-194. illus. My.7, 1934. no.2.

Describes two forms of Ceratostomella which appear to form link between American C. pilifera and European C.coerulea. Suggests that two latter forms are variants of same species which should be known as C. coerulea Münch.

Grieve, B. J.

The isolation of the organism causing crown gall on almond trees in Victoria. Proc. Roy. Soc. Victoria n.s.,46: 214-219. pl.xi. My.7, 1934. no.2.

Bacterium tumefaciens.

Paterson, H. T.

Notes on some tertiary leaves from Pascoe Vale. Proc. Roy. Soc. Victoria n.s.,36: 264-273. pl. xiii-xiv. My.7, 1934. no.2.

Raw, A. R.

A practical application of photoperiodic response to plant breeding methods at the State research farm, Werribee. Proc. Roy. Soc. Victoria n.s.,46: 131-138. My.7, 1934. no.2.

Protoplasma (Leipzig) (442.8P94)

Bonner, J.
The relation of hydrogen ions to the growth rate of Avena coleoptile. Protoplasma 21: 406-423. Je.1934. no.3.

Carter, F. M.
Studies on toxic action. VIII. The toxicity of normal aliphatic alcohols towards various plant tissues. Protoplasma 21: 615-629. Ag.1934. no.4.

Jírovec, O.
Der einfluss von ultravioletten strahlen auf grüne und farblose stämme von Euglena gracilis. Protoplasma 21: 577-587. Ag.1934. no.4.

Jungers, V.
Die verlagerungsfähigkeit des zellinhaltes der zwiebelschuppen von Allium cepa durch zentrifugierung. Protoplasma 21: 351-361. illus. Je.1934. no.3.

Kormannn, P.
Osmometer aus lebenden Valonia-zellen und ihre verwendbarkeit zu permeabilitätsbestimmungen. Protoplasma 21: 340-350. illus. Je.1934. no.3.

Meindl, T.
Weitere beiträge zur protoplasmatischen anatomie des Helodea-blattes. Protoplasma 21: 362-393. illus. Je.1934. no.3.

Moyer, L. S.
The constancy of latex isoelectric points. Protoplasma 21: 588-593. Ag.1934. no.4.
In Euphorbia.

Umrath, K.
Der einfluss der temperatur auf das elektrische potential, den aktionsstrom und die protoplasmaströmung bei Nitella mucronata. Protoplasma 21: 329-334. Je.1934. no.3.

Weber, F.
Plasmalemma-zerstörung und tonoplasten-bildung. Protoplasma 21: 424-426. Je. 1934. no.3.

Wertheimer, E.
Ueber die ersten anfänge der zuckerassimilation, versuche an hefezellen. Protoplasma 21: 522-560. Ag.1934. no.4.

Publ. Bot. Inst. Sci. Dept. Kyoto Imp. Univ. (451K99)
Ashidi, J.
Studies on the leaf movement of Aldrovanda vesiculosa L. I. Process and mechanism of movement. Reprinted from Mem. Coll. Sci. Kyoto Imp. Univ. Ser. B, v.9, p.141-244. illus., pl.9-10. 1934, as Publ. Bot. Inst. Sci. Dept. Kyoto Imp. Univ. no.36.

Hamada, H.
Wachstumsverhältnisse der keimorgane von verschiedenen gramineen im dunkel und bei belichtung mit besonderer berücksichtigung ihrer systematischen stellung. Reprinted from Mem. Coll. Sci. Kyoto. Imp. Univ. Ser. B., v.9, p.71-128. 1933, as Publ. Bot. Inst. Sci. Dept. Kyoto Imp. Univ. no.34.

Queensl. Agr. Journ. (Brisbane) (23Q33)
White, C. T.
Queensland weeds. (cont.) Queensland Agr. Journ. 42: 360-363. illus. S.1, 1934. no.3.
Nut grass (Cyperus rotundus). Sour grass or yellow grass (Paspalum conjugatum)

Queensl. Nat. (Brisbane) (410Q3)
Herbert, D. A.
Records of Queensland fungi. I. Queensl. Nat. 9: 44-46. Ag.1934. no.3.

Rupp, H. M. R.
Notes on certain species of Dendrobium. Queensl. Nat. 9: 51-52. pl. Ag.1934. no.3.

Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. (72.9Em72)
Anson, R. R.
Leaf curl disease of cotton in the Fiji Islands. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. 2d, 1934: 195-198. Jl. 1934.

Hansford, C. G.
Blackarm disease in Uganda. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. 2d, 1934: 178-195. Jl.1934.

Harland, S. C.
The value of inter-specific hybrids in cotton from the standpoint of genetics. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Copr. 2d. 1934: 22-30. Jl.1934.

Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. (cont.)

Harland, S. C.
Selection effects in pure lines of sea island cotton self-fertilised for seventeen generations. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. 2d, 1934: 31-46. Jl. 1934.

Jackson, F. K.
The health and vigour of the cotton plant in relation to its environment. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. 2d, 1934: 199-206. Jl.1934.

Massey, R. E.
Angular leaf spot and blackarm of cotton caused by B.malvacearum E.F.S. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. 2d, 1934: 175-178. Jl. 1934.

Peirce, F. T. & Lord, E.
Studies in variability of cotton, with special reference to immaturity. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. 2d, 1934: 223-252. illus. Jl.1934.

Skovsted, A.
Cyto-genetics in relation to plant breeding in cotton. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. 2d. 1934: 46-51. Jl.1934.

Watkins, A. E.
The practical application of genetical science to plant breeding. Rep. & Summ. Proc. Conf. Cotton Grow. Probl. Empire Cotton Grow. Corp. 2d, 1934: 14-22. Jl. 1934.

Rev. de Agr. (Piracicaba) (9.2R324)
Graner, E. A.
Observações sobre o numero de chromosomios na bananeira. Rev. de Agr. (Piracicaba) 9: 333-340. illus., 2 pl. Jl./Ag. 1934. no.7/8.

Rev. Sudamer. Bot. (Montevideo) (450R3242)
Herter, W. G.
La aparición del hongo venenoso Amanita phalloides en Sudamérica. Rev. Sudamer. Bot. 1: 111-119. col.suppl.pl. Ag. 1934. no.4.

Rev. Sudamer. Bot. (cont.)

Merrill, E. D.
Los nombres Parsonia y Cuphea. Rev. Sudamer. Bot. 1: 97-99. Ag. 1934. no.4.

Setchell, W. A.
South American sea grasses. Rev. Sudamer. Bot. 1: 107-110. illus. Ag.1934. no.4.
Halophila aschersonii, Zostera tasmanica.

Rev. Gén. Bot. (Paris) (450R326)

Gabriel, C.
Etude phyto-sociologique du Dévoluy. I. Rev. Gén. Bot. 46: 484-505. map. pl.xl-xlv. Ag. 1934. no.548.
Semidesert region in "Hautes-Alpes, au nord de Veynes, à l'ést de Gap"...

Garnier, G.
Influence de l'étirement sur les cellules végétales (cont.) Rev. Gén. Bot. 46: 420-447, 506-512. illus. Jl., Ag. 1934. no.547-548.

Michel-Durand, E.
Sur les constantes de comparaison utilisées dans les recherches relatives aux variations de substance dans les feuilles. Rev. Gén. Bot. 46: 449-469. Ag. 1934. no.548.
Experiments with "catalpa, chataignier, marronnier, laurier-cerise, l'erable.

Reznik, A.
Étude anatomique de la plantule de sorgho. Rev. Gén. Bot. 46: 385-419. illus. Jl. 1934. no.547.

Rev. Vitic. (Paris) (95.8R322)

Viala, P. & Marsais, P.
Le court-noué. (cont.) Rev. Vitic. 81: 181-187, 213-218. illus. S.20, O.4, 1934. no.2099, 2101.

Rev. Zool. et Bot. Afr. (410R326)

Hauman, L. & Balle, S.
Les Alchemilla du Congo Belge et leurs relations avec les autres espèces du genre en Afrique continentale. Rev. Zool. et Bot. Afr. 24: 301-368. illus., pl.ii-v. S.15, 1934. no.4.
Résultats bontaniques de l'expédition scientifique belge au Ruwenzori, 1932.

Rhodora (Boston) (450R34)

Fassett, N. C.
Notes from the herbarium of the University of Wisconsin. XI. Rhodora 36: 349-352. O. 1934. no.430.

Fernald, M. L.
Draba in temperate northeastern America. (cont.) Rhodora 30: 353-371. pl.314-319. O. 1934. no.430.

Hodgdon, A. R.
Trillium grandiflorum in New Hampshire. Rhodora 36: 376. O. 1934. no.430.

Peabody, R.
Antennaria plantaginifolia with rosy involucres. Rhodora 36: 376. O. 1934. no.430.

Steyermark, J. A.
Epifagus virginiana in Missouri. Rhodora 36: 352-353. O. 1934. no.430.

Steyermark, J. A.
Recent additions to the flora of St. Louis County, Missouri. Rhodora 36: 375-376. O.1934. no.430.

Riv. Patol. Veg. (Pavia) (464.8R52)

Corneli, E.
Azione a distanza dei metalli sopra alcune specie fungine. Riv. Patol. Veg. 24: 397-406. S./O. 1934. no.9/10.

Corneli, E.
Riproduzione in laboratorio di infezioni da Urocystis tritici Koern. su frumenti. Riv. Patol. Veg. 24: 407-411. pl. S./O. 1934. no.9/10.

Sempio, C.
Azione di alcune metalli a distanza per contatto ed in soluzione sullo sviluppo della Thielavia basicola Zopf. e su altri parassiti. Riv. Patol. Veg. 24:413-491. pl. i-ii. S./O. 1934. no.9/10.

Sempio, C.
Influenza di alcuni cationi sulla recettività del ricini al B. tumefaciens e sullo sviluppo di quest' ultimo in coltura(agar di brodo). Riv. Patol. Veg. 24: 493-556. illus., fold.tab. S./O. 1934. no.9/10.

Science (470Sci2)

Berry, J. A.

Growth of yeast below zero. Science 80: 341. 0.12, 1934. no.2076.

Stanley, W. M.

The action of high frequency sound waves on tobacco mosaic virus. Science 80: 339-341. 0.12, 1934. No.2076.

Youngburg, G. E.

Again "why dandelions"? Science 80: 337. 0.12, 1934. no.2076.

Comments on recent article by Emmett Bennett: see Science 80:142.

Subdivisions of chromosomes. Science v.80, no.2075. Suppl. p.10. 0.5, 1934.

Experiments of Dr. Calvin B. Bridges of Carnegie Inst., Washington.

Smithson. Misc. Coll. (Washington) (500Sm6M)

Meier, F. E.

Colonial formation of unicellular green algae under various light conditions. Smithson. Misc. Coll. v.92, no.5. 3 pl. (2 col.) 0.8, 1934. (Publ.3256)

Meier, F. E.

Effects of intensities and wave lengths of light on unicellular green algae. Smithson. Misc. Coll. v.92, no.6, no.6. 27 p. 3 pl. 0.11, 1934. (Publ.3257)

Succulenta (Leeuwarden) (450Sul)

Hummelinck, P. W.

Over de cactussen van Curaçao, Aruba en Bonaire. (concl.) Succulenta 16: 161-168. illus. 0.1934. no.10.

Swüste, F.

Het geslacht Lithops. Een napraatje. Succulenta 16: 174-176. 0.1934. no.10.

Svensk Bot. Tidskr. (450Sv2)

Degelius, G.

Anteckningar till Smålands busk-och bladlav-flora. Svensk Bot. Tidskr. 28: 405-435. 1934. no.3.

Hatch, A. B.

A jet-black mycelium forming ectotrophic mycorrhizae. Svensk Bot. Tidskr. 28: 369-383. illus.

Svensk Bot. Tidskr. (cont.)

Johansson, N.

A contribution to the knowledge of the etiology of fruitlet black rot disease of pineapple. Svensk Bot. Tidskr. 28: 384-404. illus. 1934. no.3.

Sveriges Pomol. För. Arsskr. (86Sv2)

Callmar, G. & Johansson, E.

Pollinering och fruktsättning hos äpplesorter. (Pollination of apples). Sveriges Pomol. För. Arsskr. 1931: 169-196. 1934. no.3.

Tabulae Biol. Period. (Berlin) (442T11A)

Asahina, Y.

Flechten-säuren. In Tabulae biologicae periodicae. 4: 198-208. 1934. no.2.

Trop. Agr. (26T751)

Park, M.

A preliminary note on cacao disease in the Dumbara Valley, 1933. Trop. Agr. 81: 207-211. O. 1933; 83: 78-86. Ag. 1934. no.4,2.

Rapid wilting & death caused by marked fluctuations in rainfall and consequently in humidity.

Part II has title: Further notes...

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) (Leningrad) (451Sa21B)

Blagoveshchenskiĭ, V. A.

Vli͡iaet li povrezhdenie semi͡adoleĭ na besplodie u khlopchatnika? (On the influence of cotyledon damage on the sterility of cotton-plant). Trudy Bot. Inst. Akad. Nauk SSSr (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 273-276. illus. 1934.

Russian with English summary.

Brilliant, V. A.

K voprosu o vli͡ianii kontsentratsii uglekisloty na energi͡iu fotosinteza (Beitrag zur frage der wirkung von kohlensäurekonzentration auf die energie der photosynthese). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 103-107. 1934.

Russian.

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) (cont.)

Gebhardt, A. G.

Zavisimost sosushcheĭ sily kornevoĭ sistemy ot pochvennykh usloviĭ i razvitii͡a rasteniĭ (Die abhängigkeit der wurzelsaugkraft der pflanzen von den bedingungen des bodens und der vegetativen entwickelung). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 241-256. 1934.

Russian with German summary.

Keller, B. A. & Poplavskiĭ, K. M.

Izmeniia u Taraxacum officinale Wigg. pod vozdeĭstviem fiziko-khimicheskikh factorov na otrezki ego kornei (Abänderungen in Taraxacum officinale Wigg. unter einwirkung physiko-chemischer faktoren aug seine würzelstücke). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 1-13. illus. 1934.

Russian with German summary.

Lilienstern, M. F.

K znachenii͡u sootnoshenii͡a osmoticheskogo davleniia y rastenii͡a khozi͡aina inpoviliki (Ueber osmotische beziehungen zwischen wirtspflanze und parasit.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 235-240. 1934.

Russian with German summary. Dodder.

Litvinov, L. S. & Sapotnitskaia, S. Ia.

Metod opredelenii͡a vodouderzhivaiushcheĭ sily povhvy v uslovii͡akh polevoĭ kul'tury (Method of determining the water holding force of the soil in field conditions). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 257-272. 1934.

Russian with English summary.

Litvinov, L. S. & Kolotova, S.S.

O postuplenii i nakoplenii mineral'nykh elementov v rastenii (On the question of the translocation and accumulation of mineral elements in the plant). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 67-102. 1934.

Russian with English summary.

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) (cont.)

Li͡ubimenko, V. N. & Szeglova, O. A.
Novye dannye o fotoperiodicheskoi induktsii (Nouvelles données expérimentales sur l'induction photopériodique). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser IV, Bot. Exp.) 1: 109-133. 1934.
Russian with German summary. Experiments with soybean, canteloupe and watermelon.

Liubimenko, V. N. & Szeglova, O. A.
O vlii͡anii razdrazhimosti protoplazmy na energii͡u fotosinteza (Influence de l'irritabilité du protoplasma sur l'énergie de la photosynthèse). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 15-38. 1934.
Russian with French summary.
Experiments with wheat, barley, bean, oats, buckwheat.

L'vov, S. D. & Bereznegovaka͡ia L.N.
K voprosu o dinamike uglevodov i vodnogo balansa v list'i͡akh tabaka v zavisimosti ot i͡arusa i proizvodimykh lomok (Zur frage über die dynamikder kohlenhydrate und der wasserbilanz in abhängigkeit von der blättreihe und den brechen der blätter). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 135-170. 1934.
Russian with German summary. Tobacco.

L'vov, S. D.
Vlii͡anie mineral'nykh kationov i anionov na produktsii͡u efirnykh masel u rozmarina (Ueber den einfluss mineralischer kaktionen und anionen auf die produktion von aetherischen oelen beim rosmarin). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 39-65. 1934.
Russian with German summary.

Merzhanian, A. S.
Ob odnostoronnosti morfologicheskikh priznakov u vinogradnoi lozy (Ueber die variabilität der morphologischen merkmale bei der weinrebe). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 277-295. illus. 1934.
Russian with German summary.

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Expt.) (cont.)

Oltarzhevskiĭ, N. P.

Issledovanie nikubatsionnykh periodov mil'd'i͡u vinograda v uslovii͡akh kontinental'nogo klimata i ikh znachenie v profilaktike (Die erforschung der inkubationsperioden des mehltaues des weinstocks im kontinentalen klima und deren bedeutung in der prophylaktik) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 223-234. illus., tab. 1934.

Russian with German summary.

Pi͡atnitskii, S. S.

Opyty samoopyleni͡ia u Larix, Acer i Quercus (Versuche über selbstbestäubung, bei Larix, Acer und Quercus). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 297-318. illus. 1934.

Russian.

Pinevich, L. M.

K izucheni͡iu fiziologii Orobanche ramosa L. (On the physiology of Orobanche ramosa L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 189-203. illus. 1934.

Russian with English summary.

Pinevich, L. M. & Tulaĭkova, K. P.

Vli͡ianie razlichnykh kolichestv i raznykh istochnikov azota na razvitie makhorki (The influence of nitrogen from different sources and of different concentrations on the development of Nicotiana rustica L.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 171-187. illus. 1934.

Russian with English summary.

Vanin, S. I. & Vladimirska͡ia, N.N.

O deĭstvii nekotorykh gazov na gribnitsu domovykh gribov i o glubine pronikmovenii͡a gazov v drevesinu (Ueber die wirkung einiger gase aus das myzelium der hauspilze und die tiefe des eindringens der gase in holz). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser. IV, Bot. Exp.) 1: 205-222. illus. 1934.

Russian with German summary.

Die Umschau (Frankfurt) (474Um7)

Stein, E.

Erbliche, durch radiumbestrahlung erzeugte entartung. Die Umschau 38: 796-797. illus. 0.1, 1934. no.40.

U.S. Dept. Agr. Circ. (1Ag84C)

Franke, K.W., Rice, T.D., Johnson, A.G. & Schoening, H.W.

Report on a preliminary field survey of the so-called "alkali disease" of livestock. U.S. Dept. Agr. Circ. 320. 9 p. Ag.1934(Rec'd Oct.)

McKinney, H.H., Sando, W.J., Swanson, A.F., Hubbard, V.C. Smith, G.S., Suneson, C.A. & Sutherland, J.L.

Field experiments with vernalized wheat. U.S. Dept. Agr. Circ. 325. 7 p. S. 1934.

From information now available, the method does not seem to offer great possibilities in wheat production.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Jenkins, A. E.

Cryptosporium canker of rose. U.S. Dept. Agr. Plant Dis. Rep. 18: 157. 0.1, 1934. no.12.

Sherbakoff, C. D.

Tobacco wilt caused by Verticillium albo-atrum. U.S. Dept. Agr. Plant Dis. Rep. 18: 153. 0.1, 1934. no.12.

Stevens, N. E.

Stewart's disease in relation to winter temperatures. U.S. Dept. Agr. Plant Dis. Rep. 18: 141-149. illus. (maps) 0.1, 1934. no.12.

Věstnik Českosl. Zeměd. Mus. (Praze) (19.5P882)

Klečka, A.

Rostlinná produkce v našem pravěkém zemědělstyí. (The plant production in our primeval agriculture). Véstník Českosl. Zeměd Mus. 7: 98-102. illus. 1934. no.3.

English summary: p.140.

Zeitschr. Parasitenk. (442.8Z33P)

Goffart, H.

Becbachtungen an Heterodera marioni (Cornu 1879) Goodey 1932 unter besonderer berücksichtigung ihres parasitologischen verhaltens. Zeitschr. Parasitenk. 7: 61-70. illus. S.18, 1934. no.1.

Zeitschr. Pilzk. (Leipzig) (450Z352)

Killermann, S.

Die gattungen Typhula und Pistillaria. Kritische darstellung und neue arten. Zeitschr. Pilzk. 18(n.s.13): 98-108. illus. S.1934. no.4.

Schmid, G.

Pietra fungaja. Ein mykologischer briefwechael Goethes. II. Zeitschr. Pilzk. 18(n.s.13): 110-118. pl. 13. S. 1934. no.4.

Exp. Stat. Publ.

Anderson, P. J.

Tobacco culture in Connecticut. Connecticut Agr. Exp. Stat. Bull. 364: 717-810. illus. S. 1934. (100C76St)

Diseases: p.763-785.

Kimbrough, W. D. & Costa, D.

Effect of size of seed piece of Irish potato on recovery from freeze injury. Louisiana Agr. Exp. Stat. Bull. 254. 12 p. S.1934 (100L93)

Alexander, L. J.

Leaf mold resistance in the tomato. Ohio Agr. Exp. Stat. Bull. 539. 26 p. illus. Ag. 1934. (1000h3S)

Porto Rico. Estación experimental insular.

Seccion de botanica y fitopatologia. In its Informe Anual 1932/33: 76-91. 1934. (100P83A)

M.T. Cook chief.

New books.

Académie malgache.

Catalogue des plantes de Madagascar. 5 nos. Tananarive, G. Pitot, 1933-34. (460.51Acl)

Palmae, par H. Jumelle, Chenopodiaceae, Thymelaeaceae, par J. Leandri, Melastomaceae, Podostemaceae et Hydrostachyaceae, par H.Perrier de la Bathie.

Ascherson, P. & Graebner, P.

Synopsis der Mitteleuropäischen flora... fortgestzt von P. Graebner fil. 125/126 lfg. (v.12 pt.2. Compositae (Hieracium bearb. von H. Zahn, p. 481-640.) Leipzig, Borntraeger, Ag.15, 1934. (459As2S)

New Books (cont.)

Baroni, E.
Guida botanica d'Italia, ossia chiavi analitiche per determinare le piante spontane che crescono nella penisola. 2. ed. corretta e notevolmente accresciuta. Bologna, L. Cappelli, 1932. (459.8B26)

Bonnier, G. & Douin, R.
Flore complete illustree en couleurs de France... Suisse et Belgique. v.12, f. 1. 20 col.pl. 715-721. [1934] (f°459B64)

Harris, J. A.
The physico-chemical properties of plant saps in relation to phytogeography. Minneapolis, University of Minnesota press, 1934. (463.2H24)

Ho, T.-F.
A preliminary list of the fungi of Japan. Peiping, Published by the Dept. of biology, College of agriculture, National Peiping University, 1931. (462.16H65)

Hutchinson, J.
The families of flowering plants. II. Monocotyledons. London, Macmillan, 1934. (452H972)

Mahoney, C. H.
An ecological study of the genus Rubus with reference to growth resistance. By Charles H. Mahoney. East Lansing, Mich., 1931. (463,84M27)
Thesis - Mich. State Coll. Agr.

Matsuura, H.
A bibliographical monograph on plant genetics (genic analysis) 1900-1929. 2d ed., rev. and enl. Sapporo, Hokkaido imperial university, 1933. (463.6M42)

Moldenke, H. N.
The observed flora of Watchung, N.J., and its immediate vicinity. Together with a schematic classification of the plant kingdom to orders. 3d ed. Watchung, Elsinore press, 1934 (455.33M73)
Non-descriptive list.

Nierenstein, M.
The natural organic tannins. London, J. & A. Churchill, 1934. (387.1N553)
The botany of the tannins, by Macgregor Skene: p.253-289.

New Books. (cont.)

Russell, C. P.
A concise history of scientists and scientific investigations in Yellowstone national park. With a bibliography of the results of research and travel in the Park area. [Washington, D.C., 1934] (241.5Un33)
Flora (Bibliography): p.37-39.
Mimeographed publication from Dept. of Interior, Office of National parks.

Sorauer, P.
Handbuch der pflanzenkrankheiten... 6., neuarb. aufl. ... hrsg. von Dr. O. Appel. v.1, pt.1-2. Die nichtparasitären und virus-krankheiten. Berlin, P. Parey, 1933-34. (464So6)

Tischler, G.
Allgemeine pflanzenkaryologie. 2. aufl.,1. hälfte Der ruhekern. Berlin, Borntraeger, 1934(Handbuch der pflanzenanatomie hrsg. von K. Linsbauer. Allgemeine teil: Cytologie bd.II) (463.4H194)

Filed out of place.

Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia (451P282)

Agostini, A.
Miceti della Somalia. Atti Bot. Ist. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV, 4: 191-201. illus. 1933(1934)
Monacrosporium tedeschi n.sp.

Baldacci, E.
Il mal degli sclerozi nei fagioli (Sclerotinia libertiana Fick.) Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: 69-86. illus. 1933(1934)

Ciferri, R.
Studi sull'ecologia del mogano (Swietenia mahagoni Jacq.) in San Domingo. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: 87-166. illus. 1933(1934).

Ciferri, R. & Baldacci, E.
Sulle batteriosi, fusariosi, geotricosi e sul marciume apicale (blossom-end rot) dei frutti di pomodoro. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: 203-280. illus. 1933(1934).

Filed out of place (cont.)

Atti Ist. Bot. Giov. Priosi e Lab. Critt. Ital. R. Univ. Pavia (cont.)

Ciferri, R.

L'uso della "cellofana" nelle esperienze di patologia vegetale. Atti Bot. Ist. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV, 4:179-183. illus. 1933(1934)

Maffei, L.

Caulirizia nell'Alnus glutinosa L. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: 31-39. illus. 1933(1934)

Pollacci, G.

Influenze della nutrizione sulla formazione dei sessi nella canapa (Cannabis sativa). Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: 3-8. 1933(1934)

Pollacci, G.

Ottone Penzig. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: iii-x. port. 1933(1934)

Pollacci, G.

Rassegna sull'attivà del R. Laboratorio crittogamico di Pavia (Osservatorio fitopatologico per le provincie di Cremona, Parma, Pavia e Piacenza) durante l'anno 1932. Atti Bot. Ist. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: 283-303. 1933(1934)

Pollacci, G. & Orsenigo, A.

Sui metodi per la ricerca microchimica del fosforo in istologia. Atti Bot. Ist. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: 167-178. illus. 1933(1934)

Tredici, V.

Sui condriosomi dei miceti. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,4: 49-62. illus. 1933(1934)

Cryptococcus interdigitalis, C. conglobatus, C. uvae.

Non-current indexing.

Africa Ital. (507N16)

Bruno, A.

Le piante oleaginose dei paesi caldi. Africa Ital. 50:72-115. 3 pl. Mr./S. 1932. no.1/3.

Non-current indexing. (cont.)

Pam. Państw. Inst. Nauk. Gospod. Wiejsk. Puławach (Mém. Inst. Nat. Polon. Econ. Rur. Pulawy) (20.5P19)

Korohoda, J.

Zmienność i korelacje cech u ziemniaka (Variability and correlations in potato). Pam. Pánstw. Inst. Nauk. Gospod. Wiejsk. Puławach (Mém. Inst. Nat. Polon. Econ. Rur. Pulawy) 13: 238-275. illus., fold. tab. 1932.

Polish with English summary.

Lewicki, S.

Studja nad prosem (Panicum miliaceum) (A study on millet. III. The anatomy of leaves in relation to certain physiological characters). Pam. Państw. Inst. Nat. Polon. Econ. Rur. Pulawy) 13: 325-343. 1932.

Swederski, W.

Skład botaniczny zanieczyszczeń ziarna zboza konsumcyjnego w Małopolsce Wschodniej) (Weed elements in the commercial seeds of cereals in the south-eastern part of Poland). Pam. Państw. Inst. Nauk Gospod. Wiejsk. Puławach (Mém. Inst. Nat. Polon. Econ. Rur. Pulawy) 13: 131-162. 1932.

Polish with English summary.

Correction.

V.16, no.17, p.40.

Brownallia-släktet should be Browallia-släktet under Svenska Linné-Sällsk. Arsskr., Morner, C.T.

Translations filed in Library of Bur. of Plant Industry.

Lagerberg, T.

Sulfitvedens behandling och lagringsrötan. (The treatment of sulphite pulpwood and storage rot). Skogs. Fören. Tidskr. 22: 231-249. Ag./S. 1924.

Léveillé, H.

Dispersion de l'Arceuthobium en France. (Distribution of Arceuthobium in France). Bull. Acad. Intern. Géogr. Bot. 13: 88. 1904.

Translations filed in Library of Bur. of Plant Industry (cont.)

Linden, G. von & Zenneck, L.
Untersuchungen über das ulmensterben in den beständen der städtischen gartenwaltung der stadt Bonn und anderer orte. (Investigations on the elm disease in the stands of the urban garden administration of the city of Bonn and other localities). Centralbl. Bakt. Abt.II, 69: 340-351. F.1927.

Melin, E.
Barrträdens mycorrhiza och densammas betydelse för trädens utveckling på torrlagda myrmarker. (The mycorrhiza of coniferous trees and their significance to tree development on drained peat bogs). In Studier över de norrländska mytmarkernas vegetation... Upsala, Almquist & Wiksells, 1917. chapter V.

Melin, E.
Experimentelle untersuchungen uber die birken- und espenmykorrhizen und ihre pilzsymbionten. (Experimental researches concerning the mycorrhizas of birches and aspen and their fungus symbionts). Svensk Bot. Tidskr. 17: 479-520. 1923.

Miller, V. V.
Voprosy biologii i diagnostiki domovykh gribov (Question of the biology and diagnostics of the common mold). Moskva., Leningrad, 1932.

Möller, A.
Mykorhizen und stickstoffernahrung. (Mycorrhiza and nitrogen nutrition). Ber. Deut. Bot. Ges. 24: 230-233. 1906.

Molliard, M.
Expériences permettant d'expliquer l'atténuation de la chlorophylle présentée par les plantes vertes parasites. (Experiments making possible an explanation of the attenuation of chlorophyll shown by green parasitic plants). Compt. Rend. Acad. Sci. Paris 195: 1190-1192. D.19,1932.

Noack, F.
Ueber mykorhizenbildende pilze. (On mycorrhiza-forming fungi). Bot. Zeit. 47: 389-397. Je.14, 1889.

Translations filed in Library of Bur. of Plant Industry (cont.)

Peyronel, B.
Nouveaux cas de rapports mycorhiziques entre phanerogames et basidiomycètes. (New cases of mycorrhiza relations between phanerogams and basidiomycetes). Bull. Soc. Mycol. France 37: 143-146. Mr.31, 1922.

Peyronel, B.
Sul nerume o marciume nero delle castagne. (Chestnut blackening or black rot). Staz. Sper. Agr. Ital. 52: 21-41. 1919.

Prell, H.
Ulmensterben und ulmenborkenkäfer. Ursachen und bekämpfung einer epidemischen baumkrankheit. (Die-back of elms and elm-bark beetles. Causes and control of an epidemic tree disease). Kranke Pflanze 7: 89-93, 103-105. 1930.

Rexhausen, L.
Ueber die bedeutung der ektotrophen mykorrhiza für die höheren pflanzen. (The significance of ectotropic mycorrhiza for higher plants). Beitr. Biol. Pflanz. 14: 19-58. illus. 1920.

Romell, L. G.
Parallelvorkommen gewisser boleten und nadelbäume. (Parallel occurrence of certain Boleti and conifers). Svensk Bot. Tidskr. 15: 204-213. N. 1931.

Sakamura, T.
Weitere studien über die moderierende rolle der organischen salze und des phosphats bei der kultur von Aspergillus niger. (Further studies concerning the moderating role of organic salts and phosphates in the culture of Aspergillus niger). Japanese Journ. Bot. 3: 245-265. My.1927.

Uchida, S.
... Researches on relations between rot resistance of "hiba" (Thujopsis dolobrata) wood, and the essential oil of the "hiba". Kogyo Kwagaku Zasshi (Journ. Soc. Chem. Ind. Japan) 31: 501-503. Je.1928.

Translations (cont.)

Voglino, P.
Il nerume delle castagne. (Chestnut blight or black rot). Difesa Piante Torino 8(2): 1-4. Ap. 1931.

Wallen, A.
Till kannedomen om klimatet i skogen och andra vegetationssamhållen. (On the knowledge concerning climate in forests and other plant associations.) Svenska Skogsvårdsfören. Tidskr. (Journ. Swedish. For. Soc.) 30: 275-401. illus. 1932.

Westenberg, J.
Uit de historie van de Graphium-ziekte in de iepen. (Concerning the history of the Graphium disease of the elm tree). Tijdschr. Plantenz. 38: 61-65. Ap. 1932.

Westerdijk, J., Lebeboer, M. & Went, J.
Mededeelingen omtrentgevoeligheidsproeven van iepen voor Graphium ulmi Schwarz, durende 1929 en 1930. (Reports of the tests of susceptibility of elm trees to Graphium ulmi Schwarz during 1929 and 1930) Tijdschr. Plantenz. 37: 105-110. 1931.

Wille, F.
Die rauchschadenfrage der aluminiumfabriken... (The problem of smoke damage in aluminium factories) Berlin, P. Parey, 1922.
Transl. of summary of results only.

Wollenweber, H. W.
Infektionsversuche mit Graphium ulmi an ulmen und anderen laubbaumen. (Inoculation experiments with Graphium ulmi on elms and other hardwoods). Nachrichtenbl. Deut. Pflanzenschutzd. 11: 89. N. 1931.

Wollenweber, H. W.
Die wirtelpilz-welkekrankheit (verticilliose) von ulme, ahorn und linde usw. (On the vertilliosis of elm, maple, linden, etc.) Arb. Biol. Reichanst. Land- u. Forstw. 17: 273-299. Je.1929.

De bestrijding van de iepenziekte. (Control of the elm disease). Washington, D. C., Mr. 1934. 11 p.
Transl. of newspaper article from Nieuwe Rotherdammsche Courant Avonblad B. p.3.

BOTANY
CURRENT LITERATURE

LIBRARY
RECEIVED
★ NOV 1 1934
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no. 22 Oct.22-Nov.3, 1934.

Acta Hort. Berg. (Stockholm) (451Sw3)

Edman, G.
Apomeiosis und apomixis bei Atraphaxis frutescens C. Koch. Acta Hort. Berg. 11: 13-66. illus. 1931. no.2.

Elvers, I.
Chromosomenzahlen in der gattung Valerianella nebst einigen systematischen bemerkungen. Acta Hort. Berg. 11: 81-87. illus. 1932. no.4.

Fries, R. E.
P. J. Bergius, ett tvåhundra-årsminne. Acta Hort. Berg. 11: 1-11. 2 pl. 1931. no.1.

Gelin, O. E. V.
Embryologische und cytologische studien in Heliantheae-Coreopsidinae. Acta Hort. Berg. 11: 99-128. illus. 1934. no.6.

Gelin, O. E. V.
Nymphaea daubenyana. Eine zytologische studie. Acta Hort. Berg. 11: 89-97. illus. 1932. no.5.

Samuelsson, G.
Polygonum oxyspermum Mey. et Bge.und P. raii Bab. ssp. norvegicum Sam. n.ssp. Acta Hort. Berg. 11: 67-80. illus. (map), 2 pl. (1 col.) 1931. no.3.

Agron. Colon. (Paris) (26Ag812)

Bouriquet, G.
La culture du blé à Madagascar et les rouilles. (concl.) Agron. Colon. 23: 77-80. S.1934. no.201.

Agronoomia (Tartu, Esthonia) (20Ag87)
Tomson, R.
Ristikuvähk ja teised ristiku haigused eestis. (cont.) Agronoomia 14: 350-359. illus. S.29, 1934. no.9.
Clover diseases.

Amer. Journ. Sci. (New Haven) (470Am34)
Allen, E. T.
The agency of algae in the deposition of travertine and silica from thermal waters. Amer. Journ. Sci. 28: 373-389. N.1934. no.167.

Ann. Agron. (Paris) (14An75A)
Dufrenoy, J. & Reed, H. S.
Effets pathologiques de la carence ou de l'excès de certains ions sur les feuilles des citrus. Ann. Agron. n.s.,4: 637-653. illus. S./O. 1934. no.5.

Ann. Mus. Congo Belge (Bruxelles) (f°515C76)
Staner, P. & Craene, A.de.
Les Eriosema de la flore congolaise. Ann. Mus. Congo Belge Bot. VI,1: 41-90. illus., pl. xxviii-xxxi. My.1934. no.2.

Ann. Mycol. (Berlin) (450An76)
Cernohorsky, Th. & Singer, B.
Vorarbeiten zur russulaflora Oesterreichs. Ann. Mycol. 32: 448-463. 1934. no.5/6.
Mit. besonderer berucksichtigung der umgebung Wiens.

Gäumann, E.
Zur kenntnis des Uromyces fabae (Pers.) de By. Ann. Mycol. 32: 464-470. 1934. no.5/6.

Petrak, F.
Mykologische notizen. XII. Ann. Mycol. 32: 317-447. 1934. no.5/6.

Smith, A. H.
New and unusual agarics from Michigan. Ann. Mycol. 32: 471-487. illus., pl.vi-xi. 1934. no.5/6.

Arch. Exp. Path. u. Pharm. (Leipzig) (448.8Ar2)
Vollmer, H.
Ueber den gerbstoffgehalt einheimischer pflanzen aus der reihe der tubifloren. Arch. Exp. Path. u. Pharm. 176: 550-557. S.25, 1934. no.4/5.
Borraginaceae, Convolvulaceae, Solanaceae.

Atti R. Accad. Naz. Lincei VI Rend. Cl. Sci. Fis., Mat. e Nat. (Rome) (507R66)
Curzi, M.
Una grave infezione da Phytophthora dei peschi. Atti R. Accad Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 19: 817-820. Je.1, 1934. no.11.

Menarini, D.
Differenziazione degli elementi legnosi in plantule di leguminose. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 19: 741-747. illus. My.20, 1934. no.10.

Savelli, R.
Osservazioni microchimiche su alcune formazioni secretizie endocellulari. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 19: 825-827. Je.1, 1934. no.11.

Soster, N.
Sulla presenza di un corpo di aspetto oleaginoso nelle cellule epidermiche delle fogile di Haworthia cymbiformis. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 19: 735-740. My.20, 1934. no.10.

Verona, O.
Coltura spontanee di cellulositici aerobi: Cytophaga winogradskii, n.sp. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 19: 731-734. pl. My.20, 1934. no.10.

Austral. Journ. Exp. Biol. & Med. Sci. (Adelaide) (442.8Au7)
Petrie, A. H. K.
The drift of the content of potassium and calcium with age in plants. Austral. Journ. Exp. Biol. & Med. Sci. 12: 99-110. S.16, 1934. no.3.

Biochem. Journn. (London) (382B52)

Greenhill, A. W. & Chibnall, A. C.
The exudation of glutamine from perennial ryegrass. Biochem. Journ. 28: 1422-1427. illus. 1934. no.4.

McClendon, J. F., & Barrett, E. & Canniff, T.
The iodine content of potatoes. Biochem. Journ. 28: 1209-1211. illus. 1934. no.4.

Oxford, A. E. & Raistrick, H.
Studies in the biochemistry of micro-organisms. XXXIX. The metabolic products of Penicillium crateriforme Gilman and Abbott. Biochem. Journ. 28: 1321-1324. 1934. no.4.

Biochem. Zeitschr. (Berlin) (384B522)

Blagoveshchensky, A. V. & Melamed, R. M.
Die proteolytischen fermente der samen einiger pflanzen. Biochem. Zeitschr. 273: 435-445. O.3, 1934. no.4/6.

Iljin, G.
Die eiweissstoffe der tabaksamen. Biochem. Zeitschr. 273: 350-353. O.3, 1934. no.4/6.

Hofmann, E.
Untersuchungen über glykoside und disaccharide spaltende enzyme von schimmelpilzen. Biochem. Zeitschr. 273: 198-206. S.19, 1934. no.1/3.

Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. (442.9C14)

Nicol, H.
The derivation of the nitrogen of crop plants, with special reference to associated growth. Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. 9: 383-410. O.1934. no.4.

Timoféëff-Ressovsky, N. W.
The experimental production of mutations. Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. 9: 411-457. illus. O.1934. no.4.

Blumea (Leiden) (450B62)

Baas Becking, L.G.M. & Nicolai, E.
On the ecology of a sphagnum bog. Blumea (Leiden) 1: 10-45. illus. Ag.25, 1934. no.1

Danser, B. H.
The Cornaceae, sensu stricto, of the Netherlands Indies. Blumea (Leiden) 1: 46-74. Ag.25, 1934. no.1.
Mastixia and Mastixiodendron.

Goddijn, W. A.
On the species conception in relation to taxonomy and genetics. Blumea (Leiden) 1: 75-89. Ag.25, 1934. no.1.

Henrard, J.Th.
Notes on the genus Digitaria, with descriptions of new species. Blumea (Leiden) 1: 90-114. Ag.25, 1934. no.1.

Lam, H. J.
Materials towards a study of the flora of the island of New Guinea. Blumea (Leiden) 1: 115-159. illus.(maps) Ag.25, 1934. no.1.

Lütjeharms, W. J.
Substanzbegriff und systematik. Blumea (Leiden) 1: 160-193. Ag.25, 1934. no.1.

Smith, J. J.
Artificial key to the orchid genera of the Netherlands Indies, together with those of New Guinea, the Malay Peninsula and the Philippines. Blumea (Leiden) 1: 194-215. illus. Ag.25, 1934. no.1.

Verdoorn, Fr.
Revision der von Ozeanien, Australian und Neuseeland angefuhrten Lejeuneaceae holostipae. Blumea (Leiden) 1: 216-240. Ag.25, 1934. no.1.
De frullaniaceis XIV.

Bol. Agr. y Ganad. Peru. (9.8P43B)

Weberbauer, A.
Plantas tóxicas que sirven para la pesca en el Perú. Bol. Agr. y Ganad. Peru 3: 291-302. illus. 1933. no.11/12.

Bol. Min. Agr. Rep. Argentina (9B633)

Nieves, R.

Nota preliminar sobre un probable hibrido natural (Avena byzantina x A. fatua) atacada por Ustilago levis. Bol. Min. Agr. Rep. Argentina 36: 73-79. Ja./Mr.1934. no.1.

Vallega, J.

Erradicacion del sorgo de alepo mediante aplicaciones de clorato de sodio. Bol. Min. Agr. Rep. Argentina 36: 3-24. illus. Ja./Mr. 1934. no.1.

Boll. R. Uffic. Serv. Agrari Tripolit. (24T733)

Morgantini, A. M.

La henna. Boll. R. Uffic. Serv. Agrari Tripolit. 3: 133-140. Ap.1934. no.4.

Boll. Soc. Ital. Biol. Sper. (Napoli) (442.8So12)

Baldacci, E.

L'immunita acquisita attiva nelle piante superiori. I. Boll. Soc. Ital. Biol. Sper. 9: 744-746. Ag.1934. no.8.

Bot. Mag. Tokyo (450B651)

Emoto, Y.

Die myxomyceten Japans. IV-V. Bot. Mag. Tokyo 48: 478-487, 558-566. illus. Jl.,Ag.1934. no.571,572.

Japanese with brief German résumé

Fukuyama, N.

Studia orchidacearum japonicarum. III. Orchidaceae formosanae novae atque criticae. Bot. Mag. Tokyo 48: 429-442. illus. Jl.1934. no.571.

Handa, T.

Ueber die lebensdauer der stammepidermiszellen von Sterculia platanifolia. Bot. Mag. Tokyo 48: 540-551. illus. Ag.1934. no.572.

Hiratsuka, N.

Inoculation experiments with heteroecious species of the Japanese rust fungi. II. Bot. Mag. Tokyo 48: 463-466. Jl.1934. no.571.

Horikawa, Y.

Symbolae florae Bryophytae Orientali-Asiae. I. Bot. Mag. Tokyo 48: 452-462. illus. Jl.1934. no.571.

Bot. Mag. Tokyo (cont.)

Hosokawa, T.
Conspectus of the genus Lepinia. Bot. Mag. Tokyo 48: 528-530. illus. Ag.1934. no.572.
L. ponopensis n.sp.

Ito, S.
Cultures of Japanese Uredinales. I. Bot. Mag. Tokyo 48: 531-539. Ag.1934. no.572.

Matsuda, H.
Experimental pollination with giant pollen grains of Petunia. Bot. Mag. Tokyo 48: 552-557. Ag.1934. no.572.

Okunuki, K.
Untersuchungen über das verhalten der rosahefe gegen die bestrahlung. Bot. Mag. Tokyo 48: 519-527. Ag.1934. no.572.

Okunuki, K.
Weitere beobachtungen über die adsorptionsverhältnisse der von rosahefen gebildeten wachstumsstoffe. Bot. Mag. Tokyo 48: 443-451. Jl.1934. no.571.

Shimakura, M.
Ueber die nadeln der zwischen-formen von Abies firma S. et Z. und A. homolepis S. et Z. Bot. Mag. Tokyo 48: 488-492. illus. Jl. 1934. no.571.
Japanese with German summary.

Yamada, Y.
[Obituary notice of Bunzo Hayata]. Bot. Mag. Tokyo 48: 493-503. port. Jl.1934. no.571.
Japanese.(Died Jan.13,1934.)

Yuasa, A.
Studies in the cytology of Pteridophyta. VI. Reduction division in Ophioglossum ellipticum Hooker et Greville (prel.note). Bot. Mag. Tokyo 48: 567-570. illus. Ag.1934. no.572.
Japanese with English summary.

Bull. Agr. Congo Belge (Bruxelles) (24K83)

Ferrand, M.
L'amélioration de l'Hévéa. Bull. Agr. Congo Belge 25: 149-191. Je.1934. no.2.

Lebrun, J.
Rapport sur un voyage d'études botaniques dans le district de l'Uele-Nepoko. Bull. Agr. Congo Belge 25: 192-204. illus. Je.1934. no.2.
Northeastern Belgian Congo.

Bull. Amer. Iris Soc. (81Am39)
Peckham, E. A. S.
"Servant of the rainbow". Bull. Amer. Iris Soc. 53: 44-53. illus. O.1934.
Some things discovered during a three-year research into the origin of the fleur-de lys and its connection with the iris.

Bull. Cl. Sci. Acad. Roy. Belg. (Bruxelles) (504B83B)
Bouillenne, R. & Prevot, P.
Recherches expérimentales sur les phénomenes de néoformation chez Begonia rex Putz. (cont.) Bull. Cl. Sci. Acad. Roy. Belg. V,20: 584-609. illus. 1934. no.6.

Bull. Coll. Agr. & For. Univ. Nanking (107N15B)
Yu, T. F.
Pythium damping off of cucumber. Bull. Coll. Agr. & For. Univ. Nanking n.s.13: 1-16. illus. Ap.1934.

Yu, T. F., Chen, H. K. & Hwang, L.
Seed treatment experiments for controlling kernel smut of millet. Bull. Coll. Agr. & For. Univ. Nanking n.s.,14: 1-18. illus. Ap.1934.
Chinese with English summary.

Yu, T. F., Chen, H. K., and Hwang, L.
Varietal resistance and susceptibility of foreign barleys to covered smut (Ustilago hordei (Pers.) K. & S.) Bull. Coll. Agr. & For. Univ. Nanking n.s. 12: 5-12. Ap.1934.

Yu, T. F., Chen, H. K., and Hwang, L.
Varietal resistance and susceptibility of wheats to flag smut (Urocystis tritici Koern.) II. Bull. Coll. Agr. & For. Univ. Nanking n.s., 12: 1-4. Ap.1934.

Bull. Econ. Indochine (22.5In2)
Bugnicourt,
Premières observations sur les maladies du tabac dans le Sud-Indochinois, programme d'études Bull. Econ. Indochine 37: 717-721. 3 pl. Jl./Ag. 1934.

Bull. Econ. Indochine (cont.)
Crevost, C. & Pételot, A.
Catalogue des produits de l'Indochine. (cont.) Bull. Econ. Indochine 37: 730-776. illus., 16 pl. Jl./Ag.1934.

Crevost, C.
Matières a mastiquer. Bull. Econ. Indochine 37: 722-729. illus. Jl./Ag. 1934.

Bull. Imp. Coll. Agr. & For. Morioka, Japan. (107.6M82)
Togashi, K. & Shibasaki, Y.
Biometrical and biological studies of Albugo candida (Pers.) O. Kuntze in connection with its specialization. Bull. Imp. Coll. Agr. & For. Morioka, Japan. 18. 88 p. illus. Je.1934.

Two morphological forms: var. macrospora on Brassica and Raphanus, var. microspora on Cardamine flexuosa, Capsella bursa-pastoris var. auriculata, Draba nemerosa var. hebecarpa and Arabis hirsuta.

Togashi, K. & Onuma, F.
A list of parasitic fungi collected on Mt. Hayachine, Iwate prefecture. Bull. Imp. Coll. Agr. & For. Morioka, Japan. 17. 74 p. illus. Je.1934.

A number of new species are described.
Host index: p.66-74.

Bull. Lloyd Library (Cincinnati) (396.8L77)
Lloyd, C. G. & Aiken, W. H.
Flora of Samoa. Bull. Lloyd Libr. & Mus. 33. Bot. Ser. no.4. 113 p. illus. 1934.

"Dr. Aiken identified, classified and wrote descriptions of the entire collection" [of higher plants], "he also arranged and edited Mr. Lloyd field notes, adding this information to his own taxonomic work on the collection".

Bull. Soc. Bot. France. (Paris) (451F84B)
Camus, A.
Humbertochloa A. Camus et O. Stapf, genre nouveau de graminées malgaches. Bull. Soc. Bot. France 81: 467-471. illus. S.17, 1934. no.5/6.

H. bambusiuscula n.sp.

Camus, A.
Un x Orchiserapias nouveau pour la flore de France. Bull. Soc. Bot. France 81: 499-500. illus. S.17, 1934. no.5/6.

Orchis picta x Serapias lingua.

Bull. Soc. Bot. France. (cont.)

Dughi, R.
Une station française de lichens épiphylles. Bull. Soc. Bot. France 81: 500-507. S.17, 1934. no.5/6.

Dusseau, A.
Sur le mécanisme de la persistance des organes foliacés des plantes de haute montagne. Bull. Soc. Bot. France 81: 460-467. illus. S.17, 1934. no.5/6.

Gagnepain, F.
[Henri Lecomte] Bull. Soc. Bot. France 81: 472-474. S.17, 1934. no.5/6.

Guillaumin, A.
Matériaux pour la flore de la Nouvelle-Calédonie. XXXVII. Révision des scrophulariacées. Bull. Soc. Bot. France 81: 454-455. S.17, 1934. no.5/6.

Jovet, P.
Le Bryum erythrocarpum Schw., ses différentes stations principalement dans le Valois. Bull. Soc. Bot. France 81: 442-449. S.17, 1934. no.5/6.

Léandri, J.
Espèces et localités nouvelles d'euphorbiacées d'Alfrique et de Madagascar. Bull. Soc. Bot. France 81: 449-454. illus. S.17, 1934. no.5/6.
Sapium aubrevillei, n. sp. and new species in Phyllanthus.

Léandri, J.
Espèces nouvelles de Drypetes (euphorbiacées) de la Cote d'Ivoire. Bull. Soc. Bot. France 81: 458-460. S.17, 1934. no.5/6.
D. aubrevillei, D. pellegrini, D.mottikoro n.spp.

Prat, H.
Contribution à l'étude systématique et histologique des chloridées. Bull. Soc. Bot. France 81: 475-491. illus. S.17, 1934. no.5/6.

Moreau, F. & Fernand, Mme.
Contribution à l'étude de la flore lichénique des Pyrénées centrales. Bull. Soc. Bot. France 81: 491-498. S.17, 1934. no.5/6.

Bull. Soc. Roy. Bot. Belg. (Brussels) (451B41B)

Beeli, M.
Contribution a l'étude de la flore mycologique du Congo. Fungi Goossensiani, X. Bull. Soc. Roy. Bot. Belg. 66(II,16): 14-31. pl.i-iii. 1933. no.1.

Bouillenne, R.
Substances formatrices de racines chez les plantes supérieures. Bull. Soc. Roy. Bot. Belg. 66(II,16): 55-57. 1933. no.1.

Braecke, M.
Du noircissement "post mortem" du Pedicularis sylvatica L. Extraction de manitol (mannite) à partir de cette espèce. Bull. Soc. Roy. Bot. Belg. 66(II,16): 9-13. 1933. no.1.

Coulouma, J.
Contribution a l'étude chimique des cistes. Bull. Soc. Roy. Bot. Belg. 66(II,16): 86-94. 1933. no.1.

Hauman, L.
L'étude de la flore Belge. Bull. Soc. Roy. Bot. Belg. 66(II,16): 102-106. 1934. no.2.

Henrotin, M.
Introdcution a l'étude de bourgeons sériés: Organographie des tiges dans le genre Juglans. Bull. Soc. Roy. Bot. Belg. 66(II,16): 65-79. pl.1-6. 1933. no.1.

Homès, M. V.
La conservation de Codium bursa en herbier ou en liquide. Bull. Soc. Roy. Bot. Belg. 66(II, 16): 34-36. illus. 1933. no.1.

Martens, P.
Recherches sur la cuticle II. Dépouillement cuticulaire spontané sur les pétales de Tradescantia. Bull. Soc. Roy. Bot. Belg. 66(II,16): 58-64. illus. 1933. no.1.

Terby, J.
Origine et destinée du fuseau et de la vésicule polaire dans la division somatique du Plasmodiophora brassicae. Bull. Soc. Roy. Bot. Belg. 66(II,16): 122-140. pl. ii. 1934. no.2.

Bull. Soc. Roy. Bot. Belg. (cont.)
Verplancke, G.
Sur une forme nouvelle de la "bigarrure", maladie á virus filtrant de la pomme de terre. Bull. Soc. Roy. Bot. Belg. 66(II,16): 107-121. illus., pl.i. 1934. no.2.
New disease of type of "acropetal necrosis".

Bull. Techn. & Sci. Serv. Min. Agr. Egypt (24Eg93)
Fikry, A.
The gumming and death of plum trees. Bull. Techn. & Sci. Serv. Min. Agr. Egypt 141. 35 p. xii pl. 1934.
Physiological.
Water-table effects I.

Jones, G. H.
Control of barley diseases. I. Closed smut. Bull. Techn. & Sci. Serv. Min. Agr. Egypt 142. 19 p. viii pl. 1934.

Sirag-el-Din, A.
Citrus gummosis in Egypt. Bull. Techn. & Sci. Serv. Min. Agr. Egypt 131. 44 p. illus., xiv pl. (i-ix fold., part. col.) 1934.

Bull. Trim. Off. Rég. Agr. Midi France (14F849)
Long, J.
Etude sur les blés au centre national d'experimentation du Midi le Merie, par Salon (B.-du-Rh.) (Campagne 1931-1932). Bull. Trim. Off. Rég. Agr. Midi France 1934: 267-293. O.1934. no.52.

Cactus & Succ. Journ. (Los Angeles) (451C11)
Sturtevant, R. S.
Descriptions of varieties Pt.VI. Bull. Amer. Iris Soc. 53: 24-43. O.1934. no.4.

Baxter, E. M.
Grusonia santamaria, new species. Cactus & Succ. Journ. 6: 60-61. illus. O.1934. no.4.

Poindexter, R. W.
New garden species. III. Cactus & Succ. Journ. 6: 51-52. illus. O.1934. no.4.

Swuste, F.
Genus Lithops. III. The cultivation of Lithops. Cactus & Succ. Journ. 6: 57-59. O.1934. no.4.

Cactus & Succ. Journ. (cont.)

Walther, E.

Echeveria hybrids. Cactus & Succ. Journ. 6: 53-56. illus. O.1934. no.4.

A.With Pachyphytum.

Calif. Citrogr. (Los. Angeles) (80C125)

Klotz, L. J. & Fawcett, H. S.

Valencia rind spot. Calif. Citrogr. 20: 4. illus. N.1934. no.1.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Cormack, M. W.

On the invasion of roots of Medicago and Melilotus by Sclerotinia sp. and Plenodomus meliloti D. and S. Canad. Journ. Res. 11: 474-480. pl. O.1934. no.4.

Johnston, W. H.

Studies on the dehulling of barley kernels with sulphuric acid and on the inheritance of reaction to covered smut Ustilago hordei (Pers.) K. & S. infection in crosses between Glabron and Trebi barleys. Canad. Journ. Res. 11: 458-473. illus. O. 1934. no.4.

Prat, H.

On a method for measuring the resistance of vegetal tissues. Canad. Journ. Res. 11: 448-457. illus. O.1934. no.4.

Claytonia (Lynchburg, Va.) (450C57)

Massey, A. B.

Early Virginia botany - John Banister. Claytonia 1: 28-29. O.1934. no.3.

Massey, A. B.

Virginia clubmosses and quillworts. Claytonia 1(2): 1-5. Ag.1934.

Wherry, E. T.

Further notes on three plants mentioned in Claytonia vol.1, no.1, Claytonia 1(2): 7-8. Ag.1934.

Iris virginica, Pogonia affinis. Parnassia asarifolia.

Wherry, E. T.

Heuchera hispida Pursh. Claytonia 1: 25-28. O.1934. no.3.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Jonesco, S.

Sur le mécanisme de pollinisation dans les fleurs de Tropaeolum majus. Compt. Rend. Soc. Biol. Paris 117: 126-128. illus. 1934. no.28.

Contr. Boyce Thomp. Inst. Plant Res. (451B69)

Backus, M. P.

Initiation of the ascocarp and associated phenomena in Coccomyces hiemalis. Contr. Boyce Thomp. Inst. Plant Res. 6: 339-379. illus. Jl./S. 1934. no.3.

Beale, H. P.

The serum reactions as an aid in the study of filterable viruses of plants. Contr. Boyce Thomp. Inst. Plant Res. 6: 407-435. Jl./S.1934. no.3.

Bourn, W. S.

Sea-water tolerance of Vallisneria spiralis L. and Potamogeton foliosus Raf. Contr. Boyce Thomp. Inst. Plant Res. 6: 303-308. Jl./S.1934. no.3.

Denny, F. E.

Starch determination methods involving solubility in acids. Contr. Boyce Thomp. Inst. Plant Res. 6: 381-393. Jl.S.1934. no.3.

Experiments with leaves of Salvia splendens, Juglans nigra, Lycopersicon esculentum and others.

Farr, W. K. & Eckerson, S. H.

Separation of cellulose particles in membrances of cotton fibers by treatment with hydrochloric acid. Contr. Boyce Thomp. Inst. Plant Res. 6: 309-313. illus. Jl./S.1934. no.3.

Farr, W. K. & Sisson, W. A.

X-Ray diffraction patterns of cellulose particles and interpretations of cellulose defraction data. Contr. Boyce Thomp. Inst. Plant Res. 6: 315-321. illus. Jl.S. 1934. no.3.

Experiments with cotton fibers.

Giersbach, J.

After-ripening and germination of Cotoneaster seeds. Contr. Boyce Thomp. Inst. Plant Res. 6: 323-338. illus. Jl.S.1934. no.3.

Contr. Boyce Thomp. Inst. Plant Res. (cont.)

Guthrie, J. D.

Metabolism of citric, sulphuric, and nitric acid in the potato tuber, an explanation for the high pH of the juice of tubers treated with ethylene chlorhydrin. Contr. Boyce Thomp. Inst. Plant Res. 6: 247-268. Jl./S.1934. no.3.

Miller, L. P.

The effect of the alkyl halides on the respiration of potato tubers. Contr. Boyce Thomp. Inst. Plant Res. 6: 279-296. Jl./S.1934. no.3.

Thornton, N.C.

Carbon dioxide storage. VI-VII. Contr. Boyce Thomp. Inst. Plant Res. 6: 395-402, 403-405. Jl/S. 1934. no.3.

VI. Lowering the acidity of fungal hyphae by treatment with carbonic acid. VII. Changes in flower color as evidence of the effectiveness of carbon dioxide in reducing the acidity of plant tissue.

Youden, W. J. & Beale, H. P.

A statistical study of the local lesion method for estimating tobacco mosaic virus. Contr. Boyce Thomp. Inst. Plant Res. 6: 437-454. Jl./S.1934. no.3.

Zimmerman, P. W. & Connard, M. H.

Reversal of direction of translocation of solutes in stems. Contr. Boyce Thomp. Inst. Plant. Res. 6: 297-302. illus. Jl./S.1934. no.3.

Contr. Plant Path. Lab. Bot. Dept. Univ. Nanking (464.9N15)

Yu, T. F.

Notes on the storage and market diseases of fruits. I. Contr. Plant Path. Lab. Bot. Dept. Univ. Nanking no.25. 12 p. illus. [1934]

Largely citrus.

Costa Azzurra Agr.-Flor. (Sanremo) (16C82)

Calvino, M.

Nomenclatura orticola. Costa Azzurra Agr.-Flor. 14: 225-227. S.1934. no.9.

Current Science (Bangalore) (475Sci23)

Joshi, A. C. & Ramon Rao, V. V.

Fruit and seed development in Tinospora cordifolia Miers without fertilisation and embryo formation inside. Current Science 3: 62-63. Ag.1934. no.2.

Maheshwari, P. & Gupta, B. L.

The development of the female gametophyte of Ludwigia parviflora, Roxb. and Jussieua repens, Linn. Current Science 3: 107-108. illus. S.1934. no.3.

Maheshwari, P.

The Indian mango. Current Science 3: 97-98. S.1934. no.3.

Mallik, P. F.

Development of roots from the petiole of Ficus religiosa leaf. Current Science 3: 105-106. illus. S.1934. no.3.

Mihra, R.D.

Survey of commercial Indiana cottons. Current Science 3: 95-96. S.1934. no.3.

Sahni, B.

Dr. S. K. Mukerji, F.L.S. (1896-1934). Current Science 3:102-105. port. S.1934. no.3.

Sahni, B.

Exembryonate seeds. Current Science 3: 109-110. S.1934. no.3.

Singh, B.N. & Gupta, S. C. D.

Permeability of protoplasm - a probable factor in transpiration. (Being a study of transpiration response under ultra-violet radiation). Current Science 3: 50-52. Ag.1934. no.2.

Curt. Bot. Mag. (450C94)

Curt. Bot. Mag. v.157, pt.4. Col.pl.9370-9380. O.1,1934.

Tulipa kuschkensis, Pieris formosa var. forrestii, Muscari cynaeo-violaceum, Viburnum alnifolium, Azara lanceolata, Rhododendron Bachii, Maxillaria fucata, Agathosma perdita, Iris kashmiriana, Megaskepasma erythrochlamys, Ranunculus asiaticus var.albiflorus.

Deut. Landw. Presse (Berlin) 18D482)
Lüdecke, H.
Jarowisations-versuche mit zuckerrüben. I- Deut. Landw. Presse 61: 481-482. S.29,1934. no.39.

Ecology (Brooklyn, N.Y.) (410Ec7)
Lutz, H. J.
Concerning a geological explanation of the origin and present distribution of the New Jersey pine barren vegetation. Ecology 15: 399-406. illus. (maps) O.1934. no.4.

Nichols, G. E.
The influence of exposure to winter temperatures upon seed germination in various native American plants. Ecology 15: 364-373. O.1934. no.4.

Weaver, J. E. & Flory, E. L.
Stability of climax prairie and some environmental changes resulting from breaking. Ecology 15: 333-347. O.1934. no.4.

Wherry, E. T.
Temperature relations of the bunchberry, Cornus canadensis L. Ecology 15: 440-443. O.1934. no.4.

Ernähr. Pflanze (Berlin) (57.8Er6)
Kornfeld, A.
Die bedeutung des kaliums für die ölbohne (Glycine hispida Moench.) Ernähr. Pflanze 30: 335-343. illus. O.15, 1934. no.20.

Field Mus. Nat. Hist.Leafl. (500C432L)
Standley, P. C.
Common weeds. Field Mus. Nat. Hist. Leafl. 17. 31. p. illus. 1934.

Flor. Exch. (N.Y.) (80F666)
Allen, R. C.
Factors affecting doubleness in stocks, tested in experiments. Flor. Rev. 75(1925): 13-15. O.18, 1934.

Zimmerman, P. W. & Hitchcock, A. E.
Gerberas prove hardy in New York. Flor. Exch. 83 (16): 18. illus. O.20, 1934.

Flor. Rev. (Chicago) (80W41)
Plants for the hardy garden. Flor. Rev. 75(1925): 22. O.18, 1934.
Hutchinsia, Muscari, Cordydalis lutea, Asclepias incarnata alba.

Formosan Agr. Rev. (J22.5F76)

Yatomi, T.

Some observations on the resistance of the plant body and the fruit against the storm, with special reference to the resistance of the floral organ of the Shikikitsu orange (Citrus microcarpa Bunge) in each stage of development. Formosan Agr. Rev. 1934: 836-846. S.1934. no.334.

Japanese with English résumé: p.845-846.

Gard. Chron. (London) (80G162)

Bancroft, H.

Notes on the status and nomenclature of the British elms. III-IV. Gard. Chron. III,96: 208-209, 244. illus. S.22, 0.6, 1934. no.2491. 2493.

III. The Cornish elm. IV, Elms generally accepted as hybrids.

Creasy, L. B.

Corylopsis gotoana, Makino. Gard. Chron. III, 96: 244-245. 0.6, 1934. no.2493.

Gentiana sino-ornata x G.. veitchiorum. Gard. Chron. III, 96: 285. 0.20,1934. no.2495.

Gentiana stevengensis, By Frank Barker; G. wellsiana, By B.O. Mulligan (both names for the hybrid claiming priority).

Harland, S. C.

A note on breeding for scent in roses. Gard. Chron. III, 96: 284. 0.20,1934. no.2495.

Nelmes, W.

Escallonias. Gard. Chron. III.96: 211-212. S.22,1934. no.2491.

Nicholson, C.

Colour variation in collected plants. Gard. Chron. III,96: 248-249. 0.6, 1934. no.2493. 0.20,1934.

Ward, F. K.

Mr. F.Kingdon Ward's twelfth expedition in Asia. IV-VI. Gard. Chron. III,96: 192-193, 246-247, 282-283. illus. S.15, 0.,6,20,1934. no.2490-2493,2495.

Gard. Chron. (cont.)
Windlemere, F. G.
Epachys columnifera (?) Gard. Chron. III, 96: 244. O.6, 1934. no.2493.

Propagation of dahlias by leaf-bud cuttings. Gard. Chron. III,96: 284. O,20,1934. no.2495.

Gard. Chron. Amer. (80G1632)
Colby, J. A.
Plant hunting in Polynesia. Gard. Chron. Amer. 38: 328-330. illus. S.1934. no.11.

DeBevoise, F.
Western plants in eastern gardens. Gard. Chron. Amer. 38: 323-324. N.1934. no.11.

Gard. Illus. (London) (80G169)
Flegg, O. D.
Botanical exploration in China (cont.) Gard. Illus. 56: 614-615. O.13,1934. no.2901.

Miss Ellen Willmott, V.M.H. Gard. Illus. 56: 595. port. O.6, 1934. no.2900.
Died Sept.27,1934 at age of 74.

Helvetica Chim. Acta (Basel) (385H36)
Müller, A.
Die oberflächenspannung der ätherischen öle zugleich ein beitrag zur frage der entstehung der ätherischen öle in der pflanze. Helvetica Chim. Acta 17: 1135-1142. O.1934. no.5.

Tschirch, A.
Ueber arbeitsteilung im chemismus der höheren pflanzen. Helvetica Chim. Acta 17: 992-996. O. 1934. no.5.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin) (384Z38)
Kögl, F., Haagen-Smit, A. J. & Erxleben, H.
Ueber den einfluss der auxine auf das wurzelwachstum und über die chemische natur des auxins der graskoleoptilen. Hoppe-Seyl. Zeitschr. Phys. Chem. 228: 104-112. illus. O.3, 1934. no.1/2.
12. Mitteilung über pflanzliche wachstumsstoffe.

Hoppe-Seyl. Zeitschr. Phys. Chem. (cont.)

Kögl, F., Haagen-Smit, A.J., & Erxleben, H.
Ueber ein neues auxin (hetero-auxin) aus harn. Hoppe-Seyl. Zeitschr. Phys. Chem. 228: 90-103. 0.3, 1934. no.1/2.
II. Mitteilung über pflanzliche wachstumsstoffe.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)

Brink, R. A. &Albrecht, H. R.
Genetics of resistance to bacterial wilt in alfalfa. Journ. Agr. Res. 49: 635-642. 0.1, 1934(Recd 0.29) no.7.

Crane, H. L. & Hardy, M. B.
Interrelation between cultural treatment of pecan trees, the size and degree of filling of the nuts, and the composition of kernels. Journ. Agr. Res. 49: 643-661. 0.1, 1934(Rec'd 0.29) no.7.

Larson, R. H.
Wound infection and tissue invasion by Plasmodiophora brassicae. Journ. Agr. Res. 49: 607-624. illus. 0.1, 1934(Rec'd 0.29) no.7.

Powers, L.
The nature and interaction of genes differentiating habit of growth in a cross between varieties of Triticum vulgare. Journ. Agr. Res. 49:573-605. 0.1, 1934(Rec'd 0.29) no.7.

Sieglinger, J. B., Swanson, A. F. & Martin, J. H.
Inheritance of awn development in sorghums. Journ. Agr. Res. 49: 663-668. illus. Oct.1, 1934(Rec'd 0.29) no.7.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) 4Am34P)

Bissey, R. & Butler, O.
Effect of applications of sodium chlorate and ammonium thiocyanate on subsequent sowings of wheat. Journ. Amer. Soc. Agron. 26: 838-846. illus. 0.1934. no.10.

Hulbert, H. W. & Whitney, G. M.
Effect of seed injury upon the germination of Pisum sativum. Journ. Amer. Soc. Agron. 26: 876-884. illus. 0.1934. no.10.

Journ. Amer. Soc. Agron. (cont.)

Hulbert, H. W., Spence, H. L. & Benjamin, L. V.
The eradication of Lepidium draba. Journ. Amer. Soc. Agron. 26:858-864. O.1934. no.10.

Kulkarni, L. G.
Correlated inheritance with special reference to disease resistance in spring wheat. Journ. Amer. Soc. Agron. 26: 885-893. O.1934. no.10.

Leukel, R. W. & Stanton, T. R.
Effect of seed treatments on yield of oats. Journ. Amer. Soc. Agron. 26: 851-857. O.1934 no.10.

Smith, F. L.
Pale, an hereditary chlorophyll deficiency in beans. Journ. Amer. Soc. Agron. 26: 893-897. O.1934. no.10.

Tingey, D. C.
The comparative cost and effectiveness of tillage and of chlorates in the control of morning glory, Canada thistle, and perennial sow thistle. Journ. Amer. Soc. Agron. 26: 864-876. O.1934. no.10.

Journ. Arnold Arb. (Cambridge, Mass.) (451Ar6J)

Hatch, A. B.
A culture chamber for the study of mycorrhizae. Journ. Arnold. Arb. 15: 358-365. illus., pl.118. O. 1934. no.4.

Kerr, T. & Bailey, I. W.
The cambium and its derivative tissues. X. Structure, optical properties and chemical composition of the so-called middle lamella. Journ. Arnold Arb. 15: 327-349. illus., pl.110-113. O. 1934. no.4.

McKelvey, S. D.
A verification of the occurrence of Yucca whipplei in Arizona. Journ. Arnold. Arb. 15; 350-352. pl.114.-117. O.1934. no.4.

Rehder, A.
Notes on the ligneous plants described by Leveille from eastern Asia. (cont.) Journ. Arnold Arb. 15: 267-326. O. 1934. no.4.

Journ. Arnold. Arb. (cont.)

Whitaker, T. W.
A karyo-systematic study of Robinia. Journ. Arnold Arb. 15: 353-357. illus. O.1934. no.4.

Journ. Bot. (London) (450J82)

Armitage, E.
Mistletoe on holly. Journ. Bot. 72: 283. O. 1934. no.862.

Becherer, A
Publication of the generic name Vitaliana. Journ. Bot. 72: 292-293. O.1934. no.862.

Borthwick, A. W.
[Presidential address, Botanical section, British association]. Journ. Bot. 72: 283-291. O. 1934.
Abridged.

British museum (National history) Department of botany Herbarium.
Notes from the British museum herbarium. Journ. Bot. 72: 279-282. O.1934. no.862.
Cleome welwitschii, Xylopia mendonae, Banksia ashbyi, B. burdetti n.spp.

Grove, W. B.
Mycological notes. VII. Journ. Bot. 72: 265-271. illus. O.1934. no.862.

Obermeijer, A. A.
Revision of the South African species of Barleria. Addenda and corrigenda. Journ. Bot. 72: 275-278. O.1934. no.862.

Puglsey, H. W.
New Variety of Verbascum nigrum L. Journ. Bot. 72: 278-279. O.1934. no.862.
var. bracteosum.

Rendle, A. B.
David McArdle, (1849-1934). Journ. Bot. 72: 282. O.1934. no.862.

Ridley, H. N.
New Malayan Rubiaceae.(cont.) Journ. Bot. 72: 271-275. O.1934. no.862.

Journ. East Africa & Uganda Nat. Hist. Soc. (410.9Ea72)
Jex-Blake, M.
Kenya flowers as garden plants. Journ. East Africa & Uganda Nat. Hist. Soc. 49/50(Ap./Jl.1933): 225-234. Jl.1934.

Napier, E. R.
Botanical notes. Journ. East Africa & Uganda Nat. Hist. Soc. 49/50(Ap./Jl.1933):218-224. vi pl. Jl.1934.
On flora of Kenya.

Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo (107.6J273J)
Ito, H.
The chemical investigation of some Gramineae oils. Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo 37: 1-40. illus. Ag.1934. no.1.

Journ. Hered. (Washington) (442.8Am3)
Blakeslee, A. F. & Avery, A. G.
Three genes located in the 21.22 chromosome of the Jimson weed. Journ. Hered. 25: 393-404. illus. O.1934. no.10.

Waller, A. E.
Iris twins. Journ. Hered. 25: 405. illus. O.1934. no.10.

Journ. Jamaica Agr. Soc. (Kingston) (8J823)
McKay, U. T.
Treatment of Panama disease, one-root system. Journ. Jamaica Agr. Soc. 38: 550-552. S.1934. no.9.

Journ. N.Y. Bot. Gard. (89N48J)
Alexander, E. J.
Collecting seeds of alpines from the peaks of the White Mountains. Journ. N.Y. Bot. Gard 35. 221-223. illus. O.1934. no.418.

Teuscher, H.
After-effects of the winter. Journ. N.Y. Bot. Gard. 35: 217-221. illus. O.1934. no.418.

Journ. Pharm. Soc. Japan (J396.9P49)
Hayashi, K.
Colouring matters of the corolla of Rhododendron obtusum f.hinode. I. The isolation of quercetin. Journ. Pharm.Soc. Japan 53: 232-235. O.1933. no.10.

V.16, no.22, p.24.

Journ. Pharm Soc. Japan (cont.)

Munesada, T. & Hayashi, M.

Ueber die pharmakognostische untersuchung der wurzeln von einiger Cynanchum-arten. Journ. Pharm. Soc. Japan 53: 241-247. illus. N.1933. no.11.

Nakooki, T.

Untersuchungen über die glucoside der flavonreihe von weissen blüten. III. Ueber die bastandteile von Trifolium repens, L. Journ. Pharm. Soc. Japan 53: 238-241. N.1933. no.11.

Segi, S.

Ueber die pharmakognostische untersuchung der zitwerblüten. Journ. Pharm. Soc. Japan 53: 264-267. illus. D.1933. no.12.

Curcuma zedoaria.

Terasaka, M.

Untersuchungen der alkaloide der wurzelrinde von Oriza japonica, Thunb. III. Journ. Pharm. Soc. Japan. 53: 219-221. 0.1933. no.10.

Journ. Pomol. & Hort. Sci. (London) (80J825)

Berkeley, G. H. & Lauder-Thomson, I.

Root rots of strawberry in Britain. The "black lesion" type of strawberry root rot. Journ. Pomol. & Hort. Sci. 12: 222-246. illus. 3. pl. 0.1934. no.3.

Karmarkar, D. V.

The seasonal cycles of nitrogenous and carbohydrate materials in fruit trees. I. Journ. Pomol. & Hort. Sci. 12: 177-221, diagrs. 0.1934. no.3.

Journ. Soc. Trop. Agr. Japan. (Taiwan) (26So13)

Goto, K.

Onion rusts of Japan. III. Biometrical studies on uredio- and teliospores. Journ. Soc. Trop. Agr. Japan 6: 44-53. Mr.1934. no.1.

Hosokawa, T.

Phytogeographical relationship between the Bonin and the Marianne Islands laying stress upon the distributions of the families, genera and special species of their vernacular plants. I. Journ. Soc. Trop. Agr. Japan 6: 201-209. illus. (map) Je.1934. no.2.

Journ. Soc. Trop. Agr. Japan. (cont.)

Kanehira, R. & Sasaki, S.
An enumeration of Formosan trees in the Taihoku herbarium. IX. Journ. Soc. Trop. Agr. Japan 6: 12-16. Mr. 1934. no.1.

Nakamura, M.
On the triploidy of "kimchiamchahhi" (Hemerocallis disticha, Donn.) Journ. Soc. Trop. Agr. Japan 6: 7-11. illus. Mr.1934. no.1.
Japanese with English summary.

Okabe, N.
Bacterial diseases of plants occurring in Formosa. IV. Journ. Soc. Trop. Agr. Japan 6: 54-63. illus. Mr.1934. no.1.

Ohno, S.
Ueber den pektinstoffe von Hibiscus sabdariffa L. Journ. Soc. Trop. Agr. Japan 6: 103-105. Mr.1934. no.1.
Japanese.

Sata, T.
An enumeration of Formosan Ficus. I-II. Journ. Soc. Trop. Agr. Japan 6:17-28, 195-200. Mr., Je., 1934. no.1,2.

Shibuya, K. & Saeki, H.
The effect of vanadium on the growth of plants. I. Journ. Soc. Trop. Agr. Japan 6: 64-73. Mr.1934. no.1.
Japanese with English summary.

Suzuki, M.
Frost damage of sugar-cane field in Formosa. Journ. Soc. Trop. Agr. Japan 6: 131-143. illus. Je.1934. no.2.
Japanese with brief English summary.

Terada, S. & Horio, S.
On the mutating snaky cotton plant. Journ. Soc. Trop. Agr. Japan 6: 4-6. illus. Mr.1934. no.1.
Japanese with English summary.

Journ. Washington Acad. Sci. (500W276J)

Berry, E. W.
Extension of range of Attalea olssoni. Journ. Washington Acad. Sci. 24: 447-448. illus. O.15, 1934. no.10.

Journ. Washington Acad. Sci. (cont.)

Blake, S. F.

New Asteraceae from Guatemala collected by A.F. Skutch. Journ. Washington Acad. Sci. 24: 432-443. illus. 0.15, 1934. no.10.

Includes Alepidocline gen.nov. (A.annua)

Leonard, E. C.

The American species of Elytraria. Journ. Washington Acad. Sci. 24: 443-447. illus. 0.15, 1934. no.10.

E. tuberosa n.sp.

Kakteenk. Deut. Kakteen-Ges. (451D482)

Baum, H.

Kakteen am heimatlichen standort. 5-6. Kakteenk. Deut. Kakteen-Ges. 1934: 187-188. illus. 0.1934. no.10.

5. Echinocactus rafaëlensis Purp., Mammillaria candida Scheidw. und Echinocereus leptacanthus K. Schum. 6. Cereus euphorbioides Haw.

Bödeker, F.

Mammillaria saetigera Böd. & Tieg., sp.n. Kakteenk. Deut. Kakteen-Ges. 1934: 190-191. illus. 0.1934. no.10.

Roeder, W. v.

Ist es möglich, für unsere kakteen und anderen sukkulenten deutsche namen zu prägen und einzubürgern? Kakteenk. Deut. Kakteen-Ges. 1934: 184-187. 0.1934. no.10.

Werdermann, E.

Echinocereus viereckii Werd. nov.spec. Kakteenk. Deut. Kakteen-Ges. 1934: 188-189. illus. 0.1934. no.10.

Kranke Pflanze (Dresden) (464.8K86)

Esmarch, F.

Blatt- und fruchtkrankheiten der walnuss. Kranke Pflanze 11: 117-119. col.pl. 0.1934. no.10.

Gnomonia leptostyla, Gloeosporium epicarpii, Pseudomonas juglandis.

Kaven, G.

Krankheiten und schädlinge an Rhododendron. Kranke Pflanze 11: 123-126. 0.1934. no.10.

Lingnan Sci. Journ. (Canton, China) (22.5C16)

Howe, M. A.

Some marine algae of the Shantung peninsula. Lingnan Sci. Journ. 13: 667-670. illus. O.1, 1934. no.4.

Loh, T. C.

An improved method for the control of seed-borne diseases of rice. Lingnan Sci. Journ. 13: 603-605. O.1, 1934. no.4.

McClure, F. A.

The Lignan university fifth Hainan Island expedition. Lingnan Sci. Journ. 13: 163-170. pl.13. Ja.27,1934. no.1.

McClure, F. A.

The Lingnan university sixth and seventh Hainan expeditions. Lingnan Sci. Journ. 13: 577-601. pl. 58-61. O.1, 1934. no.4.

Mem. Coll. Agr. Kyoto Imp. Univ. (107.6R994)

Nishiyama, I.

The genetics and cytology of certain cereals. VI. Chromosome behavior and its bearing on inheritance in triploid Avena hybrids. Mem. Coll. Agr. Kyoto Imp. Univ. 32. 157 p. illus., iv pl. Jl. 1934.

Mem. Soc. Cubana Hist. Nat. (Habana) (410.9So15)

Bonazzi, A.

Estudios sobre fisiología del arroz. (cont.) Mem. Soc. Cubana Hist. Nat. 8: 189-200. illus. O.25, 1934. no.4.

León, H.

El género Melocactus en Cuba. Mem. Soc. Cubana Hist. Nat. 8: 201-208. pl.10. O.1934. no.4.

M. acuñai, M. matanzanus, M. guitarti n.spp.

Mém. Soc. Sci. Nat. Maroc. (515So1M)

Emberger, L. & Maire, R.

Tableau phytogéographique du Maroc. I. Mém. Soc. Sci. Nat. Maroc 38. 187 p. illus. (maps), xvi pl. My.15, 1934.

Missouri Bot. Gard. Bull. (St. Louis) (89M69B)

Kohl, P. A.

Some new and noteworthy Narcissus. Missouri Bot. Gard. Bull. 22: 173-176. pl.50-51. O.1934. no.8.

Mitt. Bad. Landesver. Naturk. u. Natursch. Freiburg (410.9B14)

Oberdorfer, E.

Die felsspaltenflora des südlichen schwarzwaldes. Neufeunde von dem kaiserwachtfelsen (Höllantal). Mitt. Band. Landesver. Naturk. u. Natursch. Freiburg n.f., 3; 1-14. F.15, 1934. no.1/2.

Zimmermann, W.

Badische volksnamen von pflanzen. IV. (concl.) Mitt. Bad. Landesver. Naturk. u. Natursch. Freiburg n.f.,2: 290-295, 301-312. 1933. no.22,23.

Mitt. Landw. (Berlin) (18D48M)

Clausen, H.

Weissende oder urbarmachungskrankheit. Mitt. Landw. 49: 919-920. illus. O.20,1934. no.42.

Mus. & Art Notes Vancouver City Mus. (517V28)

Wailes, G. H.

Freshwater dinoflagellates of North America. Mus. & Art Notes Vancouver City Mus. v.7, suppl.11. 10 p. iv pl. S. 1934.

Nat. Hort. Mag. (Washington, D.C.) (81N219)

Croizat, L.

Notes on tree-hardiness. Nat. Hort. Mag. 13: 356-359. O.1934. no.4.

Fairchild, D.

The Utowana eugenia. A shrub from the Gold Coast of west Africa; new to cultivation. Nat. Hort. Mag. 13: 351-355. illus. O.1934. no.4.

Eugenia coronata.

Giuseppi, P. L.

The wild Sierras of Spain and their plants. Nat. Hort. Mag. 13: 309-318. O. 1934. no.4.

Henry, M. G.

Collecting plants beyond the frontier in northern British Columbia. IV. Nat. Hort. Mag. 13: 363-383. illus. O.1934. no.4.

McKelvey, S. D.

Arctomecon californicum. Nat. Hort. Mag. 13: 349-350. illus. O.1934. no.4.

Stoke, H. P.

Blight resistant Oriental chestnuts in the eastern United States. Nat. Hort. Mag. 13: 360-362. illus. O.1934. no.4.

Nat. Hort. Mag. (cont.)

The Royal botanic garden Edinburg, Scotland. Nat. Hort. Mag. 13: 327-341. illus. O.1934. no.4.

In a series of pictures.

Nat. Hist. (N.Y.) (500N483J)

Geithmann, H.

A forest of the past. One of the natural wonders of the western world is the petrified forest of Arizona, in which are trees of a vastly ancient age, turned in the almost endless years that have passed, to quartz. Nat.Hist. 34: 653-661. illus. N.1934. no.7.

Naturaliste Canad. (Quebec) (410N216)

Rousseau, J.

Essai de bibliographie botanique canadienne. (cont.) Naturaliste Canad. 61: 262-268. O. 1934. no.10.

Nature (London) (472N21)

Barnes, T. C.

Alleged stimulation of moulds by paraffin in heavy water. Nature 134: 573-574. O.13, 1934. no.3389.

Tutin, T. G.

The fungus on Zostera marina. Nature 134: 573. O.13, 1934. no.3389.

Naturforsch. (Berlin) (410N219)

Kufferath, A.

Pflanzenzucht bei neonzusatzlicht. Naturforsch. 11: 252-254. illus. O.1934. no.7.

New Phytol. (London) (450N42)

Godwin, H.

Pollen analysis, an outline of the problems and potentialities of the method. I. New Phytol. 33: 278-305. illus. O.12, 1934. no.4.

Ingold, C. T.

The spore discharge mechanism in Basidiobolus ranarum. New Phytol. 33: 274-277. illus. O.12, 1934. no.4.

New Phytol. (cont.)

McLean, R. C.

Substitution staining with free dye acids and dye bases. New Phytol. 33: 316-317. O.12, 1934. no.4.

Pal, N. L.

Studies on the respiration of conjugating Spirogyra with special reference to fat metabolism. New Phytol. 33: 241-273. illus. O.12, 1934. no.4.

Thompson, J. McL.

Comments on recent statements regarding the nature and origin of the angiospermic stigma. New Phytol. 33: 306-315. O.12, 1934. no.4.

Refers to Dr. H.H. Tomas' article "The nature and origin of the stigma".

New Zealand Journ. Agr. (Wellington) (23N48J)

Aston, B. C.

Live-stock poisoning in New Zealand, I. New Zeal. Journ. Agr. 49: 150-155. S.20, 1934. no.3.

Neill, J.C., Brien, R.M. & Chamberlain, E. E.

"Sore-shin": a virus disease of blue lupins. New Zeal. Journ. Agr. 49:139-146. illus. So.20, 1934. no.3.

Reid, W. D.

Production of wilt-free beans. New Zeal. Journ. Agr. 49: 164-169. illus. S.20, 1934. no.3.

Leonard Cockayne. New Zeal. Journ. Agr. 49: 161-163. port. S.20, 1934. no.3.

North West. Nat. (Arbroath, Scotland) (410N81)

Murray, J.

Cumberland mosses. (cont.) North West. Nat. 9: 281-282. S.1934. no.3.

Oesterr. Bot. Zeitschr. (Wien) (4500s7)

Cholnoky, B.v.

Ueber bau und entwicklung der alge Chaetopeltis orbicularis. Oesterr. Bot. Zeitschr. 83: 187-213. illus. S.10, 1934. no.3.

Handel-Mazzetti, H.

Kleine beiträge zur kenntnis der flora von China.IV. Oesterr. Bot. Zeitschr. 83: 233-237. illus. S.10, 1934. no.3.

Oesterr. Bot. Zeitschr. (cont.)

Rosenkranz, F.
Beiträge zur phänologie Oesterreichs. Oesterr. Bot. Zeitschr. 83: 214-227. S.10, 1934. no.3.

Schiffner, V.
Die entstehungsbedingungen von protonema und adventivsprossen an organen und fragmenten von bryophyten. Oesterr. Bot. Zeitschr. 83: 228-232. S.10, 1934. no.3.

Schmid, G.
Die chrysomonadengattungen Kephyrion, Pseudokephyrion, Kephyriopsis und Stencalys in gewässern bei Wien. Oesterr. Bot. Zeitschr. 83: 161-172. illus. S.10,1934. no.3.

Zach, F.
Untersuchungen über einige neue arten der gattung Scopulariopsis Bainier. Oesterr. Bot. Zeitschr. 83: 173-186. illus. S.10,1934. no.3.

Ohio Journ. Sci. (Columbus) (4100h3)

Chapman, F. B.
The algae of the Urbana (Ohio) raised bog. Ohio Journ. Sci. 34: 327-332. illus. S.1934. no.5.

Schaffner, J. H.
Studies in determinate evolution. VIII. Duplicate evolution of peculiar perianth structures in the sedge family and the composites. Ohio Journ. Sci. 34: 307-315. pl.i-iv. S.1934. no.5.

Tiffany, L. H.
The Oedogoniaceae. Supplementary paper number one. Ohio Journ. Sci. 34: 323-326. S.1934. no.5.

Orchidee (Bandoeng) (800r18)

Schmidt, K.
Een succesvolle orchideeën jacht in de Philippijnen. III. Orchidee (Bandoeng) 3: 232-235. S. 1934. no.9.

Phytopath. (464.8P56)

American phytopathological society - Pacific division.
Report of 18th annual meeting [with abstracts of papers]. Phytopath. 24: 1134-1149. O.1934. no.10.

Phytopath. (cont.)

Brown, N. A.
A fungus gall on Viburnum mistaken for crown gall. Phytopath. 24: 1119-1120. illus. O. 1934. no.10.

Cotter, R. U.
White pycnia and aecia of Puccinia graminis. Phytopath. 24: 1121-1122. O. 1934. no.10.
Found on barberry.

Dufrénoy, J. & Shapovalov, M.
Cytological changes in the callus of the graft union in connection with curly top in tomatoes. Phytopath. 24: 1116-1118. illus. O.1934. no.10.

Holmes, F. O.
Increase of tobacco-mosaic virus in the absence of chlorophyll and light. Phytopath. 24: 1125-1126. O. 1934. no.10.

Koch, K.
Aphid transmission of potato yellow dwarf. Phytopath. 24: 1126-1127. O. 1934. no.10.

Mehrlich, F. P.
Medium for growth of pythiaceous fungi. Phytopath. 24: 1127-1128. O.1934. no.10.
Maltose malt for Phytophthora species.

Nagel, C. M.
Conidial production in species of Cercospora in pure culture. Phytopath. 24: 1101-1110. illus. O.1934. no.10.

Stanley, W. M.
Chemical studies on the virus of tobacco mosaic. I. Some effects of trypsin. Phytopath. 24: 1055-1085. illus. O.1934. no.10.

Suit, R. F.
The wedge graft as a means of controlling over-growths at the union of nursery apple trees. Phytopath. 24: 1086-1100. illus. O.1934. no.10.

Takahashi, W. N. & Rawlins, T. E.
Application of stream double refraction in the identification of streak disease of tomato. Phytopath. 24: 1111-1115. O. 1934. no.10.

Phytopath. (cont.)

White, R. P.

Mercury ammonium silicate as a Gladiolus corm treatment. Phytopath. 24: 1122-1124. O. 1934. no.10.

White, R. P.

The effect of mosaic on bloom production of the Talisman rose. Phytopath. 24: 1124-1125. O. 1934. no.10.

Pharm. Acta Helv. (Zürich) (396.8P4933)

Stoll, A.

Ueber scilla- und digitalisglucoside. Pharm. Acta Helv. 9: 145-168. O.13, 1934. no.9.

Philipp. Journ. Sci. (Manila) (475P53)

Zingg, R. M.

American plants in Philippine ethnobotany. Philipp. Journ. Sci. 54: 221-274. Je.1934. no.2.

Proc. Canad. Phytop. Soc. (Ottawa)

Dickson, J. G.

Studying the effect of environment upon the development of parasitic diseases and selecting for disease resistance present problems in cooperation in research. Proc. Canad. Phytopath. Soc. 2(1931): 13-24. illus. 1932.

Fraser, W.P. & Ledingham, G. A.

Studies of the crown rust, Puccinia coronata corda. Proc. Canad. Phytopath. Soc. 2(1931): 56-66. pl. 1932.

Godbout, F. L. & Coulson, J. G.

Quebec orchard spray service. Proc. Canad. Phytopath. Soc. 2(1931): 36-42. illus.(map) 1932.

Gordon, W.L. & Welsh, J.N.

Oat stem rust investigations in Canada. Proc. Canad. Phytop. Soc. 2(1931): 28-35. 1932.

Greaney, F. J.

Experiments on the control of oat rusts by sulphur dust. Proc. Canad. Phytop. Soc. 2(1931): 77-85. illus. 1932.

Hildebrand, A. A.

Ginseng root rots. Proc. Canad. Phytop. Soc. 2(1931): 66. 1932.

Abstract. "Rust" and disappearing rot (?Ramularia)

Proc. Canad. Phytop. Soc. (cont.)

Hockey, J. F.
Gravenstein spot scald. Proc. Canad. Phytop. Soc. 2(1931): 25-27. illus. 1932.

Howitt, J. E.
Apple orchard spray service in Ontario. Proc. Canad. Phytop. Soc. 2(1931): 43-46. 1932.

Mead, H. W.
Studies of methods for the isolation of fungi from wheat roots and kernels. Proc. Canad. Phytop. Soc. 2(1931): 47-55. pl. 1932.

Sallans, B. J.
Methods of inoculation of wheat with Helminthosporium sativum P.K. and B. Proc. Canad. Phytop. Soc. 2(1931): 96-108. illus. 1932.

Sanford, G. B.
On treating seed potatoes for the control of common scab. Proc. Canad. Phytop. Soc. 2(1931): 67-76. 2 pl. 1932.

Simmonds, P. M. & Sallans, B.J.
Further studies on amputations of wheat roots in relation to diseases of the root system. Proc. Canad. Phytop. Soc. 2(1931): 86-95. illus. 1932.

Proc. K. Akad. Wetensch. Amsterdam. (503Am8P)

Blaauw, A. H.
Temperatuur en tijd van de bloemaanleg bij bol-irissen. (Die temperatur und die zeit der blütenanlage bei der holländischen zwiebel-iris). Proc. K. Akad. Wetensch. Amsterdam 36: 644-653. illus. 1933. no.6.
German summary.

Bottelier, H. P.
Ueber den einfluss des lichtes auf die protoplasmaströmung von Avena. Proc. K. Akad. Wetensch. Amsterdam 36: 790-795. 1933. no.8.

Dijkman, M. J.
A quantitative analysis of the geotropical curvature in dicotyledons. Proc. K. Akad. Wetensch. Amsterdam 36: 749-758. illus. 1933. no.7.

Proc. K. Akad. Wetensch. Amsterdam. (cont.)

Florschütz, F.

Palaeobotanisch onderzoek van jong-pleistocene afzettingen in het oosten van overijssel. (Paläobotanische untersuchungen and jungdiluvialen sedimenten im Ostem der Niederlande). Proc. K. Akad. Wetensch. Amsterdam 37: 297-301. pl. My.1934. no.5.

German summary.

Hartsema, A. M. & Luyten, I.

De invloed van lage temperaturen op het snelle strekken en bloeien van Convallaria majalis. I-II. (Der einfluss niederer temperaturen auf die streckungsfähigkeit von Convallaria majalis. I-II). Proc. K. Akad. Wetensch. Amsterdam 36: 120-127, 210-216. pl. 1933. no.1,2.

German summary: p.126-127, 215-216.

Heyn, A. N. J.

Die plastizität der zellmembran unter einfluss von wuchsstoff. Proc. K. Akad. Wetensch. Amsterdam 37: 180-182. Mr.1934. no.3.

Vorläufige mitteilung.

Heyn, A. N. J.

X ray investigations of the cellulose in the wall of young epidermis cells. Proc. K. Akad. Wetensch. Amsterdam 36: 560-565. pl. 1933. no.5.

Luyten, I. & Blaauw, A. H.

De snelle bloei van Iris tingitana. (The rapid-flowering of Iris tingitana). Proc. K. Akad. Wetensch. Amsterdam 37: 132-139. pl. Mr.1934. no.3.

English summary.

Reinders, D. E.

The sensibility for light of the base of normal and decapitated coleoptiles of Avena. Proc. K. Akad. Wetensch. Amsterdam 37:308-315. My.1934. no.5.

Weevers, T.

Die bildung aromatischer stoffe und terpene in der pflanze. Proc. K. Akad. Wetensch. Amsterdam 27: 183-188. Mr. 1934. no.3.

Proc. K. Akad. Wetensch. Amsterdam. (cont.)

Weij, H. G. van der
On the occurrence of growth substance in marine algae. Proc. K. Akad. Wetensch. Amsterdam 36: 759-760. 1933. no.7.

Weij, H. G. van der
Ueber wuchsstoff bei Elaegnus angustifolius. Proc. K. Akad. Wetensch. Amsterdam 36: 760-761. 1933. no.7.

Proc. Linn. Soc. N.S.W. (Sydney) (514Sy2)

Fraser, L.
An investigation of the sooty moulds of New South Wales. I. Historical and introductory account. Proc. Linn. Soc. N.S.W. 58: 375-395. D.15, 1933. no.5/6(249/250).

Fraser, L.
The Mycetozoa of New South Wales. Proc.Linn. Soc. N.S.W. 58: 431-436. D.15,1933. no.5/6(249/250)

Messmer, P. R.
A new species of Pterostylis. Proc. Linn. Soc. N.S.W. 58: 429-430. illus. D.15,1933. no.5/6(249/250).
Pterostylis pulchella.

Rupp, H. M. R.
The genus Pterostylis R.Br. [Orchidaceae]. A new scheme of classification, with notes on the distribution of the Australian species. Proc. Linn. Soc. N.S.W. 58: 421-428. illus. D.15, 1933. no.5/6(249/250).

Proc. Ohio Veg. Grow. Assoc. (75.90h3)

Howlett, F. S.
Why do over-vegetative tomato plants fail to set fruit? Proc. Ohio Veg. Grow. Assoc. 19(1934): 40-45. 1934.

Mahoney, C. H.
What the plant breeder can and should do for the vegetable grower. Proc. Ohio Veg. Grow. Assoc. 19(1934): 48-59. 1934.

Muncie, J. H.
History and development of potato diseases. Proc. Ohio Veg. Grow. Assoc. 19(1934): 128-139. 1934.

Proc. Ohio Veg. Grow. Assoc. (cont.)

Pierstorff, A. L.
Potato scab control demonstrations in 1933. Proc. Ohio Veg. Grow. Assoc. 19(1934): 154-156. 1934.

Thomas, R. C.
The present status of Stewart's disease or bacterial wilt of sweet corn. Proc. Ohio Veg. Grow. Assoc. 19(1934): 97-103. 1934.

Tilford, P. E.
Potato tuber discoloration. Proc. Ohio Veg. Grow. Assoc. 19(1934): 109-112. 1934.

Wilson, J. D.
Some detrimental effects of Bordeaux mixture on plants. Proc. Ohio Veg. Grow. Assoc. 19(1934): 33-39. 1934.

Proc. Roy. Soc. Ser. B. (London) (501L84B)

Leach, W. & Dent, K. W.
Researches on plant respiration. III. The relationship between the respiration in air and in nitrogen of certain seeds during germination. (a). Seeds in which fats constitute the chief food reserve. Proc. Roy. Soc. Ser. B.116: 150-169. O.1, 1934. no.797.

Proc. Utah Acad. Sci. (500Ut1)

Coe, F. M.
Cherry pollination studies in Utah. Proc. Utah Acad. Sci. 11:175-176. 1934.

Coe, F.M. & Gerber, R. G.
Preliminary studies of the after-ripening and germination of cherry seeds. Proc. Utah Acad. Sci. 11: 185-187. 1934.

Richards, B. L.
Frost-banding of cereal seedlings. Proc. Utah Acad. Sci. 11: 3-9. pl. i-iii. 1934.

Quart. Journ. Micros. Sci. (London)

Jane, F. W.
The structure of the somatic chromosomes of Alstroemeria and Bomerea. Quart. Journ. Micros. Sci. 77: 49-75. illus., pl.2-4. S.1934. no.1.

Rec. Trav. Bot. Néerl. (Amsterdam) (451N28R)

Bottelier, H. P.
Ueber den einfluss äusserer faktoren auf die protoplasmaströmung in der Avena-koleoptile. Rec. Trav. Bot. Néerl. 31: 474-582. 0.1934. no.3/4.

Bungenberg de Jong, H.G. & Hennemann, J. P.
Preliminary experiments on the influence of neutral salts on the germination of Lathyrus-pollen. Rec. Trav. Bot. Néerl. 31: 743-750. 0.1934. no.3/4.

Danser, B. H.
Miscellaneous notes on Loranthaceae 7-8. Rec. Trav. Bot. Neerl. 31: 751-760. 0.1934. no.3/4.
7. Loranthaceae from Mount Kinabalu, collected by Joseph and Mary Strong Clemens in 1931, 1932, and 1933. 8. The genus Korthalsella in the Dutch East Indies.

Griffioen, K.
A study on the dark coloured duramen of ebony. Rec. Trav. Bot. Néerl. 31: 780-809. illus. 0.1934. no.3/4.

Laan, P. A. van der
Der einfluss von aethylen auf die wuchsstoffbildung bei Avena und Vicia. Rec. Trav. Bot. Néerl. 31: 690-742. illus. 0.1934. no.3/4.

Lanjouw, J.
Notes on Guiana Euphorbiaceae. Rec. Trav. Bot. Néerl. 31: 451-465. illus. 0.1934. no.3/4.

Pijl, L. van der
Die mycorrhiza von Burmannia und Epirrhizanthes und die fortpflanzung ihres endophyten. Rec. Trav. Bot. Néerl. 31: 761-779. illus. 0.1934. no.3/4.

Posthumus, O.
Notes on Guiana ferns. Rec. Trav. Bot. Néerl. 31: 466-473. 0.1934. no.3/4.

Wassink, E. C.
Begrenzende bedingungen bei der atmung von Phycomyces. Rec. Trav. Bot. Néerl. 31: 583-690. illus. 0.1934. no.3/4.

Rec. Trav. Bot. Neerl. (cont.)

Weij, H.G. v.d.

Der mechanismus des wuchsstofftransportes. II. Rec. Trav. Bot. Néerl. 31: 810-857. illus. 0.1934. no.3/4.

Repert. Spec. Nov. Fedde (Berlin) (450R29)

Bornmüller, J.

Drei neue arten der gattungen Jurinea, Althaea und Statice aus der flora des nördlichen und südöstlichen Persien. Repert. Spec. Nov. Fedde 36(Repert. Europ. & Med. 4,16/18): 166-171. S.25, 1934. no.7/11.

Jurinea gabrielae, Althaea tiliacea, Statice gabrieli.

Gyelnik, V.

Additamenta ad cognitionem parmeliarum. V. Repert. Spec. Nov. Fedde 36(Repert. Europ. & Med. 4,16/18): 151-166. S.25, 1934. no.7/11.

Knuth, R.

Dioscoreaceae novae. VII. Repert. Spec. Nov. Fedde 36: 125-128. S.25, 1934. no.7/11.

Mansfeld, R.

Gesneriaceae novae andinae. I. Repert, Spec. Nov. Fedde 36: 120-124. S.25, 1934. no.7/11.

Range, P.

Die flora des Namalandes. V. Repert. Spec. Nov. Fedde 36: 97-109. S.25,1934. no.7/11.

Schwarz, O.

Additamentum ad florulam Lydiae. II. Repert. Spec. Nov. Fedde 36(Repert. Europ. & Med. 4,16/18): 129-150. S.25, 1934. no.7/11.

Smith, J. J.

Orchidaceae novae Malayenses. XV. Repert. Spec. Nov. Fedde 36: 110-119. S.25,1934. no.7/11.

Rev. Jard. Bot. y Mus. Hist. Nat. Paraguay (451As9)

Fiebrig, C.

Ensayo fitogeográfico sobre el Chaco Boreal. Rev. Jard. Bot. y Mus. Hist. Nat. Paraguary 3: 3-87. illus. (1 col.) 1933.

Rev. Jard. Bot. y Mus. Hist. Nat. Paraguay (cont.)

Fiebrig, C.
Formulas fitogeograficas. Rev. Jard. Bot. y Mus. Hist. Nat. Paraguay 3: 89-95. 1933.

Fiebrig, C.
El problema de sinbiosis fito-mirmacofila. Rev. Jard. Bot. y Mus. Hist. Nat. Paraguay 3: 114-120. 1933.

Fiebrig, C.
El problema del latex. Rev. Jard. Bot. y Mus. Hist. Nat. Paraguay 3: 105-113. fold.chart. 1933.

Fiebrig, C.
Las variedades de yerba. Rev. Jard. Bot. y Mus. Hist. Nat. Paraguay 3: 96-104. 7 pl. 1933.

Rev. Sudamer. Bot. (Montevideo) (450R3242)

Grabovetzky, A.
Notes sur la systématique de plusieurs espèces américaines de Nicotiana. Rev. Sudamer. Bot. 1: 43-55. illus. Ap.1934. no.2.

Looser, G.
Grancisco Fuentes, Febrero 6 de 1934, en Aysén (Chile). Rev. Sudamer. Bot. 1: 61. Ap. 1934. no.2.

Zahlbruckner, A.
Un liquen nuevo del cerro de Montevideo Lecanora (Eulecanora) herteri A. Zahlor. n.sp. Rev. Sudamer. Bot. 1: 56. Ap.1934. no.2.

Zimmermann, W.
Blutenbewegungen sudamerikanischer vertreter der orchideengattung Epidendrum. Rev. Sudamer. Bot. 1: 33-42. illus. Ap.1934. no.2.

Cristobal M. Hicken. Rev. Sudamer. Bot. 1: 61-63. port. Ap.1934. no.2.
Died Mr.11, 1933.

Rev. Vitic. (Paris) (95.8R322)

Viala, P. & Marsias, P.
Le court-noué (cont.) Rev. Vitic. 81: 229-235. illus. O.11, 1934. no.2102.

Science (470Sci2)

Birkeland, J. M.

Photodynamic action of methylene blue on plant viruses. Science 80: 357-358. O.19, 1934. no.2077.

"... in general plant viruses are more resistant to the photodynamic action of dyes than are animal viruses or bacteriophage".

Castle, E. S.

The spiral growth of single cells. Science 80: 362-363. O.19, 1934. no.2077.

In Phycomyces.

Peirce, A. S.

Positive infection trials with elm "wilt" fungi. Science 80: 385. O.26, 1934. no.2078.

With strains of Coniothyrium A & B and Phoma B.

Pessin, L. J.

Effect of flower production on rate of growth of vegetative shoots of longleaf pine. Science 80: 363-364. O.19, 1934. no.2077.

Taylor, W. A.

Karl Frederic Kellermann. Science 80: 373-374. O.26, 1934. no.2078.

Proteins in the leaves of plants depends on the amount of sunshine the plant receives... Science v.80, no.2078, suppl. p.7. O.26, 1934.

Scient. Agr. (Ottawa) (7Sci2)

Hill, H., Davis, M. B. & Johnson, F. B.

Nutritional studies with chrysanthemums. Scient. Agr. 15: 110-125. illus., col.pl. O.1934. no.2.

Koch, L. W.

Investigations on black knot of plums and cherries. II. The occurrence and significance of certain fungi found in association with Dibotryon morbosum (Sch.) T. & S. Scient. Agr. 15: 80-95. iii pl. O.1934. no.2.

Sci. Rep. Tohoku Imp. Univ., 4. Ser. (Biol. (Sendai) (513T574Ab)

Okada, Y.

Sur le poids des spores chez quelques fougeres Japonaises. Sci. Rep. Tohoku Imp. Univ., 4 Ser. (Biol.) 9: 249-251. S.1934. no.2/3.

So. African Sugar Journ. (Durban) (65.8So8)
McMartin, A.
The locust fungus. Its artificial cultivation. So. African Sugar Journ. 18: 521, 523. S.30, 1934. no.9.

Techn. Bull. Macdonald Coll. (101M143)
Newton, D. E. & Stobbe, P. C.
The relation of flora to soil types in the counties of Chateauguay, Huntingdon and Argenteuil in Quebec. Techn. Bull. Macdonald Coll. 14. 47 p. illus. Ag.1934.
Pasture studies V.

Tidsskr. Planteavl. (København) (11T439)
Denmark, Statens plantepatologiske forsøg.
Plantesygdomme i Danmark 1933 (Plant diseases and pests in Denmark 1933). Tidsskr. Planteavl. 2: 258-300. illus. 1934. no.40.
English summary: p.299-300.

Trans. Nat. Hist. Soc. Formosa (J410.9N19)
Fujita, Y.
Remarks concerning the genus Orthodon (Labiatae) in Formosa. Trans. Nat. Soc. Formosa 24: 46-53. ii pl. F.1934. no.130.
Japanese.

Fujita, Y.
On the essential oils of the genus Chamaecyparis. Trans. Nat. Hist. Soc. Formosa 24: 54-57. F.1934. no.130.
Japanese.

Simada, Y.
Plants of Senkyakuseki virgin forests in Shinchiku coast strand. (cont.) Trans. Nat. Hist. Soc. Formosa 24: 58-111. F.1934. no.130.
Japanese with English summary: p.104-105.

Trudy Inst. Nov. Lubian. Syr'ia [Trans. Inst. New Bast Fibers] (Moskva) (73.9M85)
Fedchenko, B. A.
K voprosu o sistematike kendyria [On the systematics of kendir, Apocynum sibiricum] Trudy Inst. Nov. Lubian. Syr'ia [Trans. Inst. New Bast Fibers] 5: 13-19. 1933.
Russian (English abstract on inserted sheet)

Trudy Inst. Nov. Lubi͡an. Syr'i͡a [Trans. Inst. New Bast Fibers] (cont.)

Kazakevich, L. I., Kir'ianov, A.P., Kuzin, V.N. & Kuz'min, M. S.

Kendyr v doline reki Khary [Kendir in the Khara river valley] Trudy Inst. Nov. Lubi͡an. Syr'i͡a [Trans. Inst. New Bast Fibers] 5: 34-55. illus. 1933.

Russian (English abstract on inserted sheet)

Medvedeva, G. B.

K tsitologii konopli (Zur zythologie des hanfes) Trudy Inst. Nov. Lubi͡an. Syr'i͡a [Trans. Inst. New Bast Fibers] 6(1): 34-54. illus. 1934.

Russian with German summary. Abweichungen in der pollenentwicklung bei italienischen hanf.

Trudy Prikl. Bot., Gen.i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant Ind.) (451R92S)

Ivanov, S.M.

K voprosu upravlenii͡a rostovymi protsessami u rasteniĭ (A contribution to the question of controlling the processes of growth in plants). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant Ind.) 9: 33-39. 1934.

Russian.

Khrebtov, A. A.

Novoe kormovoe rastenie - kozliatnik vestochnyi (Galega orientalis Lam.) (A new forage plant, goat's rue). Trudy Prikl. Bot., Gen.i Selek. Ser.A, Sotsial, Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant Ind.) 9: 157-161. 1934.

Russian.

Kostov, D.

Poligenomnye gibridy u tabakov (Polygenoumous hybrids in tobacco). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social Plant Ind.) 9: 145-150. 1934.

Russian.

Lisitsyn, M. A.

K poznanii͡u stroenii͡a proteinov (A contribution to the knowledge of the structure of proteins). Trudy Prikl. Bot., Gen.i Selek. Ser.A, Sotsial Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant. Ind.) 9: 5-16. 1934.

Russian.

Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-Breed. Ser.A, Social. Plant Ind.) (cont.)

Medvedev, P. F.

K biologii razvitii͡a i tsvetenii͡a rami (On the biology of the flowering and development of ramie). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant Ind.) 9: 123-135. illus. 1934.

Russian.

Timofeeva, M. T.

K fiziologicheskoĭ kharakteristike morozoustoĭchivosti ozimykh zlakov (Physiological characteristics of frost resistance in winter cereals). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social Plant Ind.) 9: 17-24. 1934.

Russian.

Zvorykin, P. P.

K metodike selektsii krasnogo klevera (Methodics of breeding red clover). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant Ind.) 9: 41-53. illus. 1934.

Russian.

Trudy Tsentr. Nauchno-Issled.Inst. Sakharn. Prom. Moskva (66.9M85)

Belousov, M.A.

Dal'neĭshie opyty po vliianii͡u bora na rost sakharnoĭ svekly i drugikh rasteniĭ (Weitere versuche zur aufklarung des einflusses von bor auf das wachstum von zuckerrüber und von andern pflanzen). Trudy Tsentr. Nauchno-Issl.Inst. Sakharn. Prom. Moskva 18: 20-48. illus. 1934.

Russian with brief German summary.

Liubarskai͡a, L. S.

Azotnyi obmen v prorostkakh svekly v zavisimosti ot ammiachnogo i nitratnogo pitanii͡a (Stickstoffstoffwechsel in zuckerrübenkeimlingen und seine abhängigkeit von der ernahrung mit ammoniak und nitraten). Trudy Tsentr. Nauchno-Issl. Inst. Sakharn. Prom. Moskva 18: 81-134. illus. 1934.

Russian with German summary.

Trudy Tsentr. Nauchno-Issled. Inst. Sakharn. Prom. Moskva (cont.)

Peterburgskii, A. V.

Izuchenie reaktsii sredy kak faktora rosta rastenii (Die reaktion als wachstums faktor der pflanzen auf böden von verschiedener pufferwirkung). Trudy Tsentr. Nauchno-Issl. Inst. Sakharn. Prom. Moskva 18: 223-289. illus. 1934.

Russian with German summary.

Uchenye Zapiski Saratov. Gosud. N.G. Chernysh. Univ. (Gelehr. Notiz. Saratover Staats Univ. N.G. Tschernieschwesky) (511Sa7)

Fursaev, A. D.

Rastitel'nost severoĭ chasti Sarpinskikh ozer (Nizhne-volzhskiĭ kraĭ) (Die flora des nördlichen teils der Szarpinsker seen (Nieder-Volgagebiet) Uchenye Zapiski Saratov. Gosud. N.G. Chernysh. Univ. (Gelehr. Notiz. Saratover Staats Univ. N.G. Tschernieschewsky) 10(2): 61-80. 1933.

Russian.

Sukhorukov, K. T. & Drushinina, A. G.

Rol efirnykh i zhirnykh masel v okislitel'no-vosstanovitel'noĭ sisteme rastitel'noĭ kletki (Die rolle des ather- und fettöls im oxydationreduktionssystem der pflanzenzelle). Uchenye Zapiski Saratov. Gosud.N.G. Chernysh. Univ.) (Gelehr. Notiz. Saratover Staats Univ. N.G. Tschernieschewsky) 10(2): 81-94. 1933.

Russian.

U.S. Dept. Agr. Leafl. (1Ag84L)

Lauritzen, J. I. & Harter, L.L.

Prevent storage rots of sweetpotatoes. U.S. Dept. Agr. Leafl. 106. 5 p. illus. S.1934.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Beattie, R. K.

Dutch elm disease in Indiana. U.S. Dept. Agr. Plant Dis. Rep. 18: 166-167. O.15, 1934. no.13.

Boyd, O. C.

Weather and disease in Massachusetts. U.S. Dept. Agr. Plant Dis. Rep. 18: 163-165. O.15, 1934. no.13.

Miller, P. R.

A method of estimating the percentage of infection of apple leaves by rust with observations on the relative susceptibility of species and varieties of Malus and Juniperus. U.S. Dept. Agr. Plant Dis. Rep. 18: 159-163. illus. O.15, 1934. no.13.

U.S. Dept. Agr. Plant Dis. Rep. (cont.)
Miller, P. R.
Weather as a factor contributing to some unusual plant disease losses in Tennessee - 1934. U.S. Dept. Agr. Plant Dis. Rep. 18:165-166. 0.15, 1934. no.13.

U.S. Dept. Agr. Techn. Bull. (1Ag84Te)
Senner, A. H.
Application of steam in the sterilization of soils. U.S. Dept. Agr. Techn. Bull. 443. 19 p. illus. Ag.1934.

Univ. Calif. Publ. Agr. Sci. (Berkeley)
Babcock, E. B. & Cameron, D. R.
Chromosomes and phylogeny in Crepis.II. The relationships of one hundred eight species. Univ. Calif. Publ. Agr. Sci. 6: 287-324. illus. 0.11, 1934. no.11.

Cameron, D. R.
The chromosomes and relationship of Crepis syriaca (Bornm.) Univ. Calif. Publ. Agr. Sci. 6: 257-285. illus.,pl.12-13. 0.11, 1934. no.10.

Univ. Calif. Publ. Bot. (Berkeley) (500C125B)
Clarke, A. E.
The number and morphology of chromosomes in the genus Melilotus. Univ. Calif. Publ. Bot. 17: 435-443. illus. 0.9,1934. no.15.

La Vida Agr. (Lima) (9.8V66)
Fontes, P.
El barbaso o cube. La Vida Agr. 11: 629-638. illus. Ag. 1934. no.129.

Tantaleán, C.
Importancia de la roya amarilla en los departamentos de Junin y Huancavelica. La Vida Agr. 11: 659-666. Ag.1934. no.129.

Watson's Micros.Rec. (London) (440.8W33)
Harris, G. T.
The Oedogoniales. III. Watson's Micros. Rec. 33: 8-10. pl. iii. S.1934.

Roberts, E. W.
The non-silicious basis of diatom structures. Watson's Micros. Rec. 33: 12-13. illus. S.1934.

Zeitschr. Bot. (Jena) (450Z32)

Schander, H.

Keimungsphysiologische studien über die bedeutung der aleuronschicht bei Oryza und anderen gramineen. Zeitschr. Bot. 27: 433-515. illus. 1934. no.9/10.

Zeitschr. Pflanzenkr. (Stüttgart) (464.8Z3)

Müller, E.

Die anfälligkeit der hauptgetreidearten gegenüber Ophiobolus graminis Sacc. Zeitschr. Pflanzenkr. 44: 481-485. O.1934. no.10.

Der Züchter (Berlin) (442.8Z8)

Engelke, H.

Die göttinger weizenqualitätsprüfungsmethode und ihre bedeutung für die weizenqualitätszüchtung. Der Züchter 6: 200-205. illus. S.1934. no.9.

Oehler, E.

Die ausnutzung von art- und gattungsbastarden in der weizenzüchtung. Der Züchter 6: 205-211. illus. S.1934. no.9.

Vettel, F. & Pelshenke, P.

Können wir ertragreiche qualitätsweizen züchten? Der Züchter 6: 193-199. illus. S.1934. no.9.

Wakar, B. A.

Bastarde zwischen arten der gattung Triticum und arten der gattung Agropyrum. Der Züchter 6: 211-215. illus. S.1934. no.9.

Exp. Stat. Publ.

Brown, J. G. & Streets, R. B.

Diseases of field crops in Arizona. Arizona Agr. Exp. Stat. Bull. 148: 85-228. illus. S. 1934. (100Ar4)

Bourne, B. A.

Studies on the ring spot disease of sugarcane. Florida Agr. Exp. Stat. Bull. 267. 76 p. illus. My. 1934(Rec'd Oct.) (100F66S)

Morrison, G., Drewes, H. & Coulter, H.N.

Cabbage varieties. Michigan Agr. Expt. Sta. Spec. Bull. 249. 68 p. illus. Ag.1934 (100M58S)

Exp. Stat. Publ. (cont.)

Haenseler, C. M.
Control of dewberry anthracnose by spraying. New Jersey Agr. Exp. Stat. Bull. 574. 12 p. Je. 1934(Rec'd O.) (100N46S)

New Jersey Agricultural experiment station - Dept. of plant pathology.
The beech bark disease. In its Nursery Dis. Notes 7: 14-17. O.1934. (464.9N46)

Collison, R. C. & Harlan, J. D.
Winter injury of Baldwin apple trees and its relation to previous tree performance and nutritional treatment. New York Agr. Exp. Stat. Bull. 647. 13 p. Jl.1934 (100N48)

Utah agricultural experiment station.
Botany and plant pathology. In its Bull. 250(Summary report of progress 1932/34): 36-43. S.1934. (100Ut1)
B.L. Richards, botanist and plant pathologist.

Lutman, B. F.
Cell size and structure in plants as affected by various inorganic elements. Vermont Agr. Exp. Stat. Bull. 383. 54 p. illus. S.1934(100V59)
Experiments with Japanese millet, rape, buckwheat and garden beets.

Baker, K. F. & Heald, F. D.
Investigations on methods of control of the blue-mold decay of apples. Washington Agr. Exp. Sta. Bull. 304. 32 p. Jl.1934(100W27E)

Doneen, L. D.
Nitrogen in relation to composition, growth, and yield of wheat. Washington Agr. Exp. Stat. Bull.296. 71 p. illus. My.1934(100W27E)

Beath, O. A., Draize, J.H. & Gilbert, G.S.
Plants poisonous to livestock. Wyoming Agr. Exp. Stat. Bull.200. 84 p. illus. My.1934. (Rec'd O.) (100W99)
General discussion. I. Plants in which the toxic minerals do not seem to be of special significance. II. Plants in which the poisonous properties seem to be influenced by the content of toxic minerals. III. Plants which are sometimes poisonous to domestic animals.

State Publications.

Ball, W. S. & Bellue, M. K.
Nut grasses. Month. Bull. Dept. Agr. Calif. 23: 182-184. col.front. Jl./S. 1934(2C12M)
Cyperus esculentus, C. rotundus.

Milbrath, D. G.
Plant diseases in California. (cont.) Month. Bull. Dept. Agr. Calif. 23: 197-200. Jl./S. 1934. no.7/9. (2C12M)

Weldon, G. P.
Fifteen years study of delayed foliation of deciduous fruit trees in southern California. Month. Bull. Dept. Agr. Calif. 23: 160-181. illus. Jl./S. 1934. (2C12M) no.7/9.

New Books.

Arber, A.
The Gramineae. A study of cereal, bamboo and grass. Cambridge University press, 1934(463.4Ar1)

Buchwald, N. F. & Hansen, S.
Om fund af tøndersvamp (Polyporus fomentarius (L.) Fr.) fra postglacialtiden i Danmark. København, C.A. Reitzels forlag, 1934. Danmarks geologiske undersøgelse. IV. Raekke, bd.2, nr.11)
English summary: p. at end.

Falck, R. & Ketkar, V.
Prufungen und schutzwertbestimmung der feuerschutzmittel des holzes. Jena, G. Fischer, 1934 (His Hausschwammforschungen 11.h.) (464.07M73no.11)

Gavalov, I.
Materi͡aly k poznanii͡u vrediteleĭ i bolezneĭ sel'sko-khozi͡aĭstvennykh rasteniĭ Adygeĭskoĭ oblasti [Pests and diseases of economic plants in the Adigeisk region]. Krasnodar, Izdanie Adygeĭskoĭ oblastnoĭ planovoĭ komissii, 1932. (464G23)
Russian.

Geaisa, M. I.
Die beziehungen zwischen dem vorkommen von saponin und der systematischen gliederung einiger gattungen der ranunculaceen... Berlin, Doktordruck, Graphisches Institut P. Funk, 1934 (463.2G26)
Inaug-diss. Berlin.

New Books. (cont.)

Gitman, L. & Boĭchenko, E.
Spravochnik po bolezniam novykh lubîanykh kul'tur Handbook of diseases of new bast fiber plants . Moskva, 1934. (464.04G44)
Russian.

Hettinger, M. D., sister,
Penicillium zukalii Biourge. A study of its morphology and physiology. Washington, D.C., 1934. (Contribution from the Biological laboratory of the Catholic University of America, no.15) (462.82H47)

Kutepow, A.
Beitrag zur kenntnis der atmungsvorgänge an reinkulturen höherer pflanzen. Würzburg, K. Triltsch, 1934. (463.34K965)
Inaug.-diss. Berlin.

Maisel, H. J.
Untersuchungen über den pflanzenbestand von wiesen und weiden des staatsgutes Weihenstephan, sowie der bezirke Kaufbeuren und Tirschenreuth. München, 1933 (60.1M282)
Genehmigte abhandlung - Techn. hochschule München.

Translations filed in Bureau of Plant Industry Library.

Bolle, P.C.
De onderscheiding van gomziekte en daarop gelijkend verschijnselen (On distinguishing the gumming disease from similar phenomena) Arch. Suikerind. Nederl. Indië 1934(1): 331-334. My.16, 1934.

Braun, H.
Der wurzeltoter der kartoffel, Rhizoctonia solani. Berlin, 1930.
Transl. of portion on Resistance, immunity and virulence.

Bremer, G.
De cytologie van het suikerriet 7. bijdrage. Een cytologisch onderzoek van een vijftigtal in 1929-1930 op Java geïmporteerde rietsoorten (On cytology of the sugar cane 7th contribution. Cytological investigation on some fifty cane forms imported in Java in 1929-30) Arch. Suikerind. Nederl. Indië 1934, pt.2 (Meded.5): 141-166. 1934.

BOTANY
CURRENT LITERATURE

Lc

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRA
RECEIV
★ DEC 4 - 1934 ★
U. S. Department of Agricultu

Vol. 16, no. 23. Nov.5-17, 1934.

Admin. Rep. Dir. Agr. Trinidad & Tobago (8T732)
Stell, F.
Report of the mycologist, 1933. Admin. Rep. Dir. Agr. Trinidad & Tobago 1933: 43-45. 1934.

Agr. Gaz. N.S.W. (Sydney) (23N472)
McCleary, F. C.
Melanose of citrus fruits. Agr. Gaz. N.S.W. 45: 564-566. illus. O.1934. no.10.

Amer. Journ. Bot. (450Am36)
Hemenway, A. F.
An anatomical study of traumatic and other abnormal tissues in Carnegiea gigantea. Amer. Journ. Bot. 21; 513-518. illus. N.1934. no.9.

Landon, R. H.
The effect of certain chemicals on the catalase activity in plants. Amer. Journ. Bot. 21: 583-591. illus. N.1934. no.9.

Ludwig, C. A.
Do germinating willow cuttings fix atmospheric nitrogen? Amer. Journ. Bot. 21: 557-561. N. 1934. no.9.

Marshak, A.
Chromosomes and compatibility in the Aloinae. Amer. Journ. Bot. 21: 592-596. illus., pl. N.1934. no.9.

Nelson, A.
Rocky Mountain herbarium studies. II. Amer. Journ. Bot. 21: 573-582. N.1934. no.9.

Amer. Journ. Bot. (cont.)
Pessin, L. J.
Annual ring formation in Pinus palustris seedlings. Amer. Journ. Bot. 21: 599-603. 2 pl. N. 1934. no.9.

Stoudt, H. N.
Gemmipary in Byrnesia weinbergii. Amer. Journ. Bot. 21: 562-572. illus. N.1934. no.9.

Swingle, D. B.
Fertilization in Ascodesmis nigricans Van Tiegh. Amer. Journ. Bot. 21: 519-541. 2 pl. N. 1934. no.9.

Tschudy, R. H.
Depth studies on photosynthesis of the red algae. Amer. Journ. Bot. 21: 546-556. N. 1934. no.9.

Amer. Journ. Pharm. (Philadelphia) (396.8Am3)
Griffith, I.
John Uri Lloyd. Amer. Journ. Pharm. 106: 363-368. ports. 0.1934. no.10.

Stoneback, W. J.
Rhus toxicodendron (poison ivy). Amer. Journ. Pharm. 106: 374-381. illus. 0.1934. no.10.

Amer. Nat. (470Am36)
Shull, G. H.
Oenothera mut. pollicata, an interesting new mutation. Amer. Nat. 68: 481-490. illus. N./D. 1934. no.719.

Anal. Inst. Biol. Mexico (442.9M57)
Bishop, A. S.
Contribusion al conocimiento de las algas verdes de los lagos del Valle de Mexico. Anal. Inst. Biol. Mexico 5: 149-177. viii. pl. 1934. no.2.

Bravo, H.
Las cactaceas entre los antiguos Mexicanos. Anal. Inst. Biol. Mexico. 5: 139-148. illus. 1934. no.2.

Ann. Épiph. (Paris) (464.9F84)
Barthelet, J.
Sur une pourriture des poires due à un champignon non discomycète Phacidiella discolor (Mout. et Sacc.) Poteb. Ann. Épiph. 19: 357-368. illus., iii., 1pl. My. 24, 1934. no.6.

Ann. Scient. Univ. Jassy. (475J31)

Oescu, C.V. & Radulescu, I. M.

Erysiphacées recueillies dans la dépression de la Rivière Jijia. Ann. Scient. Univ. Jassy 18: 443-456. 1933.

Oescu, C. V. & Radulescu, I. M.

Péronosporacées récoltées dans la dépression de la Rivière Jijia. II. Ann. Scient. Univ. Jassy 18: 423-442. illus. 1933.

Papp, C.

Contribution géobotanique à la Vallée du Ruisseau Cuejdiu. Ann. Scient. Univ. Jassy 18: 459-467. illus., pl. 1933.

Papp, C.

Nouvelles formes européenes de Melica L. Ann. Scient. Univ. Jassy 18: 457-458. 1933.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Sellei, J.

Wirkung von farbstoffen und hormonen auf die pflanzenproduktion. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272: 737-743. pl.i-ii. O.1934. no.7.

Ber. Naturforsch. Ges. Freiburg (509F88B)

Oberdorfer, E.

Die höhere pflanzenwelt am Schluchsee (Schwarzwald). Ber. Naturforsch. Ges. Freiburg 34: 213-247. illus., 2 pl. Jl. 1934. no.1.

Ber. Schweiz. Bot. Ges. (Zürich) (451Sch9)

Bachmann, H.

Phytoplankton von Victoria Nyanza-, Albert Nyanza- und Kiogasee gesammelt von E.B. Worthington. Ber. Schweiz. Bot. Ges. 42: 705-717. illus., pl.23-26. D.1933. no.2.

Bergdolt, E.

Ueber die artkonstanz von Trichomanes vittaria DC. Ber. Schweiz. Bot. Ges. 42: 238-240. pl.13. D. 1933. no.2.

Blum, G.

Osmotische untersuchungen in Java. I. Ber. Schweiz. Bot. Ges. 42: 550-580. illus. D. 1933. no.2.

Ber. Schweiz. Bot. Ges. (cont.)

Chodat, F. & Popovici, N.
Etude chimique de la calcicolic et calcifugie de quelques espèces de cistes. Ber. Schweiz. Bot. Ges. 42: 507-514. D.1933. no.2.

Christ, H.
Briefe von Dr. H. Christ. Herausgegeben von W. Vischer. Ber Schweiz. Bot. Ges. 42: 213-223. 1933. no.2.

Christ, O.
Chlorella zofingiensis, eine neue bodenalge. Ber. Schweiz. Bot. Ges. 43: 127-131. illus. My. 1934. no.1.

Collaer, P.
Le rôle de la lumière dans l'établissement de la limite supérieure des forets; observations faites dans le canton des Grisons (1929-1931). Ber. Schweiz. Bot. Ges. 43: 90-125. illus., 2 pl. My. 1934. no.1.

Dahlstedt, H.
Einige neue Taraxacum-arten aus der Schweiz. Ber. Schweiz. Bot. Ges. 42: 718-723. D. 1933. no.2.

Farquet, P.
Matériaux pour servir à la connaissance du Polypodium vulgare et de ses sous-espèces. Ber. Schweiz. Bot. Ges. 42: 484-506. D. 1933. no.2.

Fischer, E.
Zur kenntnis der fruchtkörperentwicklung von Podaxis. Ber. Schweiz. Bot. Ges. 43: 11-18. illus. My.1934. no.1.

Flahault, C.
La vocation forestière des Grands Causses du massif central de France. Ber. Schweiz. Bot. Ges. 42: 681-698. D. 1934. no.2.

Frey-Wyssling, A.
Dynamik des saftergusses aus turgeszenten kapillaren. Ber. Schweiz. Bot. Ges. 42: 254-283. illus. D.1933. no.2.

Ber. Schweiz, Bot. Ges. (cont.)

Gäumann, E.
Ueber einen neuen rostpilz aus Algerien.
Ber. Schweiz. Bot. Ges. 42: 284. illus.
D. 1933. no.2.
Puccinia munbyi on Peucedanum munbyi.

Gams, H.
Das alter des alpinen endemismus. Ber. Schweiz.
Bot. Ges. 42: 467-483. illus.(maps) D.1933.
no.2.

Jaag, O. & Thomas, E.
Neue untersuchungen über die flechte Epigloea
bactrospora Zukal. Ber. Schweiz. Bot. Ges.
43: 77-89. illus. My.1934. no.1.

Jaag. O.
Ueber die verwendbarkeit der gonidienalgen
in der flechtensystematik. Ber. Schweiz. Bot.
Ges. 42: 724-739. illus. D. 1933 no.2.

Kirchheimer, F.
Die beschaffenheit unter erhöhtem druck
thermisch beanspruchter Lycopodium-sporen.
Ber. Schweiz. Bot. Ges. 43: 19-29. My. 1934. no.1.

Kirchheimer, F.
Der erhaltungszustand des pollens in den
glanzbraunkohlen. Ber. Schweiz. Bot. Ges.
42: 246-251. illus. D. 1933. no.2.

Koch, W.
Ranunculus megacarpus W. Koch, nom nov.
(= R. hegetschweileri Koch 1933 non Ducommun 1869).
Ber. Schweiz. Bot. Ges. 43: 126. My.1934. no.1.

Koch, W.
Studien über kritische schweizerpflanzen. II.
Schweizerische arten aus der verwandtschaft des
Ranunculus auricomus L. Ber. Schweiz. Bot. Ges.
42: 740-753. pl. 27-30. D.1933. no.2.
R. puberulus, R. biformis, R. hegetschweileri,
n.spp.

La Nicca, R.
Der standort der Saxifraga cernua L. am Piz
Arina ein glazialrelikt? Ber. Schweiz. Bot.
Ges. 42: 241-245. D. 1933. no.2.

Ber. Schweiz. Bot. Ges (cont.)

Luz. G.
Ueber ein neues Verticilliumvorkommen. Ber. Schweiz. Bot. Ges. 42: 754-761. illus. D. 1933. no.2.
Verticillium cinnabarinum.

Nüesch, E.
Calvatia saccata (Vahl) Morgan. Ber. Schweiz. Bot. Ges. 43: 132-137. My. 1934. no.1.

Pallmann, H. & Haffter, P.
Pflanzensoziologische und bodenkundliche untersuchungen im Oberengadin mit besonderer berücksichtigung der zwergstrauchgesellschaften der ordnung rhodoreto-vaccinietalia. Ber. Schweiz. Bot. Ges. 42: 357-466. D.1933. no.2.

Probst, R.
Uebersicht über die adventivflora von Solothurn und umgebung. Ber. Schweiz. Bot. Ges. 42: 536-549. D.1933. no.2.

Rikli, M.
Das ausklingen der Pteridophytenflora in der polaris und deren pflanzengeographische beziehungen zu ihre nachbargebieten, sowie zur alpenflora. Ber. Schweiz. Bot. Ges. 42: 339-356. illus.(map) D. 1933. no.2.

Samuelsson, G.
Rumex pictus Forsk. und einige verwandte arten. Ber. Schweiz. Bot. Ges. 42: 770-779. illus. D. 1933. no.2.

Schmid, E.
Beziehungen zwischen florengeschichte und geomorphologie im schweizerischen mittelland. Ber. Schweiz. Bot. Ges. 42: 699-704. D.1933. no.2.

Schröter, G.
Uebersicht über die mutationen der fichte nach wuchs und rinde. Ber. Schweiz. Bot. Ges. 42: 762-769. illus. D.1933. no.2.

Schwere, S.
Die gattung Ophrys und ihre bestarde bei Aarau. Ber. Schweiz. Bot. Ges. 42: 522-532. pl. 19-22. D. 1933. no.2.

Ber. Schweiz. Bot. Ges. (cont.)

Steinegger, P.
Zytologisch bedingte ei- und zygotensterilität bei triploiden apfelsorten. Ber. Schweiz. Bot. Ges. 42: 285-338. illus., pl.14-18. D.1933. no.2.

Tavel, F. v.
Nordische lycopodien in den Schweizeralpen. Ber. Schweiz. Bot. Ges. 42: 515-521. D.1933. no.2.

Ursprung, A.
Ueber die beziehungen zwischen der wasserbilanz und einigen osmotischen zustandsgrössen. Ber. Schweiz. Bot. Ges. 42: 225-237. D. 1933. no.2.

Biochem. Zeitschr. (Berlin) (384B522)

Bernhauer, K. & Slanina, F.
Chemismus und enzymchemie der säurebildungs- und säureumwandlungsvorgänge bei schimmelpilzen. XI. Die osalsäurebildung aus ameisensäure, glykolsäure, bernsteinsäure und anderen säuren durch Aspergillus niger. Biochem. Zeitschr. 274:97-111. O.18, 1934. no.1/2.

Leontjew, H.
Ueber die identität der globuline aus den samen einiger cucurbitaceen. Biochem. Zeitschr. 274: 163-1 6. O.18, 1934. no.1/2.

Biull. Gosud, Nikitsk. Opytn. Bot. Sad. (Bul. Gov. Bot. Gard.Nikita) (Ialta)

Osadchuk, E. A.
Geterozis kak faktor povysheni͡ia urozhaĭnosti tabaka (Heterosis as a factor in the increase of tobacco yield) Biull. Gosud. Nikitsk. Opytn. Bot. Sad.(Bull. Gov. Bot. Gard. Nikita) no.12. 40 p. illus. 1934.
Russian with English summary.

Bol. Agr. Soc. Antioq. Agr. Colombia (9.4Sol)

Mejia, R.
El mosaico de la caña en Antioquia. Bol. Agr. Soc. Antioq. Agr. Colombia 8(194): 3-9 col. pl. O.1934.

Bol. Min. Agr. Brazil. (Rio de Janiero) (9.2Ag83)

Ducke, A.
Colheita de material botanico na região Amazonica (relatório - 1931/33). Bol. Min. Agr. Brazil 23(4/6): 33-47. Ap./Je. 1934.

Bol. Min. Agr. Brazil. (cont.)
Kuhlmann, J. G.
Algumas observacoes sobre borracha de hipocrateáceas. (Conferencia realizada no Instituto de tecnologio). Bol. Min. Agr. Brazil 23(4/6): 29-31. illus. Ap./Je. 1934.

Bol. Soc. Espan. Hist. Nat. (Madrid) (506M263H)
Huguet del Villar, E.
Apéndice a unas observaciones sobre el habitat calizo de Pinus pinaster. Bol. Soc. Espan. Hist. Nat. 33: 421-431. Mr.15, 1934. no.10.

Boll. Soc. Ital. Biol. Sper. (Napoli) (442.8So12)
Ciferri, R. & Redaelli, P.
Studii sulle cosidette "blastomicosi" Americane. I. Gilchristia n.gen. comprendente Endomyces dermatitidis, ed E. capsulatus. Boll. Soc. Ital. Biol. Sper. 9: 959-961. S. 1934. no.9.

Colla, S.
La perdita e l'assunzione di acqua da parte di Fucus vorsoides. Bull. Soc. Ital. Biol. Sper. 9: 881-883. S. 1934. no.9.

Bot. Arch. (Leipzig) (450B6526)
Fuches, K.
Zytologische beiträge zur reifung der samen, dargestellt an Helianthus annuus, Triticum vulgare und Lilium martagon. Bot. Arch. 36: 444-496. illus. O.1934. no.4.
English abstract.

Geffken, K.
Zur bestimmungsmethodik biologisch wichtiger kohlenhydrate in pflanzenmaterial. Bot. Arch. 36: 345-376. O. 1934. no.4.
English abstract. Experiments with Ilex and Hedera leaves.

Hofer, E.
Ueber quellungsmechanismen von samenkapseln. Bot. Arch. 36: 377-443. illus. O.1934. no.4.
English abstract.

Mager, Fr.
Entgegnung auf E. Kolumbes aufsatz: Wald und heide in Schleswig-Holstein. Bot. Arch. 36: 497-502. O. 1934. no.4.

Bull. Gard. Club. Amer. (90.32G16)
Arai, Y.
Japanese method for preservation of flowers. Bull. Gard. Club. Amer. 5(12); 15-19. N.1934.

Rankin, W. M.
Herbs and herb gardens. Bull. Gard. Club. Amer. 5(12): 6-15. N. 1934.

Bull. Imp. Bur. Plant Gen. (64.8Im7)
Gt. Britain. Imperial bureau of plant genetics.
Plant breeding in the Soviet Union. Achievements, organization and future programme of the Institute of plant industry. Bull. Imp. Bur. Plant Genetics no.13. 58 p. N. 1933.

Bull. Misc. Inform. Kew. (London) (89K51B)
Airy-Shaw, H. K.
The genus Dentella in Australia. Bull. Misc. Inform. Kew. 1934: 290-301. 1934. no.7.

Green, M. L.
Professor Henri Lecomte. Bull. Misc. Inform. Kew 1934: 307-308. 1934. no.7.

Kew. Royal gardens
Tropical African plants. XII. Bull. Misc. Inform. Kew. 1934: 301-307. 1934. no.7.

Shaw, W. B. K.
The flora of the Libyan Desert. Bull. Misc. Inform. Kew 1934: 281-289. 1934. no.7.

Bull. Murithienne Soc. Valais. Sci. Nat. (508Si75) (St. Maurice)
Amann, J.
La répartition, en Suisse, des muscinées de l'élément océanique. Etude phytogéographique. Bull. Murithienne Soc. Valais. Sci. Nat. 51(1933/34): 46-63. 1934.

Christ, H.
Potentilla recta x argentea en Valais. Bull. Murithienne Soc. Valais. Sci. Nat. 51(1933/34): 72-73. 1934.

Farquet, Ph. & Coquoz, D.
Contribution au catalogue des fougères du Valais. Bull. Murithienne Soc. Valais. Sci. Nat. 51(1933/34): 64-71. 1934.

Bull. Murithienne Soc. Valais. Sci. Nat. (cont.)
Guyot, H.
Les travaux du Professeur R. Chodat sur le Valais. Bull. Murithienne Soc. Valais Sci. Nat. 51(1933/34): 140-144. 1934.

Marietan, I.
Dr. Hermann Christ. Bull. Murithienne Soc. Valais. Sci. Nat. 51(1933/34): 133-139. port. 1934.

Bull. Mus. Hist. Nat. Paris (410.9P213)
Tardieu, M. L. & Christensen, C.
Les fougères d'Indochine). (cont.) Bull. Mus. Hist. Nat. Paris II,6: 383-386. Je.1934. no.4.

Bull. Pop. Inform. Arnold Arb. (99.9Ar6B)
Faull, J. H., Jack, J. G., Judd, W. H. & Schmitt, L. V.
Winter hardiness of trees and shrubs growing in the Arnold Arboretum. III. Bull. Pop.. Inform. Arnold Arb. IV, 2:45-47. O.31, 1934. no.9.

Bull. Soc. Nat. Acclim. France (Paris) (410.9P21)
Rostand, J.
Comment se sont formées les espèces vivantes? Bull. Soc. Nat. Acclim. France. 81: 333-351. Ag. 1934. no.8.

Bull. Soc. Sci. Nat. Maroc (Rabat) (515So1)
Sennen, Frère
Catalogue de la flore du Rif Oriental, rapide coup d'oeil sur son contenu. Bull. Soc. Sci. Nat. Maroc 14: 56-61. Mr. 31, 1934. no.1/3.

Werner, R. G.
Contribution to the flore cryptogamique du Maroc. VIII. Algae. Bull. Soc. Sci. Nat. Maroc 14: 62-70. Mr.31, 1934. no.1/3.

Bull. Torr. Club (451T63B)
Craig, T.
A revision of the subgenus Hugelia of the genus Gilia (Polemoniaceae) (concl.) Bull. Torr. Club. 61: 411-428. N.1934. no.8.

Gordon, R. B.
Lemanea grandis (Wolle),Atk. rediscovered after forth years. Bull. Torr. Club 61: 437-439. illus. N. 1934. no.8.
In western New York south of village of Quaker Bridge, also in Quaker Run in Allegany state park.

Bull. Torr. Club. (cont.)

McCoy, R. W.

The anatomy of the leaf of Zeugites munroana, an anomalous grass. Bull. Torr. Club 61: 429-436. illus., pl. 24. N.1934. no.8.

Pennell, F. W.

Scrophulariaceae of the northwestern United States. II. Pedicularis of the group Bracteosae. Bull. Torr. Club 61: 441-448. N. 1934. no.8.

Schreiner, E. J. & Stout, A. B.

Descriptions of ten new hybrid poplars. Bull. Torr. Club 61: 449-460. N. 1934. no.8.

Canad. Field Nat. (Ottawa) (410.90t8)

Johansen, F.

Vascular plants collected during the Canadian Hudson Strait expedition in 1927. Canad. Field Nat. 48; 126-131. N.1934. no.8.

Cavanillesia (450C31)

Cuatrecasas, J.

Charles C. Lacaita, 1853-1933. Cavanillesia 6: 137-139. pl.iii (port.) 1934. no.4/9.

Cuatrecasas, J.

Robert Chodat. Cavanillesia 6: 139-141. pl.iv (port.) 1934. no.4/9.

Font i Quer, P.

El Quercus toza a Catalunya i al Marroc. Cavanillesia 6: 49-58. illus., pl.i. 1934. no.4/9.

Huguet-del-Villar, E.

Quelques Thymus di Sud-est Ibérique. Cavanillesia 6: 104-125. 1934. no.4/9.

Mayor, A. B.

Estudio cariológico de algunas crucíferas y su interpretación en la sistemática. Cavanillesia 6: 59-103. illus., pl.ii. 1934. no.4/9.

La Cellule (Lierre, Belgium) (442.8C33)

Ashworth, D.

Development and cytology of the uredo and teleutosorus in Coleosporium tussilaginis. La Cellule 43: 189-200. illus.,fold.pl. 1934. no.2.

Mosseray, R.

Les Aspergillus de la section"niger" Thom & Church. La Cellule 43: 203-286. iv fold.pl. (2 col.) 1934. no.2.

Chem. & Industr. (London) (382M31)
Rudge, E. A.
Dry rot. Chem. & Industr. 53: 38-40. illus. F.9, 1934. no.6.
Studies in the decomposition of timber under industrial conditions. V.

Comment. Biol. Soc. Sci. Fenn. (Helsingfors) (511H36C)
Grönblad, R.
A contribution to the knowledge of sub-aërial desmids. Comment. Biol. Soc. Sci. Fenn. v.4, no.4. 8 p. ii pl. 1934.

Compt. Rend. Acad. Sci. Paris (505P21)
Costantin, J.
Influence des hautes latitudes sur les rendements agricoles de la pomme de terre dans l'Amérique du Nord. Compt. Rend. Acad. Sci. Paris 199: 690-694. O.15, 1934. no.16.

Davy de Virville, A.
Sur les principaux types de flaques du littoral atlantique. Compt. Rend. Acad. Sci. Paris 199: 734-736. O.15, 1934. no.16.

Deflandre, G.
Presence de pollen de conifere (abiétinée) dans un silex de la craie. Les pluies de pollen à l'epoque crétacée. Compt. Rend. Acad. Sci. Paris 199: 797-799. O.22, 1934. no.17.

Quendiac, M.
Sur une condition de l'accumulation des cellules tanniferes dans le bois de châtaignier. Compt. Rend. Acad. Sci. Paris 199: 799-801. O.22, 1934. no.17.

Compt. Rend. Soc. Biol. Paris (442.9P21)
Area Leao, A. E. de & Lobo, J.
Mycétome du pied a Cephalosporium recifei n.sp. mycétome a grains blancs. Compt. Rend. Soc. Biol. Paris 117: 203-205. 1934. no.29.

Contr. Arnold Arb. (451Ar6C)
Ehrlich, J.
The beech bark disease. A Nectria disease of Fagus following Cryptococcus fagi (Baer). Contr. Arnold Arb. 7. 104 p. illus., ix pl. S.29, 1934.

Contr. Arnold Arb. (cont.)
Merrill, E. D.
An enumeration of plants collected in Sumatra by W.N. and C.M. Bangham. Contr. Arnold Arb. 8. 178 p. illus., xiv pl. Ag.25, 1934.

Contr. Lab. Bot. Univ. Montreal (451M763)
Dupret, H.
Etudes sur les mousses de la region de Montréal. Contr. Lab. Bot. Univ. Montreal no.25. 70 p. illus. (incl. map), port. 1934.

Cyprus Agr. Journ. (21C992)
Nattrass, R. M.
Diseases of cereals. III. The covered smut of barley. Cyprus Agr. Journ. 29: 76-78. illus. S. 1934. no.3.

D. N. C. Rev. Dept. Nac. Café Rio de Janeiro
Freire, C. V.
Contribuição ao estudo histológico des cafeeiros no Brasil. II-III. D. N. C. Dep. Nac. Café Rio de Janeiro 2: 215-217, 387-388. Ag., S.1934. no.14,15.
II. Estrutura anatomica do caule do cafeeiro. III. Estrutura do pecíolo.

Desert (Pasadena) (450D45)
Burchard, O.
Euphorbia canariensis L. Desert (Pasadena) 6: 105. illus. N.1934. no.7.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)
Orlovsky, N.I.
O roli biologicheskogo izuchenii͡a sortov svekly v svi͡azi s voprosami selektsii (Ueber die rolle biologischer erforschung der rübensorten im zusammenhange mit den selektionsproblemen). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,3: 468-471. Ag.21, 1934. no.6.
Russian and German.

Pruzhanskai͡a, E. M.
Simbioz kak rasoobrazyi͡ushchiĭ faktor u mikrobov (La symbiose comme facteur génétique de races chez les microbes). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,3: 461-467. illus. Ag.21, 1934. no.6.
Russian and English. Bacillus mycoides, Bacterium pyocyaneum, B. proteusvulgaris, Sarcina ureae.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (cont.)
Tserling, V. V. & Chepikova, A. R.
O rodi var'irovaniia napriazhennosti faktorov iarovizatsii (The results of varying the intensity of the factors of yarovization). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,3: 472-477. Ag.21, 1934. no.6.
Russian and English. Experiments with Alopecurus pratensis, Phleum pratense, Trifolium pratense.

Farming So. Africa (Pretoria) (24So842)
Du Plessis, S.J.
Botrytis rot of grapes, and its control during 1933-34. Farming So. Africa 9: 395-397. illus. O. 1934. no.103.

Leibbrandt, F. E. A.
Protein content of grasses. Farming So. Africa 9: 399. O. 1934. no.103.

Villiers, S. R. de
The trend of pasture research, with special reference to breeding. Farming So. Africa 9: 386-388. illus. O.1934. no.103.

Fruit World Australasia (Melbourne) (80F948)
Cunningham, G. H. & Cottier, W.
Spraying fruit trees. The arsenate series. Fruit World Australasia 35: 548-552. O.1, 1934. no.10.

Gard. Chron. (London) (80G162)
Bancroft, H.
Notes on the status and nomenclature of the British elms. V. Elms generally accepted as hybrids. Gard. Chron. III, 96: 298-299. illus. O. 27, 1934. no.2496.

Green, D. E.
A leaf spot of Daphne mezereum new to Great Britain. Gard. Chron. III,96: 305. illus. O.27, 1934. no.2496.
Marssonina daphnes.

Grove, A.
Lilium grayi. Gard. Chron. III,96: 300-301. illus. O.27, 1934. no.2496.

Johnson, A. T.
Some late-flowering heaths. Gard. Chron. III, 96: 301-302. O.27, 1934. no.2496.

Gard. Chron. (cont.)
Milne-Redhead, E.
The fairies' thimbles Campanula. Gard. Chron. III,96: 298. O.27, 1934. no.2496.
Campanula cochleariifolia.

Meunissier, A.
Carrierea calycina. Gard. Chron. III,96: 298. illus. O.27, 1934. no.2496.

Behaviour of garden plants. XV. Roses in hot summer. Gard. Chron. III,96: 293. O.27, 1934. no.2496.

Gard. Illus. (London) (80G169)
Antirrhinum rust. Gard. Illus. 56: 617-618. O.20, 1934. no.2902.

Bernard, T. M.
Spring flowers in central Chile. Gard. Illus. 56: 634-635. illus. O.27, 1934. no.2903.

Flegg, O. D.
Botanical exploration in China. (concl.) Gard. Illus. 56: 635-636. O.27, 1934. no.2903.
For corrections of errors in earlier nos. of this article see note by F.Kingdon Ward l.c. p.631.

Gartenschonheit (Berlin) (80G199)
Foerster, K.
Steckbriefe der grossen phloxsorten. Gartenschönheit 15: 193-195. col.illus. S.1934. no.9.

Handel-Mazzetti, H.
Aus der pflanzenwelt West-Chinas. Gartenschönheit 15: 90-91. illus. Ap.1934. no.4.

Nussbaumer, E.
Lauche als zierpflanzen. Gartenschönheit 15: 7-9. illus. Ja. 1934. no.1.

Schneider, C.
Gehölze, die wir brauchen. I-IV. Gartenschönheit 15:86-88, 108-110, 136-138, 156-157. illus. Ap., My., Je., Jl. 1934. no.4,5,6,7.

Hadar (Jaffa) (80H11)
Elze, D. L.
Some experiments on the combined effect of Diplodia and green mould inoculations on oranges. Hadar 7: 223-225. S.1934. no.9.
If Diplodia is controlled ... it may also result in controlling the green mould fungus.

Hilgardia (Berkeley, Calif.) (100C12H)

Severin, H.P. & Freitag, J. H.

Ornamental flowering plants naturally infected with curly-top and aster-yellows viruses. Hilgardia 8: 233-256. illus., 4 pl. S.1934. no.8.

Severin, H. P.

Weed host range and overwintering of curly-top virus. Hilgardia 8: 263-277. illus., 2 pl. S. 1934. no.8.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin) (384Z38)

Kögl, F. & Kostermans, D.G.F.R.

Hetero-auxin als stoffwechselprodukt niederer pflanzlicher organismen. Isolierung aus hefe. Hoppe-Seyl. Zeitschr. Phys. Chem. 228: 113-121. O.15, 1934. no.3/6.

Maschmann, E.

Beiträge zur aktivierung pflanzlicher proteinasen. Hoppe-Seyl. Zeitschr. Phys. Chem. 228: 141-186. O.15, 1934. no.3/6.

Horticulture (Boston) (80H787)

Hardy asters for autumn gardens. Horticulture 12: 365-366. illus. N.1, 1934. no.21.

Indian For. (Dehra Dun) (99.8In2)

Parker, R. N.

Precocious flowering of tree species. Indian For. 60: 672. O. 1934. no.10.

Shebbeare, E. O.

The conifers of the Sikkim Himalaya and adjoining country. Indian For. 60: 710-713. O. 1934. no.10.

Trevor, C. G.

Cupressus cashmiriana. Indian For. 60: 713-714. O. 1934. no.10.

Venkata Rao, M. G. & Gopala Iyengar, K.

Studies in spike disease of sandal. Methods of inoculation and variation of results under different methods. Indian For. 60: 689-701. O. 1934. no.10.

Izv. Permsk. Biol. Nauchno-Issl. Inst. (Bull. Inst. Rech. Biol. Parm) (442.9P42)

Henckel, A. A. & Krasovskiĭ, P. N.

Materialy po izuchenii͡u rastitel'nosti drevnei terrasy r. Kamy i ee torfi͡anykh solot (Contributions to the study of the ancient terrace of the river Kama and its peat bogs). Izv. Permsk. Biol. Nauchno-Issl. Inst. (Bull. Inst. Rech. Biol. Perm) 9: 41-58. pl. 1934. no.1/3.

Russian with English summary.

Henckel, A. A. & Kolotova, S. S.

O predposevnoi zakhalke rastenii͡a k zasukhe v uslovii͡akh vegetatsionnogo opyta (On acquiring drought-resistance by plants before sowing under the conditions of vegetation experiment). Izv. Permsk. Biol. Nauchno-Issl. Inst. (Bull. Inst. Rech. Biol. Perm) 9: 1-14. 1934. no.1/3.

Russian with English summary.

Litvinov, L. S.

K voprosu o mekhanizme i͡arovizatsii soi (On the mechanism of yarovization of soybean). Izv. Permsk Biol. Nauchno-Issl. Inst.(Bull. Inst. Rech. Biol. Perm) 9: 59-70. illus. 1934. no.1/3.

Russian with English summary.

Ri͡azantsev, A. V.

Zimni͡ai͡a transpiratsii͡a drevesnykh porod i ee znachenie dli͡a ikh geograficheskogo rasprostranenii͡a (Winterliche transpiration der holzgewächse im zusammenhange mit ihrer geographischen verbreitung). Izv. Permsk. Biol. Nauchno-Issl. Inst. (Bull. Inst. Rech. Biol. Perm) 9: 71-86. 1934. no.1/3.

Russian with English summary.

Vakhrusheva, V. A., Henckel, A.A., Danilova, M.M. & Krasovskiĭ, P. N.

Osnovnye cherty evoli͡utsii rastitel'nosti dolin nekotorykh rek Zapadnogo Predural'i͡a (The vegetation of some river valleys of the western Cisural region). Izv. Permsk. Biol. Nauchno-Issl. Inst. (Bull. Inst. Rech. Biol. Perm) 9: 15-39. 1934. no.1/3.

Russian with English summary.

Jahresber. Ver. Naturw. Braunschweig (509B73)

Fröde, E.

Die halophytenfluren in Braunschweigs umgebung. Jahresber. Ver. Naturw. Braunschweig 22(1929/32): 35-45. pl. i. 1933.

Journ. Agr. Sci. (London) (10J822)
Mather, K. & Andersson, G.
The determination of winter-hardiness in oats. Journ. Agr. Sci. 24: 627-635. 0.1934. no.4.

Journ. Agr. Univ. Puerto Rico. (Rio Piedras) (8P832J)
Otero, J. I. & Cook, M. T.
Partial bibliography of virus diseases of plants. Journ. Agr. Univ. Puerto Rico v.18, no.1/2. 410 p. Ja./Ap. 1934.

Journ. Amer. Chem. Soc. (381Am33J)
Couch, J. F.
Lupine studies. VIII. The alkaloids of Lupinus palmeris, S. Wats. Journ. Amer. Chem. Soc. 56: 2434. N. 1934. no.11.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)
Clarke, G. H.
Important weeds of South Australia. 8. The purple-stemmed or horny thorn apple. Datura tatula, L. Journ. Dept. Agr. So. Australia 38: 221-225. illus., col.pl. S.1934. no.2.

Hutton, E. M.
The important pasture plants of South Australia considered as to their identification and characteristics. (cont.) Journ. Dept. Agr. So. Australia 38: 186-189. illus. S.1934. no.2.

Journ. Frankl. Inst.
Jodidi, S. L.
Distribution of the nonprotein nitrogen in the Alaska pea. Journ. Frankl. Inst. 218: 581-591. N. 1934. no.5.

Journ. N.Y. Bot. Gard. (89N48J)
Barnhart, J. H.
A century-old American herbarium. Journ. N.Y. Bot. Gard. 35: 241-245. N. 1934. no.419.
Herbarium of David L. Coe (1795-1836) of Ohio which includes specimens collected by Elias W. Leavenworth (1803-1887) of Great Barrington, Mass. later of Syracuse, N.Y.

Everett, T. H.
Aristolochia grandiflora. Journ. N.Y. Bot. Gard. 35: 252-254. illus. N.1934. no.419.

Journ. N.Y. Bot. Gard. (cont.)

Small, J. K.

Two aged epiphytic orchids. Journ. N.Y. Bot. Gard. 35: 256-257. Illus. N.1934. no.419.

Encyclia tampensis found on an island east of Key West, now in New York botanic garden.

Teuscher, H.

Winter injury of hybrid rhododendrons. Journ. N.Y. Bot. Gard. 35: 250-252. illus. N. 1934. no.419.

Mr. Kenneth Kent Mackenzie... Journ. N.Y. Bot. Gard. 35: 259. N. 1934. no.419.

Died Oct.22, 1934, at age of 57.

Journ. So. African Chem. Inst. (385So84)

Steyn, D. G. & Rimington, C.

Chemical problems in relation to poisonous plant research. I-II. Journ. So. African Chem. Inst. 17: 41-47. Jl. 1934. no.2.

I. How plants may act as poisons. II. Detection and isolation of active principles.

Landbouwk. Tijdschr. Wageningen (105.20r3)

Lincklaen Arriëns, R. A. L.

Een en ander over resistentie en verworven immuniteit bij planten. (cont.) Landbouwk. Tijdschr. Wageningen 46: 557-567. Ag. 1934. no.563.

Landw. Jahrb. Schweiz (Bern) (17L23)

Neuweiler, E.

Kartoffelanbauversuche der vereinigung schweizerischer versuchs- und vermittlungsstellen für saatkartoffeln durchgeführt von schweizerischen landwirtschaftlichen schulen, von mitgliedern der vereinigung, von saatzuchtgenossenschaften und landwirtschaftlichen betrieben. IV. Landw. Jahrb. Schweiz 48: 683-708. 1934. no.6.

Mikrobiologii͡a (Moskva) (448.3M582)

Nazarova, E.

Zarazhenie zhivykh rasteniĭ dermatofitami (Infection of living plants with dermatophytes). Mikrobiologii͡a 3: 120-137. illus., pl. 1934. no.1.

Russian with English summary. Experiments with Achorion quinckeanum, Microsporum lanosum, Trichophyton gypseum asteroides.

Mikrobiologii͡a (cont.)
Uspenskiĭ, E. E.

Prevrashchenie odnikh nasledstvennykh form v drugie i voznoknovenie novykh v rode Spirogyra (Transformation of certain hereditary forms into other ones and the arising of new forms in the genus Spirogyra). Mikrobiologii͡a 3: 169-203. 3 pl. 1934. no.2.

Russian with English summary.

Nat. Hist. Mag. (London) (410N2122)
Rendle, A. B.

A botanist in Bermuda. Nat. Hist. Mag. 4: 277-295. illus. O. 1934. no.32.

Swinton, W. E.

Behind the scenes in the Museum.VIII. Nat. Hist. Mag. 4: 295-305. illus. O.1934. no.32.

Dept. of Botany, Natural history department of the British museum.

Natur u. Volk. (Frankfurt a.M.) (509F856)
Körner, O.

Umkehr des stromes der ernährungsflüssigkeit in dem stamme einer rotbuche. Natur u. Volk. 64: 279-280. illus. Jl. 1934. no.7.

Weinberg, A. v.

Die wuchsstöffe der organismen. Natur u. Volk. 64: 208-223. illus. Je. 1934. no.6.

Nature (London) (472N21)
Meyer, S. L.

Alleged stimulation of moulds by paraffin in heavy water. Nature 134: 665. O.27, 1934. no.3391.

Naturwissensch. (Berlin) (474N213)
Silberschmidt, K.

Neuere arbeiten über die strömungsrichtung der assimilate im pflanzenstengel. Naturwissensch. 22: 725-728. O.26, 1934. no.43.

Nauchno plodovodstvo (Sci. Fruit Grow.) (Voronezh) (80Sci2)
Enikeev, K.

Izuchenie zimostoĭkosti Michurinskikh sortov v Voronezhskoi, Kurskoĭ i Moskovskoi oblasti͡akh i Srednevolzhskom krae (Hardiness to winter cold of the Michurin varieties in the black soil, Moscow and middle Volga regions). Nauchnoe plodovodstvo (Sci. Fruit Grow. 3: 11-20. 1934.

Russian with English summary. Fruits, particularly apples and pears.

Nauchno plodovodstvo (Sci. Fruit Grow.) (cont.)

Iseav, S. I.

Iz nabli͡udeniĭ nad Michurinshimi sortami pod Moskvoĭ (Some observations on the Mitchurin varieties near Moscow). Nauchnoe plodovodstvo (Sci. Fruit Grow.) 3: 20-25. 1934.

Russian with English summary. Apples, pears, cherries and small fruits.

Likhovitser, V. G.

Zamteki po kariotipu plodovo-i͡agodnykh rasteniĭ (Studies on the karyoptype of fruit and small-fruit plants). Nauchnoe plodovodstvo (Sci. Fruit Grow.) 3: 39-40. illus. 1934.

Russian with English summary.

Prunus besseyi, Shepherdia argentea, Fragaria grandiflora x F.elatior.

Tatarinteev, A. S.

Opyt vegetativnogo sblizhenii͡a grushi s piabinoĭ [Experiments in "vegetative friendship" with pear and mountain ash]. Nauchnoe plodovodstvo (Sci. Fruit Grow.) 1: 16-22. 1934.

Russian with English summary.

Tatarintsev, A. S.

Poiski puteĭ k preodolenii͡u neskreschivaemosti (Ways for overcoming difficulties in hybridizing). Nauchnoe plodovodstvo (Sci. Fruit Grow.) 3: 31-38. 1934.

Russian with English summary.

New Zeal. Journ. Sci. & Techn. (Wellington) (514N48)

Tiller, L. W.

The iodine-starch reaction as a test for maturity of apples. New Zeal. Journ. Sci. & Techn. 16: 88-101. illus. S.1934. no.2.

Onderstepoort Journ. Vet. Sci. (41.80nl)

Louw, J. G.

A routine method for the determination of soluble ash in plant material. Onderstepoort Journ. Vet. Sci. 3: 191-195. Jl.1934. no.1.

Marais, J. S. C. & Rimington, C.

Isolation of the poisonous principle of Dimorphotheca cuneata Less. Onderstepoort Journ. Vet. Sci. 3: 111-117. illus. Jl. 1934. no.1.

Peanut Journ. & Nut World. (Suffolk) (77.8P313)
New York City. Dept. of public markets, weights & Measures - Library
Pecans, walnuts and other nuts. Epic story of edible nuts of the world. I. Peanut Journ. & Nut World 14: 27-32. N.7,1934. no.1.

Philipp. Agr. (Laguna) (25P542)
Esping, R. B.
A quarter century of research activity in the department of plant physiology. Philipp. Agr. 23: 403-415. illus. O. 1934. no.5.

Ocfemia, G. O.
Our work on plant diseases. Philipp. Agr. 23: 467-475. illus. O. 1934. no.5.

Planta Arch. Wiss. Bot. (Berlin) (450P695)
Borriss, H.
Ueber den einfluss äusserer faktoren auf wachstum und entwicklung der fruchtkörper von Coprinus lagopus. Planta Arch. Wiss. Bot. 22: 644-684. illus. 1934. no.5.

Fischer, H.
Grössenänderungen von kern und nucleolus im blattgewebe. Planta Arch. Wiss. Bot. 22: 767-793. illus. 1934. no.5.

Hartisch, J.
Stoffwechselphysiologische untersuchungen über die blattrollkrankheit der kartoffelpflanze. Planta Arch. Wiss. Bot. 22: 692-719. 1934. no.5.

Hrubý, K. J
Ueber die chromosomenstruktur in infraroten strahlen. Planta Arch. Wiss. Bot. 22: 685-691. illus. 1934. no.5.

Mothes, K. & Specht, W.
Ueber den schwefelstoffwechsel der pflanzen. Planta Arch. Wiss. Bot. 22: 800-803. 1934. no.5.
Vorläufige mitteilung.

Paech, K.
Zur natürlichen regulation des eiweissstoffwechsels in pflanzen. Planta Arch. Wiss. Bot. 22:794-799. 1934. no.5.

Planta Arch. Wiss. Bot. (cont.)

Ramshorn, K.
Experimentelle beiträge zur elektrophysiologischen wachstumstheorie. Planta Arch. Wiss. Bot. 22: 737-766. illus. 1934. no.5.

Schkwarnikow, P. K. & Navaschin, M. S.
Ueber die beschleunigung des mutationsvorganges in ruhenden samen unter dem einfluss von temperaturerhöhung. Planta Arch. Wiss. Bot. 22: 720-736. illus. 1934. no.5.

Zeuch, L.
Untersuchungen zum wasserhaushalt von Pleurococcus vulgaris. Planta Arch. Wiss. Bot. 22: 614-643. illus. 1934. no.5.

Zickler, H.
Genetische untersuchungen an einem heterothallischen askomyzeten (Bombardia lunata nov. spec.) Planta Arch. Wiss. Bot. 22: 573-613. illus. 1934. no.5.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Freising) (464.8P88)

Böning, K. & Wallner, F.
Versuche zur bekämpfung der netzfleckenkrankheit der gerste (Helminthosporium teres Sacc.) Prakt. Blätt. Pflanzenb. u. Pflanzensch. 34(n.s., v.12): 219-229. illus. O. 1934. no.7.

Hiltner, E.
Beiträge zur ernährungsphysiologie der kartoffel unter besonderer berücksichtigung des abbauproblems. Prakt. Blätt.Pflanzenb. u. Pflanzensch. 34(n.s.,v.12): 206-219. illus. O. 1934. no.7.

Strobel, A.
Regierungsrat Dr.Erhard Hiltner. Prakt. Blätt. Pflanzenb u. Pflanzensch. 34(n.s. v.12): 201-206. port. O. 1934. no.7.

Proc. Amer. Cranberry Grow. Assoc. (81Am35C)

Wilcox, R. B.
Cranberry diseases in 1934. Proc. Amer. Cranberry Grow. Assoc. 65(1934): 6-9. Ag.30, 1934.

Proc. K. Akad. Wetensch. Amsterdam (503Am8P)

Thimann, K. V. & Went, F. W.
On the chemical nature of the rootforming hormone. Proc. K. Akad. Wetensch. Amsterdam 37: 456-459. Jl.1934. no.7.

Proc. K. Akad. Wetensch. Amsterdam (cont.)
Went, F. W.
A test method for rhizocaline, the rootforming substance. Proc. K. Akad. Wetensch. Amsterdam 37: 445-455. illus. Jl.1934. no.7.

Proc. Linn. Soc. N.S.W. (Sydney) (514Sy2)
Jensen, H. L.
Studies on saprophytic Mycobacteria and Corynebacteria. Proc. Linn. Soc. N.S.W. 59: 19-61. illus., pl.i-ii. My.15, 1934. no.1/2(251/252).

Rupp, H. M. R.
Notes on Australian orchids. A review of the genus Cymbidium in Australia. I. Proc. Linn. Soc. N.S.W. 59: 93-100. illus. My.15, 1934. no.1/2(251/252).

Waterhouse, W. L.
Australian rust studies. IV. Natural infection of barberries by black stem rust in Australia. Proc. Linn. Soc. N.S.W. 59: 16-18. pl. iii. My.15, 1934. no.1/2(251/252)

Proc. Queensl. Soc. Sugar Cane Techn. (65.9Q332)
Cottrell-Dormer, W.
Bacterial diseases of sugar cane. Proc. Queensl. Soc. Sugar Cane Techn. 3(1932): 31-38. [1932?]
Leaf scald, gumming, red-stripe & mottled stripe.

Cottrell-Dormer, W.
The mechanism of heredity. Its bearing on variety improvement. Proc. Queensl. Soc. Sugar Cane Techn. 5(1934): 207-220. illus. 1934.

Stieglitz, C. R. von
The starch contents of some sugar canes in Queensland. Proc. Queensl. Soc. Sugar Cane Techn. 3(1932): 63-68. illus. [1933?]

Proc. Soc. Exp. Biol. & Med. (N.Y.) (442.9So1)
Martin, A. W. & Field, J.
Inhibition of yeast growth by 2-4 dinitrophenol. Proc. Soc. Exp. Biol. & Med. 32: 54-55. O.1934. no.1.

Proc. Soc. Exp. Biol. & Med. (cont.)

Melot, G. J.

Effects of deuterium oxide on respiration of germinating seeds. Proc. Soc. Exp. Biol. & Med. 32: 79-83. O. 1934. no.1.

Experiments with wheat.

Moore, A. R.

Relation of cytoplasmic structure to growth and respiration in plasmodium. Proc. Soc. Exp. Biol. & Med. 32: 174-176. O. 1934. no.1.

Experiments with Physarum.

Progr. Agr. & Vitic. (Montpellier) (14P94)

Rouayroux, R.

La faillite des bouillies cupriques. Progr. Agr. & Vitic. 102: 381-384. O.14, 1934. no.41.

[illegible] 1934. [illegible]

Progreso Agr. y Pec. Madrid (15P94)

Ferraris, T.

La lucha contra el oídio. Progreso Agr. y Pec. Madrid 40: 417-422. illus. Jl.15, 1934. no.1830.

Gallástegui, C.

Efectos del sulfatado en la patata. I-II. Progreso Agr. y Pec. Madrid 40: 161-165, 177-178. Mr.15,22, 1934. no.1814-1815.

Quart. Journ. Pharm. & Pharmacol. (London) (396.8Q2)

Coutts, J.

The seasonal variation of santonin in Scottish Artemisias. Quart. Journ. Pharm. & Pharmacol. 7: 392-405. Jl./S. 1934. no.3.

Dewar, T.

The histology of the leaves of Digitalis lanata Ehrh. Quart. Journ. Pharm. & Pharmacol. 7: 331-345. illus. Jl./S. 1934. no.3.

Saber, A. H.

Senna stalk: Its anatomy and detection in powdered senna. Quart. Journ. Pharm. & Pharmacol. 7: 422-434. illus. Jl./ 1934. no.3.

Rep. Assoc. Hawaiian Sugar Techn.(65.9As73)

Lyon, H. L. & Brodie, H.

The measurement of sunlight and its relation to cane growth. Rep. Assoc. Hawaiian Sugar Techn. 13(1934): 105-113. illus. 1934.

Rev. Facul. Agron. & Vet. Univ. Buenos Aires (9B863)

Marchionatto, J. B.

Algunos hongos entomógenos communes en la República Argentine y las posibilidades de su aplicación agrícola. Rev. Facul. Agron. & Vet. Univ. Buenos Aires 7: 571-584. illus. S. 1934. no.3.

Reichert, F. & Paulsen, E. F.

La influencia de la radiación ultravioleta sobre la germinación y primer período vegetativo en algunas semillas. Rev. Facul. Agron. & Vet. Univ. Buenos Aires 7: 501-506. illus. S.1934. no.3.

Rev. Fac. Agron. Univ. La Plata (9R32)

Hirschhorn, J.

Dos royas de las cebada, nuevas para la Argentina. Rev. Fac. Agron. Univ. La Plata 19: 390-397. illus. D. 1933. no.3.

Lindquist, J. C.

Nota sobre la podredumbre amarga de la manzana [Glomerella cingulata (St.) Schr. y v. Sp.] Rev. Fac. Agron. Univ. La Plata 19: 398-406. illus. D. 1933. no.3.

Marchionatto, J. B.

Notas de patologia vegetal. Contribución al conocimiento de las enfermedades de las plantas provocados por los hongos. Rev. Fac. Agron. Univ. La Plata 19: 407-426. illus. D.1933. no.3.

Ringuelet, E. J.

Nota sobre la anatomia del tallo en cuatro trigos puros. Rev. Fac. Agron. Univ. La Plata 19: 427-430. illus. D.1933. no.3.

Rev. Gén. Bot. (Paris) (450R326)

Carpentier, A.

Fructifications du Westphalien du Nord de la France. Rev. Gén. Bot. 46: 577-585. illus., pl. xlvi-xlix. O. 1934. no.550.

Crossotheca chailleti, Boulaya praelonga (n.gen.) n.spp.

Feldmann, J. & Hamel, G.

Observations sur quelques gélidiacées. I-III. Rev. Gén. Bot. 46: 528-549. illus. S. 1934. no.549.

I. Gelidiella nov.nomen (=Echinocaulon (Kützing) Feldmann emend., non Spach). II. Sur les affinités du genre Caulacanthus Kutz. III. Wurdemannia miniata (Drap.) comb.nov.

Rev. Gén. Bot. (cont.)

Gabriel, G.
Étude phyto-sociologique du Dévoluy. II-III. Rev. Gén. Bot. 46: 550-561, 621-640. S.,O. 1934. no.549-550.

Garnier, G.
Influence de l'étirement sur les cellules végétales. III. Expérimentation. Rev. Gén. Bot. 46: 562-576, 604-620. illus. S.,O. 1934. no. 549-550.

Panchaud, J.
Action di milieu extérieur sur le métabolisme végétal. II. L'absorption de la matière minérale et l'élaboration de la matière organique chez une plante herbacée développée à des intensités lumineuses différentes. Rev. Gén. Bot. 46: 586-603. O. 1934. no.550.

Rev. Hort. (Paris) (80R32)

Arnaud, G.
Le dépérissement du cassissier. Rev. Hort. 106: 228-229. O.16, 1934. no.10.

Chevalier, C.
L'individu végétal. Rev. Hort. 106: 178-179, 205-207. Ag.16, S.16, 1934. no.8,9.

Debras, E.
Lilium x aurelianense (L. sargentiae ♀ x L. henryi♂) Rev. Hort. 106: 231. illus. O.16, 1934. no.10.

Jahandiez, E.
Les plantes grasses autres que les cactées les crassulacées. (cont.). Rev. Hort. 106: 187-189, 212-214, 238-240. illus. Ag.16, S.16, O.16, 1934. no.8,9,10.

Routier, H.
Quelques réflexions sur les anguillules. Rev. Hort. 106: 189-191. Ag.16, 1934. no.8.
Observations made upon various plants, particularly on Begonia rex.

Rev. Hort. & Agr. Afrique Nord. (Alger) (87R32)

Bellair, G.
La chlorose chez les pechers et chez les rosiers. Rev. Hort. & Agr. Afrique Nord 38: 261-264. O. 1934. no.10.

Rev. Hort. & Agr. Afrique Nord. (cont.)
Maire, R.
Louis Trabut, 1853-1929. Notice biographique.
Rev. Hort. & Agr. Afrique Nord v.38, spec.no.10.
56 p. port. 1934.
Publications du Docteur L. Trabut: p.16-34.

Rhodesia Agr. Journ. (Salisbury) (24R34)
Hopkins, J. C. F.
Seasonal notes on tobacco diseases. 7.Spraying
in seed-beds and lands. Rhodesia Agr. Journ.
31: 727-734. O.1934. no.10.

Rhodora (Boston) (450R34)
Fernald, M. L.
Draba in temperate northeastern America. (concl.)
Rhodora 36: 392-404. N. 1934. no.431.

Hochreutiner, B. P. G.
Validity of the name Lespedeza. Rhodora
36: 390-392. N. 1934. no.431.

Muenscher, W. G. & Clausen, R. T.
Notes on the flora of northern New York.
Rhodora 36: 405-407. N. 1934. no.431.

Pladeck, M.
Notes on Virginia and Maryland plants.
Rhodora 36: 407-408. N. 1934. no.431.
Muhlenbergia racemosa, Solidago randii,
S. monticola, Aegilops ovata, in Virginia; S.
canadensis v. hargeri, Ambrosia bidentata in
Maryland.

Svenson, H. K.
Monographic studies in Eleocharis. III.
Rhodora 36: 377-390. illus. (maps),pl.320-321.
N. 1934. no.431.

Science (470Sci2)
Buchsbaum, R. & Buchsbaum, M.
An artificial symbiosis. Science 80: 408-
409. N.2, 1934. no.2079.
Chlorella with animal cells.

Higgins, B. B.
Frank Lincoln Stevens. Science 80: 419-420.
N.9,1934. no.2080.

Science (cont.)

Vickery, H. B., Pucher, G. W. & Clark, H. E.
Glutamine in the tomato plant. Science 80: 459-461. N.16, 1934. no.2081.

Woodworth, R. H.
Perforated fiber-tracheids in the passion flowers. Science 80: 449-450. N.16, 1934. no.2081.

The effect of different wave-lengths of light upon the growth of plants. Science v.80, no.2080, Suppl.p. 10. N.9, 1934.
Experiments of E. S. Johnston, Smithsonian Inst.
More than 30,000 photographic negatives of type species preserved in European herbaria [in Field museum of natural history]. Science 80: 400. N.2, 1934.

Sitzungsb. Ges. Naturf. Freunde Berlin (509B45)

Gothan, W. & Kukuk, P.
Ueber das sogenannte Psygmophyllum delvali Cambier und Renier. Sitzungsb. Ges.Naturf. Freunde Berlin 1/3: 66-77. 2 pl. Ag.1933.

Schiemann, E.
Auf den spuren der ältisten kulturpflanzen. Ueber bedeutung und methodik der kulturpflanzenforschung. Sitzungsb. Ges. Naturf. Freunde Berlin. 4/7: 228-250. illus. D. 1933.

Soil Sci. (Baltimore) (56.8So3)

Paulie, E. E.
The microflora of Kazakstan sands (Central Asia). Soil Sci. 38: 401-406. N.1934. no.5.
Microflora in the rhizosphere of the rubber-producing Chondrilla ambigua, C. pauciflora, C. brevirostris.

So. African Gard. (Johannesburg) (80So87)

Johnston, J. H.
The cultivation of South African plants. (cont.) So. African Gard. 24: 238-239. illus. O. 1934. no.10.

Plants new or noteworthy. South African plants cultivated in the National botanic gardens, Kirstenbosch, and in our readers' gardens. So. African Gard. 24: 243-245. illus. O.1934. no.10.
Freesia framesii, Stapelia longipes, n.spp.

Succulenta (Leeuwarden) (450Sul)

Backeberg, C.

Wat is een Borzicactus? Succulenta 16: 177-184. illus. N.1934. no.11.

Tashkentskii-Inst. Udobr. i Agropochv. (Inst. Fert. & Agro-Soil Sci. Middle-Asia) Sci. Ser. (59.9T18)

Korovinym, E. P.

Sornai͡a rastitel'nost khlopkovykh poleĭ Sredneĭ Azii i mery bor'by s neĭ ... (Weeds of cotton fields in Middle Asia and their control). Tashkentskii Inst. Udobr. i Agropochv. (Inst. Fert. & Agro-Soil Sci. Middle-Asia) Sci. Ser. no. 1. 240 p. illus. (incl.maps) 1934.

Russian

Techn. Publ. N.Y. State Coll. For. Syracuse (99.9N486T)

Lowe, J. L.

The Polyporaceae of New York State (pileate species). Techn. Publ. N.Y. State Coll. For. Syracuse 41. 142 p. ii pl. Ag. 1934.

Percival, W. C.

A contribution to the biology of Fomes pini (Thore) Lloyd (Trametes pini [Thore] Fries). Techn. Publ. N.Y. State Coll. For. Syracuse. 40. 72 p. illus. Je.1933.

Tijdschr. Plantenz. (464.8T44)

Quanjer, H. M.

Enkele kenmerken der "vergelings" -ziekte van suiker- en voederbieten ter onderscheiding van de "zwarte houtvaten" -ziekte. (Some symptoms of the "yellowing" disease of sugar and fodder-beet, and its differentiation from the "black wood-vessel" disease of these hosts). Tijdschr. Plantenz. 40: 201-214. illus. O.1934. no.10.

English summary: p.212-214. Still questionable as to whether this is a virus disease.

Torreya (450T63)

Alexander, A. J.

Two new species of Amsonia from the Southwest. Torreya 34: 116-118. S./O. 1934. no.5.

A.grandiflora, A. lanata.

Harper, R. M.

Taxodium distichum in the paleozoic area of Alabama. Torreya 34: 105-110. illus. S./O. 1934. no.5.

Torreya (cont.)

Henry, L. K.
Mycorrhiza of Wading River region, L. I. Torreya 34: 111-115. illus. S./O. 1934. no.5.

Mueller, C. H.
Some new oaks from western Texas. Torreya 34: 119-122. S./O. 1934. no.5.
Quercus robusta, Q. graciliformis, n.spp.

Trans. Brit. Mycol. Soc. (London) (451B76)

Brown, W.
Mechanism of disease resistance in plants. Trans. Brit. Mycol. Soc. 19: 11-33. 0.25, 1934. no.1.

Corner, E. J. H.
An evolutionary study in agarics: Collybia apalosarca and the veils. Trans. Brit. Mycol. Soc. 19: 39-88. illus. 0.25, 1934. no.1.

Dowson, W. J.
Phytophthora megasperma Dreschler in Tasmania. Trans. Brit. Mycol. Soc. 19: 89-90. 0.25, 1934. no.1.
On carrots during abnormally wet season.

Petch, T.
Isaria. Trans. Brit. Mycol. Soc. 19: 34-38. 0.25, 1934. no.1.

Ramsbottom, J.
Naumovia abundans Dobrozr. Trans. Brit. Mycol. Soc. 19: 91-93. pl. 0.25, 1934. no.1.
On Prunella vulgaris.

Trop. Agriculture West Indies (Trinidad) (26T754)

Baker, R. E. D.
Balansia trinitensis (Cooke and Massee). An interesting Trinidad fungus. Trop. Agriculture West Indies 11: 293. pl.vii. N.1934. no.11.
On Chaetochloa palmifolia & C. sulcata.

Baker, R. E. D.
A threadblight of the tonca bean. Trop. Agriculture West Indies 11: 293-294. pl.viii. N. 1934. no.11.
Marasmius sp.

Trop. Agriculture West Indies (cont.)
"Marble" arrowroot. Trop. Agriculture West Indies 11: 292. N.1934. no.11.
Myrosma cannifolia with starch grains that resemble that of sweet potato, a pest in arrowroot fields.

Trudy Inst. Nov.Lubi͡an. Syr'i͡a [Trans. Inst. New Bast Fibers] (Moskva) (73.9M85)

Breslevets, L. P.
Nenormal'nosti v razvitii pyl'tsii u razlichnykh sortov i privivok konopli. Trudy Inst. Nov. Lubi͡an Syr'i͡a [Trans. Inst. New Bast Fibers] 6(1): 55-67. illus. 1934.
Russian. Abnormalities in development of pollen in various kinds of hemp and in grafts of hemp.

Bulgakov, S. V.& Arno, A. A.
Materialy po sortovedenii͡u odnoletnikh lubi͡anykh (Kenaf, kanatnik, iuzhnai͡a konopli͡a) [Contributions on the leading annual bast fibers (kenaf, kanatnik, southern hemp)] Trudy Inst. Nov. Lubi͡an. Syr'i͡a [Trans. Inst. New Bast Fibers] v.6, no.2. 79 p. 1934.
Russian. Ambarin hemp, Abutilon avicennae, hemp.

Rusanov, F. N.
Dikorastushchiĭ kendyr Evrazil. [Wild kendir in Eurazia] Trudy Inst. Nov. Lubi͡an. Syr'i͡a [Trans. Inst. New Bast Fibers] v.7. 112 p. illus. ii pl., map. 1933.
Russian. In region from west of Caspian, east thru Chinese Turkestan(Eurazia=Europe-Asia)

Versl. en Meded. Plantenziektenk. Dienst Wageningen (464.9W122)
Wageningen. Plantenziektenkundige dienst.
Verslag over de wirkzaamhenden... in het jaar 1933. Its Versl. en Meded. no.76. 114 p. iii pl. Ag.1934.

Verslag. Landb. Onderez Rijkslandbouwproefst. (Groningen) (105.2V61V)

Meijer, C.
Verslag over een achttiental bemestingsproeven met koperulfaat. Verslag. Landb. Onderez. Rijkslandbouwproefst. (Groningen) 40: 67-173. 1934.
German summary: p.166-169.

Vict. Nat. (Melbourne) (410V66)

Morris, P. F.
Some notes on the grass genus Amphibromus. Vict. Nat. 51: 144-147. pl. xxvi. Oct. 1934. no.6.

Nicholls, W. H.
A variable sun orchid, Thelymitra aristata Ldl. and its forms. Vict. Nat. 51: 153-155. pl. xxvii. O.1934. no.6.

Exp. Stat. Publ.

Hartman, J. D.
Studies of the effects of storage temperature on the propagation value of potato tubers. Cornell Agr. Exp. Stat. Mem. 168. 39 p. illus. iii pl. Je.1934 (Recd Nov.) (100N48C)

Moreland, C. F.
Factors affecting the development of the cotyledonary buds of the common bean, Phaseolus vulgaris. Cornell Agr. Exp. Stat. Mem.167. 28 p. illus., ii pl. Je.1934 (Rec'd Nov.) (100N48C)

Bourne, B. A.
Physiological and pathological phases of sugarcane investigation. Ann. Rep. Florida Agr. Exp. Stat. 1932/33: 181-183. [1934] (100F66S)

Florida. Agricultural experiment station.
Plant pathology. In its Ann. Rep. 1932/33: 110-126. [1934] (100F66S)

Florida. Agricultural experiment station
Plant pathological problems in the Everglades. in its Ann. Rep. 1932/33: 173-177.]1934[(100F66S)

Florida.Agricultural experiment station - Citrus experiment station.
[Report] In its Ann. Rep. 1932/33: 137-151. [1934] (100F66S)
Contains notes on diseases.

Thornton, S. F., Conner, S. D. & Fraser, R. R.
The use of rapid chemical tests on soils and plants as aids in determining fertilizer needs. Indiana Agr. Exp. Stat. Circ. 204. 16 p. illus., 3 col.pl. Je.1934. (Rec'd Nov.) (100In2P)

Exp. Stat. Publ. (cont.)

Loree, R. E.
Raspberry growing in Michigan. Michigan Agr. Exp. Stat. Circ. Bull. 152. 39 p. illus. O.1934. (100M58S)
Diseases:p.30-37.

Robbins, W. J.
Botany. In Report of the director. Je.30,1933. Missouri Agr. Exp. Stat. Bull. 340: 28-34. S.1934.

Chase, W. W.
The composition, quantity, and physiological significance of gases in tree stems. Minnesota Agr. Exp. Stat. Techn.Bull. 99. 51 p. illus. My.1934. (Rec'd Nov.) (100M66)

State Publications.

Dietz, H. F.
The compatibility of spray and dust combinations used in insect and disease control. Nursery Notes Ohio 3(12): 1-4. O.1934. (275.290h32N)
Reprinted in Flor. Exch. 83(19): 23. N.10, 1934.

New Books.

Atanasov, D.
Bolesti na kulturnite rasteni͡ia [Diseases of cultivated plants] Sofi͡ia, Prodvorna pechatnitsa (Imprimerie de la cour), 1934(Universitetska biblioteka no.137) (464At1B)
Bulgarian.

Balansard, J.
Contribution à l'étude pharmacologique des asclepiadacées. Le Cryptostegia madagascariensis. Lyon, Bosc frères,1933. (396B18)

Böttcher, G.
Die halfa. Eine wirtschaftsgeographische studie über eine grasart. Berlin,1933. (60.1B652)
Inaug.-diss. Greifswald.

Buller, A. H. R.
Researches on fungi. vol. VI. The biology and taxonomy of Pilobolus, the production and liberation of spores in the Discomycetes and pseudorhizae and gemmifers as organs of certain Hymenomycetes. London, Longmans, Green & Co., 1934. (462B87)

New Books (cont.)

Ishkov, S. A.

Sovetskoe rami. Sbornik materialov [Soviet ramie. Collection of articles] Moskva, 1934. (73.4Is3)

Russian. By various authors.

Lévy, G.

La présence, la répartition et le rôle de l'aluminium chez les végétaux. Paris, 1931 (463.2L57)

Thèse - Fac. de Sci. Paris.

Komorav, V. L.

Flora URSS (Flora Unionis rerumpublicarum sovieticarum socialisticarum) II. Leningrad, Editio Academiae scientiarum URSS, 1934. (459.2L54)

Glumiflorae, Gramineae: Maydeae-Bambuseae.

Russian.

Wilson, C. L.

An introduction to plant life. [n.p.] 1934. (463.3W69)

Reprints from publications not yet rec'd or not available.

Cartledge, J. L.

Genetics of Datura pollen. Separate from Biol. Lab. 4: 23-24. S.1932. (With Crocker, W. Effect of gases upon plants. (Pamph.464.38C)

Crocker, W.

Effect of gases upon plants. Separate from Biol. Lab. 4: 19,25-28. S.1932. (Pamph.464.38C)

Ercegović, A.

Ekološke i sociološke studije i litofitskim cijanoficejama sa jugoslavenske obale Jadrana (Études écologiques et sociologiques des cyanophycées lithophytes de la côte yougoslave de l' Adriatique). Reprinted from Rada Jugoslavska Akademija znanosti i umjetnosti. v.244, p.129-220. Zagreb,1932. (461.4Er2)

The French summary is reprinted from Bull. Intern. Acad. Yougslave v.26, p.33-56.

Lendner, A.

Une maladie du Pseudotsuga douglasii. Reprinted from Rev. Hort. Suisse no.10, 0.1932. 3 p. (Pamph. 464.07L)

Rhabdocline Pseudotsugae.

Reprints (cont.)

Rogers, W. B.

Researches on fruit tree root systems. Reprinted from Sci. Journ. Roy. Coll. Sci. 4: 120-129. illus. 1934. (93.5R63)

Viennot-Bourgin, G.

Contribution à l'étude des urédinales en Seine-et-Oise (7.note) De l'activité de Puccinia glumarum (Erikss. & Henn. - en période hivernale dans le départment de Seine-et-Oise (région sud). Reprinted from Bull. Soc. Sci. Nat. & Méd. Seine-et-Oise III,2: 21-36. 1934. (Pamph.464.02V)

Correction.

v.16, no.21, p.18.

Under Rev. Sudamer. Bot. (cont.) Merrill, E.D. Parsonia should be Parsonsia.

v.16, no.21, p.28.

Under New Books Mahoney, C.H. growth should be drought.

Non-current indexing.

Rev. Fac. Agron. Univ. Montevideo (102.5M76R)

Ramón y Acosta, D.

Una micosis del naranjo, Alternaria citri Pierce. (Podredumbre interna de la fruta). Rev. Fac. Agron. Univ. Montevideo 6: 99-102. illus. 1932.

Trudy i Issled.Lesn. Khoz. i Lesn. Promyshl. (Mitt. Staatsinst. Wiss. Forsch. Gebiet Forstw. u. Holzind.) Leningrad. (99.9L543)

Bogdanov, P.

O fotoperiodizme u drevesnykh porod (Über photoperiodismus bei den holzarten. Vorläufige mitteilung). Trudy i Issled. Lesn. Khoz. i Lesn. Promyshlen. (Mitt. Staatsinst. Wiss. Forsch. Gebiet Forstw. u. Holzind.) Leningrad 10: 21-55. illus. 1931.

Russian with German summary.

Fedorova-Sarkisova, O. V.

Ob apogamii u iv (Ueber apogamie bei der weide). Trudy i Issled. Lesn. Khoz. i Lesn. Promyshlen (Mitt. Staatsinst. Wiss. Forsch. Gebiet Forstw. u. Holzind.) Leningrad 10: 57-64. 1931.

Russian with German summary.

Trudy i Issled.Lesn. Khoz. i Lesn. Promyshl. (Mitt. Staatsinst. Wiss. Forsch. Gebiet Forstw. u. Holzind.) Leningrad. (cont.)

Sokolov, S. Ia.

Obshchiĭ estestvenno-istoricheskiĭ i lesovodstvennyi ocherk Sochinskogo raĭona [General natural history and forestry outline of Sochi region] Trudy i Issled.Lesn. Khoz. i Lesn. Promyshl. (Mitt. Staatsinst. Wiss. Forsch. Gebiet Forstw. u. Holzind. Leningrad 14: 5-96. illus. 1931.

Russian.

Solov'ev, F. A.

Glavneĭshie gribnye bolezni lesnykh porod Sochinskogo raĭona Severo-Kakazskago krai͡a- [Principal fungus diseases of forest species of Sochi region, North Caucasus] Trudy i Issled.Lesn. Khoz. i Lesn. Promyshl. (Mitt. Staatsinst. Wiss. Forsch. Gebiet Forstw.u. Holzind.) Leningrad 14: 171-191. illus. 1931.

Russian.

Stratonovich, A. I. & Zaborovskii, E. P.

Prichiny usykhanii͡a Shipova lesa (Die ursache des eichensterbens im Schipoff-forst). Trudy i Issled. Lesn. Khoz. i Lesn. Promyshlen. (Mitt. Staatsinst. Wiss. Forsch. Gebiet Forstw. u. Holzind.) Leningrad no.9. 87 p. illus. 1931.

Russian with German summary. Physiological with secondary destruction by parasites.

Sukachev, V. N.

O dvukh novykh tsennykh dli͡a lesnogo khozi͡aistva drevesnykh porodakh (Ueber zwei neue wirtschaftlich wertvolle holzarten). Trudy i Issled. Lesn. Khoz. i Lesn. Promyshlen. (Mitt. Staatsinst. Wiss. Forsch. Gebiet Forstw. u. Holzind.) Leningrad 10: 1-20. illus. 1931.

Russian with German summary and Latin diagnoses (Larix maritima, L. lubarskii, Salix stenophylla).

Translations filed in Library of Bur. of Plant Industry.

Brenner, W.

Die stickstoffnahrung der schimmelpilze (The nitrogen nutrition of the mold fungi). Centralbl. Bakt. Abt.2,40: 555,647. 1914.

Translations. (cont.)

Honert, T.H. van den

Onderzoekingen over de voedingsphysiologie van het suikerriet. 2e. Bijd. Proeven over phosphaatopname (Investigations on the physiology of the nutrition of sugar cane). Arch. Suikerind. Nederl. Indië 1933, pt.3 (Meded.23): 1119-1156. 1933.

Jørstad, I.

Innberetning... om soppsykdommer på skogtraerne i arene 1926-30 (Report on fungus diseases of forest trees in the years 1926-30). Beretn. Norske Skogv. 1930: 78-96. 1931.

Kitajima, K.

Ueber die antiseptische wirkung der höheren fettsäuren gegen holzzerstörende pilze (On the antiseptic effect of higher fatty acids against wood-destroying fungi). Bull. Imp. For. Exp. Stat. Tokyo 31: 108-113. 1931.

Translation of German summary of article in Japanese.

Lindfors, T.

Almöden [Dutch elm disease]. Lustgården 12: 75-83. 1931.

Lutz, L.

Nouvelles expériences sur la spécificité des champignons hyménomycètes lignicoles vis-à-vis de leurs supports. Sur la spécificité du Corticium quercinum (New observations on the specificity of the ligneous hymenomycete fungi with respect to their hosts). Bull. Soc. Mycol. France 45: 271-263. Mr.30,1930.

Martínez, J. B.

Una grave micosis del pino observada por primera vez en España (A serious mycosis of the pine observed for the first time in Spain). Bol. Soc. Españ. Hist. Nat. 33: 25-30. F.20, 1933.

Massalongo, C.

A proposito di scopazzi osservati sopra un Ulmus campestris L. (Witches broom observed on a specimen of Ulmus campestris L.). Bull. Soc. Bot. Ital. 1924: 159-161. O.29, 1924.

Translations. (cont.)

Metz, O.
Ueber wachstum und farbstoffbildung einiger pilze unter dem einflusz von eisen, zink und kupfer (On the growth and coloring of certain fungi under the influence of iron, zinc and copper) Arch. Microbiol. 1: 197-251. 1930.

Millardet, A. & Gayon, U.
Traitement du mildiou par le mélange de sulfate de cuivre et de chaux (Control of mildew by mixture of sulfate of copper and lime). Journ. Agr. Prat. 49(2): 707-710. 1885.

Pape, H.
Ein massensterben von ulmen in Deutschland (Epidemic destruction of elms in Germany) Nachrichtenbl. Deut.Pflanzenschutzd. 4: 84-85. 1924.

Petersen, E.
Undersøgelser over bønnebakterioser i sommaeren i 1931 (Investigation of a bacterial disease of the bean occurring in the summer of 1931) Tidsskr. Planteavl. 38: 826-856. 1932.

Priehäusser, G.
Ueber den zunderschwamm (Polyporus fomentarius) (On the tinder fungus (Polyporus fomentarius). Zeitschr. Pilzk. 15(n.s.10): 115-119. Ag.30, 1931.

Ribéreau-Gayon, J.
Sur le traitement du mildiou de la vigne par les cupriques (On the control of mildew of the vine by copper fungicides). Compt. Rend. Acad. Agr. France 20: 184-189. F.7, 1934.

Roepke, W.
Die bedeutung des Scolytus scolytus als überträger der sogenannten holländischen ulmenkrankheit (The significance of the Scolytus scolytus as a carrier of the so-called Dutch elm disease). Wanderversamml. Deut. Entomol. 4: 153-156. 1930.

Rümke, C. L. jr.
Saccharum-Erianthus bastaarden (Hybrids of Saccharum-Erianthus). Arch. Suikerind. Nederl. 1934, v.2 (Meded.7): 211-263. 1934.

Schaffnit, E.& Lüdtke, M.
Ueber die bildung von toxinen durch verschiedene pflanzenparasiten (Concerning the formation of toxins by various plant parasites). Ber. Deut. Bot. Ges 50: 444-463. 1932.

Translations. (cont.)

Sil'vestrov, A. D.

O zarazhenii gribnymi vrediteliami kruglogo lesa i pilomaterialov na skladalh Kuznetskogo raǐona Sredne-Volzhskogo kraia͡ (The infection of round timber and sawed materials by fungous pests in storage in the Kuznetzk region of the middle Volga district). Izv. Leningr. Inst. Bor. Vred. Sel.i Lesn. Khoz. (Bull. Leningr. Inst. Contr. Farm. & For. Pests) 3: 79-87. 1932.

Stapp, C.

Derzeitiger stand der erforschung des "ulmensterbens" (Present stage of the research work relating to the "elm die-back".) Mitt. Deut. Dendrol. Ges. 43: 334-342. 1931.

Stapp, C.

Ueber die ursache des ulmensterbens (Concerning the cause of elm-dying). Mitt. Deut. Dendrol. Ges. 40: 139-146. 1928.

Tubeuf, K. v.

Studien über symbiose und disposition sowie über vererbung pathologischer eigenschaften unserer holzpflanzen. IV. Disposition der fünfnadeligen Pinus-arten, einerseits, und der verschiedenen Ribes-gattungen, arten, bastarde und gartenformen andererseits für den befall von Cronartium ribicola (Studies on relationship and susceptibility as well as heredity of pathological properties of our woody plants. IV. Susceptibility of the five-needle Pinus species on one side, and the various Ribes genera, species, hybrids and garden varieties on the other side, to infection with Cronartium ribicola). Zeitschr. Pflanzenkr. 43: 433-471. 1933.

(p.436-456 omitted)

Vanin, S. I.

K voprosu o vliĭa͡nii sinevy na propitku drevesiny (The effect of blue stain impregnation of wood). Bolezni Rast. (Morbi Plant.) 15: 187-192. 1926.

Vanin, S. I.

Sineva drevesiny i mery bor'by neiu͡ (Blue stain of timber and how to control it). Moskva, Leningrad, 1932.

Villedieu, G. & Villedieu, Mme.

De la non-toxicité du cuivre pour le mildiou. Compt. Rend. Acad. Sci. Paris 172: 335-336. F. 1921. no.6.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

Vol. 16, no. 24. Nov. 19-Dec.1, 1934.

LIBRARY
RECEIVED
★ DEC 1[illegible] 1934 ★
U. S. Department of Agriculture

Agr. & Live-stock, India (Calcutta) (22Ag83A)

Luthra, J. C. & Sattar, A.
The loose smut disease of wheat (vernacular "Kangiari") and some new methods of its control. Agr. & Live-stock, India 4: 495-594. illus. S. 1934. no.5.

Pal, B. P.
Recent progress in plant breeding at Pusa. Agr & Live-stock, India 4; 595-515. S.1934. no.5.

Agr. Journ. Brit. Guiana (Georgetown) (9.6B774)

Archer, W. A.
Fish poison plants of British Guiana. (A preliminary list). Agr. Journ. Brit. Guiana 5: 204-206. S. 1934. no.3.

Codd, L. E. W.
Vernalization - a recent development in agricultural research and its application to rice. Agr. Journ. Brit. Guiana 5: 212-213. S.1934. no.3.

Agron. Colon. (Paris) (26Ag812)

Dantzer, J. & Roehrich, O.
Etude de la filasse de "palle" de l'Oubangui-chari (Securida (sic) longipedunculata Fred.) Agron. Colon. 23(2): 110-113. illus. O. 1934.
Securidaca.

Mallamaire, A.
L'annee phytopathologique en Cote-d'Ivoire. Agron. Colon. 23(2):114-119. O. 1934. no.202.
I. Entomologie. II. Maladies cryptogamiques.

Agronoomia (Tartu, Esthonia) (20Ag87)

Rootsi, N.
Kaera juuremassist (Ueber die wurzelmasse des hafers). I-II. Agronoomia 14:333-340, 386-391. S.,O., 1934. no.9,10.
German summary: p.419-420.

Amer. Bot. (Indianapolis, Ind.) (450Am33)

Clute, W. N.
Marijuana. Amer. Bot. 40: 51-58. pl. Ap. 1934. no.2.
Drug from hemp, same as hasish.

Clute, W. N.
The meaning of plant names. LVII-LX. Amer. Bot. 40: 20-25, 64-71, 112-118, 156-161. Ja., Ap., Jl.,O. 1934. no.1,2,3,4.
LVII,LVIII. The umbellifers (2). LIX. Teasels and bellworts. LX. Lobelias and valerians.

Clute, W. N.
The passion-flower. Amer. Bot. 40: 99-102. pl. Jl. 1934. no.3.

Clute, W. N.
Plants and sunlight. Amer. Bot. 40: 167-171. O 1934. no.4.

Clute, W. N.
Seed dispersal in Oenothera. Amer. Bot. 40: 173-174. O. 1934. no.4.

Egerton, J. B.
The Gray memorial botanical association. Amer. Bot. 40: 198-200. O.1934. no.4.
The American botanist becomes its official organ.

Greulach, V. A.
The secret of the seasons. Amer. Bot. 40: 102-111. Jl. 1934. no.3.

Hull, E. D.
Two plants new to Indiana. Amer. Bot. 40: 177. O. 1934. no.4.
Glycyrrhiza lepidota, Tribulus terrestris.

Jones, H. C. Rev.
The Yucca date. Amer. Bot. 40: 145-146. pl. O. 1934. no.4.
Y. baccata.

Neff, I. J.
Hanging gardens of the Wabash. Amer. Bot. 40: 5-8. Ja. 1934. no.1.

Amer. Bot. (cont.)

Schantz, O. M.
An odd hybrid oak. Amer. Bot. 40: 3-5. pl. Ja. 1934. no.1.
x Quercus bebbiana orpheusi Pepoon & Trelease.

Stevens, O. A.
The flower-of-an-hour. Amer. Bot. 40: 148-156. O. 1934. no.4.
Hibiscus trionum.

Stevens, O. A.
Why scientific names are changed. Amer. Bot. 40: 8-16. Ja. 1934. no.1.

Wood, C. W.
Some American gromwells. Amer. Bot. 40: 17-19. Ja. 1934. no.1.
Lithospermum.

Amer. Midl. Nat. (Notre Dame, Ind.) (410M58)

Berry, W.
A fossil willow from Ohio. Amer. Midl. Nat. 15: 781-783. illus. N. 1934. no.6.
Salix uva-ursi.

Kindle, E. M.
Concerning "lake balls", "Cladophora balls" and "coal balls". Amer. Midl. Nat. 15: 752-760. illus. N. 1934. no.6.

Lillick, L. C. & Lee, I. M.
A check-list of Ohio algae with additions from the Cincinnati region. Amer. Midl. Nat. 15: 713-751. N.1934. no.6.

Steere, W. C.
The bryophytes of the Chase S. Osborn preserve of the University of Michigan, Sugar Island, Chippewa County, Michigan. Amer. Midl. Nat. 15: 761-769. N.1934. no.6.

Turner, L. M.
Grassland in the floodplain of Illinois rivers. Amer. Midl. Nat. 15: 770-780. illus. N.1934. no.6.

Ann. Appl. Biol. (London) (442.8An72)

Ainsworth, G. C.

A comparison of certain English and Canadian potato viruses found infecting tomatoes. Ann. Appl. Biol. 21: 581-587. pl.xxviii. N.1934. no.4.

Ainsworth, G. C., Berkeley, G. H. & Caldwell, J.

A comparison of English and Canadian tomato virus diseases. Ann. Appl. Biol. 21: 566-580. pl.xxvi-xxvii. N.1934. no.4.

Lacey, M. S.

Studies in bacteriosis. XXI. An investigation of marsh spot of peas. Ann. Appl. Biol. 21: 621-640. pl. xxxii. N.1934. no.4.

With a note on the morphological structure by Brian J. Grieve.

Macdonald, J. A.

The life history and cultural characteristics of Typhula gyrans (Batsch) Fries. Ann. Appl. Biol. 21: 590-613. illus., pl.xxix-xxx. N. 1934. no.4.

Martin, J. T. & Tattersfield, F.

The effect of environmental conditions upon pyrethrum (Chrysanthemum cinerariaefolium). I-II. Ann. Appl. Biol. 21: 670-681, 682-690. pl. xxxiii-xxxv. N. 1934. no.4.

Storey, H. H.

The photodynamic action of methylene blue on the virus of a plant disease. Ann. Appl. Biol. 21: 588-589. N.1934. no.4.

Thorold, C. A.

Production of an artificial epidemic of wheat stem rust in Kenya Colony. Ann. Appl. Biol. 21: 614-620. pl. xxxi. N. 1934. no.4.

Worsley, R. R. LeG.

The insecticidal properties of some East African plants. I- Ann. Appl. Biol. 21: 649-669. N. 1934. no.4.

Ann. Rep. Dept. Agr. Cyprus (21C99)
Nattrass, R. M.
Annual report of the mycologist for the year 1933. Ann. Rep. Dept. Agr. Cyprus 1933: 48-58. illus. 1934.
Citrus spp.: p.50-55 (Form of Fusarium lateritium on orange; slow rot of lemon fruit caused by undetermined fungus, "something between Macrophomina and Dothoriella".

Ann. Rep. Dept. Agr. New Zealand. (23N48)
Cunningham, G. H.
Mycology section. Ann. Rep. Dept. Agr. New Zeal. 1933/34: 39-42. 1934.

Ann. Rep. Dept. Agr. Uganda Prot. (Kampaia) (24Ug12)
Hansford, C. G.
Annual report of the mycologist, 1933. Ann. Rep. Dept. Agr. Uganda Prot. 1932/33(pt.2): 48-51. 1934.

Arb. Hess. Bauernkammer (Darmstadt) (18D25)
Ihne, E.
Phaenologische mitteilungen jahrgang 1932 Arb. Hess. Bauernkammer no.51. 36 p. 1933.

Ber. Deut. Bot. Ges. (Berlin) (451D48)
Burgeff, H.
Pflanzliche avitaminose und ihre behebung durch vitaminzufuhr. Ber. Deut. Bot. Ges. 52: 384-390. pl. ix. 0.25, 1934. no.7.
Vorläufige mitteilung.

Ross, H.
Reinkulturen pilzlicher symbionten von insektenlarven. Ber. Deut. Bot. Ges. 52: 391-406. illus. 0.25, 1934. no.7.
Vorläufige mitteilung.

Schaede, R.
Proteolytische enzyme in pflanzen. Ber. Deut. Bot. Ges. 52: 378-383. 0.25, 1934. no.7.

Veh, R. v.
Ueber fruchtbarkeit und unfruchtbarkeit bei höheren pflanzen. Ber. Deut. Bot. Ges. 52: 407-416. illus. 0.25, 1934. no.7.

Biol. Gen. (Vienna) (442.8B525)

Hafekost, G.

Zur frage der obstunterlagenzüchtung. Biol. Gen. 10: 607-614. 1934. no.2.

Lohwag, H.

Mykologische studien. X. Pleurotus calyptratus Fr. Ein beitrag zur histologisch-biologischen charakterisierung der ringhüllen. Biol. Gen. 10: 457-468. pl.xii. 1934. no.17.

Schussnig, B.

Die determinierung des geschlechtes bei Cladophora und die phylogenie des generationswechsels. Biol. Gen. 10: 301-340. illus. 1934. no.2.

Werner, O.

Leitbahnen und gesamtgestaltung der pflanze. Biol. Gen. 10: 417-424. 1934. no.2.

Ziegenspeck, H.

Die physikalische chemie der schwer benetzbaren sporen und sägespanförmigen samen. Ein beitrag zu deren biologie und der differenzierung der "epidermalen korksubstanzen". Biol. Gen. 10: 615-656. 1934. no.2.

Blumen u. Pflanzenb. Vereinigt Gartenw. (Berlin) (80G196)

Noack, E.

Blattfallkrankheit der schnittrosen unter glas. Blumen u. Pflanzenb. Vereinigt Gartenw. 38: 555. illus. N.1934. no.44.

Schultz, H.

Ueber das auftreten der echten mehltaupilze. Blumen u. Pflanzenb. Vereinigt Gartenw. 38: 553-554. illus. N.1934. no.44.

Sommer, H.

Antirrhinum-rost jetzt auch in Deutschland. Blumen u. Pflanzenb. Vereinigt Gartenw. 38: 558. Illus. N. 1934. no.44.

Bol. Soc. Españ. Hist. Nat. (Madrid) (506M263B)

Unamuno, L. M.

Notas micológicas. VIII. Bol. Soc. Españ. Hist. Nat. 34: 249-259. illus. Jl.15, 1934. no.4/5.

Bull. Dept. Agr. Feder. Malay States (22.5B31Bg)
Thompson, A.
Annual report of the year 1933. Division of mycology. Bull. Dept. Agr. Feder. Malay States Gen. Ser. no.19: 55-62. 1934.

Bull. Sci. Pharm. (Paris) (396.8B872)
Martin-Sans, E. & Lhéritier, G.
La racine de salsepareille indigène. Bull. Sci. Pharm. 41: 524-533. illus. O. 1934. no.10.

Bull. Soc. Centr. For. Belgique (99.9B83)
Poskin, A.
Feuillaison et défeuillaison du chene pédonculé et du chene rouvre en Belgique. Bull. Soc. Centr. For. Belgique 1934: 420-429. O. 1934. no.10.

Cactus & Succ. Journ. (Los Angeles) (451C11)
Baxter, E. M.
California cacti. XVI. Opuntia echinocarpa. Cactus & Succ. Journ. 6: 71-72. illus. N.1934. no.5.

Croizat, L.
Euphorbia ramipressa. Cactus & Succ. Journ. 6: 78-79. N.1934. no.5.

Hertrich, W.
Two yuccas not often cultivated. Cactus & Succ. Journ. 6: 67-78. illus. N.1934. no.5.
Y. australis, Y. valida.

Poindexter, R. W.
New garden species. IV. Cactus & Succ. Journ. 6: 74-75. illus. N.1934. no.5.

Weimer, H. A.
Edibility of cactus. Cactus & Succ. Journ. 6: 69-71. N.1934. no.5.

Canad. Journ. Res. (Ottawa) (330.9C16C)
Johnson, T. & Johnson, O.
Studies on the nature of disease resistance in cereals. II. The relationship between sugar content and reaction to stem rust of mature and immature tissues of the wheat plant. Canad. Journ. Res. 11: 582-588. N. 1934. no.5.

Canad. Journ. Res. (cont.)

Newton, M. & Brown, A. M.

Studies on the nature of disease resistance in cereals. I. The reaction to rust of mature and immature tissues. Canad.Journ. Res. 11: 564-581. pl. i. N. 1934. no.5.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)

Fron, G.

Observations sur l'influence de la pluviosité sur le développement de la maladie du coeur de la betterave. Compt. Rend. Acad. Agr. France 20: 883-888. N.7, 1934. no.27.

Viennot-Bourgin, F.

De l'influence des facteurs climatiques de 1933 et 1934 sur le développement de quelques parasites cryptogames. Compt. Rend. Acad. Agr. France 20: 839-843. O.31, 1934. no.26.

Zacharewicz, E.

Traitement pour combattre en même temps la brunissure et la chlorose de la vigne. (cont.) Compt. Rend. Acad. Agr. France 20: 897-900. N.7, 1934. no.27.

Compt. Rend. Acad. Sci. Paris (505P21)

Beauverie, J.

Sur les causes de la résistance individuelle de cellules de microorganismes de même espèce soumises à l'action des rayons ultraviolets. Compt. Rend. Acad. Sci. Paris 199: 881-883. O.29, 1934. no.18.

Experiments with Saccharomyces cerevisiae.

Colin, H.

Sur l'amidon des floridées. Compt. Rend. Acad. Sci. Paris 199: 968-970. N.5, 1934. no.19.

Daniel, L.

Les graines déficientes du topinambour greffé. Compt. Rend. Acad. Sci. Paris 199: 914-917. N.5, 1934. no.19.

Hédin, L.

Hérédité d'un maïs anormal. Compt. Rend. Acad. Sci. Paris 199: 1062-1064. N.12, 1934. no.20.

Compt. Rend. Acad. Sci. Paris (cont.)

Jumelle, H.
Les Plectaneia, apocynacées de Madagascar. Compt. Rend. Acad. Sci. Paris 199: 995-997. N.12, 1934. no.20.

Lallemand, S.
Sur la faculté et l'énergie germinative de graines sèches irradiées. Compt. Rend. Acad. Sci. Paris 199: 1064-1066. N.12, 1934. no.20.

Lesage, P.
Sur l'hérédité de la précocité acquise dans le Lepidium sativum. Compt. Rend. Acad. Sci. Paris 199; 971-973. N.5, 1934. no.19.

Molliard, M.
Bruyères et mycorhizes. Compt. Rend. Acad. Sci. Paris 199: 900-902 N.5, 1934. no.19.

Moreau, F. & Moruzi, C.
La bipolarité sexuelle entre ascomycètes d'espèces différentes. Compt. Rend. Acad. Sci. Paris 199: 1061-1062. N.12, 1934. no.20.
Neurospora tetrasperma.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Dangeard, P.
Les chromocentres du noyau et leurs relations avec les nucléoles. Compt. Rend. Soc. Biol. Paris 117: 375-376. 1934. no.30.
Experiments with Lathraea clandestina.

Dufrenoy, J.
Effets d'un bactériophage sur l'appareil vacuolaire du Bacterium tabacum. Compt. Rend. Soc. Biol. Paris 117: 373-374. illus. 1934. no.30.

Dufrenoy, J.
Un virus des renonculacées transmissible au Nicotiana tabacum. Compt. Rend. Soc. Biol. Paris 117: 346-348. illus. 1934. no.30.

Eichhorn, A. & Franquet, R.
A propos de la réaction nucléale de Feulgen. Compt. Rend. Soc. Biol. Paris 117: 326-328. 1934. no.30.

Current Science (Bangalore) (475Sci23)

Bhat, S. S.

The origin of the Santra orange. Current Science 3: 151-152. O. 1934. no.4.

Maheshwari, P. & Singh, B.

A preliminary note on the morphology of the aerial and underground flowers of Commelina benghalensis, Linn. Current Science 3: 158-160. illus. O. 1934. no.4.

Sastri, B. N. & Sreenivasaya, M.

Study of plant tissue fluids. (cont.) Current Science 3: 150-151. O. 1934. no.4.

Cytologia (Tokyo) (442.8C99)

Dusseau, A.

Etude cytologique d'un hybride de deux Triticum vulgare Host, à phénotype de T.durum Desf. Cytologia (Tokyo) 5: 491-497. illus. O.1934. no.4.

Janaki Ammal, E. K.

Polyploidy in Solanum melongena Linn. Cytologia (Tokyo) 5: 453-459. illus. O.1934. no.4.

Kisser, J.

Ueber die erweichung harter pflanzlicher materialien mittels karbolsäure. Cytologia (Tokyo) 5: 520-525. O. 1934. no.4.

Olmo, H. P.

Prophase association in triploid Nicotiana tabacum. Cytologia (Tokyo) 5: 417-431. illus. O. 1934, no.4.

Vakar, B. A. & Krot, E. G.

A cytological study of constant wheat-rye hybrids. Cytologia (Tokyo) 5: 395-416. illus. O. 1934. no.4.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)

Tserling, V. V. & Chepikova, A. R.

K voprosu o tipe protsessa ĭarovizatsii II (On the question of the type of the process of yarovization). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s.,3: 539-543. S.1, 1934. no.7.

Russian with English summary.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (cont.)
Vasil'ev, I. M.
O faktorakh îarovizatsii ozimykh restenii (On factors of yarovization of winter varieties). Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) n.s., 3: 533-539. S.1, 1934. no.7.
Russian with English summary. Winter wheats.

Entom. & Phytopath. Hangchow, China. (C423.92En8)
Wang, C.
Notes on the diseases of economic plants in Hangchow, April 1934. Entom. & Phytopath. Hangchow, China 2: 576-580. O.11, 1934. no.29.

Faserforsch. (Leipzig) 73.8F26)
Fleischmann, R.
Beiträge zur hanfzüchtung. Faserforsch. 11: 156-161. illus. N.8, 1934. no.3.

Gard. Bul. Straits Settlem. (Singapore)
Alston, A. H. G.
The genus Selaginella in the Malay Peninsula. Gard. Bull. Straits Settlem. 8: 41-62. O.10, 1934. no.1.

Baker, J. A.
Notes on the biology of Macaranga spp. Gard. Bull. Straits Settlem. 8: 63-68. pl. xi-xv. O.10, 1934. no.1.

Symington, C. F.
Notes on Malayan Dipterocarpaceae. II. Gard. Bull. Straits Settlem. 8: 1-40. pl.i-x. O.10, 1934. no.1.

Gard. Chron. (London) 80G162)
Bancroft, H.
Notes on the status and nomenclature of the British elms. VI. The common or English elm. Gard. Chron III,96: 334-335. illus. N.10, 1934. no.2498.

Hay, T.
Nuttallia (Bartonia) decapetala, Greene. Gard. Chron. III,96: 316. illus. N.3,1934. no.2497.

Gard. Chron. (cont.)
Nelmes, W.
Three shrubby salvias. Gard. Chron. III, 96: 316. N.3,1934. no.2497.
S. grahamii, S. gregii, S. neurepia.

Ward, F. K.
Mr. F. Kingdon Ward's twelfth expedition in Asia. VII. The Great Snow Range. Gard. Chron. III, 96: 318-319. illus. N.3, 1934. no.2497-.

Gartenschonheit. (Berlin) (80G199)
Geier, M.
Fruchtende wildrosenschönheit. Gartenschönheit 15: 220-223. illus. O.1934. no.10.

Genetics (442.8G28)
Jones, D. F.
Unisexual maize plants and their bearing on sex differentiation in other plants and in animals. Genetics 18: 552-567. illus. N.1934. no.6.

Showalter, H. M.
Self flower-color inheritance and mutation in Mirabilis Jalapa L. Genetics 19: 568-580. illus. N. 1934. no.6.

House and Gard. (Greenwich, Conn.) (80H81)
Gabrielson, I. N.
Plants of the Appalachians. House and Gard. 66(6): 54-55, 78,82,87. illus. D.1934.

Ital. Agr. (Milan) (16I61)
Goidañich, A. & Goidanich, G.
M$_{o}$ria degli olmi e scolitidi. Ital. Agr. 71: 941-948. illus. O.1934. no.10.

Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS) (Leningrad) (511Sa2B)
Zalessky, M. D.
Observations sur les végétaux nouveaux du terrain permien du basin de Kousnetzk. II. Izv. Akad. Nauk SSSR (Bull. Acad. Sci. URSS VII, Cl. Sci. Math. et Nat.) 1934: 743-766. illus., pl. no.5.

Journ. Agr. Res. (Washington, D. C.) (1Ag84J)

Kendrick, J. B.
Bacterial blight of carrot. Journ. Agr. Res. 49: 493-510. illus. S.15, 1934(Rec'd N.16) no.6.
Pseudomonas carotae n.sp.

McNamara, H. C., Wester, R.E. & Gunn, K. C.
Persistent strands of the cotton root-rot fungus in Texas. Journ. Agr. Res. 49: 531-538. illus. S.15,1934(Rec'd N.16). no.6.

Neal, D.C., Wester, R.E. & Gunn, K. C.
Morphology and life history of the cotton root-rot fungus in Texas. Journ. Agr. Res. 49: 539-548. illus., 11 pl. S.15, 1934(Rec'd N.16). no.6.

Woodroof, J. G. & Woodroof, N. C.
Pecan root growth and development. Journ. Agr. Res. 49: 511-530. illus. S.15, 1934 (Rec'd N.16) no.6.

Yarwood, C. E.
Effect of mildew and rust infection on dry weight and respiration of excised clover leaflets. Journ. Agr. Res. 49: 549-558. illus. S.15,1934. (Rec'd N.16) no.6.

Young, P. A.
Penetration, distribution, and effect of petroleum oils in apple. Journ. Agr. Res. 49: 559-571. 2 pl. S.15, 1934(Rec'd N.16) no.6.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)

Adair, C. R.
Studies on blooming in rice. Journ. Amer. Soc. Agron. 26: 965-973. N.1934. no.11.

Florell, V. H. & Faulkner, B.
Growth of wheat during the heading period. Journ. Amer. Soc. Agron. 26: 954-964. N.1934. no.11.

Melchers, L. E. & Brunson, A. M.
Effect of chemical treatments of seed corn on stand and yield in Kansas. Journ. Amer. Soc. Agron. 26: 909-17. N.1934. no.11.

Journ. Amer. Soc. Agron. (cont.)
Tysdal, H. M. & Pieters, A. J.
Cold resistance of three species of Lespedeza compared to that of alfalfa, red clover, and crown vetch. Journ. Amer. Soc. Agron. 26: 923-928 N.1934. no.11.

Journ. Bot. (London) (450J82)
Exell, A. W.
Three new species of Grewia from Tanganyika Territory. Journ. Bot. 72: 314-316. N.1934. no.863.
G. burttii, G. dumicola, G. utilis n.spp.

Fendle, A. B.
Convolvulus arvensis L. with quinquepartite corolla. Journ. Bot. 72: 319-320. N.1934. no.863.

Tutin, T. G.
New species from British Guiana, Cambridge university expedition, 1933. Journ. Bot. 72: 306-314. illus. N.1934. no.863.

Mr. John Gossweiler's plants from Angola and Portuguese Congo. Pteridophyta. [By A.H.G. Alston] (concl.) Journ. Bot. Suppl. v.72, p.9-11. N.1934. no.863.

Journ. Chem. Soc. London. (382L84J)
Heilbron, I., Phipers, R.F. & Wright, H. R.
The chemistry of the algae. I. The algal sterol fucosterol. Journ. Chem. Soc. London 1934: 1572-1576. O.1934.

Journ. Gen. Physiol. (Baltimore) (447.8J822)
French, C. S., Kahn, H. I. & Tang, P. S.
Temperature characteristics for the metabolism of Chlorella. II-III. Journ. Gen. Physiol. 18: 193-207, 209-213. N.20, 1934. no.2.
II. The rate of respiration of cultures of Chlorella pyrenoidosa as a function of time and of temperature. III. The catalytic decomposition of hydrogen peroxide by Chlorella pyrenoidosa.

Oster, R. H.
Results of irradiating Saccharomyces with monochromatic ultra-violet light. I-III. Journ. Gen. Physiol. 18: 71-88, 243-250, 251-254. S.20, N.20, 1934. no.1,2.

Journ. Gen. Physiol. (cont.)

Osterhout, W.J.V.

Nature of the action current in Nitella. I. Journ. Gen. Physiol. 18: 215-227. illus. N.20, 1934. no.2.

Journ. Genetics (London) (442.8J823)

Goodspeed, T. H. & Avery, P.

The cytogenetics of fourteen types derived from a single x-rayed sex cell of Nicotiana tabacum. Journ. Genetics 29: 327-353. illus., pl.xxiv-xxix. O.1934. no.3.

Lammerts, W. E.

Derivative types obtained by back-crossing Nicotiana rustica-paniculata to N. paniculata. Journ. Genetics 29: 355-366. pl.xxx-xxxii. O. 1934. no.3.

Lunden, A. P. & Jørstad, I.

Investigations on the inheritance of immunity to wart disease (Synchytrium endobioticum [Schilb.] Perc.) in the potato. Journ. Genetics 29: 375-385. O. 1934. no.3.

Saunders, E. R.

The history, origin and characters of certain interspecific hybrids in Nolana and their relation to Nolana paradoxa. Journ. Genetics 29: 387-419. col. pl. xxxiii-xxxvi. O. 1934. no.3.

Journ. Hered. (Washington) (442.8Am3)

Darrow, G.M., Waldo, G.F., Schuster, C.E. & Pickett, B.S.

Twelve years of strawberry breeding. II. From 170,000 seedlings, seven named varieties; A summary of the crosses made and an evaluation of their effectiveness as breeding material.. Journ. Hered. 25: 451-462. illus. N.1934. no.11.

Stewart, G.

Abnormalities in inbred alfalfa and sugar-beets. Journ. Hered. 25: 449. illus. N. 1934. no.11.

Journ. Japanese Bot. (450J8223)

Akiyama, S.

Notes on some Japanese carices. I-II. Journ. Japanese Bot. 9: 536-539. illus. D.1933; 10: 329-333. illus. My. 1934. no.8; 5.

Japanese.

Journ. Japanese Bot. (cont.)

Asahina, Y

Aufzählung von Cetraria-arten aus Japan. I-II. Journ. Japanese Bot. 10: 414-423, 474-486. illus. Jl., Ag. 1934. no.7,8.

Japanese with comments in German.

Asahina, Y.

Lichenologische notizen. I-V. Journ. Japanese Bot. 9: 64-67, 138-141. illus., My.,Je. 1933; 10: 8-16, 299-304, 352-357. illus. Ja., My., Je.1934. no.1,2; 1,5,6.

Japanese with Latin diagnosis of new species and varieties and German comments or summary (Dermatocarpon myogiense, Heterocarpon simodense, Bombiliospora domingensis var. boninensis.)

Emoto, Y.

Myxomyceten des südlichen forstgebietes des berges Fuji, II. Journ. Japanese Bot. 10: 372-377. Je. 1934. no.6.

Japanese with German summary.

Fujisawa, R.

Desmidiaceae in Ina district and Yashimagaike of Shinano Province. Journ. Japanese Bot. 10: 438-445. illus. Jl.1934. no.7.

Japanese.

Fujita, N.

Sogenannte Althaea-wurzel stammt von Althaea rosea. Journ. Japanese Bot. 10: 663-664. illus. O. 1934. no.10.

Japanese.

Hara, H.

Flora of Karuizawa. I-XIII. Journ. Japanese Bot. 9: 120-129, 132-191, 250-255, 308-313, 432-438, illus. Je.-S., N.1933; 10: 22-28, 83-91, 167-171, 319-325, 362-371, 430-437, 515-526, 623-630, illus. Ja., Mr., My.-Ag., O.1934. no.2,3,4,5,7; 1,2,3,5,6, 7,8,10.

Hara, H.

Observationes ad plantas Asiae Orientalis I-III. Journ. Japanese Bot. 9:512-522. illus. D.1933; 10:227-237, 586-602, illus. Ap., S. 1934. no.8, 4,9.

Salix hidakamontana, Pleuropteropyrum nakaii, Filipendula yezoensis, Circaea kitagawae n.spp.

Journ. Japanese Bot. (cont.)

Harada, K.
Diagnosis of minute seeds by means of impressions upon celluloid-membrane ("sump"-figures). Journ. Japanese Bot. 10: 238-250. illus. Ap. 1934. no.4.
Japanese.

Hattori, H.
Icones of Japanese Mycetozoa. IX. Journ. Japanese Bot. 10: 61-69. illus. F.1934. no.2.
Japanese.

Hino, I.
Ascospore of Chaetosphaeria fusispora (Kawamura). Journ. Japanese Bot. 10: 527-528. illus. Ag.1934. no.8.
Japanese.

Hino, L.
Teratological ferns caused by virus disease. Journ. Japanese Bot. 10: 377-380. illus. Je. 1934. no.6.
Japanese.

Hiratsuka, N.
Notes on Japanese rust fungi. I-V. Journ. Japanese Bot. 10: 1-8, 129-136, 220-227, 469-473, 617-623. illus. Ja., Mr., Ap., Ag., O.1934. no. 1,3,4,8,10.
Japanese with Latin diagnosis of new species (Puccinia tottoriensis).

Hisauchi, K.
Distribution of Aucuba japonica Th. var. ovoidea Koidz. Journ. Japanese Bot. 10: 540-541. illus. Ag.1934. no.8.
Japanese.

Hisauchi, K.
A group of Crepidiastrum Nakai (Compositae). Journ. Japanese Bot. 10: 660-662. illus. O.1934. no.10.
C. keiskeana f. pinnatiloba f.nov.

Hisauchi, K.
Populus sieboldii Miq. with branching aments. Journ. Japanese Bot. 10: 381-382. illus. Je. 1934. no.6.
English summary.

Journ. Japanese Bot. (cont.)

Hisauchi, K.

Some varieties of Acer mono Maxim. and their tendency of bearing pedatified leaves. Journ. Japanese Bot. 10: 102-105. illus. F.1934. no.2.

Japanese with English summary.

Hiyama, K.

A brief note on plants of Tanigawadake-range. Journ. Japanese Bot. 10: 91-101. illus. F.1934. no.2.

Japanese.

Ito, H.

Nuntia ad Filices japonicae. I-II. Journ. Japanese Bot. 9: 54-59. illus. My.1934; 10: 450-451. illus. Jl. 1934. no.1; 7.

Japanese with Latin diagnoses of new species and varieties (Dryopteris inuyamensis, n.sp.; Polystichum hololepis var. hikonense n.var.)

Iwahashi, Y.

Eine tropische und alpen diatomeen im süsswasser von Yakushima. Journ. Japanese Bot. 10: 105-107. illus. F.1934. no.2.

Japanese with German summary. Cymbella amphioxys, Achnanthes inflata.

Iwahashi, Y.

On the vertical distribution of the freshwater-diatoms in Yakushima. Journ. Japanese Bot. 10: 446-449. illus. Jl.1934. no.7.

Japanese.

Kimura, Y.

Ueber die Japanische arznei-drogen, ihr anbau, ihr einsammlung und zubereitung etc. I-V. Journ. Japanese Bot. 9: 439-445. illus. N.1933; 10: 46-50, 112-118, 187-192, 456-464. illus. Ja.-Mr. Jl.1934. no.7; 1,2,3,7.

Japanese.

T. Nagamachi joint author pt. V.

I. Ueber die rhizome von Imperata arundinacea Cyr. var. koenigii Hack. II. Ueber von Pachyma hoelen Rumphius. III. Ueber die rhizome von Paeonia albiflora Pall. IV. Ueber Geranium nepalense Sweet. V. Ueber Toki, wurzel von Ligusticum acutilobum Siebold et Zuccarini.

Journ. Japanese Bot. (cont.)

Kishida, M. & Matsuno, M.

On Stemona ovata Nakai and few other species of Stemona in Japan. I-IV. Journ. Japanese Bot. 9: 315-324, 381-389, 529-535. illus. S.,O., D. 1933; 10: 296-299. illus. My. 1934, no.5,6,8; 5.

Japanese.

Kitagawa, M.

On Synurus diabolicus Kitamura. Journ. Japanese Bt. 10: 80-83. illus. F.1934. no.2.

Japanese. Synonym of Olgaea lomonossowii.

Kobayasi, Y & Watari, T.

Microphotographs of lower plants. I-V. Journ. Japanese Bot. 10: 174-181, 334-341, 392-402, 607-615, 648-657, illus. Mr., My., Je., S., O. 1934. no.3,5,6,9,10.

Japanese.

Koidzumi, H.

Taraxacum studies in Japan. I-V. Journ. Japanese Bot. 9: 491-500, D.1933; 10: 29-36, 69-77, 136-149, 305-318. illus. Ja.-Mr., My. 1934. no.8; 1,2,3,5.

Japanese.

Kunishi, H.

On the determination of some species of the genus Pinus, by means of the anatomical characters of leaves. Journ. Japanese Bot. 10: 387-391. illus. Je.1934. no.6.

Japanese.

Maekawa, F.

Japanese Asaraceae. I-VIII. Journ. Japanese Bot. 9: 39-49, 96-103, 174-181, 241-246, 281-285, 364-370, 505-512. illus. Je.-O.,D. 1933; 10: 358-362, illus. Je. 1934. no.1,2,3,4,5,6,8; 6.

Japanese with Latin diagnoses of new species (Heterotropa (= asarum) costata, H. dilitata, H. megacalyx)

Masamune, G.

Plantae vasculares a Prof. I. Namikawa anno 1920 in Kamtschatka lectae, auctore Yushun Kudo. Journ. Japanese Bot. 10: 487-515. illus.(map) Ag. 1934. no.8.

Journ. Japanese Bot. (cont.)

Matsumura, Y.

The flora of the neighbourhood of Furukamappu, the Isl. Kunashiri. Journ. Japanese Bot. 10: 631-645. illus.(maps) O. 1934. no.10.

Nakai, T.

Bambusaceae in Japan Proper. I-VI. Journ. Japanese Bot. 9:5-34, 77-95, 150-168, 215-240. illus. My.-Ag.1933; 10: 197-219, 269-295, illus. Ap., My.1934. no.1,2,3,4; 4,5.

Japanese with Latin diagnoses of new species.

Nakai, T.

Novitates Bambusacearum in Imperio japonico recentissime detectae. I. Journ. Japanese Bot. 10; 547-581. S. 1934. no.9.

Leleba amakusensis, Sasamorpha igaensis n.spp. and new species in Sasa and Arundinaria.

Nakai, T.

Two kinds of cherries introduced from China. Journ. Japanese Bot. 10: 405-414. illus. Jl.1934. no.7.

English summary. Prunus pseudo-cerasus, P. pauciflora.

Noguchi, R.

Gyrocephalus rufus (Jacquin) Brefeld, new to the Japanese fungous flora. Journ. Japan. Bot. 10: 119-122. illus. F,1934. no.2.

Japanese.

Noguchi, R.

Lenzites abietina Fries and some of its allied species. Journ. Japanese Bot. 10: 531-539. illus. Ag.1934. no.8.

Japanese.

Ohki, K.

On the spodograms of the leaves of the genus Shibataea Makino. Journ. Japanese Bot. 10: 42-45. illus. Ja.1934. no.1.

Japanese.

Okamura, K.

Notes on the algae collected near Namariyama, Pref. Wakayama. Journ. Japanese Bot. 10: 149-166. Mr. 1934. no.3.

Japanese.

Journ. Japanese Bot. (cont.)

Okamura, K.
On Nemalion japonicum Yendo et Narita. Journ.Japanese Bot. 10: 582-585. illus. S.1934. no.9.
Japanese.

Okuyama, H.
On staminodes of some species of genus Achyranthes. Journ. Japanese Bot. 10: 452-454. illus. Jl.1934. no.7.
Japanese.

Okuyama, S.
Achyranthes japonica Nakai and A. fauriei Lev. et Vnt. Journ. Japanese Bot. 10: 261-266. illus. Ap.1934. no.4.
Japanese.

Sasaoka, H.
Original descriptions of mosses collected in Japan. I-III. Journ. Japanese Bot. 9: 445-449. N.1933; 10: 171-174, 528-531, Mr., Ag.1934. no.7; 3,8.

Sata, T.
Systematic status of the genus Ficus. Journ. Japanese Bot. 10: 343-351. illus. Je.1934. no.6.

Satake, Y.
Icones of the Japanese Juncaceae. I-IV. Journ. Japanese Bot. 9: 286-297, 370-379, 417-424, illus. S.-N.1933; 10: 38-42, illus. Ja.1934. no.5, 6,7; 1.
Japanese.

Sato, M. M.
History of lichenology in Japan. I-II. Journ. Japanese Bot. 10: 107-112, 192-195. illus. F., Mr.1934. no.2,3.
Japanese.

Sato, M. M.
Studies on the lichens of Japan. I-II. Journ. Japanese Bot. 10: 17-22, 424-430. illus. Ja., Jl. 1934. no.1,7.
Coenogonium bonenense, Alectoria satoana, n.spp.

Sawada, T.
Orchis chondradenia Makino pro synonymo novo. Journ. Japanese Bot. 10: 77-79, illus. F.1934. no.2.
Japanese.O. fauriei.

Journ. Japanese Bot. (cont.)

Sekimoto, H.

A list of plants new to Simotuke. Journ. Japanese Bot. 10: 465-468. Jl.1934. no.7.

Japanese.

Sekimoto, H.

Some noteworthy plants of Totigi-prefecture. Journ. Japanese Bot. 10: 54-58. Ja.1934. no.1.

Japanese.

Suto, T.

On the Chrysosplenium localized in Nikko and its vicinities. Journ. Japanese Bot. 10: 252-261. illus. Ap.1934. no.4.

Japanese with Latin diagnosis of new species (C. microphyllum)

Takenaka, Y.

Rhododendron mucronulatum Turcz. var. siliatum Nakai without petals. Journ. Japanese Bot. 10: 51-54. illus. Ja.1934, no.1.

Japanese.

Uyemura, T.

On a novel moss, Theriotia lorifolia Card. from Japan. Journ. Japanese Bot. 10; 332-387. illus. Je.1934. no.6.

Japanese.

Yamada, Y.

On Plasinocladus (sic) from Muroran. Journ. Japanese Bot. 10: 327-329. illus. My.1934. no.5.

Japanese. Prasinocladus.

Yanagita, Y.

Two new varieties of Shiia with drooping branches. Journ. Japanese Bot. 10: 645-647. illus. O.1934. no.10.

Japanese with Latin diagnoses (S. cuspidata var. muratai, S. sieboldi var.awanoi)

Yoshino, Z.

Miscellaneous notes on the plants collected in Kinki District.I. Journ. Japanese Bot. 10: 541-546. illus. Ag.1934. no.8.

Journ. Minn. Agr. Gt. Brit. (10G79J)

Caldwell, J.

The control of virus diseases of the tomato. Journ. Min. Agr. Gt. Brit. 41: 743-749. N.1934. no.8.

Journ. Sapporo Soc. Agr. & For. (J22.5So1)

Tatewaki, M.

Taxonomical study of plants growing in the alpine belt in Yezo. Journ. Sapporo Soc. Agr. & For. 26: 241-285. O.1934. no.121.

Japanese.

Journ. Sci. Hiroshima Univ. Ser.B, Div.2(Botany) (451H61)

Horikawa, Y.

Monographia hepaticarum australi-japonicarum. Journ. Sci. Hiroshima Univ. Ser.B, Div.2(Botany) 2: 101-325. illus., pl.11-21. O.1934. no.2.

Journ. Tenn. Acad. Sci. (500T25A)

Jennison, H. M. & Cooley, L. M.

A schedule of simplified directions for the extraction and separation of the chlorophyll pigments. Journ. Tenn. Acad. Sci. 9: 274-277. O. 1934. no.4.

Meyer, S. L.

Further observations on deuterium oxide and Aspergillus. Journ. Tenn. Acad. Sci. 9: 295-297. O. 1934. no.4.

Journ. Washington Acad. Sci. (500W276J)

Bartram, E. B.

Additional Costa Rican mosses. III. Journ. Washington Acad. Sci. 24: 467-480. illus. N.15, 1934. no.11.

Syrrhopodon aculeo-ciliatus, Squamidium crispipilum, Lepidopilum apiculatum n.spp.

Hitchcock, A. S.

Two new grasses, one from Tennessee, one from Argentina. Journ. Washington Acad. Sci. 24: 480-481. N.15, 1934. no.11.

Calamagrostis cainii, Catabrosa burkartii.

Kakteenk. Deut.Kakteen-Ges. (451D482)

Gielsdorf, K.

Vier schöne fettpflanzen. Kakteenk. Deut. Kakteen-Ges. 1934: 208-210. illus. N.1934. no.11.

I. Pachyphytum oviferum J.A. Purpus. 2. Hoodia currori Decne. 3. Crassula columnaris L.f. Crassula tecta Thunbg.

Kakteenk. Deut.Kakteen-Ges. (cont.)

Herre, H.
Südafrikanische notizen. 1-5. Kakteenk. Deut. Kakteen-Ges. 1934: 210-217. illus. N. 1934. no.11.
1. Zur kultur der hochsukkulenten Anacampseros (liebes röschen).2. Zur kultur der hoodien, tavaresien und trichocaulon. 3. Cotyledon pygmaeum Barker spec.nov. 4. Othonna herrei Pillans spec. nov. 5. Von klumpfüssen und apukmenschen.

Roeder, W. v.
In welchen pflanzengattungen gibt es sukkulenten? Kakteenk. Deut. Kakteen-Ges. 1934: 207-208. N. 1934. no.11.

Roeder, W.v.
Orostachys spinosus (L.) Berg. Kakteenk. Deut.Kakteen-Ges. 1934:218-219. illus. N.1934. no.11.

Socnik, H.
Die kultur sukkulenter euphorbien. Kakteenk. Deut. Kakteen-Ges. 1934: 204-207. illus. N. 1934. no.11.

Landw. Jahrb. (Berlin) (18L23)

Könekamp, A.
Beitrag zur kenntnis des wurzelwachstums einiger klee- und gräserarten. Landw. Jahrb. 80: 571-589. fold.pl. 1934. no.4.

Landw. Jahrb. Schweiz (Bern) (17L23)

Faes, H. & Aubert, P.
L'étude des prunes (1931-1933). Landw. Jahrb. Schweiz 48: 495-841. illus. 1934. no.7.
Enquête fruitière en Suisse romande.

Kessler, H.
Die beeinflussung des keimling-wachstums durch reife aepfel. Landw. Jahrb. Schweiz 48: 853-861. illus. 1934. no.7.

Kobel, F. & Steinegger, P.
Die befrüchtungsverhältnisse von apfel- und birnsorten und der nachweis von intersterilität bei denselben. Landw. Jahrb. Schweiz 48: 741-768. 1934. no.7.

Madroño (San Francisco) (450M26)

Adams, J. E.

Some observations on two species of Arctostaphylos. Madroño 2: 147-152. illus. O.1934. no.17.

A. myrtifolia, A. viscida.

Constance, L.

Critical notes on Eriophyllum Lag. II. Madroño 2: 154-156. O.1934. no.17.

Copeland, H. F.

The structure of the flower of Newberrya. Madrono 2: 137-142. pl. O.1934. no.17.

Jepson, W. L.

The botanical explorers of California. XI. George W. Dunn. Madroño 2: 156-157. port. O. 1934. no.17.

Jepson, W. L.

Marcus Eugene Jones. Madroño 2: 152-154. O.1934. no.17.

Jepson, W. L.

The overland journey of Thomas Nuttall. Madroño 2: 143-147. O.1934. no.17.

Jepson, W. L.

Pinus insignis and Pinus radiata. Madroño 2: 158-159. O. 1934. no.17.

Wheeler, L. C.

Two more Sierran plants in southern California. Madroño 2: 158. O.1934. no.17.

Glyceria pauciflora, Sambucus racemosa.

Malayan Agr. Journ. (Juala Lumpur) (22.5F312)

Thompson, A.

A disease of the durian tree. Malayan Agr. Journ. 22: 369-371. Ag.1934. no.8.

Similar to Phytophthora palmivora on Durio zibethinus.

Also in Trop. Agr. 83: 177-179. S.1934.

Malayan For. (99.8M292)
Desch, H. E.
Notes on Malayan timbers. III. Malayan For. 3: 191-202. pl. O.1934. no.4.

Missouri Bot. Gard. Bull. (St. Louis) (89M69B)
Cutak, L.
The passing of the saguaro (Carnegiea gigantea) at the garden. Missouri Bot. Gard. Bull. 22: 185-186. pl.53. N.1934. no.9.

The effect of the heat and drought on plants and trees cultivated at the garden and arboretum. Missouri Bot. Gard. Bull. 22: 188-195. N.1934. no.9.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)
Richter, H.
Die ausbreitung des ulmensterbens in Nordamerika. Nachrichtenbl. Deut. Pflanzenschutzd. 14: 105-106. N.1934. no.11.

Nature (London) (472N21)
Blackburn, K. B.
Wasting disease of Zostera marina. Nature 134: 738. illus. N.10, 1934. no.3393.

Hurst, C. C.
Miss E.A. Willmott. Nature 134: 726. N.10, 1934. no.3393.

Joyce, T. A.
Use and origin of yerba maté. Nature 134: 722-724. N.10, 1934. no.3393.

Weiss, F. E.
Prof. O.V. Darbishire. Nature 134: 1726. N.10,1934. no.3393.

Naturwissensch. (Berlin) (474N213)
Meissner, O.
Die mittlere anzahl der blütenblätter von Ficaria ranunculoides L. Naturwissensch. 22: 464. Jl.6, 1934. no.27.

Reitz, O. & Bonhoeffer, K. F.
Ueber den einbau von schwerem wasserstoff in wachsende organismen. Naturwissensch. 22: 744. N.2, 1934. no.44.

New Zeal. Journ. Agr. (Wellington) (23N48J)

Chamberlain, E. E.

A virus disease of strawberries in New Zealand. New Zeal. Journ. Agr. 49: 226-231. illus. 0.20, 1934. no.4.

Chief symptoms, a marked stunting of the plant, development of small leaves with short petioles and yellowing of foliage. The disease is spread by the strawberry aphis (Capitophorus fragariae).

Nuovo Giorn. Bot. Ital. (Firenze) (450N92)

Elisei, F. G.

Un caso di identità tra fasci conduttori alterni radicali e fasci conduttori sovrapposti cotiledonari. Nuovo Giorn. Bot. Ital. 41: 674-692. illus. 1934. no.3.

Experiments with Veronica longifolia.

Gavioli, O.

Ricerche sulla distribuzione altimetrica della vegetazione in Italia. II. Limiti altimetrici delle formazioni vegetali in alcuni dell'Appennino Lucano. Nuovo Giorn. Bot. Ital. 41: 558-573. 1934. no.3.

Tonzig, S.

Studi sulla fisiologia del tegumento seminale. I. La permeabilità. Nuovo Giorn. Bot. Ital. 41: 453-557. 1934. no.3.

Obst- u. Gemüseb. (Berlin) (80P7750)

Reusrath, Th.

Die durch den erreger "Olpidiaster radicus" in der gurkenfrühtreiberei hervorgerufene blattwelke und deren bekämpfung. Obst- u. Gemuseb. 80: 152. 0.15, 1934. no.10.

Orchid Rev. (Richmond, Engl.) (800r15)

Gilbert, P. A.

Orchids and temperature. Orchid Rev. 42: 333-336. N. 1934. no.497.

Read, B. I. W.

Orchid breeding. Orchid Rev. 42: 338-341. N.1934. no.497.

Orchidee (Bandoeng) (800r18)

Chevalier, L.

Nieuwe Dendrobium hybride. (Dendrobium veratrifolium x Dendr. phalaenopsis). Orchidee (Bandoeng) 3: 252-253. illus. 0.1934. no.10.

Orchidee (cont.)

Schmidt, K.
Een succesvolle orchideeënjacht in de Philippijnen. IV. Orchidee (Bandoeng) 3: 253-257. illus. O. 1934. no.10.

Phytopath. Zeitschr. (Berlin) (464.8P562)

Gassner, G. & Kirchhoff, H.
Einige versuche zum nachweis biologischer rassen innerhalb des roggenbraunrostes, Puccinia dispersa Erikss. und Henn. Phytopath. Zeitschr. 7: 479-486. 1934. no.5.

Gassner, G. & Kirchhoff, H.
Zur frage der beeinflussung des flugbrandbefalls durch umweltfaktoren und chemische beizmittel. Phytopath. Zeitschr. 7: 487-503. 1934. no.5.

Krohn, V.
Kurzer bericht über Cuscuta halophyta Fr. Phytopath. Zeitschr. 7: 505-514. illus. 1934. no.5.

Schönleber, K.
Ueber zwangsverbänderungen an wurzeln. Phytopath. Zeitschr. 7: 515-519. illus. 1934. no.5.

Straib, W.
Untersuchungen zur genetik der gelbrostresistenz des weizens. Phytopath. Zeitschr. 7: 427-477. 1934. no.5.

Phytopath. (464.8P56)

Bourne, B. A.
Some pathological observations on sugar cane x sorghum hybrids in Florida. Phytopath. 24: 1314-1316. N.1934. no.11.

Chester, K. S.
Specific quantitative neutralization of the viruses of tobacco mosaic, tobacco ring spot, and cucumber mosaic by immune sera. Phytopath. 24: 1180-1202. N.1934. no.11.

Hendry, G. W. & Henson, H.N.
The antiquity of Puccinia graminis and Ustilago tritici in California. Phytopath. 24: 1313-1314. N.1934. no.11.

Phytopath. (cont.)

Howard, F. L.

Felicia amelloides Voss, an unreported host for Erysiphe cichoracearum DC. Phytopath. 24: 1315. N.1934. no.11.

Jagger, I. C. & Chandler, N.

Big vein, a disease of lettuce. Phytopath. 24: 1253-1256. illus. N.1934. no.11.

Probably distinct from brown blight; a soil-borne disease, may be similar to soil-borne mosaic of wheat.

Kadow, K. J.

Seed transmission of Verticillium wilt of eggplants and tomatoes. Phytopath. 24: 1265-1268. illus. N.1934. no.11.

Kendrick, J. B. & Schroeder, F. R.

Inoculation tests with verticillium wilt of muskmelons. Phytopath. 24: 1250-1252. N.1932. no.11.

Lanphere, W. M.

Enzymes of the rhizomorphs of Armillaria mellea. Phytopath. 24: 1244-1249. N.1934. no.11.

Mains, E. B.

Inheritance of resistance to powdery mildew, Erysiphe graminis tritici, in wheat. Phytopath. 24: 1257-1261. N.1934. no.11.

Melchers, L. E.

Investigations on physiologic specialization of Tilletia laevis in Kansas. Phytopath. 24: 1203-1226. illus. N.1934. no.11.

Miles, L. E.

Treatment of sweet-potato plants for the control of black rot. Phytopath. 24: 1227-1236. N.1934. no.11.

Mundkur, B. B.

Some preliminary feeding experiments with scabby barley. Phytopath. 24: 1237-1243. N. 1934. no.11.

Porte, W. S.

Notes on the control of transit and storage decays of tomatoes by the use of chemical washes. Phytopath. 24: 1304-1312. N.1934. no.11.

Phytopath. (cont.)

Stanley, W. M.
Chemical studies on the virus of tobacco mosaic. II. The proteolytic action of pepsin. Phytopath. 24: 1269-1289. N.1934. no.11.

Verrall, A. F.
The resistance of saplings and certain seedlings of Pinus palustris to Septoria acicola. Phytopath. 24: 1262-1264. N.1934. no.11.

Voorhees, R. K.
Sclerotial rot of corn caused by Rhizoctonia zeae, n.sp. Phytopath. 24: 1290-1303. illus. N.1934. no.11.

Weindling, R.
Studies on a lethal principle effective in the parasitic action of Trichoderma lignorum on Rhizoctonia solani and other soil fungi. Phytopath. 24: 1153-1179. illus. N.1934. no.11.

Plant Physiology (450P692)

Anderson, A. K. & Emmart, K.
Relation of certain amino acids to carbon dioxide and mycelium production of Fusarium oxysporum. Plant Physiology 9: 823-829. O.1934. no.4.

Clements, F. E. & Long, F. L.
Factors in elongation and expansion under reduced light intensity. Plant Physiology 9: 767-781. illus. O.1934. no.4.

Colby, H. L.
A note on fruiting apple spur phyllotaxy. Plant Physiology 9: 858-859. O.1934. no.4.

Davidson, O. W., Clark, H.E. & Shive, J. W.
Preparation of aqueous extracts of soluble nitrogen from plant tissues. Plant Physiology 9: 817-822. O. 1934. no.4.

Dexter, S. T.
Respiratory rate and enzyme accivity as related to the hardened condition of plants. Plant Physiology 9: 831-837. O.1934. no.4.
Experiments with cabbage and winter wheat.

Plant Physiology (cont.)

Doneen, L. D.

Method for the preparation of green plant material for the extraction of juices. Plant Physiology 9: 839-843. O.1934. no.4.

Duncan, G. H.

Losses to the corn crop caused by leaf injury. Plant Physiology 9: 749-766. illus. O.1934. no.4.

Gunderson, M.F. & Skinner, C.E.

Production of vitamins by a pure culture of Chlorococcum grown in darkness on a synthetic medium. Plant Physiology 9: 807-815. illus. O. 1934. no.4.

Hungate, R. E.

The cohesion theory of transpiration. Plant Physiology 9: 783-794. illus. O. 1934. no.4.

Lehman, B. & Andrews, F. M.

Nuclear division in Tradescantia virginiana. Plant Physiology 9: 845-849. O.1934. no.4.

Noé, A. C.

Gottlieb Haberlandt. 1854. Plant Physiology 9: 851-855. illus., port. O.1934. no.4.

Celebrated 80th birthday Nov.28th.

Rohrbaugh, P. W.

Penetration and accumulation of petroleum spray oils in the leaves, twigs, and fruit of citrus trees. Plant Physiology 9: 699-730. illus. O. 1934. no.4.

Runyon, E. V.

Demonstration of some of the mechanisms involved in the ascent of sap in plants. Plant Physiology 9: 856-858. illus. O.1934. no.4.

Talley, P. J.

Carbohydrate-nitrogen ratios with respect to the sexual expression of hemp. Plant Physiology 9: 731-748. O.1934. no.4.

Young, P. A.

Freezing phenomena in creosap emulsions of pteroleum oils. Plant Physiology 9: 795-804. illus. pl.ii. O.1934. no.4.

Planter (Kuala Lumpur) (78.8P69)

Napper, R. P. N.

Modern methods of root disease control and their applications. Planter (Kuala Lumpur) 15: 407-410. O.1934. no.10.

In Hevea.

Priroda Akad. Nauk SSSR (410P933)

Iakovlev, P.I.

I.V. Michurin, rekonstruktor flory [remaker of plants] Priroda Akad. Nauk SSSR 1934(9): 44-55. illus.

Russian.

Rall, Iu.M.

Kumarchik [Agriophyllum arenarium] Priroda Akad. Nauk SSSR 1934(9): 64-66. illus.

Russian.

Sapegin, A. A.

Rentgenomutatsii, kak istochnik novykh sortov s.-kh. rastenii (X rays as source of new kinds of agricultural plants . Priroda Akad. Nauk SSSR 1934(9): 28-31. illus.

Russian.

Vel'tishchev, P. A. & Vel'tishcheva, L. Ia.

Novyi kauchukonos Srednei Azii, Scorzonera acanthoclada Franch. (teke sagyz) [New rubber yielding plant from Central Asia, Scorzonera acanthoclada Franch.) Priroda Akad. Nauk SSSR 1934(9): 62-64. illus.

Russian.

Proc. Missouri State Hort. Soc. (81M692)

Anderson, H. W.

Blister canker of apple trees. Proc. Missouri State Hort. Soc. 1930/32: 78-83. 1933

Rosen, H. R.

Relation of fire blight to honey bees. Proc. Missouri State Hort. Soc. 1930/32: 67-77. 1933

Progr. Agr. & Vitic. (Montpellier) (14P94)

Dubaquié, J.

Sur le mode d'action des bouillies cupriques. Progr. Agr. & Vitic. 102: 449-451. N.4, 1934. no.44.

Puerto Rico Sugar Manual (65.8P96)

Cook, M. T.

Diseases of sugar cane new to the West Indies. In The Puerto Rico sugar manual 1934: 49-51.

Puerto Rico Sugar Manual (cont.)
Kuntz, P. R.
Progress report on experimental tests of new varieties of sugar cane in Puerto Rico. In The Puerto Rico Sugar manual 1934: 27-35.

Rev. Bot. Appl. (Paris) (26R323)
Chevalier, A.
Monographie de l'arachide. VII. Conditions édaphiques et climatiques, distribution géographique et production des différentes contrées. Rev. Bot. Appl. 14: 833-864. pl.xxxiii-xxxiv. O.1934. no.158.

Chevalier, A.
Nouvelles observations sur quelques acacias de l'Afrique Occidentale. Rev. Bot. Appl. 14:875-884. pl.xxxv. O.1934. no.158.
Faidherbia gen.nov. F. albida (A. albida Delile)

Chevalier, A.
Sur une fougère produisant des lanières employées pour la fabrication des nasses et des collets à gibier. Rev. Bot. Appl. 14: 893-894. O. 1934. no.158.
Lygodium smithianum.

Science (470Sci2)
Buchholtz, W. J.
The role of damping-off disease in relation to failures of alfalfa stands on some acid soils. Science 80: 503. N.30, 1934. no.2083.

Scott. Nat. (410Sco3)
Smith, E. P.
The natural history of south Rona. III. The vegetation of south Rona. Scott. Nat. 210: 149-163. illus.(maps) pl.iv-viii. N.10,1934.

Trans. & Proc. Roy. Soc. New Zeal. (514T46)
Logan, M. C. & Holloway, J. E.
Plant succession on the Oreti river sand dunes. Trans. & Proc. Roy. Soc. New Zeal. 64: 122-139. illus., pl.15-19. S.1934. no.2.

Stevenson, G. B.
The life history of the New Zealand species of the parasitic genus Korthalsella. Trans. & Proc. Roy. Soc. New Zeal. 64: 175-190. pl.24-31. S.1934. no.2.

Trav. Office Nat. Mat. Prem. Vég. France (77.9F84)
Mas y Guindal, J.

Notes sur la flore de Tetouan et de ses environs. Trav. Off. Nat. Mat. Prem. Vég. France no.37. 46 p. 1932.

Extrait de la revue L'Hygiène sociale no. 77, 10 mai, 1932.

Trop. Agr. (26T751)
Park, M.

Some notes on the effects of drought on the yield of coconut palms. Trop. Agr. 83: 141-150. S. 1934. no.3.

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) (451Sa21G)
Avrorin, N. A.

Rastitel'nost raznovozrastnykh zalezheĭ Kamennoĭ stepi (Die wiederherstellung der steppenvegetation nach beackerung in der Kamennaja Step des vorm. gouvernement Woronesh) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanical) 1: 187-194. map. 1934.

Russian with German summary.

Borisova, A. G.

Nekotorye dannye o dube na severo-zapade Leningradskoĭ oblasti... (Einige angaben über die verbreitung der eiche im nordwestlichen teil des Leningrad-gebiets...) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. SSSR Ser.III, Geobotanical) 1: 179-186. illus. (map) 1934.

Russian with German summary.

Korovin, E. P. & Kashkarov, D. N.

Tipy pustyn Turkestana (The desert types of Turkestan). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) 1: 301-331. illus.(incl. map), map. 1934.

Russian with English summary.

Larin, I. V.

Metodika izucheni͡ia pastbish po neposredstvennym opytam so skotom(Methodik der erforschung von weide den durch unmittelbare versuche mit vieh). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS (Ser.III, Geobotanica) 1: 7-27. illus. 1934.

Russian with German summary.

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) (cont.)

Poli͡akov, P. S.

Kratkii ocherk rastitel'nosti severovostochnykh otrogov Kholzunskogo khrebta na Altae (Kurze übersicht der vegetation der nordöstlichen ausläufer des Cholsunsk bergrücken im Altai) Trudy Bot. Inst. Acad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) 1: 251-272. illus. (incl. map) 1934.

Russian with German summary.

Poplavskai͡a, G.I.

Nekotorye dannye po izucheni͡iu gornykh lugob v geobotanicheskom i kormovom otnosheni͡iakh (Einige ergebnisse der erforschung von bergwiesen in geobotanischer hinsicht und auf ihren futterwert). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) 1: 195-249. illus. map. 1934.

Russian with German summary. Iaila Mts., Crimea.

Rodin, L. E.

Materialy k poznani͡iu lesov Ti͡an-Shani͡a. El'niki severnogo sklona Dzhungarskogo Alatav (Materialien zur kenntnis der wälder des Tian-Schan.Die fichtenwälder des nordabhanges im Dshungarischen Alatau) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) 1: 273-300. illus. 1934.

Russian with German summary.

Sambuk, F. V. & Dedov, A. A.

Podzony pripechoskikh tundr (Die unterzonen der Petschora-tundren) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) 1: 29-52. 1934.

Russian with German summary.

Schennikov, A.P. & Kondrat'eva, E.A.

Pastbishcha Kholmogorskogo raǐona (Die weiden des Cholmogory bezirks). Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS) Ser. III, Geobotanica) 1: 99-178. 1934.

Russian with German summary. Veränderung in der vegetation der wiesen infolge von beweidung durch vieh.

Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) (cont.)

Solonevich, K. I.

Geobotanicheskii ocherk raĭona zapadnoĭ chasti Kem-Ukhtinskogo trakta (Kareliia) (Geobotanische übersicht des gebietes längs dem westlichen teil der Kem-Uchtinsk strasse (Karelien) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) 1: 53-85. map. 1934.

Russian with German summary.

Zinserling, I. D.

O severozapadnoĭ granitse Sibirskoĭ listvennitsy (Larix Sibirica Ledb.) (Ueber die nordwestgrenze der Sibirischen lärche (Larix sibirica Ledbr.) Trudy Bot. Inst. Akad. Nauk SSSR (Acta Inst. Bot. Acad. Sci. URSS Ser.III, Geobotanica) 1: 87-97. illus., map. 1934.

Russian with German summary.

Die Umschau (Frankfurt) (474Um7)

Merkenschlager, F.

Die vergrünung der weisskleeblüte. Eine studie zur sexualpathologie der pflanze. Die Umschau 38: 894-897. illus. N.4, 1934. no.45.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Dana, B. F.

Occurrence of curly top in the Pacific northwest in 1934. U.S. Dept. Agr. Plant Dis. Rep. 18: 168-173. N.15, 1934. no.14.

Foster, A. C.

Blackheart disease of celery. U.S. Dept. Agr. Plant Dis. Rep. 18: 177-185. N.15, 1934. no.14.

U.S. Dept. Agr. Techn. Bull. (1Ag84Te)

Jordan, H.V., Dawson, P.R., Skinner, J.J. & Hunter, J.H.

The relation of fertilizers to the control of cotton root rot in Texas. U.S. Dept. Agr. Techn. Bull. 426. 75 p. illus. Ag.1934. (Rec'd Nov.)

Univ. Kansas Sci. Bull. (500K132S)

Bates, J. C.

Comparative anatomical research within the genus Ribes. Univ. Kansas Sci. Bull. 21: 369-398. illus., pl.xliii-xlvii. Mr.1933. no.11.

Booth, W. E.

Comparative anatomy of Mentzelia oligosperma and M. decapetala. Univ. Kansas Sci. Bull. 21: 439-461. pl. lvi-lix. Mr.1933. no.14.

Univ. Kansas Sci. Bull. (cont.)

Payne, M. A., Sister

Morphology and anatomy of Mollugo verticillata L. Univ. Kansas Sci. Bull. 21: 399-419. pl. xlviii-li. Mr.1933. no.12.

Spann, L.

Morphology and anatomy of Lygodesmia juncea (Pursh) D. Don. Univ. Kansas Sci. Bull. 21: 421-438. pl.lii-lv. Mr.1933. no.13.

Univ. Wyoming Publ. Sci. (450W99)

Giles, G. H.

Algae of the Medicine Bow Mountains, Wyoming, in the vicinity of the University of Wyoming summer camp. Univ. Wyoming Publ. Sci. 1: 187-218. vi pl. Ag.15, 1934. no.7.

Hanna, L. A.

The major plant communities of the headwater area of the Little Laramie River, Wyoming. Univ. Wyoming Publ. Sci. 1: 243-266. illus. Ag.15, 1934. no.10.

Porter, C. L.

The moss genus Brachythecium in Wyoming. Univ. Wyoming Publ. Sci. 1: 235-241. Ag.15, 1934. no.9.

Solheim, W. G.

Mycoflora saximontanensis exsiccata centum I. Univ. Wyoming Publ. Sci. 1: 219-232. Ag.15, 1934. no.8.

Marsonia galii n.sp.

Vestník Českosl. Akad. Zeměd. (Prague) (19.5C332)

Neoral, K. & Blaha, J.

Oplozování u ovocných stromů. (The pollination of fruit trees). I. Merünky a broskvoně. (Apricots and peaches). Véstnik Českosl. Akad. Zeměd. 10: 590-595. illus. 1934. no.8/9.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig) (442.8Z34)

Beisser, E.

Zytologisch- genetische untersuchungen an den bastarden Nicotiana tabacum x N. rusbyi und ihren rückkreuzungen zu N. rusbyi und N. silvestris. II. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 68: 1-21. illus. 1934. no.1.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (cont.)

Berg, K. H. v.

Cytologische untersuchungen an den bastarden des Triticum turgidovillosum und an einer F_1 Triticum turgidum x villosum. Weitere studien am fertilen konstanten artbastard Triticum turgidovillosum und seinen verwandten. III. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 68: 94-126. illus. 1934. no.1.

Oelkrug, K.

Genetische und zytologische untersuchungen an eu-oenotheren. Die zytologie der komplexverbindungen zwischen Oe. berteriana und Oe. mollissima und die frage der homozygoten-eliminierung bei den eu-oenotheren. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 68: 22-93. illus. 1934. no.1.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)

Reinmuth, E.

Tomatenfruchtfäule durch Cladosporium fulvum Cooke. Zeitschr. Pflanzenkr. 44: 558-560. illus. 1934. no.11.

Zeitschr. Ver. Deut. Zuck.-Ind. (Berlin) (66.8Z33)

Krüger, W., Wimmer, G. & Lüdecke, H.

Beitrag zur frage der bekämpfung der herz- und trockenfäule der zuckerrüben. Feldversuche. Zeitschr. Ver. Deut. Zuck.-Ind. 84: 507-536. illus. Ag.1934.

Wimmer, G. & Lüdecke, H.

Ist bormangel die ursache der herz- und trockenfäule der zuckerrüben? Zeitschr. Ver. Deut. Zuck.-Ind. 84: 149-666. illus. S.1934.

Der Züchter (Berlin) (442.8Z8)

Isenbeck, K.

Züchtung auf feldresistenz beim gelbrost des weizens. Der Züchter 6: 221-228. illus. O. 1934. no.10.

Medwedewa, G.

Cytologische studien uber ramie (Boehmeria nivea L.) Der Züchter 6: 228-234. illus. O. 1934. no.10.

Der Züchter (cont.)

Moritz, O.
Ueber serologische verwandtschaftsforschung. Der Züchter 6: 217-221. illus. O.1934. no.10.

Scheibe, A.
Ueber vorkommen und nutzungsweise der wilderbse (Pisum elatius Stev.) und der wildbohne (Vicia narbonensis var. intermedia Strobl) in Anatolien. Der Züchter 6: 234-240. illus. O.1934. no.10.

Exp. Stat. Publ.

Emmert, E. M.
Tests for phosphate, nitrate and soluble nitrogen in conducting tissue of tomato and lettuce plants, as indicators of availability and yield. Kentucky Agr. Exp. Stat. Circ. 43: 25-40. S.1934. (100K41)

Johnston, S.
The cultivation of the highbush blueberry, Vaccinium corymbosum. Michigan Agr. Exp. Stat. Spec. Bull. 252. 52 p. illus. O.1934. (100M58S)

Wilson, J. D. & Runnels, H. A.
Transpiration response of various plants to Bordeaux mixture. Ohio Agr. Exp. Stat. Bimonth. Bull. 19: 198-202. N./D.1934. (100Oh3S)

State Publications.

Blood, H. L.
The control of tomato bacterial canker (Aplanobacter michiganense E.F.S.) by fruit-pulp fermentation in the seed-extraction process. Month. Bull. Dept. Agr. Calif. 23: 259-263. O./N. 1934. no.10/11.

Richards, B. L.
Bacterial wilt of alfalfa. Month. Bull. Dept. Agr. Calif. 23: 256-259. O./N.1934. no.10/11.

Robbins, W. W.
Weed investigations in California. Month. Bull. Dept. Agr. Calif. 23: 307-312. O./N.1934. no.10/11.

Wyckoff, S.N.
The white pine blister rust situation. Month. Bull. Dept. Agr. Calif. 23: 296-298. O./N. 1934. no.10/11.

State Publications. (cont.)

Zeller, S. M.
Recent observations of strawberry diseases.
Month. Bull. Dept. Agr. Calif. 23: 314-320.
O./N.1934. no.10/11.

Curtis, R. W. & De France, J. A.
Lawns, their construction and maintenance.
Cornell Ext. Bull. 296. 52 p. illus. Je.1934.
Weeds by W.C. Muenscher: p.33; Diseases by L.M.
Massey: p.47.

New Books

Chandra Sên, B.
Sur les graines oléagineuses de l'Inde (Production agricole et commerce). Paris, Les presses
universitaires de France, 1933. (77Se52)

Hauman, L.
Catalogue des ptéridophytes et phanérogames de
la flore belge. Enumération mise à jour et révisée
au point du vue systématique et synonymique des
espèces et de leurs varíetés. Gembloux, J. Duclot,
1934. (Suppl. au t.LXVI du Bulletin de la
Société royale de botanique de Belgique) (459.4H29)

Krüger, O.
Die gramineenflora im nordamerikanischen und
südamerikanischen trockengebiet. Berlin, 1934.
Inaug.-diss. Berlin.

Swallen, J. R.
The grasses of the Yucatan Peninsula. Reprinted
from Carnegie Inst. Washington Publ. 436, p.323-355.
illus. O.1934 (456.1Swl)

Correction.

v.16, no.22, p.42.
Tidsskr. Planteavl. vol. should be 40, the no., 2.

Lc

BOTANY
CURRENT LITERATURE

LIBRARY
RECEIVED
★ JAN 1

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 16, no. 25. Dec.3-15, 1934.

Agr. Gaz. N.S.W. (Sydney) (23N472)

Bartlett, H.
Frost injury to wheat. Agr. Gaz. N.S.W. 45:611-612. N.1, 1934. no.11.
May be mistaken for disease.

Seddon, H. R.
Poisonous plants. Circumstances under which losses may occur.(concl.) Agr. Gaz. N.S.W. 45:629-632. illus. N.1, 1934. no.11.

Angew. Bot. (Berlin) (450An4)

Bremer, H.
Was sind gemüsepflanze? Angew. Bot. 16: 377-395. S./O. 1934. no.5.

Hoffmann, W.
Ueber das auswachsen des getreides, speziell der gerste. Angew. Bot. 16: 396-424. S./O. 1934. no.5.

Snell, K.
Beobachtungen über vererbung morphologischer merkmale bei der kartoffel. Angew. Bot. 16: 425-429. S./O.1934. no.5.

Ann. Ist. Sup. Agr. e For. Firenze. (99.9F66)

Philippis, A. de.
Alcune ricerche di fitoimmunitá. Ann. Ist. Sup. Agr. e For. Firenze II,4: 117-135. illus. 1934.

Ann. Bot. (London) (450An7)

Archbold, H. K. & Barter, A. M.
Chemical studies in the physiology of apples. XV. The relation of carbon dioxide output to the loss of sugar and acid in Bramley's seedling apples during storage. Ann. Bot. 48: 957-966. O. 1934. no.192.

Ann. Bot. (cont.)

Bannan, M. W.

Seasonal wounding and resin-cyst production in the hemlock, Tsuga canadensis (L.) Carr. Ann. Bot. 48: 857-868. illus., pl.xix. O.1934. no.192.

Blackman, G. E.

The ecological and physiological action of ammonium salts on the clover content of turf. Ann. Bot. 48: 975-1001. O.1934. no.192.

Crowther, F.

Studies on growth analysis of the cotton plant under irrigation in the Sudan. I. The effects of different combinations of nitrogen applications and water-supply. Ann. Bot. 48: 877-913. O.1934. no.192.

Dastur, R. H. & Gunjikar, L. K.

Effect of elliptically-polarized light on the formation of carbohydrates in leaves. Ann. Bot. 48: 1003-1012. illus. O. 1934. no.192.

Experiments with tobacco, radish, nasturtium and onion.

Emmett, H.E.G. & Ashby, E.

Some observations on the relation between the hydrogen-ion concentration of the soil and plant distribution. Ann. Bot. 48: 869-876. O.1934. no.192.

Ernest, E. C. M.

The effect of intercellular pressure on the suction pressure of cells. Ann. Bot. 48: 915-918. O. 1934. no.192.

Joshi, A. C.

Morphology of the stylar canal in angiosperms. Ann. Bot. 48: 967-974. illus. O.1934. no.192.

Karling, J. S.

A preliminary contribution to the structure and development of Coenogonium linkii. Ann. Bot. 48: 823-855. illus., pl.xvi-xviii. O.1934. no.192.

Passmore, S. F.

Hybrid vigour in reciprocal crosses in Cucurbita pepo. Ann. Bot. 48: 1029-1030. O. 1934. no.192.

Ann. Bot. (cont.)

Portsmouth, G. B.
The effect of ionized air on the respiration of green plants. Ann. Bot. 48: 1013-1027. illus. O.1934. no.192.

Purvis, O. N.
An analysis of the influence of temperature during germination on the subsequent development of certain winter cereals and its relation to the effect of the length of day. Ann. Bot. 48: 919-955. illus., pl.xx. O.1934. no.192.

Ann. Rep. Gezira (Sudan) Agr. Res. Serv. (24Su232)

Massey, R. E.
Section of botany and plant pathology, G.A.R.S. Final report on experimental work in 1932/33: Ann. Rep. Gezira (Sudan) Agr. Res. Serv. 1933: 126-146. diagrs. 1934
Mimeographed.

Ann. Rep. Imp. For. Inst. Univ. Oxford (99.080x23)

Oxford. University. Imperial forestry institute.
Forest pathology. In its Ann. Rep. 10: 1921. 1934.
W.R. Day in charge.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Jaretzky, R. & Ulbrich, H.
Die intraplasmatischen vorgänge bei der schleimbildung in den samen von Linum usitatissimum L. und in den wurzeln von Althaea officinalis L. Arch. Pharm. & Ber. Deut. Pharm. Ges. 272: 796-811. 2 pl. N.1934. no.8.

Beih. Bot. Centralbl. Abt.A. (Dresden) (450B65B)

Babicka, J.
Analyse der aus pflanzlichen organen exosmodierenden stoffe. Beih. Bot. Centralbl. Abt.A, 52: 485-505. illus. O.1934. no.3.

Babicka, J.
Die wuchsstoffe. Beih. Bot. Centralbl. Abt. A, 52: 449-484. O. 1934. no.3.

Engmann, K. F.
Studien über die leistungsfähigkeit der wassergewebe sukkulenter pflanzen. Beih. Bot. Centralbl. Abt.A, 52: 381-414. illus. O. 1934. no.3.

Beih. Bot. Centralbl. Abt.A. (cont.)

Godward, M. B.

An investigation of the causal distribution of algal epiphtes. Beih.Bot. Centralbl. Abt.A, 52: 506-539. illus. O.1934. no.3.

Hermann, S. & Neiger, R.

Beeinflussung der keimfähigkeit von weizen durch beizung mit salizylsäure und salizylsäureverbindungen. Beih. Bot. Centralbl. Abt.A, 52: 577-583. O. 1934. no.3.

Nold, R. H.

Die funktion der blase von Utricularia vulgaris (Ein beitrag zur elektrophsiologie der drüsenfunktion) Beih. Bot. Centralbl. Abt.A, 52: 415-448. O. 1934. no.3.

Pohl, F.

Kleiner beitrag zur kenntnis der blattwirtelbildung. (Veronica longifolia L., Eupatorium ageratoides L., Galium boreale L.) Beih. Bot. Centralbl. Abt.A, 52: 566-576. illus. O.1934. no.3.

Schmucker, T. & Drude, G.

Ueber verbreitungsgesetze bei pflanzen, insbesondere Allium ursinum. Beih. Bot. Centralbl. Abt.A, 52: 540-565. illus. O.1934. no.3.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Asahina, &. & Fuzikawa, F.

Untersuchungen über flechtenstoffe. XLIV-XLV. Ber. Deut. Chem. Ges. 67: 1789-1792, 1793-1795. 1934. no.11.

XLIV. Ueber salazininsäure und nor-stictininsäure. XLV. Ueber die identität der coccellsäure mit der barbatinsäure.

Biochem. Zeitschr. (Berlin) (384B522)

Chrzaszcz, T. & Janicki, J.

Wirkung von trypsin und amylokinase auf die menge der amylase verscheidener getreidearten. Biochem. Zeitschr. 274: 274-284. N.14, 1934. no.3/4.

Biu͡ll. Gosud. Nikitsk. Bot. Sad. (Bull. Gov. Bot. Gard. Nikita) (Ialta) (106Ia5B)

Anisimova, A. I.

Veernai͡a pal'ma v Krymu (Fan palm in the Crimea . (Trachycarpus excelsus H. Wendl.) Biu͡ll. Gosud. Nikitsk. Bot. Sad.(Bull. Gov. Bot. Gard. Nikita) no.15. 47 p. illus. 1934.

Russian.

Biûll. Gosud. Nikitsk. Bot. Sad. (Bull. Gov. Bot. Gard. Nikita) (cont.)

Eggers, E. V.

Zemlianichnoe derevo v Krymu   Strawberry tree in the Crimea   (Arbutus andrachne L.)   Biull. Gosud. Nikitsk. Bot. Sad.(Bull. Gov. Bot. Gard. Nikita)   no.15.   39 p.   illus.   1934.

Russian.

Boll. R. Staz. Patol. Veg. Roma. (Firenze)   (464.9R662)

Biraghi, A.

Intumescenze di origine interna su foglie di Agave.   Boll. R. Staz. Patol. Veg. Roma n.s., 14: 389-396.   illus.   1934.   no.3.

Brief English summary.

Gigante, R.

Un caso di elevata recettivatà per le malattie da virus presentato da piante di patata provenienti da riproduzione sessuale.   Boll. R. Staz. Patol. Veg. Roma n.s.,14: 334-338.   1934.   no.3.

English summary: p.338.

Potatoes of variety Bianca di Como show in plants from seed a greater susceptibility to virus diseases than in plants obtained from tubers.

Goidànich, G.

Ricerche sul "deperimento" dei susini. Boll. R. Staz. Patol. Veg. Roma n.s.,14: 339-381. illus.   1934.   no.3.

English summary.

Similar to "apoplexy" of which it would form a particular type. Author proposes to call; "non parasitic leptonecrosis".

Petri. L.

Degenerazione e necrosi del cambio dei peri e dei meli nel Trentino e in Alto Adige.   Boll. R. Staz. Patol. Veg. Roma n.s.,14: 281-326. illus.   1934.   no.3.

Sibilia, C.

Relazione sulla esperienze di lotta diretta contro le ruggini del grano.   Boll. R. Staz. Patol. Veg. Roma n.s.,14: 327-333.   illus.   1934. no.3.

Boll. Sez. Ital. Soc. Intern. Microbiol. (Milano)   (448.3Sol)

Arnaudi, C. & Castellani, E.

Sur le bacteriophage du Rhizobium radicicola. Boll. Sez. Ital. Soc. Intern. Microbiol.   6: 317-321.   S. 1934.   no.9.

Boll. Sez. Ital. Soc. Intern. Microbiol. (cont.)

Curzi, M.

Complexité spécifique de la Dermatophora glomerata, Viala. Boll. Sez. Ital. Soc. Intern. Microbiol. 6: 321-325. S. 1934. no.9.

Vialaella glomerata n.gen. et n.sp.

Bot. Mag. Tokyo (450B651)

Chizaki, Y.

Another new haploid plant in Triticum monococcum L. Bot. Mag. Tokyo 48: 621-628. illus. S. 1934. no.573.

Emoto, Y.

Die myxomyceten Japans VI-VII. Bot. Mag. Tokyo 48: 636-642, 737-749. illus. S.,O. 1934. no.573-574.

Japanese with brief German résumé.

Hara, H.

Preliminary report on the flora of southern Hidaka, Hokkaido (Yezo) I. Bot. Mag. Tokyo 48: 685-707. illus. O.1934. no.574.

Horikawa, Y.

Symbolae florae Bryophytae Orientali-Asiae. II-III. Bot. Mag. Tokyo 48: 599-609, 708-719. illus. S., O. 1934. no.573-574.

Kanehira, R.

New or noteworthy trees from Micronesia. VII. Bot. Mag. Tokyo 48: 730-736. illus. O.1934. no.574.

Kitagawa, M.

Contributio ad cognitionen florae manshuricae. IV. Bot. Mag. Tokyo 48: 610-620. illus. S. 1934. no.573.

Koidzumi, H.

Taraxacum novum Orientali-Asiaticum. II-III. Bot. Mag. Tokyo 48: 587-598, 667-684. S.,O. 1934. no. 573-574.

Shimotomai, N. & Kimura, K.

Geschlechtschromosomen bei zwei laubmoosen. Bot. Mag. Tokyo 48: 629-635. illus. S.1934. no.573.

Japanese with very brief German summary. Polytrichum attentuatum, Ceratodon purpureus.

Bot. Mag. Tokyo (cont.)

Sinôto, Y. & Uyasa, A.
Studies in the cytology of reproductive cells. I. On the planocytes in five forms of Myxomycetes. Bot. Mag. Tokyo 48: 720-729. illus. O. 1934. no.574.

Bull. Misc. Inform. Kew (London) (451K51B)

Hill, A. W.
Dr. Leonard Cockayne, F.R.S. Bull. Misc. Inform. Kew 1934: 313-317. no.8.

Richards, P. W.
Musci collected by the Oxford expedition to British Guiana in 1929. Bull. Misc. Inform. Kew 1934: 317-337. illus. no.8.

Bull. Soc. Chim. Biol. (Paris) (383So1)

Berthelot, A., Deinse, F.van & Amoureux, G.
Sur l'emploi des crosnes dans la préparation des milieux de culture. Bull. Soc. Chim. Biol. 16: 1568-1570. N.1934. no.9.

Berthelot, A. & Amoureux, G.
Sur la préparation des milieux de culture à base de peptone pepsique de tourteau d'arachide. Bull. Soc. Chim. Biol. 16: 1561-1564. N.1934. no.9.

Berthelet, A., Amoureux, G. & Deinse, F. van
Sur les avantages de la peptone pepsique de tourteau de soya pour la préparation des milieux de culture. Bull. Soc. Chim. Biol. 16: 1565-1567. N. 1934. no.9.

Berthelot, A. & Amoureux, G.
Sur quelques milieux synthétiques propres à l'étude de B. tumefaciens. Bull. Soc. Chim. Biol. 16: 1558-1560. N. 1934. no.9.

Bull. Soc. Hist. Nat. Afr. Nord (Alger) (410.9So125)

Henry, A.
Note préliminaire sur le grain d'amidon du caryopse dans le genre Triticum. Bull. Soc. Hist. Nat. Afr. Nord 25: 266-285. illus. Jl.1934. no.7.

Bull. Soc. Hist. Nat. Afr. Nord. (cont.)

Laumont, P. & Murat, M.

Observations sur la moucheture et la mauvaise germination de quelques blés en 1933. Bull. Soc. Hist. Nat. Afr. Nord. 25: 253-265. pl.xxviii. Jl. 1934. no.7.

Maire, R.

Contributions à l'étude de la flore de l'Afrique du nord. fasc.22. Bull. Soc. Hist. Nat. Afr. Nord 25: 286-326. Jl. 1934. no.7.

Bull. Torr. Club (451T63B)

Fulling, E. H.

Identification, by leaf structure, of the species of Abies cultivated in the United States. Bull. Torr. Club 61: 497-524. pl.26-32. D.1934. no.9.

Humphrey, E.

A study of pollen-tube behavior in Lilium regale Wil. Bull. Torr. Club 61: 491-495. D. 1934. no.9.

Keener, P. D.

Biological specialization in Darluca filum. Bull. Torr. Club 61: 475-490. pl.25. D.1934. no.9.

Bull. Utsunomiya Agr. Coll. Japan (107.6Ut72)

Watanabe, T.

Studies on the physiologic specialization in Fusarium sp. causing stem rot of sweet potatoes II. The influence of hydrogen-ion concentration of media upon the mycelial growth. Bull. Utsunomiya Agr. Coll. Japan Sect. A, Agr. Sci. & For. 2: 1-17. ii pl. S.1934. no.1.

Japanese with English summary.

Cactus Journ. Gt. Brit. (London) (450C113)

Backeberg, C.

What is a Borzicactus? Cactus Journ. Gt. Brit. 3: 24-26. illus. D.1934. no.2.

Translated from the Dutch.

Farden, R. S.

Succulents other than Cactaceae and Mesembryanthemae. (cont.) Cactus Journ. Gt. Brit. 3: 27-29. D. 1934. no.2.

Cactus Journ. Gt. Brit. (cont.)

Karsten, M. C.

The Karoo garden at Whitehill near Matjesfontein. Cactus Journ. Gt. Brit. 3: 21-23. illus. D. 1934. no.2.

Schweickerdt, H. G.

A short account of the succulent flora of the Transvaal. Cactus Journ. Gt. Brit. 3: 30-31. D.1934. no.2.

Canad. Hort. (Peterboro, Ont.) (80C16)

Strong, W. J.

Recent developments in small fruits. Canad. Hort. 57: 261-262. D.1934. no.12.

Cane Grow. Quart. Bull. Queensl. (65.9Q3C)

Bell, A. F.

Results of disease resistance trials with sugar cane varieties. Cane Grow. Quart. Bull. Queensl. 2: 44-46. O.1, 1934. no.2.

Chimie et Industr. Spec. no. (383C42C)

Pastac, I.

La constitution des phénols et leur action anticryptogamique. Chimie et Industr. Spec. No. Ap. 1934. p. 1027-1032.

Truffaut, G.

La bouillie bordelaise, son mode rationnel de préparation et son emploi. Chimie et Industr. Spec. no., Ap. 1934. p.1020-1026. illus.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)

Capus, J. & Dubacquié, J.

Sur le mode d'action des bouillies cupriques contre le mildiou. Compt. Rend. Acad. Agr. France 20: 944-946. N.14, 1934. no.28.

Foex, E. & Burgevin, H.

Observations sur la maladie du coeur de la betterave. Compt. Rend. Acad. Agr. France 20: 978-983. N. 1934. no.29.

Compt. Rend. Acad. Sci. Paris (505P21)

Bouget, J.

Culture de pommes de terre issues de graines, à Bagnères-de-Bigorre (560m). Compt. Rend. Acad. Sci. Paris 199: 1154-1156. N.21, 1934. no.21.

Chevalier, A.

Premier apercu sur la végétation de l'Archipel des Iles du Cap Vert. Compt. Rend. Acad. Sci. Paris 199: 1152-1154. N.19, 1934. no.21.

Jhillet, A. & Zitti, R.

Variations saisonnières de l'acide cyanhydrique chez le Monilia caerulea Moench. Compt. Rend. Acad. Sci. Paris 199: 1150-1152. N.19, 1934. no.21.

Lemée, G.

Sur l'alliance du hêtre, ou fagion, dans le Perche et le nord-ouest de la France. Compt. Rend. Acad. Sci. Paris 199: 1157-1159. N.19, 1934. no.21.

Molliard, M. & Crépin, A.

Caractères présentes par les plantes vertes qui se développent dans de l'air enrichi en gaz carbonique. Compt. Rend. Acad. Sci. Paris 199: 1077-1080. illus. N.19, 1934. no.21.

Smith, K. & Dufrenoy, J.

Sur le virus Y des solanées. Compt. Rend. Acad. Sci. Paris 199:1147-1150. illus. N.19, 1934. no.21.

Compt. Rend. Soc. Biol. Paris. (442.9P21)

Gratia, A.

Différenciation sérologique des virus X et Y de la pomme de terre chez les plantes infectées ou porteuses de ces virus. Compt. Rend. Soc. Biol. Paris 117: 490-492. 1934. no.31.

Contr. Dudley Herb. Stanford Univ. (451L53)

Wiggins, I. L.

A report on several species of Lycium from the southwestern deserts. Contr. Dudley Herb. Stanford Univ. 1: 197-206. pl.18-19. 1934. no.6.

L. densifolium, L. dispermum n.spp.

D. N. C. Rev. Dept. Nac. Café Rio de Janeiro.

Friere, C. V.

Contribuicão ao histológico dos cafeeiros no Brasil. IV. Estrutura da folha. D. N. C. Rev. Dep. Nac. Café Rio de Janeiro 2: 559-560. illus. O. 1934. no.16.

Dansk Bot. Ark. (København) (450D23)
Skovsted, A.
Cytological studies in the tribe Saxifrageae. Dansk Bot. Ark. v.8, no.5. 52 p. illus. 1934.

K. Danske Vidensk. Selsk. Skrift. Naturf. Math. Afd. (502C79)
Lund, A.
Studies on Danish freshwater Phycomycetes and notes on their occurrence, particularly relative to the hydrogen ion concentration of the water. K. Danske Vidensk. Selsk. Skrift. Naturv. Math. Afd. IX,6: 1-97. illus. 1934. no.1.

Desert (Pasadena) (450D45)
Herre, H.
Two beautiful but unknown Namaqualand pelargoniums. Desert (Pasadena) 6:117. illus. D. 1934. no.8.
Pelargonium incrassatum, P. oblongatum.

Deut. Landw. Presse (Berlin) (18D482)
Hoffmann,
Bekämpfung der fusskrankheiten des weizens. I. Die halmschwärze... Ophiobolus. Deut. Landw. Presse 61: 570. N.17, 1934. no.46.

Empire Journ. Exp. Agr. (Oxford) (10Em7)
Davies, R. O. & Chippindale, H. G.
The response of grasses and clover to treatment on acidic upland soils, and the effect of herbage plants on the reaction of acidic soils. Empire Journ. Exp. Agr. 2: 324-336. O. 1934. no.8.

Hill, A. G.
A review of recent methods and results in sugar-cane breeding. Empire Journ. Exp. Agr. 2: 285-292. pl.6-7. O.1934. no.8.

Nutman, F. J.
The root-system of Coffea arabica. III. The spatial distribution of the absorbing area of the root. Empire Journ. Exp. Agr. 2: 293-302. pl. 8-10. O.1934. no.8.

Flow. Grow. (Calcium, N.Y.) (80M72)
House, H. D.
Photographing wild flowers. Flow. Grow. 21: 518-519. illus. D.1934. no.12.

Gard. Chron. (London) (80G162)

Balls, E. K.

Campanula tridentata, Schreb,, and var. stenophylla, Boiss. Gard. Chron. III, 96: 271, illus. N.24,1934. no.2500

Bancroft, H.

Notes on the status and nomenclature of the British elms. VII. Conclusion. Gard. Chron. III, 96: 372-373. N.24, 1934. no.2500.

Chittenden, F. J.

Antirrhinum rust: a plea. Gard. Chron. III, 96: 357. N.17, 1934. no.2499.

Hornibrook, M.

Two interesting dwarf conifers. Gard. Chron. III,96: 373-374. N.24, 1934. no.2500

Cupressus lawsoniana var.caudata, Picea abies var. brevifolia.

Orpet, E. O.

Lepachys columnaris. Gard. Chron. III, 96: 370. N.24, 1934. no.2500

Refers to F. G. Windelmere's article on Epachys (sic) columnaris.

Ward, F. K.

Mr. F. Kingdon Ward's twelfth expedition in Asia. VIII. Chutong. Gard. Chron. III, 96: 354-355. illus. N.17, 1934. no.2499.

Elm disease in Great Britain. Gard. Chron. III, 96: 365. N.24, 1934. no.2499.

Plantae Willmottianae. Gard. Chron. III,96: 365. N.24, 1934. no.2500.

Plant named for Miss Willmott.

Gard Chron. Amer. (80G1632)

Bissell, E. B.

The Island trail in the Blaksley botanic garden. Gard. Chron. Amer. 38: 353-354. illus. D.1934. no.12.

English, C. S. jr. & English, E. F.

A new Talinum from Washington. Gard. Chron. Amer. 38: 355. illus. D.1934. no.12.

T. okanoganense.

Gartenschönheit (Berlin) (80G199)

Schneider, C

Gehölze, die wir brauchen. V. Gartenschönheit 15: 252-253. illus. N.1934. no.11.

Hedwigia (Dresden) (450H35)

Lamb, I.

Entwicklungsgeschichtliche untersuchung einer morphologisch abweichenden Puccinia-art (Pucc. sonchi Rob.) Hedwigia 74: 181-194. illus. N. 12, 1934. no.5.

Loeske, L.

Ueber Tayloria splachnoides und Dicranium blyttii im norddeutschen tieflande und über Cynodontium limprichtianum. Hedwigia 74; 214-223. N.12, 1934. no.5.

Rensch, I.

Farne und bärlappe der Sunda-expedition Rensch. Hedwigia 74: 224-256. pl.vii. N.12, 1934. no.5.

Unter einbeziehung einer aufsammlung G. Steins von Timor.

Zahlbruckner, A.

Nachträge zur flechtenflora Chinas. Hedwigia 74: 195-213. illus. N.12, 1934. no.5.

Intern. Bull. Plant Prot. (464.8In8)

Marchionatto, J. B.

Argentine Republic: Eradication of Aleppo grass by sodium chlorate. Intern. Bull. Plant Prot. 8: 242-243. N. 1934. no.11.

Marchionatto, J. B.

Argentine Republic: Plant diseases observed in the country. Intern. Bull. Plant Prot. 8: 241. N.1934. no.11.

Journ. Agr. Res. (Washington, D. C.) (Ag84J)

Dunegan, J. C.

A disease of the English Morello cherry caused by Bacterium Pruni. Journ. Agr. Res. 49: 745-754. O.15, 1934 (Rec'd D.7) no.8.

Stewart, G.

Effects of inbreeding on variability in alfalfa. Journ. Agr. Res. 49: 669-694. illus. O.15, 1934 (Rec'd D.7) no.8.

Worzella, W. W.

The inheritance of quality in Trumbull and Michikof varieties of winter wheat. Journ. Agr. Res. 49: 705-714. O.15, 1934 (Rec'd) D.7) no.8.

Journ. Dept. Agr. So. Australia (Adelaide) (23So84)

Hutton, E. M.

The important pasture plants of South Australia, considered as to their identification and characteristics. B. The clovers and clover like plants (cont.) Journ. Dept. Agr. So. Australia 38: 336-344, illus. O. 1934. no.3.

Journ. Dept. Agr. West. Austral. (Perth) (23W52J)

Gardner, C. A.

Mulla Mulla. (Trichinium alopecuroideum, Lindl.) Journ. Dept. Agr. West. Austral. II, 11: 530-531. illus. S.1934. no.3.

A native forage plant.

Gardner, C. A.

The oleander (Nerium oleander, Linn.) Journ. Dept. Agr. West. Austral. II,11: 534-535. illus. S. 1934. no.3.

Munn, W. M.

Some new ideas on nitrogen nutrition of plants. Journ. Dept. Agr. West. Austral. II,11: 511-512. S. 1934. no.3.

Pittman, H. A.

Powdery mildew of roses. Journ. Dept. Agr. West. Austral. II,11: 468-469. S.1934. no.3.

Pittman, H. A.

Some important fungal diseases of grape vines and fruit trees in Western Australia and their control. Journ. Dept. Agr. West. Austral. II, 11; 488-506. illus. S.1934. no.3.

Journ. For. (Washington, D. C.) (99.8F768)

Welch, D. S.

The range and importance of Nectria canker on hardwood in the northwest. Journ. For. 32: 997-1002. illus. D.1934. no.9.

Journ. Hered. (Washington) (442.8Am3)

Beasley, J. O.

Soda straws in hybridizing cotton. Journ. Hered. 25: 502. D.1934. no.12.

Condit, I, J.

Anomalous fig trees. Plants showing chimaeral differences in flower form of value in throwing light on the origin of edible figs. Journ. Hered. 25: 497. illus. (p.496) D.1934. no.12.

Journ. Hered. (cont.)

Presley, J. T.

Offshoots on the Florida silver palm. Reproductive habit of Florida species unique among North American palms, of possible evolutionary interest. Journ. Hered. 25: 485-488. illus. D. 1934. no.12.

Coccothrinax garberi.

Journ. Indian Bot. Soc. (Madras) (450J821)

Almeida, J. F. R. d'

Ferns of Waziristan. Collected by J. Fernandez and E. Blatter. Journ. Indian Bot. Soc. 13: 149-152. Ap.1934. no.2.

Joshi, A. C.

An abnormal specimen of Opuntia dillenii Haw. Journ. Indian Bot. Soc. 13: 187. pl. Ap.1934. no.2.

Joshi, A. C. & Rama Rao, V. S.

Vascular anatomy of the flowers of four Nyctaginaceae. Journ. Indian Bot. Soc. 13: 169-186. illus. Ap.1934. no.2.

Boerhaavia diffusa, B. repanda, Mirabilis jalapa, Bougainvillea spectabilis.

Ramiah, K., Parthasarathi, N. & Ramanujam, S.

A haploid plant in rice. Journ. Indian Bot. Soc. 13: 153-164. illus., pl. Ap.1934. no.2.

Rangasamy, K.

Contribution to the life history of Vallisneria spiralis L. Journ. Indian Bot Soc. 13: 129-148. vi. pl. Ap. 1934. no.2

Journ. Japanese Bot. (450J8223)

Asahina, Y.

Key to the Japanese Lobaria. Journ. Japanese Bot. 9: 269-271. illus. Ag.1933. no.4.

Japanese.

Asahina, Y.

Lobaria-arten aus Japan. I-III. Journ. Japanese Bot. 9: 333-339, 398-406, 449-462. illus. S., O., N. 1933. no.5,6,7.

Japanese with Latin diagnoses and comments in German.

Journ. Japanese Bot. (cont.)

Fujita, N.

On enclosed crystals. Journ. Japanese Bot. 9: 130-133. illus. Je. 1933. no.2.

Japanese.

Hiratsuka, N.

Calyptospora geoppertiana Kühn a parasite of Vitis-idaea. Journ. Japanese Bot. 9: 276-277. illus. Ag. 1934. no.4.

Japanese.

Hisauchi, K.

Clematis chinensis Retzius. Journ. Japanese Bot. 9: 49-52. illus. My.1933. no.1.

Japanese.

Hisauchi, K.

Dr. G. Koidzumi on Clematis chinensis Retz. Journ. Japanese Bot. 9: 168-169. illus. Jl.1933. no.3.

Japanese.

Hisauchi, K.

A form of Pinus thunbergii Parl. Journ. Japanese Bot. 9: 391-393. illus. O.1933. no.6.

Japanese with Latin diagnosis and comments in English. Pinus thunbergii f. multiconifera.

Hisauchi, K.

Rubus yatabei Focke and R. medius O. Kuntze. Journ. Japanese Bot. 9: 170-174. illus. Jl.1933. no.3.

Japanese.

Hisauchi, K.

Some hybridized Dactylobati-rubi in the eastern coast of Japan. Journ. Japanese Bot. 9: 297-308. illus. S.1933. no.5.

Japanese with Latin diagnoses of new species (x R. manazurensis) & x R. koidzumii nom,nov., also comments in English.

Hisauchi, K.

A story of Ephippianthus schmidtii Reich. fil. Journ. Japanese Bot. 9: 523-527. illus. D.1933. no.8.

Japanese with French summary.

Journ. Japanese Bot. (cont.)

Honda, M.
A new species of Anaphalis. Journ. Japanese Bot. 9: 279-280. illus. S.1933. no.5.
Japanese with Latin diagnosis (A. viscossima)

Honda, M.
On two new species of Calamagrostis from the Prov. Simotuke. Journ. Japanese Bot. 9: 35-38. illus. My. 1933. no.1.
C. scaberrima, C. sekimotoi.

Ibuka, K.
On the spores of Japanese Lycopodia. Journ. Japanese Bot. 9: 327-333. illus. S.1933. no.5.
Japanese.

Inokuma, T.
Kirengeshoma palmata Yatabe new to the flora of Korea. Journ. Japanese Bot. 9: 527-529. illus. D.1933. no.8.
Japanese.

Kariyone, T.
On the characteristic discoloration of the dried botanical specimens. Journ. Japanese Bot. 9: 313-315. S.1933. no.5.

Kitagawa, M.
A new Iris from South Manchuria. Journ. Japanese Bot. 9: 246-250. illus. Ag. 1933. no.4.
Japanese with Latin diagnosis. Iris kobayashii.

Kitagawa, M.
On the vegetation of Isl. Mang-tao, South Manchuria. Journ. Japanese Bot. 9: 103-120. illus. Je. 1933. no.2.
Japanese with Latin diagnoses of new species (Brachypodium manshuricum, Phragmites hirsuta, Aster mangtaoensis)

Kobayasi, Y.
Notes on Lasiosphaera Reich. I-II. Journ. Japanese Bot. 9: 468-480, 546-556. illus. N., D.1933. no.7,8.
Japanese.

Koidzumi, H.
Taraxacum novum Japonicum. I. Journ. Japanese Bot. 9: 349-364. O.1933. no.6.

Journ. Japanese Bot. (cont.)

Momiyama, Y.
Notes on the genus Benzoin. I. Journ. Japanese Bot. 9: 379-380. O.1933. no.6.
Japanese.

Momiyama, Y.
On the bud of Lespedeza buergeri Miq. Journ. Japanese Bot. 9: 129-130. illus. Je. 1933. no.2.
Japanese.

Noguchi, R.
On the growth of Dictyophora phalloidea Desv. Journ. Japanese Bot. 9: 207-211. illus. Jl.1933. no.3.
Japanese.

Ogata, M.
On Polypodium asahinae M. Ogata. Journ. Japanese Bot. 9: 266-268. illus. Ag.1933. no.4.
Japanese.

Ohki, K.
A new variety of Buckleya joan Makino. Journ. Japanese Bot. 9: 389-390. illus. O. 1933. no.6.
Japanese, English summary & Latin diagnosis. Buckleya joan var. tanigawaensis.

Okamura, K.
Notes on the algae collected at various districts of Japan. Journ. Japanese Bot. 9: 481-489. N.1933. no. 7.
Japanese.

Rokuya, N.
On Polyporus dispansus Lloyd. Journ. Japanese Bot. 9: 556-561. illus. D.1933. no.8.
Japanese with English summary.

Satake, Y.
On Rubus kisoensis Nakai. Journ. Japanese Bot. 9: 501-505. illus. D.1933. no.8.
Japanese.

Satari, S.
Notes on some anomalous leaves of Leguminosae. Journ. Japanese Bot. 9: 424-432. illus. N.1933. no.7.
Japanese.

Journ. Japanese Bot. (cont.)

Sato, M. M.

Notes on some Japanese lichens determined by Dr. Edv. A. Wainio. I-V. Journ. Japanese Bot. 9: 67-74, 142-144, 211-214, 271-275, 339-343, illus. My.-S. 1933. no1,2,3,4,5,
Japanese.

Sato, M. M.

Recollections of excursion to Saghalien. I-III. Journ. Japanese Bot. 9:406-413, 462-468, 539-546. illus. O., N., D. 1933. no.6,7,8.
Japanese.

Yamadori, K.

On heliotropism of Helianthus annuus. Journ. Japanese Bot. 9: 204-206. illus. Jl.1933. no.3.
Japanese.

Journ. New Zeal. Inst. Hort. (87M485J)

Allan, H. H.

Leonard Cockayne 1855-1934. Journ. New Zeal. Inst. Hort. 4(3): 11-15. port. O. 1934.

Hall, N.

A key to the species of Eucalyptus growing in New Zealand. Journ. New Zeal. Inst. Hort. 4(3): 5-9. O. 1934.

Kranke Pflanze (Dresden) (464.8K86)

Laubert, R.

Der löwenmaulrost, ein musterbeispiel sich rasch ausbreitender eingeschleppter pflanzenkrankheiten. Kranke Pflanze 11: 142-143. N. 1934. no.11.

Scheibe, K.

Undrautbekämpfung im herbste. Kranke Pflanze 11: 135-137. N.1934. no.11.

Kühn-Arch. (Berlin) (105.8H15Ku)

Calniceanu, C.

Beiträge zur resistenzzüchtung gegen Puccinia triticina Erikss. Kühn-Arch. 37: 59-90. 1934.

Schattenberg, H.

Untersuchungen über das verhalten von sorten, kreuzungsnachkommenschaften und kreuzungspopulationen gegenüber verschiedenen herkünften von haferflugbranden. Kühn-Arch. 37: 409-449. 1934.

Kühn-Arch. (cont.)

Wanner, E.

Untersuchungen über die keimfähigkeit des pollens der weinrebe (Vitis). Kühn-Arch. 37: 317-365. illus. 1934.

Leafl. West. Bot. (San Francisco) (450L47)

Baker, M. S.

Pitkin marsh, a floral island at Vine Hill, Sonoma County, California. Leafl. West. Bot. 1: 103. My.15, 1934. no.10.

Crum, E.

Oregonian variants in two species of Potentilla. Leafl. West. Bot. 1: 100-101. My.15, 1934. no.10.

P. douglasii, P. caruifolia.

Eastwood, A.

New species of Fremontia. Leafl. West. Bot. 1: 139-141. N.13, 1934. no.12.

F. crassifolia, F.napensis, F. obispoensis.

Eastwood A.

A new species of Solanum. Leafl. West. Bot. 1: 104. My.15, 1934. no.10.

S. obispoense.

Eastwood, A.

A new species of Talinum from British Columbia. Leafl. West. Bot. 1: 139. N.13, 1934. no.12.

T. wayae.

Eastwood, A.

A revisionnof Arctostaphylos with key and descriptions. Leafl. West. Bot. 1: 105-127. Ag.16, 1934. no.11.

Eastwood, A.

A revision of the genera formerly included in Arctostaphylos. Leafl. West. Bot. 1: 97-100. My.15, 1934. no.10.

Schizococcus gen. nov. (S. myrtifolius (Gray), S.nummularia (Gray)).

Hilend, M. & Howell, J. T.

Preliminary studies in the genus Galium in Southern California. Leafl. West. Bot. 1: 134-137. N.13, 1934. no.12.

G. munzii, G. jepsoni, n. spp.

Leafl. West. Bot. (cont.)

Howell, J. T.
Cyperus difformis L. in California. Leafl. West. Bot. 1: 104. My.15, 1934. no.10.

Howell, J. T.
A name for a weed. Leafl. West. Bot. 1: 142-144. N.13, 1934. no.12.
Several botanists have determined it as Polygonum aviculare, P. prolificum, P. ramosissimum, P. bellardi, P. pulchellum. Mrs. Bellue of Calif. Dept. Agr. and author conclude the proper name to be P. argyrocoleon.

Howell, J. T.
On the type of Galium multiflorum Kell. Leafl. West. Bot. 1: 138. N.13, 1934. no.12.

Mathias, M. E.
A new species of Leptotaenia. Leafl. West. Bot. 1: 101-102. My.15, 1934. no.10.
L. bradshawii Rose.

Stacey, J. W.
Notes on Carex. I. Leafl. West. Bot. 1: 141-142. N.13, 1934. no.12.

Wheeler, L. C.
Euphorbia on Guadalupe Island. Leafl. West. Bot. 1: 128. Ag.16, 1934. no.11.

Williams, L.
Notes on Rocky Mountain plants. I. Leafl. West. Bot. 1: 129-133. N.13, 1934. no.12.

Matières Grass. (Paris) (307.8M42)

Adriaens, L.
Contribution à l'étude chimique de quelques plantes oléagineuses du Congo Belge. I. Pentadesma butyracea Sabine. Matières Grass. 26: 10321-10323. N.15, 1934.

Medd. Norsk. Sakogforsøks. (99.9N833)

Ording, A.
Orienterende pollenanelyser fra norske kystdistrikter. Medd. Norske Skogforsøksv. 5: 349-404. illus. (incl.map) 1934. no.3(18)
English summary.

Mem. Soc. Nat. Sci. Nat. & Math. Cherbourg (505C42)

Favier, L.

Effets du froid pendant les hibers 1927-1929 et 1928-1929 sur certains végétaux introduits dans la région de Cherbourg. Mém. Soc. Nat. Sci. Nat. et Math. Cherbourg 41(V,1): 241-255. [1934?]

Frémy, P.

Cyanophycées des côtes d'Europe. Mém. Soc. Nat. Sci. Nat. et Math. Cherbourg. 41(V,1): 1-234. 66 pl. [1934?]

Mycologia (450M99)

Hahn, G. G. & Ayers, T. T.

Dasyscyphae on conifers in North America. III. Dasyscypha pini. Mycologia 26: 479-501. pl. 52-53. N./D. 1934. no.6.

Karling, J. S.

A saprophytic species of Catenaria isolated from roots of Panicum variegatum. Mycologia 26: 528-543. illus., pl.57-58. N./D. 1934. no.6.

No specific name given, "strikingly similar to C. anguillulae" when grown on artificial media.

Latham, D. H.

Life history of a Cercospora leaf spot fungus of cowpea. Mycologia 26: 516-527. illus., pl. 56. N./D. 1934. no.6.

Overholts, L. O.

Mycological notes for 1933. Mycologia 26: 502-515. illus., pl.54-55. N./D. 1934. no.6.

Corticium fenestratum, nom. nov.; Peniophora delectans and P. dissoluta n.spp.

Zeller, S. M. & Togashi, K.

The American and Japanese matsutakes. Mycologia 26: 544-558. illus. N./D. 1934. no.6.

Armillaria ponderosa and A. matsutake.

Naturaliste Canad. (Quebec) (410N216)

Rousseau, J.

Essai de bibliographie botanique canadienne. (concl.). Naturaliste Canad. 61: 295-302. N. 1934. no.11.

Nature (London) (472N21)
Hopkins, J. C. F
Parasitism of Rhizoctonia lamellifera, Small. Nature 134:812-813. N.24, 1934. no.3395.
R. lamellifera distinct from members of the bataticola.

Naturwissensch. (Berlin) (474N213)
Stubbe, H.
Die bedeutung der mutationen für die theoretische und angewandte genetik. Naturwissensch. 22: 781-787. illus. N.23, 1934. no.47.

Notice Centre Doc. Techn. et Econ. Plant. Méd., Arom. et Simil. Paris (77.9F84)
Perrot, E.
Le dattier dans les Oasis des Zibans et de l'Oued Rhir (Biskra-Touggourt) Notice Centre Doc. Techn. et Écon. Plant. Méd., Arom. et Simil. no.41. 70 p. illus. Mr.1934.

Obst- u. Gemüseb. (Berlin) (80P7750)
Kromer, K.
Ueber die ernährungsorgane der gemüsepflanze and ihre leistungen. I. Die wurzel als bodenernährungsapparat. Obst- u. Gemüseb. 80: 165-169. illus. N.15, 1934. no.11.

Pacific Hop Grow. (Mt. Angel, Oreg.) (77.8P11)
Hoerner, G. R.
The use of calcium cyanamid in hop downy mildew control; in the solution of the "dormant hill" problem and as a fertilizer for hops. Pacific Hop Grow. 2(8): 4,6,7. D.1934.

Parfums France (Grasse) (308.8P21)
Duvernoy, M.
Les odeurs des champignons. Parfums France 12: 268-270. O. 1934. no.140.

Pflanzenbau (Berlin) (18P48)
Heuser, W., Boekholt, K. & Ulich, G.
Der gehalt der samen von Lupinus albus an eiweiss, fett und alkaloiden im vergelich zu anderen lupinenarten und unter dem einfluss äusserer bedingungen. Pflanzenbau 11: 129-138. O.1934. no.4.

Pflanzenbau (cont.)
Ullmann, W.
Die züchtung der kleeartigen futterpflanzen ausserhalb des Deutsches reiches. IV. Vereinigte Sowjetrepubliken, Türkei, Palästina, Mandschurei, Japan, Uruguay, Argentinien, Paraguay, Chile, Brasilien. Pflanzenbau 11: 156-159. O. 1934. no.4.

Philipp. Agr. (Laguna) (25P542)
Crisostomo, F. E.
Chemical analysis of some important varieties of tobacco grown in the Philippines. Philipp. Agr. 23: 516-525. N. 1934. no.6.

Phosphorsäure (57.8P562)
Schmid, K.
Untersuchungen an böden und pflanzen von erkrankten sisalbeständen in Ostafrika. Phosphorsäure 4: 676-685. illus. 1934. no.11.

Las Polski (Publ. Union Forest. Polgne) (99.8L33)
Karpinski, J. J.
Próby zastosowania nowej walki mykologicznej z pedrakiem chrabaszcza majowego (Melolontha melolontha L.) (Essais d'application d'une nouvelle méthode mycologique dans la butte (sic) contre les vers blancs du hanneton). Las Polski 14: 267-273. illus. S./O. 1934. no.9/10.
French résumé: p.272-273. Beauveria densa.

Proc. Birmingham Nat. Hist. & Phil. Soc. (501B53)
Smith, M. M. H.
Ecological survey of the phanerogomaes of Hartlebury Common, in 1932 and 1933. Proc. Birmingham Nat. Hist. & Phil. Soc. 16: 101-129. S.1934. no.5.
Near Stourport, Worcestershire, England.

Proc. Imp. Acad. Tokyo (513T576)
Kuroda, C. & Wada, M.
The colouring matter of "Adzuki bean". Proc. Imp. Acad. Tokyo 10: 472-474. O. 1934. no.8.

Shikata, M. & Watanabe, M.
Chemical researches on bog-moss. I. Chemical composition of Sphagnum fimbriatum, Wils (Himemizogoke) Proc. Imp. Acad. Tokyo 10: 470-471. O.1934. no.8.

Watanabe, K.
Entwicklung der blüte von Mitrastemon yamamotoi Proc. Imp. Acad. Tokyo 10: 503-506. illus. O. 1934. no.8.

Proc. Imp. Acad. Tokyo (cont.)

Watanabe, K.

Ueber die flüssigkeitsabsonderung der blüten von Mitrastemon yamamotoi. Proc. Imp. Acad. Tokyo 10: 507-508. illus. O. 1934. no.8.

Proc. K. Akad. Wetensch. Amsterdam (503Am8P)

Eijk, M. v.

Versuche uber den einfluss der kochsalzgehalts in der nährlösung auf die entwicklung von Salicornea herbacea und auf die zussammensetzung der salze in zellinnern dieser pflanze. Proc. K. Akad. Wetensch. Amsterdam 37: 556-561. fold.pl. S. 1934. no.8.

Went, F. W.

On the pea test method for auxin, the plant hormone. Proc. K. Akad. Wetensch. Amsterdam 37: 547-555. illus. S. 1934. no.8.

Repert. Spec. Nov. Fedde (Berlin) (450R29)

Burret, M.

Goethalsia Pitt. doch eine tiliacee, keine flacourtiacee. Repert. Spec. Nov. Fedde 36: 195. N.5, 1934. no.12/15.

Burret, M.

Die palmengattung Desmoncus Mart. Repert. Spec. Nov. Fedde 36: 197-221. N.5, 1934. no.12/15.

Görz, R.

Die gattung Salix in Kaukasien. Repert. Spec. Nov. Fedde 36(Repert. Europe. & Med. 4,19): 225-239. N.5, 1934. no.12/15.

Hopkinson,

Plantae novae Sinicae. I. Repert. Spec.Nov. Fedde 36: 222-224. N.5, 1934. no.12/15.

Cistanche feddeana, Plumbago spinosa, Podophyllum hispidum, Epimedium rotundatum, Cymbaria linearifolia, n.spp.

Hopkinson,

Three new species in China. Repert. Spec. Nov. Fedde 36: 196-197. N.5, 1934. no.12/15.

Calligonum dielsianum, Acer pedunculatum, Ephedra minima.

Repert. Spec. Nov. Fedde (cont.)

Nessel, H.

Neue lycopodien, die von allen schon bekannten arten durch ihren habitus ganz besonders abweichend und auffallend sind. Repert. Spec. Nov. Fedde 36:177-193. pl.clxx-clxxvi. N.5, 1934. no.12/15.

Species of Urostachys and Lycopodium.

Poellnitz, K.v.

Eine neue Echeveria-art. Repert. Spec. Nov. Fedde 36: 193-194. N.5, 1934. no.12/15.

E. buchtienii.

Repert. Spec. Nov. Beih. (Berlin) (450R29B)

Epling, C.

Preliminary revision of American Stachys. Repert. Spec. Nov. Beih. v.80. 75 p. N.5, 1934.

Jonas, Fr.

Die entwicklung der hochmoore am Nordhümmling. 2 band. Repert. Spec. Nov. Beih. v.78. 88 p. 24 pl. O.1, 1934.

Rev. Agr. Cuba (Habana) (8Ag88Re)

Bruner, S. C.

La enfermendad antracnosis de los mangos. Rev. Agr. Cuba 15(5): 23-25. illus. Ag.1934.

Colletotrichum gloeosporicides.

Rev. de Agr. (Piracicaba) (9.2R324)

Bertoni, A.de W. & Schouten, G. B.

Fungo hyphomiceto. Fusarium riarti n.sp. Rev. de Agr. (Piracicaba) 9: 447-452. illus. S./O. 1934. no.9/10.

On Citrus amara.

Rhodesia Agr. Journ. (Salisbury) (24R34)

Brain, C.K.

The weeds and poisonous plants of southern Rhodesia. I. Rhodesia Agr. Journ. 31: 779-791. illus. N.1934. no.11.

Timson, S. D.

Witchweed. Rhodesia Agr. Journ. 31: 792-801. 3 pl. N. 1934. no.11.

Rhodora (Boston) (450R34)

Blake, S. F.

Carex divisa, Teesdalia nudicaulis and Thlaspi perfoliatum in Maryland. Rhodora 36: 412-414. D. 1934. no.432.

Rhodora (cont.)

Blake, S. F.

Two introduced grasses new to Virginia. Rhodora 36: 420. D. 1934. no.432.

Eriochloa contracta, Eulalia viminea.

Fernald, M. L.

Agropyron trachycaulum versus A. pauciflorum. Rhodora 36: 417-420. D.1934. no.432.

Goodman, G. J.

Calopogon pulchellus from Oklahoma. Rhodora 36: 420-421. D. 1934. no.432.

Hermann, F. J.

A new Cardamine from the Uinta Mountains, Utah. Rhodora 36: 409-412. pl. 322. D.1934. no.432.

C. uintahensis.

Jeffrey, L. & Drouet, F.

The grass flora of Columbia, Missouri. Rhodora 36: 415-417. D. 1934. no.432.

Science (470Sci2)

Gortner, R. A.

Lake vegetation as a possible source of forage. Science 80: 531-533. D.7, 1934. no.2084.

New York botanic garden recipient of bequest from will of Kenneth E. Mackenzie. Science 80: 525. D.7, 1934. no.2084.

Plant specimens and nearly 1000 drawings made by H. C. Creutzberg.

Sci. Rep. Agr. Res. Inst. Pusa (107.597R)

McRae, W.

Report of the imperial mycologist. Sci. Rep. Imp. Inst. Agr. Res. Pusa 1932/33: 134-160. 1934.

So. African Gard. (Johannesburg) (80So87)

Plants new or noteworthy. South African plants cultivated in the National botanic gardens, Kirstenbosch, and in our reader's gardens. (cont.) So. Afr. Gard. 24: 267-268. illus. N.1934. no.11.

Aloe polyphylla Schonland ex Pilans, Babiana fourcadei Lewis, n.spp.

Sovetsk. Botanika (450So8)

Janishevsky, D. E.

Iz zhizni ti͡ul'panovvna nizhneĭ Volge (Sur les tulipes de la région du Volga inferieur). Sovetsk. Botanika 1934(3): 72-103. illus.

Russian.

Komarov, N. F.

Metodika izucheniĭ͡a sornoĭ rastitel'nosti (Méthodique de l'étude de la flore des mauvaises herbes). Sovetsk. Botanika 1934(3): 110-126.

Russian.

Makarova, N. A.

Nekotorye ekologicheskie osobennosti v anatomiecheskom stroenii i fiziologii u ti͡ul'panov Iugo-vostoka (Quelques particularités dans la structure-et physiologie des tulipes du sud-est). Sovetsk. Botanika 1934(3): 103-110. illus.

Russian.

Nogtev, V. P. & Kuklina, E. P.

Novyi pribor dli͡a vzi͡atii͡a prob dli͡a issledovanii͡a zasorennosti pochv semenami sorni͡akov (Nouveau appareil pour étudier l'infection du sol par les graines de mauvaises herbes). Sovetsk. Botanika 1934(3): 157-162. illus.

Russian.

Tijdschr. Plantenz. (464.8T44)

Schreven, D. A. v.

Kalkgebrek als oorzaak van mergnecrose bij aardappelknollen. (Calcium deficiency as the cause of medullary necrosis of potato tubers). Tijdschr. Plantenz. 40: 225-255. pl.xvi-xviii. N.1934. no.11.

English summary: p.249-252.

Trans. Amer. Micros. Soc. (440.9Am33)

Transeau, E.N., Tiffany, L.H., Taft, C.E. & Li, L.C.

New species of Zygnemataceae. Trans. Amer. Micros. Soc. 53: 208-230. incl. pl.xvii-xxii. Jl. 1934.

Tropenpfl. (Berlin) (26T75)

Freise, F. W.

Brasilianische pflanzendrogen des welthandels. Tropenpfl. 37: 469-486. N. 1934. no.11.

Trop. Agriculture West Indies (Trinidad) (26T754)
Harland, S. C.
Two cases of linkage in New World cottons.
Trop. Agriculture West Indies 11: 316. D. 1934. no.12.

Pyke, E.E., Leonard, E.R. & Wardlaw, C.W.
On the viability of cacao seeds after storage.
Trop. Agriculture West Indies 11: 303-307. D. 1934. no.12.

Trop. Woods, Yale Univ. Sch. For. (New Haven) (99.08Y1Tr)
Chalk, L. & Chattaway, M. M.
Measuring the length of vessel members.
Trop. Woods, Yale Univ. Sch. For. 40: 19-26. illus. D.1, 1934.

Dugand, G. A.
The transition forests of Atlántico, Colombia.
Trop. Woods, Yale Univ. Sch. For. 40: 1-14. D.1, 1934.
Check list of common names: p.9-14.

Kerr, T.
Action of hydrofluoric acid in softening wood.
Trop. Woods, Yale Univ. Sch. For. 40: 37-42. D.1, 1934.

Record, S. J.
Note on the classification of Goethalsia.
Trop. Woods, Yale Univ. Sch. For. 40: 18. D.1, 1934.
Considers that it belongs to Tiliaceae and not to Flacourtiaceae to which family Gleason has proposed to transfer it (cf. Phytologia 1:112)

Rendle, B. J. & Clarke, S.H.
The diagnostic value of measurements in wood anatomy. Trop. Woods, Yale Univ. Sch. For. 40: 27-37. D.1, 1934.

Standley, P. C.
The caobanillo tree of the Dominican Republic.
Trop. Woods, Yale Univ. Sch. For. 40: 15-17. D.1, 1934.
Stahlia monosperma var. domingensis.

Trop. Woods, Yale Univ. Sch. For. (cont.)
Standley, P. C.
A new Coccoloba from Colombia. Trop. Woods, Yale Univ. Sch. For. 40: 14-15. D.1, 1934.
C. filipes.

Trudy Gosud. Nikitsk. Bot. Sada (Krymgosizdat) (106Ia5Z)
Riabov, I.N. & others.
Voprosy opyleniia i plodonosheniia plodovykh derev'ev (Pollination and fruit of fruit trees). pt.2. Trudy Gosud. Niktisk. Bot. Sada. v.14, pt.2, 189 p. illus. 1934.
Russian with some English summaries. Deals with pear, plum, cherry, apple, almond, apricot peach & olive.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)
Beattie, R. K.
Dutch elm disease found at Norfolk, Virginia. U.S. Dept. Agr. Plant Dis. Rep. 18: 191. D.1, 1934. no.15.

Hoppe, P.E. & Holbert, J.R.
Some information on the incidence of corn ear rots in the 1933 crop. U.S. Dept. Agr. Plant Dis, Rep. 18: 186-189. D.1, 1934. no.15.

Stevens, N.E.
Keeping quality of Cape Cod cranberries of the 1934 crop. U.S. Dept. Agr. Plant Dis. Rep. 18: 190. D.1, 1934. no.15.

U.S. Dept. Agr. Techn. Bull. (1Ag84Te)
Darrow, G.M. & Waldo, G.F.
Responses of strawberry varieties and species to duration of the daily light period. U.S. Dept. Agr. Techn. Bull. no.453. 31 p. illus. N.1, 1934.

Ukrains'kii Agron. Vistnik (Rev. Agron. Ukrain.) (Lwow) (20R32)
Mazepa, I.
Do kharakteristiki tipiv travostanu na zakarpats'kikh poloninakh (Zur charakteristik der wiesentypen auf polenien (almen) der podkarpatska Rus) Ukrains'kii Agron. Vistnik (Rev. Agron. Ukrain.) 1934: 246-261.
Ukrainian with brief German summary.

Univ. Calif. Publ. Bot. (Berkeley) (500C125B)
Babcock, E. B.
Harvey Monroe Hall. Univ. Calif. Publ. Bot. 17: 355-368. pl.66 (port.) 1934. no.12.
A list of the published writings of Harvey Monroe Hall: p.365-367.

Věda přirodni (Prague) (410V51)
Cejp, Karel
Nejnižší houby jako parasiti parasitů. Věda přirodni 15: 225-228. illus. 1934. no.8.

Jirásek, V.
Poa sterilis M. Bieb. a Poa capillifolia. Kalchbr. v Československu. Vědá přirodni 15: 205-206. 1934. no.6/7.
P. sterilis b.f. macrospiculata f.n., p. capillifolia b.f. glaucescens f.n.

Jirasek, V.
Zajímava odrůda lipnice hajní (P. nemoralis L.) v Karpatech. Věda přirodni 15:207-208. illus. 1934. no.6/7.
Poa nemoralis subsp. carpatica, subsp.nova. f. typica f.n.; f. minoriformis f.n.

Vict. Nat. (Melbourne) (410V66)
Goadby, M. T.
Growth of Microtis parviflora R.Br., from seed. Vict.Nat. 51: 171. N.1934. no.7.

Rupp, H. M. R.
The scented sun-orchid (Thelymitra aristata Lindl.) Discovery in northern New South Wales and Queensland. Vict. Nat. 51: 170-171. N.1934. no.7.

Willis, J. H.
Two remarkable fungi of the springtime. Vict. Nat. 51: 172-171. illus. N.1934. no.7.
Morchella conica, Gyromitra esculenta.

Zeitschr. Zücht. A. Pflanzenzücht. (Berlin) (450Z36)
Frimmel, F. & Baranek, J.
Beitrag zur methodik der roggenzüchtung und des roggensaatgutbaues. Zeitschr. Zücht A. Pflanzenzücht. 20: 1-22. illus. N. 1934. no.1.

Zeitschr. Zücht. A. Pflanzenzücht. (cont.)

Löhlein, H.

Dreijährige vergleichende untersuchungen an 27 roggensorten. Ein beitrag zur sortenkunde des winterroggens. Zeitschr. Zucht. A. Pflanzenzücht. 20: 23-61. illus. N.1934. no.1.

Mudra, A.

Untersuchungen über zellsaftkonzentration beim weizen. Zeitschr. Zucht. A Pflanzenzucht. 20: 62-71. N. 1934. no.1.

Exp. Stat. Publ.

Spaeth, J. N.

A physiological study of dormancy in Tilia seed. Cornell Agr. Exp. Stat. Mem. 169. 78 p. iv pl. on 2. Je.1934 (100N48C)

Wilse, C.P. & Takahashi, M.

Napier grass (Pennisetum purpureum) a pasture and green fodder crop for Hawaii. Hawaii Agr. Exp. Stat. Bull. 72. 17 p. illus. Jl.1934 (Recd D.11)

State Publications.

New Jersey agricultural experiment station. Dept. of plant pathology.

Summary of our knowledge of rhododendron wilt. In its Nursery Dis. Notes 7: 18-22. N.1934. no.5.

New Books.

Good, R.

Plants and human economics. Cambridge, University press, 1933 (452.8G59)

Leningrad. Akademii͡a sel'skokhozi͡aĭstvennykh nauk imeni V.I. Lenina - Institut rastenievodstva

Ochnovy organizatsii i metody selektsii (Principles of the organization and methods of plant breeding) 2. v. Leningrad, 1934 (64L54)

Russian. 1. Grain crops. 2. Fruits and small fruits.

Parker, R. M.

Common Indian trees and how to know them. Delhi, 1933. (460.12P22C)

New Books (cont.)

Rikli, M.

Marokko. In Karsten, G. Vegetationsbilder r.24, h.4/5. pl.19-30. 1934 (f°452.9K142)

Correction.

V.16, no.24, p.12.

The vol. no. of first article under Genetics should be 19.

Translations filed in Library of Bur. of Plant Industry.

Booberg, G.

Over het gebruik van gelestrepenziek plantmateriaal (On the use of yellow stripe diseased planting material). Arch. Suikerind. Nederl. Indië 1934(1): 319-331. My.16, 1934. no.10.

Broekhuizen, S.

Wondreactis van hout; het ontstaan van thyllen en wondgom, in het bizonder in verband met de iepenziekte (Wound reactions of wood. The origin of tyloses and wound gum especially in connection with the elm disease). Leiden, 1929.

Fawcett, G. L.

La impermeabilidad de las yemas de la caña a la solución de sal (On the impermeability of sugar cane buds to salt solutions). Rev. Industr. y Agr. Tucumán 16: 50-54. 1925.

Thung, T. H.

Smetstof en plantencel bij enkele virusziekten van de tabaksplant (On infectious material and the plant cell in the case of some virus diseases of the tobacco plants). Reprinted from Handel. Nederl.-Indisch. Natuurwetensch. congr. 6th, 1931, p.450-463.

Wollenweber, H.

Das ulmensterben und sein erreger, Graphium ulmi Schwarz. (Elm dying and its cause...) Zeitschr. Pilzk. 13(n.f.,8): 162-166. 1929.

Zade, A.

Neue untersuchungen über den latenten pilzbefall und seinen einfluss auf die kulturpflanzen (New investigations on the latent attack of fungi and their influence upon cultivated plants). Fortschr. Landw. 7: 529-532. 1932.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ JAN 14
U.S. Department of Agriculture

Vol. 16, no. 26. Dec. 17-29, 1934.

NOTICE

This issue of Botany Current Literature is the last which will appear under that title. Beginning with January 1935 a new series will be started under the title Plant Science Literature, which will appear weekly. This new list will be sent to all addresses on the Botany Current Literature mailing list.

Acta Phytochim. (Tokyo) (451Ac8)

Asahina, Y.
Ueber die reaktion von flechten-thallus. Acta Phytochim. 8: 47-64. illus. Ag. 1934. no.1.

Asahina, Y.
Zur systematik der flechtenstoffe. Acta Phytochim. 8: 33-45. Ag. 1934. no.1.

Yamagata, S.
Ueber den einfluss der stickstoffquelle auf den gaswechsel des schimmelpilzes. Acta Phytochim. 8: 117-155. Ag. 1934. no.1.
Beiträge zur physiologie der nitratassimilation I.
Aspergillus oryzae.

Yamagata, S.
Ueber die elementare zusammensetzung des schimmelpilzkörpers. Acta Phytochim. 8: 107-116. Ag. 1934. no.1.
Aspergillus oryzae, A. niger, A. melleus.

Acta Phytochim. (cont.)

Yamagutchi, S.

Ueber die beeinflussung der sauerstoffatmung von verschiedenen bakterien durch blausäure und kohlenoxyd. Acta Phytochim. 8: 157-172. Ag. 1934.

Beitrage zur atmungsphysiologie der bakterien I.

Addisonia (450Ad2)

Addisonia v.18, no.4. col.pl. 601-608. O. 1934. (D.20)

Manfreda maculosa, Lycium halimifolium, Aspidistra elatior variegata, Tubiflora acuminata Geranium bicknellii, Solanum seaforthianum, Epicladium boothianum, Rudbeckia speciosa.

Agric. Colon. (Firenze) (26Ag82)

Le dune demaniali di Biserta. Agric. Colon. 28: 597-602. N. 1934. no.11.

Russo, G.

Principali cause nemiche delle piantagioni di cotone nella Somalia italiana. Agric. Colon. 28: 561-572. illus. N. 1934. no.11.

Animadv. Syst. Herb. Univ. Tomsk. (451T59)

Krylov, P.N. & Sumnevich, G.

Novyĭ vid roda Astragalus L. iz iuzhnogo Altai͡a (Species nova austro-altaica generis Astragalus L.) Animadv. Syst. Herb. Univ. Tomsk. 1933(1/2): 1-2.

Russian with Latin diagnosis (A. veresczagini)

Sergievskai͡a, L.

Novyĭ vid roda Glycyrrhiza L. iz Kazakstana (Species nova generis Glycyrrhizae L. e Kazakstania). Animadv. Systl Herb. Univ. Tomsk. 1933(1/2): 11.

Russian with Latin diagnosis (G. zaissanica).

Sergievskai͡a, L.

Novyĭ vid roda Oxytropis DC. iz Zabaĭkal'i͡a (Species nova generis Oxytropis DC. e Transbaicalia) Animadv. Syst. Herb. Univ. Tomsk. 1933(1/2): 9-10. illus. (p.12)

Russian with Latin diagnosis (O. varlakovii).

Sergievskaia, L.

O nekotorykh sibirskikh vidakh roda Geranium L. (De speciebus nonnulis sibirics generis geranii L.) Animadv. Syst. Herb. Univ. Tomsk 1934, no.1. 5 p.

Russian with Latin diagnoses. Geranium asiaticum, G. transbaicalicum with var. and forms.

Animadv. Syst. Herb. Univ. Tomsk. (cont.)

Sumnevich, G.

Novye vidy roda Astragalus L. iz tsentral'noĭ Azii (Species novae Asiae centralis generis Astragalus L.) Animadv. Syst. Herb. Univ. Tomsk. 1933(1/2): 4-9.

Russian with Latin diagnosis (A. balchaschensis, A. dshangartensis, A. duanensis, A. burtschumensis, A. baisensis).

Sumnevich, G.

Novyi vid roda Oxytropis DC. iz iuzhnogo Altaia (Species nova austro-altaica generis Oxytropis DC) Animadv. Syst. Herb. Univ. Tomsk. 1933(1/2): 3-4.

Russian with Latin diagnosis (O. politovii).

Ann. di Bot. (Roma) (450An71)

Bambacioni-Mezzetti, V.

Nuove ricerche sul geotropismo radicale: azione dei sali di uranio, di torio e dei raggi gamma. Ann. di Bot. 20: 504-533. illus. Jl.31, 1934. no.3.

Cappelletti, C.

Ricerche sulla respirazione del legno. Ann. di Bot. 20: 470-503. illus. Jl.31, 1934. no.3.

Carano, E.

Un nuovo elemento della flora meriodionale d'Italia: l'Arum nigrum Schott var. apulum. Ann. di Bot. 20: 579-585. pl.xvii(col.) Jl.31, 1934. no.3.

Di Benedetto, M.

Contributo alla flora di Gubbio (Umbria). Ann. di Bot. 20: 364-366. Jl. 31, 1934. no.3.

Dragone-Testi, G.

Esperienze sulla germinazione di embrione di frumento staccati della cariosside. Ann. di Bot. 20: 534-567. pl.xiii-xiv. Jl.31, 1934. no.3.

Flores, A.

Sul comportamento delle curvature geotropiche della radice in presenze di sali di bario, stronzio, rame. Ann. di Bot. 20: 412-417. Jl.31, 1934. no.3.

Experiments with Vicia sativa.

Lusina, G.

Le formazioni erbacee dell'isola di Veglia. I. Ann. di Bot. 20: 418-469. Jl.31, 1934. no.3.

Animadv. Syst. Herb. Univ. Tomsk. (cont.)

Sumnevich, G.
Novye vidy roda Astragalus L. iz tsentral'noĭ Azii (Species novae Asiae centralis generis Astragalus L.) Animadv. Syst. Herb. Univ. Tomsk. 1933(1/2): 4-9.
Russian with Latin diagnosis (A. balchaschensis, A. dshangartensis, A. duanensis, A. burtschumensis, A. baisensis).

Sumnevich, G.
Novyi vid roda Oxytropis DC. iz iuzhnogo Altaia (Species nova austro-altaica generis Oxytropis DC) Animadv. Syst. Herb. Univ. Tomsk. 1933(1/2): 3-4.
Russian with Latin diagnosis (O. politovii).

Ann. di Bot. (Roma) (450An71)

Bambacioni-Mezzetti, V.
Nuove ricerche sul geotropismo radicale: azione dei sali di uranio, di torio e dei raggi gamma. Ann. di Bot. 20: 504-533. illus. Jl.31, 1934. no.3.

Cappelletti, C.
Ricerche sulla respirazione del legno. Ann. di Bot. 20: 470-503. illus. Jl.31, 1934. no.3.

Carano, E.
Un nuovo elemento della flora meriodionale d'Italia: l'Arum nigrum Schott var. apulum. Ann. di Bot. 20: 579-585. pl.xvii(col.) Jl.31, 1934. no.3.

Di Benedetto, M.
Contributo alla flora di Gubbio (Umbria). Ann. di Bot. 20: 364-366. Jl. 31, 1934. no.3.

Dragone-Testi, G.
Esperienze sulla germinazione di embrione di frumento staccati della cariosside. Ann. di Bot. 20: 534-567. pl.xiii-xiv. Jl.31, 1934. no.3.

Flores, A.
Sul comportamento delle curvature geotropiche della radice in presenze di sali di bario, stronzio, rame. Ann. di Bot. 20: 412-417. Jl.31, 1934. no.3.
Experiments with Vicia sativa.

Lusina, G.
Le formazioni erbacee dell'isola di Veglia. I. Ann. di Bot. 20: 418-469. Jl.31, 1934. no.3.

Ann. di Bot. (cont.)

Pirovano, A.

Ortotropismo e tono chimico. Ann. di Bot. 20: 367-383. Jl. 31, 1934. no.3.

Rabinovitz-Sereni, D.

Effetto di alcuni sali sull'attività della pectinasi prodotta dalla Botrytis cinerea. Ann. di Bot. 20: 349-363. Jl. 31, 1934. no.3.

Tirelli, M.

Influenza del contatto a terra sulla germinazione del grano e del gelso. Ann. di Bot. 20: 400-411. Jl. 1934. no.3.

Vaccaneo, R.

Le due specie beccariane di Hydnora: H. johannis Beccari (H. abyssinica A. Braun) ed H. bogosensis Beccari. Ann. di Bot. 20: 384-399. illus., pl.xii. Jl.31, 1934. no.3.

Ventura, M.

Sulla poliembrionia di Mallotus japonicus Muell. Arg. Ann. di Bot. 20: 568-578. pl.xv-xvi. Jl.31, 1934. no.3.

Ann. Tecn. Agr. (Roma) (16An73)

Curzi, M.

Le malattie da virus delle piante. (concl.) Ann. Tecn. Agr. (Rome) 7: 423-442. N.1, 1934. no.4/5.

Jannone Lodispoto, G.

Studio botanico-agrario delle varietà di melograno coltivate in provincia di Bari. (cont.) Ann. Tecn. Agr. (Rome) 7: 471-486. pl.iv-v. N.1, 1934. no.4/6.

Passalacqua, T.

Studi e problemi sull'Orobanche delle fave in Sicilia II. Ann. Tecn. Agr. (Rome) 7:487-496. N.1, 1934. no.4/6.

Ann. Missouri Bot. Gard. (St. Louis) (451M69)

Dodge, C. W. & Zeller, S.M.

Hymenogaster and related genera. Ann. Missouri Bot. Gard. 21: 625-708. illus., pl. N. 1934. no.4.

Other genera; Reichoniella, Dendrogaster, Gautieria.

Ann. Missouri Bot. Gard. (cont.)

Dodge, C. W.

Proposals for amendment of Article 20 of the International rules of nomenclature. Ann. Missouri Bot. Gard. 21: 709-712. N.1934. no.4.

Woodson, R. E. Jr.

New or otherwise noteworthy Apocynaceae of tropical America. IV. Ann. Missouri Bot. Gard. 21: 613-623. N. 1934. no.4.

Woodson, R. E. Jr.

Two new Asclepiads from Szechuan, China. Ann. Missouri Bot. Gard. 21: 609-611. N.1934. no.4.

Tylophora minutiflora, Marsdenia carnea.

Arch. Protistenk. (Jena) (439.8Ar2)

Föyn, B.

Lebenszyklus, cytologie und sexualität der chlorophycee Cladophora suhriana Kützung. Arch. Protistenk. 83: 1-56. illus., 5 pl. 1934. no.1.

Föyn, B.

Lebenszyklus und sexualität der chlorophycee Ulva lactuca L. Arch. Protistenk. 83: 154-177. illus. 1934. no.1.

Hämmerling, J.

Ueber die geschlechtsverhältnisse von Acetabularia mediterranea und Acetabularia wettsteinii. Arch. Protistenk. 83: 57-97. illus. 1934. no.1.

Hartmann, M.

Untersuchungen über die sexualität von Ectocarpus siliculosus. Arch. Protistenk. 83: 110-153. illus., tables (1 fold.) 1934. no.1.

Moewus, F.

Ueber dauermodifikationen bei chlamydomonaden. Arch. Protistenk. 83: 220-224. illus. 1934. no.1.

Chlamydomonas debaryana.

Moewus, F.

Ueber subheterozie bei Chlamydomonas eugametos. Arch. Protistenk. 83: 98-109. 1934. no.1.

Biochem. Journ. (London) (382B52)

Gould, B. S. & Raistrick, H.

Studies in the biochemistry of micro-organisms XL. The crystalline pigments of species in the Aspergillus glaucus series. Biochem. Journ. 28: 1640-1656. 1934. no.5.

Robinson, G. M. & Robinson, R.

A survey of anthocyanins. IV. Biochem. Journ. 28: 1712-1730. 1934. no.5.

Stockland, L. H.

Studies in the metabolism of the strict anaerobes (genus Clostridium). I. The chemical reactions by which Cl. sporogenes obtains its energy. Biochem. Journ. 28: 1146-1759. 1934. no.5.

Virtanen, A. I. & Nordlund, M.

Synthesis of sucrose in plant tissue. Biochem. Journ. 28: 1729-1732. 1934. no.5.

Biol. Bull. (Woods Hole, Mass.) (442.8B52)

Livingston, L. G. & Duggar, B.M.

Experimental procedures in a study of the location and concentration within the host cell of the virus of tobacco mosaic. Biol. Bull. 67: 504-512. D. 1934. no.3.

Blumen u. Pflanzenb. Vereinigt Gartenw. (Berlin) (80G196)

Rupprecht, G.

Schwefel und schwefelverneblung gegen mehltau. Blumen u. Pflanzenb. Vereinigt Gartenw. 38: 613-614. D.7, 1934. no.49.

Bol. Min. Agr. Rep. Argentina (9B633)

Mutinelli, A.

La yerba mate Argentina, su composicion quimica y caracteristicas generales. Bol. Min. Agr. Rep. Argentina 36: 137-171. Ap./Je. 1934. no.2.

Bot. Gaz. (Chicago) (450B652)

Avery, G. S. jr.

Structural responses to the practice of topping tobacco plants: a study of cell size, cell number, leaf size, and veinage of leaves at different levels on the stalk. Bot. Gaz. 96: 314-329. illus. D. 1934. no.2.

Bot. Gaz. (cont.)

Baldwin, H. I.
Effect of after-ripening treatment on germination of white pine seeds of different ages. Bot. Gaz. 96: 372-376. D. 1934. no.2.

Bannan, M. W.
Origin and cellular character of xylem rays in gymnosperms. Bot. Gaz. 96: 260-281. illus. D. 1934. no.2.

Benedict, H. M.
Effect of ultraviolet radiation on growth and on the calcium and phosphorus contents of plants. Bot. Gaz. 96: 330-341. pl. ii. D. 1934. no.2.

Daughtery, L. H.
Schilderia adamanica: a new fossil wood from the petrified forests of Arizona. Bot. Gaz. 96: 363-366. pl.v. D. 1934. no.2.

Erlanson, E. W.
Experimental data for a revision of the North American wild roses. Bot. Gaz. 96: 197-259. illus. D. 1934. no.2.

Ferguson, M. C. & Hunt, B.
Studies on Petunia VI. The origin and distribution of color in the anther and in the pollen of Petunia. Bot. Gaz. 96: 342-352. pl.iii. D.1934. no.2.

Käufmann, F. H. O.
Studies on the germination of the spores of certain Basidiomycetae. Bot. Gaz. 96: 282-297. D. 1934. no.2.

Sax, K. & Humphrey, L. M.
Structure of meiotic chromosomes in microsporogenesis of Tradescantia. Bot. Gaz. 96: 353-362. pl.iv. D. 1934. no.2.

Turner, L. M.
Anatomy of aerial roots of Vitis rotundifolia. Bot. Gaz. 96: 367-371. illus. D. 1934. no.2.

Voth, P. D.
A study of the vegetative phases of Ephedra. Bot. Gaz. 96: 298-313. illus. D. 1934. no.2.

Broteria Cienc. Nat. (Lisboa) (410B79C)
Rick, J.
Monographia thelephoracearum resupinatarum riograndensium. (concl.) Broteria Cienc. Nat. 3: 151-173. N.1, 1934. no.4.

Rick, J.
Polypori riograndenses. I. Mesopodes aut pleuropodes. Broteria Cienc. Nat. 3: 180-189. N.1, 1934. no.4.

Pau, C.
Una visita a Mallorca II. Broteria Cienc. Nat. 3:174-179. N.1, 1934. no.3.

Bull. Agence Econ. Colon. France. (Paris) (260C71B)
Grébert, R.
Les forêts de la Guadeloupe. Bull. Agence Econ. Colon. France 27: 639-702, 765-875. My., Je. 1934. no.302, 303.

Louis, X. & Monod, T.
Notes botaniques sur la région nord de la subdivision d'Ati (Colonie du Tchad). Bull. Agence Econ. Colon. France 27: 593-737. plate. My. 1934. no.302.

Bull. Inst. Agron. Stat. Rech. Gembloux (105.1G285)
Mañil, P.
Note sur les nécroses foliares du tabac, dans les cultures de la vallée de la Semois, en 1934. Bull. Inst. Agron. Stat. Rech. Gembloux 3: 367-377. N. 1934. no.4.
Brief English summary: p.377.

Bull. Pop. Inform. Arnold Arb. (99.9Ar6B)
Arnold arboretum.
Winter hardiness of trees and shrubs growing in the Arnold arboretum. (concl.) Bull. Pop. Inform. Arnold Arb. IV, 2: 53-60. illus. D.11, 1934. no.11.

Bull. Soc. Nat. Acclim. France (Paris (410.9P21)
Scey-Montbéllard de Brun
Utilisation de l'Achyranthes aspera en Ethiope. Histoire d'une plante tropicale et d'un gentilhomme breton [Marquis de la Guibougère] Bull. Soc. Nat. Acclim. France 81: 377-383. S.1934. no.9.

Bull. Soc. Sci. Nat. Maroc (Rabat) (515Sol)

Frémy, P. & Burollet, P. A.

Pugillus algarum maroccanarum. Bull. Soc. Sci. Nat. Maroc 14: 156-158. Je.30, 1934. no.4/6.

Maire, R.

La végétation des montagnes des Glaoua. Bull. Soc. Sci. Nat. Maroc 14: 140-146. Je.30, 1934. no.4/6.

Atlas Mts., Algeria.

Werner, R. G.

Contribution à la flore cryptogamique du Maroc. fasc. X. Lichenes et algae. Bull. Soc. Sci. Nat. Maroc 14: 147-155. Je.30, 1934. no.4/6.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Baxter, E. M.

California cacti. XVII. Bergerocactus emoryi, Cactus & Succ. Journ. 6: 83-84. illus. D.1934. no.6.

Lahman, M. S.

Notes on Oklahoma cacti. III. The Coryphanthas. Cactus & Succ. Journ. 6: 90-91. illus. D.1934. no.6.

Poindexter, R. W.

New garden species V. Cactus & Succ. Journ. 6: 92-93. illus. D. 1934. no.6.

Canad. Field Nat. (Ottawa) (410.90t80)

Hempsey, H. C.

A rare lily found on the Island of Montreal. Canad. Field Nat. 48: 145. D. 1934. no.9.

Butomus umbellatus.

Raymond, M.

Additional notes on the flora of Quebec. Canad. Field Nat. 48: 138-139. D. 1934. no.9.

Cereal Chem. (59.8C33)

Whiteside, A. G. C., Edgar, J. & Goulden, C. H.

The influence of environment on the carotenoid content of hard red spring wheat. Cereal Chem. 11: 615-625. illus. N. 1934. no.6.

Cereal Chem. (cont.)

Whymer, R. & Bradley, A.

Studies on the vitality of wheat. III. Vitality and the action of heat on wheat seeds. Cereal Chem. 11: 625-636. N. 1934. no.6.

Circ. Estac. Exp. Agr. La Molina (Lima) (102.5L622)

Garcia Rada, G.

Tres enfermedades del manzano. Circ. Estac. Exp. Agr. La Molina no.25. 21 p. illus. Ag. 1934.

Physalospora cydoniae, P. malorum, Sphaeropsis malorum.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)

Lesage, P.

L'hérédité de la précocité acquise en 1934. Compt. Rend. Acad. Agr. France 20: 1033-1037. D.5, 1934. no.31.

Experiments with cress and peas.

Compt. Rend. Acad. Sci. Paris (505P21)

Bertrand, G. & Ghitescu, V.

Sur la composition élémentaire de quelques plantes cultivées. Compt. Rend. Acad. Sci. Paris 199: 1269-1273. D.3, 1934. no.23.

Experiments with Brassica napa var. oleifera, Medicago sativa, Polygonum fagopyrum, Avena sativa.

Bonnet, R. & Jacquot, R.

Influence des antioxygènes, du bleu de méthylène et du dinitrophénol sur la croissance, la composition et le rendement énergétique du Sterigmatocystis nigra. Compt. Rend. Acad. Sci. Paris 199: 1334-1336. D.3, 1934. no.23.

Chabanier, E.

Sur le pH limite de la croissance des végétaux dans les régions de steppes. Compt. Rend. Acad. Sci. Paris 199: 1332-1334. D.3, 1934. no.23.

Steppes of Argentine and Chile.

Costantin, J. & Miège, E.

La conservation en cave des tubercules de pomme de terre dans l'Atlas marocain et ses effets. Compt. Rend. Acad. Sci. Paris 199: 1265-1269. D.3, 1934. no.23.

Compt. Rend. Acad. Sci. Paris (cont.)

Dangeard, P.

Sur la structure et l'évolution des noyaux à chromocentres. Compt. Rend. Acad. Sci. Paris 199: 1444-1446. D. 1934. no.24.

In Lathraea clandestina.

Daniel, L.

Sur un cas de croisement fortuit de haricot. Compt. Rend. Acad. Sci. Paris. 199: 1170-1172. N.26, 1934. no.22.

Jaeger, P.

Nouveaux cas de gynodimorphisme chez les dipsacées. Compt. Rend. Acad. Sci. Paris. 199: 1239-1241. N.26, 1934. no.22.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Allain, A.

Cytologie de l'oeuf du Phytophthora cambivora. Compt. Rend. Soc. Biol. Paris 117: 778-780. illus. 1934. no.34.

Auger, A.

Courant d'action rythimique provoqué par le courant constant chez les characées. Compt. Rend. Soc. Biol. Paris 117: 685-688. 1934. no.33.

Chara vulgaris.

Eichhorn, A. & Franquet, R.

Sur le noyau du Musa ensete et sa division. Compt. Rend. Soc. Biol. Paris 117: 653-656. 1934. no.33.

Conçalves da Cunha, A. & Bensaude, M.

Sur l'existence d'une pythiacée sur le riz au Portugal. Compt. Rend. Soc. Biol. Paris 117: 733-734. 1934. no.33.

Quintanilha, A.

La descendance des copulations illégitimes chez les hyménomycètes. Compt. Rend. Soc. Biol. Paris 117: 737-739. 1934. no.33.

Quintanilha, A.

Sur le pouvoir geminatif des spores de Coprinus. Compt. Rend. Soc. Biol. Paris 117: 739-741. 1934. no.33.

C. fimetarius.

Compt. Rend. Soc. Biol. Paris (cont.)

Rothlin, E. & Hamet, R.
Effets vasculaires de la sempervirine, alcaloïde sans oxygène du Gelsemium sempervirens Ait. Compt. Rend. Soc. Biol. Paris 117: 754-756. 1934. no.34.

Skalinska, M.
Développement sélectif de types dans la descendance d'un hybride triploide d'Aquilegia. Compt. Rend. Soc. Biol. Paris 117: 785-788. 1934. no.34.

Contr. Boyce Thomp. Inst. Plant Res. (451B69)

Farr, W. K.
Cotton fibers. IV. Fiber abnormalties and density of the fiber mass within the boll. Contr. Boyce Thomp. Inst. Plant Res. 6: 471-478. O./D. 1934. no.4.

McCallan, S. E. A. & Wilcoxon, F.
Fungicidal action and the periodic system of the elements. Contr. Boyce Thomp. Inst. Plant Res. 6: 479-500. illus. O./D. 1934. no.4.

Zimmerman, P. W. & Crocker, W.
Toxicity of air containing sulphur dioxide gas. Contr. Boyce Thomps. Inst. Plant Res. 6: 455-470. illus. O/D. 1934. no.4.

Current Science (Bangalore) (475Sci23)

Afzal, M.
A peculiar cotton plant. Current Science 3: 206. N. 1934. no.5.
Molissoni cotton (G. indicum var. mollisoni, Gammie)

Biswas, K.
Observations on some plant abnormalties in Bengal. Current Science 3: 189-193. illus. N. 1934. no.5.

Kashypa, S. R. & Mehra, P. N.
Dichotomous branching in the leaves of Pleopeltis simplex Sw. Current Science 3: 203-205. illus. N. 1934. no.5.

Mitra, A.
Apple rot caused by Fusarium moniliforme Sheldon. Current Science 3: 202-203. illus. N.1934. no.5.

Current Science (cont.)

Seshagiriah, K. N.
Pollen sterility in Zeuxine sulcata (Lindley)
Current Science 3: 205-206. illus. N.1934.
no.5.

Sreenivasan, A.
The rôle of silicon in plant nutrition.
Current Science 3: 193-197. N. 1934. no.5.

Deut. Landw. Presse (Berlin) (18D482)

Hoffmann,
Bekämpfung der fusskrankheiten des weizens. 2.
Die lagerfusskrankheit. Deut. Landw. Presse 61:
582. N.24, 1934. no.47.

Husemann, C.
Zur bekämpfung der kornblume (Centaurea cyanus)
und des windhalms (Apera spica venti) in winterroggen. Deut. Landw. Presse 61: 579, 591.
N.24, D.1, 1934. no.47,48.

Rademacher, B.
Krankheitsbild und verhalten der verschiedenen
kulturpflanzen auf urbarmachungskranken böden.
Deut. Landw. Presse 61: 581,593. illus. N.24,
D.1, 1934. no.47,48.

Econ. y Técn. Agr. (Spain) (Madrid) (15Ec7)

Alvarez-Laviada, M.
Lc esterilidad en las plantas frutales. Econ.
y Técn. Agr. (Spain) 3: 446-448. illus. S./O. 1934.
no.29/30.

Ernähr. Pflanze (Berlin) (57.8Er6)

Merkenschlager, F.
Die konstitution des hopfens. Ernähr. Pflanze
30: 393-399. illus. D.1, 1934. no.23.

Estate Mag. (10Es8)

Eradication of couch. Estate Mag. 34: 924-925.
D. 1934. no.12.
Report of experiments conducted by H.H. Corner,
at Greenhnow, with sodium chlorate.

Farming So. Africa (Pretoria) (24So842)

Du Plessis, S. J.
Botrytis rot of grapes and its control during
1933-34- [2] Farming So. Africa 9: 439-442.
N.1934. no.104.

Farming So. Africa (cont.)

Marloth, R. H.
The litchi. Farming So. Africa 9: 423-425, 438. illus. N. 1934. no.104.

Reyneke, J.
Bitterpit of apples. Farming So. Africa 9: 448-451. illus. N. 1934. no.104.

Flor. Exch. (N.Y.) (80F666)

Linz, C. L.
Elm disease fight to go on. Flor. Exch. 83(24): 29. D.15, 1934.
Washington conference and new P.W.A. funds strengthen hope of eradication.

Flor. Rev. (Chicago) (80W41)

Massey, L. M.
Control of chrysanthemum diseases described in detail. Flor. Rev. 75(1933): 15-18. illus. D.13, 1934.

For. Leaves (99.8F763)

Cope, T. M. & Hawkins, A. S.
A preliminary survey of the flora and fauna of the east Tionesta virgin forest, Pennsylvania. For. Leaves 24: 23-27. Apr./Oct.1934. no.2/4.
In Warren and McKean counties.

Fruit Flower & Veg. Trades Journ. (London) (80F946)

Mushroom culture. An instructive lecture by an American expert. [O.E. Gahm]. Fruit Flower & Veg. Trades Journ. 66: 790-791. D.8, 1934. no.23.

Gard. Chron. (London) (80G162)

Dr. N.E. Brown. Gard. Chron. III,96: 417. D.8, 1934. no.2502.
Notice of death on Nov.25, 1934.

Grey, C. H.
Belamcanda flabellata, Grey, sp.nov. Gard. Chron. III,96: 408. D.8, 1934. no.2502.

Grove, A.
Fruits of lilies VI. Gard. Chron. III,96: 407. illus. D.8, 1934. no.2502.

Gard. Chron. (cont.)

Redgrove, H. S.
Wild flower preservation. Gard. Chron. III, 96: 390-391. D.1, 1934. no.2501.

Ward, F. K.
Mr. F. Kingdon Ward's twelfth expedition in Asia. IX. On the great snow range. Gard. Chron. III, 96: 390-391. illus. D.1, 1934. no.2501.

Gartn.-Tid. (København) (80G192)

Buchwald, N. F.
Løvemundrust (Puccinia antirrhini) en ny svampesygdom i Danmark. Gartn.-Tid. 50: 656-657. D.11, 1934. no.50.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin)(384Z38)

Kiesel, A. & Schipitzina, G.
Untersuchungen über pflanzliche fortpflanzungszellen. IV. Beitrag zur kenntnis der chemischen bestandteile der sporen von Aspidium filix mas. Hoppe-Seyl. Zeitschr. Phys. Chem. 229: 159. N.23, 1934. no.4/6.

Kiesel, A. & Belozersky, A.
Untersuchungen über protoplasma. V. Ueber die nucleinsäure und die nucleoproteide der erbsenkeime. Hoppe-Seyl. Zeitschr. Phys. Chem. 229: 160-166. N.23, 1934. no.4/6.

Indian Journ. Agr. Sci. (Calcutta) (22Ag831)

Dave, B. B.
Inheritance of characters in Cajanus indicus. Indian Journ. Agr. Sci. 4: 674-691. pl.xliii-xlvi (3 col.) Ag.1934. no.4.

Kheswalla, K. F.
Stem rot of tobacco caused by Sclerotinia sclerotiorum (Lib.) De Bary. Indian Journ. Agr. Sci. 4: 663-673. pl.xxxix-xlii. Ag. 1934. no.4.

McRae, W.
Foot-rot diseases of Piper betle L. in Bengal. Indian Journ. Agr. Sci. 4: 585-617. Ag. 1934. no.4.

Mitra, M.
A leaf spot disease of wheat caused by Helminthosporium tritici-repentis Died. Indian Journ. Agr. Sci. 4: 692-700. illus. Ag.1934. no.4.

Indian Journ. Agr. Sci. (cont.)

Mitra, M.
Wilt disease of Crotalaria juncea Linn. (sann-hemp). Indian Journ. Agr. Sci. 4: 701-714. Ag. 1934. no.4.

Mundkur, B. B.
Perfect stage of Sclerotium rolfsii Sacc. in culture. Indian Journ. Agr. Sci. 4: 779-781. pl.liv. Ag. 1934. no.4.
Preliminary announcement. Agrees with the description of Corticium rolfsii and is tentatively placed in that species.

Mundkur, B. B.
A Sclerotinia-rot of Hibiscus sabdariffa Linn. Indian Journ. Agr. Sci. 4: 758-778. pl.li-liii. (1 col.) Ag. 1934. no.4.

Ram, K., Chettey, C. V. S.
The classification of the rices of Bihar and Orissa. Indian Journ. Agr. Sci. 4: 618-641. Ag. 1934. no.4.

Ram, K. & Chettey, C. V. S.
The development of pigments in the glumes and apiculus of rice varieties. Indian Journ. Agr. Sci. 4: 642-655. pl. xxxvii-xxxviii. Ag. 1934. no.4.

Uppal, B. N.
The adsorption and elution of cucumber mosaic virus. Indian Journ. Agr. Sci. 4: 656-662. Ag. 1934. no.4.

Ital. Agr. (Milan) (16I61)

Goidànich, G.
La moria degli aceri. Ital. Agr. 71: 1043-1055. illus. N. 1934. no.11.
Verticillium alboatrum.

Manaresi, A. & Lanzoni, D.
Influenza dell'andamento della stagione sull'allegagione e sulla cascola dei frutti del pesco. Ital. Agr. 71: 1002-1008. N. 1934. no.11.

Morettini, A.
La fecondazione nel pesco. Ital. Agr. 71: 1009-1027. illus. N. 1934. no.11.

Olivieri, O.
Sulla colatura fiorale della "ciminnita". Ital. Agr. 71: 1038-1042. illus. N.1934. no.11.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)

Lorbeer, G.

Die zytologie der lebermoose mit besonderer berücksichtigung allgemeiner chromosomenfragen. I. Jahrb. Wiss. Bot. 80: 567-817. illus., pl. 1934. no.4/5.

Zehetner, H.

Untersuchungen über die alkoholpermeabilität des protoplasmas. Jahrb. Wiss. Bot. 80: 505-566. 1934. no.4/5.

Journ. Amer. Chem. Soc. (381Am33J)

Hill, G. A., Mattacotti, V. & Graham, W. D.

The toxic principle of the poison ivy. Journ. Amer. Chem. Soc. 56: 2736-2738. D.1934. no.12.

Urushiol.

Waksman, S. A. & Allen, M. C.

Decomposition of polyuronides by fungi and bacteria. II. Decomposition of alginic acid by bacteria and formation of the enzyme alginase. Journ. Amer. Chem. Soc. 56: 2701-2705. D.1934. no.12.

Journ. Bacteriol. (Baltimore) (448.3J82)

Hendrickson, A.A., Baldwin, I.L. & Riker, A.J.

Studies on certain physiological characters of Phytomonas tumefaciens, Phytomonas rhizogenes and Bacillus radiobacter. II. Journ. Bacteriol. 28: 597-618. D. 1934. no.6.

Sagen, H. E., Riker, A.J. & Baldwin, I. L.

Studies on certain physiological characters of Phytomonas tumefaciens, Phytomonas rhizogenes, and Bacillus radiobacter. I. Journ. Bacteriol. 28: 571-595. D. 1934. no.6.

Virtanen, A.

On the enzymes of bacteria and bacterial metabolism. Journ. Bacteriol. 28: 447-460. N. 1934. no.5.

Journ. Biol. Chem. (Baltimore) (381J824)

Marks, G. W.

Proportionality studies on catalase. Journ. Biol. Chem. 107: 623-627. D.1934. no.3.

Experiments with Amphiroa aspergillum f. nana, Corallina officinalis, Pikea californica.

Journ. Counc. Sci. & Industr. Res. Austral. (514Au72J) (Melbourne)

Carne, W. M. & Martin, D.

Apple investigations in Tasmania: miscellaneous notes. Journ. Counc. Sci. & Industr. Res. Austral. 7: 203-214. N. 1934. no.4.

1. The virus theory of bitter pit. 2. Crinkle in apples.3. Water-core breakdown. 4. The correlation of refractive index and freezing point depression.

Dadswell, H. E. & Langlands, I.

Brittle heart in Australian timbers: a preliminary study. Journ. Counc. Sci. & Industr. Res. Austral. 7: 190-196. N. 1934. no.4.

Fungal hyphae present, undetermined in Eucalyptus.

Journ. Econ. Entom. (Geneva, N.Y.) (421J822)

Bartlett, K. A. & Lefebvre, C. L.

Field experiments with Beauveria bassiana (Bals.) Vuill., a fungus attacking the European corn borer. Journ. Econ. Entom. 27: 1147-1157. D. 1934. no.6.

Haseman, L. & Ezell, H. O.

The eelworm Rhabditis lambdiensis, a new pest of mushrooms. Journ. Econ. Entom. 27: 1189-1191. D. 1934. no.6.

Journ. Elisha Mitchell Sci. Soc. (Chapel Hill, N.C.) (500E14)

Lander, C.

The development of the fruiting body of Arachnion album. Journ. Elisha Mitchell Sci. Soc. 50: 275-282. pl.23-26. D.1934. no.1/2.

Smith, B. E.

A taxonomic and morphological study of the genus Cuscuta, dodders, in North Carolina. Journ. Elisha Mitchell Sci. Soc. 50: 283-302. pl.27-31. D.1934. no.1/2.

Thiel, A. F.

Anatomy of the transition region of Helianthus annuus. Journ. Elisha Mitchell Sci. Soc. 50: 268-274. pl.18-22. D. 1934. no.1/2.

Journ. For. Suisse (Berne) (99.8J82)

Badoux, E.

La rouille corticole du pin sylvestre à Engelberg. Journ. For. Suisse 85: 269-273. pl. D. 1934. no.12.

Journ. Indian Bot. Soc. (Madras) (450J821)

Joshi, A. C. & Venkata Rao, C.

A contribution to the anatomy, morphology and cytology of the flower of Digera arvensis Forsk. Journ. Indian Bot. Soc. 13: 201-236. illus., iv pl. S. 1934. no.3.

Joshi, A. C.

Some abnormal flowers of Helianthus annuus L. Journ. Indian Bot. Soc. 13: 237-239. illus. S. 1934. no.3.

Joshi, A. C.

Some peculiar cones of Zamia. Journ. Indian Bot. Soc. 13:241-242. pl. S. 1934. no.3.

Saran, A. B.

On some anatomical deformities in the root-tissue of Hibiscus esculentus Linn. brought about by the infection of eelworms and their bearing on the growth of the plant. Journ. Indian Bot. Soc. 13: 197-199. pl. S.1934. no.3.

Sud, S. R.

A preliminary note on the study of Azolla pinnata, R.Br. Journ. Indian Bot. Soc. 13: 189-196. illus., pl. S.1934. no.3.

Journ. Minn. Agr. Gt. Brit. (10G79J)

Beet sickness present in England. Journ. Min. Agr. Gt. Brit. 41: 825-827. D.1934. no.9.

Communication from F.R. Petherbridge, School of agriculture, Cambridge.

Pethybridge, G. H.

Marsh spot in pea suds. Journ. Min. Agr. Gt. Brit. 41: 833-849. 4 pl. on 2. D. 1934. no.9.

Journ. Washington Acad. Sci. (500W276J)

McClure, F. A.

The inflorescence in Schizostachyum Nees. Journ. Washington Acad. Sci. 24: 541-548. D.15, 1934. no.12.

Journ. Washington Acad. Sci. (cont.)
Maxon, W. R.
Pleuroderris, a new genus of Middle American ferns.
Journ. Washington Acad. Sci. 24: 549-557.
illus. D.15, 1934. no.12.
P. michleriana (Lindsaea).

Kakteenk. Deut. Kakteen-Ges. (451D482)
Bödeker, F.
Ueber Neomammillaria confusa Br. & Rose und
Mammillaria pyrrhocephala Schiedw. Kakteenk.
Deut. Kakteen-Ges. 1934: 232-233. illus.
D. 1934. no.12.

Roeder, W. v.
Rote kakteenblüten in der photographie.
Kakteenk. Deut. Kakteen-Ges. 1934: 229-231.
illus. D. 1934. no.12.

Landbouwk. Tijdschr. Wageningen (105.20r3)
Hoek, S. v.
Enige waarnemingen omtrent jarowisatie.
Landbouwk. Tijdschr. Wageningen 46: 809-814.
D. 1934. no.567.
Experiments with wheat.

Landw. Jahrb. Schweiz (Bern) (17L23)
Faes, H.
Rapport annuel 1933. Station fédérale d'essais
viticoles à Lausanne et domaine de Pully. Landw.
Jahrb. Schweiz. 48: 919-925. 1934. no.8.
Includes notes on plant diseases.

Lauksaimn. Menešr. (Riga) (20L362)
Eglits, H.
Linu slimības un linsēklu kodināšanas mēginājumi
1929.-1932. g. (Les maladies du lin et essais
de traitement anticryptogamiques des semences de
1929 à 1932.) Lauksaimn. Menešr. 1934: 561-577.
N.1934. no.11.
French summary: p.582-583.

Malayan Agr. Journ. (Kuala Lumpur) (22.5F312)
Jagoe, R. B.
Notes on the oil palm in Malaya with special
references to floral morphology. Malayan Agr.
Journ. 22: 541-549. N.1934. no.11.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)

Lamken, A.

Was ist Rhododendron alstroemerioides? Möller's Deut. Gärtn.-Zeit. 49: 374. N.21, 1934. no.32.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)

Pape, H.

Löwenmaulrost (Puccinia antirrhini Diet. et Holw.) eine für Deutschland neue krankheit an gartenlöwenmaul (Antirrhinum majus L.) Nachrichtenbl. Deut. Pflanzenschutzd. 14: 113-115. illus. D.1934. no.12.

Nature (London) (472N21)

Hall, A. D.

Longevity of seeds. Nature 134: 932-933. D.15, 1934. no.3398.

McLean, R. C. & Evans, M.

The Mäule reaction and the systematic position of the Gnetales. Nature 134: 936-937. D.15, 1934. no.3398.

Salaman, R. N. & O'Connor, C.

A new potato epidemic in Great Britain. Nature 134: 932. illus. D.15, 1934. no.3398.

Alternaria solani.

Semmens, E. S.

Bursting of cell by polarised sunlight. Nature 134: 813. illus. N.24, 1934. no.3395.

Experiments with hyacinth.

Naturwissensch. (Berlin) (474N213)

Gruber, F.

Die züchtung von beerenobst. Naturwissensch. 22: 819-821. D.7, 1934. no.49.

Neuheit. Geb. Pflanzensch. (Wien) (464.9V672)

Beran, F.

Zur auswertung chemischer pflanzenalysen für die beurteilung von rauchschäden. Neuheit. Geb. Pflanzensch. 27: 139-140. D.1934. no.6.

New Zeal. Journ. Agr. (Wellington) (23N48J)

Chamberlain, E. E.

Narrow-leaf - a virus disease of tomatoes. New Zeal. Journ. Agr. 49: 257-263. illus. N.20, 1934. no.5.

Preliminary investigations.

Ohio Journn. Sci. (Columbus) (4100h3)

Camp, W. H.
Notes on certain Ohio oaks. Ohio Journ. Sci. 34: 421-422. N.1934. no.6.
Corrections in nomenclature.

Liming, F. G.
A preliminary study of the lengths of the open vessels in the branches of the American elm. Ohio Journ. Sci. 34: 415-419. N.1934. no.6.

Transeau, E. N.
Notes on Zygnemataceae. Ohio Journ. Sci. 34: 420. N.1934. no.6.

Orchidee (Bandoeng) (800r18)

Schmidt, K.
Een succesvolle orchideeënjacht in de Philippijnen. V. Orchidee (Bandoeng) 3: 295-297. N. 1934. no.11.

Pamphl. Counc. Sci. Industr. Res. Australia. (514Au72P)

Australia-Council for scientific and industrial research. Poison plants committee.
Some important poison plants of North Australia. Pamphl. Counc. Sci. Industr. Res.Australia no.49. 44 p. illus. 1934.

Pflanzenbau (Berlin) (18P48)

Kar, J.
Regelung des wasserhaushaltes in vegetationsgefässen. Pflanzenbau 11: 187-196. illus. N.1934. no.5.

Ullmann, W.
Die züchtung der kleeartigen futterpflanzen ausserhalb des Deutschen reiches. IV. Vereinigte Sowjetrepubliken, Türkei, Palästina, Mandschurei, Japan, Uruguay, Argentinien, Paraguay, Chile, Brasilien. (schluss) Pflanzenbau 11: 196-206. N.1934. no.5.

Philipp. Journ. Sci. (Manila) (475P53)

Juliano, J.B.
Origin of embryos in the strawberry mango. Philipp. Journ. Sci. 54: 553-559. 3 pl. Ag.1934. no.4.

Proc. K. Akad. Wetensch. Amsterdam (503Am8P)

Bakker, H. A.
Notes on the colloid chemistry of chlorophyll. Proc. K. Akad. Wetensch. Amsterdam 37: 688-694. N. 1934. no.9.

Bakker, H. A.
Purification of chlorophyll. Proc. K. Akad. Wetensch. Amsterdam 37: 679-684. N.1934. no.9.

Blaauw, A. H.
De grenzen der bloeibaarheid bij bol-irissen (Des limites de l'aptitude à former fleurs chez les Iris bulbeux). 1. ptie. Proc. K. Akad. Wetensch. Amsterdam 37: 632-643. N.1934. no.9.
French summary: p.642-643.

Hubert, B.
Estimation of the band position of chlorophyll in different media. Proc. K. Akad. Wetensch. Amsterdam 37: 694-699. N.1934. no.9.

Hubert, B.
On the photodecomposition of chlorophyll. Proc. K. Akad. Wetensch. Amsterdam 37: 684-688. N.1934. no.9.

Roelofsen, P. A.
On the metabolism of the purple sulphur bacteria. Proc. K. Akad. Wetensch. Amsterdam 37: 660-669. N.1934. no.9.

Schure, P. S. J.
On a damaging action of substances dissolved from glass in single-cell cultures. Proc. K. Akad. Wetensch. Amsterdam 37: 669-674. N.1934. no.9.
Discovery made in effort to obtain pure cultures of Reticularia lycoperdon; damaging substance probably silica.

Proc. Roy. Soc. Ser. B. (London) (501L84B)

Bawden, F. C.
Studies on a virus causing foliar necrosis of the potato. Proc. Roy. Soc. Ser. B 116: 375-395. pl.21-22. D.1, 1934. no.799.

Protoplasma (Leipzig) (442.8P94)

Belitzer, W. A.
Ueber die beeinflussung der selbstgärung der hefezellen. Protoplasma 22: 17-21. S.1934. no.1.

Protoplasma (cont.)

Bonte, H.

Vergleichende permeabilitätsstudien an pflanzenzellen. Protoplasma 22: 209-242. illus., pl.v. O. 1934. no.2.

Experiments with Hookeria lucens, Hydrodictyon utriculatum and Basidiobolus ranarum.

Cholnoky, B. V.

Plasmolyse und lebenfärbung bei Melosira. Protoplasma 22: 161-192. illus. O. 1934. no.2.

Iljin, W. S.

Die veränderung des turgors der pflanzenzellen als ursache ihres todes. Protoplasma 22: 299-311. O. 1934. no.2.

Jírovec, O. & Vácha, K.

Photodynamische erscheinungen an grünen und farblosen stämmen von Euglena gracilis. Protoplasma 22: 203-208. O. 1934. no.2.

Menke, W.

Chloroplasten-studien. 2. Protoplasma 22: 56-62. illus. S. 1934. no.1.

Pfeiffer, H.

Vom lichtbrechungsverhalten von Tradescantia-zellen vor und wahrend der karyokinese. Protoplasma 22: 22-33. illus. S. 1934. no.1.

Umrath, K.

Ueber den erregungsvorgang bei Spirogyra und Vaucheria und über potentialmessungen an pflanzenzellen. Protoplasma 22: 193-202. illus. O. 1934. no.2.

Weber, F.

Vakuolen-konkration der borraginaceen-blütenzellen als synärese. Protoplasma 22: 4-16. illus. S. 1934. no.1.

Welsch, H.

Sur la distribution de l'eau, de la matiere seche et de l'azote au cours de la germination chez Impatiens balsamina (L.) Protoplasma 22: 63-127. S. 1934. no.1.

Quart. Rev. Biol. (Baltimore) (442.8Q2)

Burkholder, P. R.

Movement in the Cyanophyceae. Quart. Rev. Biol. 9: 438-459. illus. D.1934. no.4.

Oliver, C. P.

Radiation genetics. Quart. Rev. Biol. 9: 381-408. D. 1934. no.4.

Queensl. Agr. Journ. (Brisbane) (23Q33)

Mandelson, L. F.

The importance of tobacco mosaic. Queensl. Agr. Journ. 42: 538-545. illus. N.1, 1934. no.5.

White, C. T.

Queensland weeds. Khaki weed (Alternanthera repens). Queensl. Agr. Journ. 42: 583-584. illus. N.1, 1934. no.5.

Rev. Agr. Nouvelle-Caledonie (25N43)

Jacques, Ch.

Le Cercospora en Nouvelle-Calédonie. Rev. Agr. Nouvelle-Caledonie 1934: 1625-1630. O. 1934.

On coffee.

Rev. Bot. Appl. (Paris) (26R323)

Chevalier, A.

Sur l'origine des ebènes commerciaux de l'antiquité du XVII^e-XVIII^e siècle et de l'époque contemporaine. Rev. Bot. Appl. 14: 948-965. N. 1934. no.159.

Diospyros caucheana, n.sp.

Wildeman, E. de

Morphologie florale des Musa. Rev. Bot. Appl. 14: 925-930. N. 1934. no.159.

Rev. Gén. Bot. (Paris) (450R326)

Bronner, A. M.

Action du milieu extérieur sur le métabolisme végétal. III. La respiration de tissus foliaires formés à des intensités lumineuses différentes. Rev. Gén. Bot. 46: 641-653. N. 1934. no.551.

Teucrium scorodonia, Pisum sativum, Raphanus sativus.

Rev. Gén. Bot. (cont.)

Gabriel, C.

Etude phyto-sociologique du Dévoluy (suite) Rev. Gén. Bot. 46: 654-687. N.1934. no.551.

Garnier, G.

Influence de l'étirement sur les cellules végétales (suite). Rev. Gén. Bot. 46: 688-704. N. 1934. no.551

Rev. Hort. (Paris) (80R32)

Jahandiez, E.

Les plantes grasses autres que les cactées. Les crassulacées (fin.) Rev. Hort. 106: 264-265. illus. N.16, 1934. no.11.

Rev. Zool. et Bot. Afr. (410R326)

Lebrun, J.

Les figuiers du Congo. Rev. Zool. et Bot. Afr. 25, Suppl. (Bull, Cercle Bot. Congol. v.2): 34-44. illus. N.30, 1934. no.3/4.

Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) (Posnán) (20.5R59)

Chrzaszcz, T. & Janicki, J.

Współdziałanie enzymów proteolitycznych przy zwiększaniu ilości amylazy w różnych zbożach. (Die menge der amylase verschiedener getreidearten bei gleichzeitiger einwirkung verscheidener proteasen). Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) 33: 191-200. 1934.

German summary: p.200.

Dziubałtowski, S.

Kilka uwag o wystepowaniu i pochodzeniu roślinności stepowej nad dolną Wisła. (Quelques remarques sur la végétation steppique et sa genese dans la région de la Vistule inférieure). Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) 33: 408-424. 1934.

French summary: p.422-424.

Jasnowski, S.

O dziedziczeniu cieżaru ziarna u Triticum vulgare L. (On the inheritance of weight of grains in Triticum vulgare). Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) 33: 59-68. 1934.

English summary: p.67-68.

Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) (cont.)

Malinowski, E.

O wpływie długości dnia bujność mieszańców fasoli. (Effect of the relative length of day and night on hybrid vigour in Phaseolus vulgaris). Roczn. Nauk. Rolnicz. i Lesn. (Polish Agr. & For. Ann.) 33: 50-58. illus. 1934.

English summary: p. 57-58.

Pietruszczyński, Z.

Badania nad wpływem naświetlania nasion na ich kiełkowanie. (Untersuchungen über den einfluss der bestrahlung auf die keimung von pflanzensamen). Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) 33: 83-119. 1934.

German summary: p.115-119.

Schweiz. Zeitschr. Obst- u. Weinb. (Wadenswil) (80Sch9)

Kessler, H.

Weitere versuche mit ozon in kunstlich gekühlten obstlagerräumen. Schweiz. Zeitschr. Obst- u. Weinb. 43: 282-283. Ag.4, 1934. no.16.

Osterwalder, A. & Kessler, H.

Das auftreten der fäulnis und nicht parasitärer krankheiten bei der kuhllagerun des obstes. Schweiz. Zeitschr. Obst- u. Weinb. 43: 413-528. 8 pl. (pt.col.) O.27, 1934. no.22/23.

Osterwalder, A.

Bekämpfungsversuche mit schwefelkalkbrühe und blei- oder kalkarseniat an apfel- und kirschbäumen im sommer 1933. Schweiz. Zeitschr. Obst- u. Weinb. 43: 165-170. My.12, 1934. no.10.

Osterwalder, A.

Schorfbekämpfungsversuche mit nosprasit und nosprasen in den jahren 1932 und 1933. Schweiz. Zeitschr. Obst- u. Weinb. 43: 204-210. Je.9, 1934. no.12.

Science (470Sci2)

Dean, H. L.

Host responses to haustorial invasion of Cuscuta species. Science 80: 588. D.21, 1934. no.2086.

Galls formed by host plants.

Thomas, W.

Misconceptions relative to the mineral composition of plants. Science 80: 587. D.21, 1934. no.2086.

Scient. Month. (470Sci23)

Fracker, S. B.

Is America about to lose her elms? Scient. Month. 40: 70-73. Ja. 1935(D.1934) no.1.

Meier, F. C.

Collecting micro-organisms from the Arctic atmosphere. Scient. Month. 40: 5-20. illus. (incl. map) Ja.1935(D.1934) no.1.

With field notes and material, by Charles A. Lindbergh.

Wodehouse, R. P.

Pollen grains and worlds of different sizes. Scient. Month. 40: 58-62. illus. Ja.1935(D.1934) no.1.

Trop. Natuur (410.9T75)

Steinmann, A.

De op den Boroboedoer afgebeelde plantenwereld. Trop. Natuur 23: 198-224. illus., vii pl. N. 1934. no.11.

Ruins of the great Buddhist temple (Boro Budor) in the Kadu residency, Java.

Zeitschr. Bot. (Jena) (450Z32)

Höhn, K.

Die bedeutung der wurzelhaare für die wasseraufnahme der pflanzen. Zeitschr. Bot. 27: 529-564. illus. 1934. no.11/12.

Orth, H.

Die wirkung des follikelhormons auf die entwicklung der pflanze. Zeitschr. Bot. 27: 565-607. illus. 1934. no.11/12.

Zeitschr. Angew. Entom. (Berlin) (421Z36)

Lakon, G.

Entomophthoraceen-studien. I-IV. Zeitschr. Angew. Entom. 21: 89-95. Je.1934. no.1.

I. Ueber Entomophthora pseudococci Speare. II. Zur systematik der insektenbewohnenden entomophthoraceen. III. Entomophthora blunckii n.sp. IV. Tarichium hylemyiae n.sp.

Der Züchter. (Berlin) (442.Z38)

Grüber, F.

Variationsstatistische untersuchungen über einige wirtschaftlich wichtige eigenschaften beim beerenobst. Der Züchter 6: 294-296. N./D. 1934. no.11/12.

Der. Züchter (cont.)

Hackbarth, J. & Sengbusch, R. v.
Die vererbung der alkaloidfreiheit bei Lupinus luteus und Lupinus angustifolius. Der. Züchter 6: 249-255. illus. N./D. 1934. no.11/12.

Hertzsch, W.
Die aufgaben der zweigstelle des Kaiser Wilhelm instituts für züchtungsforschung in Kl. Blumenau, Ostpr. Der Züchter 6: 258-260. N./D.1934. no.11/12.

Husfeld, B. & Scherz, W.
Neuaufbau der rebenunterlagenzüchtung. Der Zuchter 6: 280-288. illus. N./D. 1934. no.11/12.

Kuckuck, H.
Artkreuzungen bei gerste. Der. Züchter 6: 270-273. illus. N./D.1934. no.11/12.
Vorläugige mitteilung.

Michaelis, P.
Weitere untersuchungen über das problem der plasmavererbung. Der Züchter 6: 303-306. N./D. 1934. no.11/12.
Experiments with Epilobium.

Oehler, E.
Untersuchungen an drei neuen konstanten additiven Aegilops- weizenbastarden. Der Züchter 6: 263-270. illus. N./D. 1934. no.11/12.

Rosenstiel, K. v.
Untersuchungen zur genetik der kleberqualität bei winterweizen. Der. Züchter 6: 261-262. N./D. 1934. no.11/12.

Rudloff, C. F. & Schmidt, M.
Venturia inaequalis (Cooke) Aderh. II. Zur züchtung schorfwiderstandsfähiger apfelsorten. Der Züchter 6: 288-294. illus. N./D. 1934. no.11/12.

Schick, R.
Untersuchungen über den wert des Solanum andigenum für die kartoffelzüchtung. Der Züchter. 6: 273-280. illus. N./D. 1934. no.11/12.

Der Züchter (cont.)

Stubbe, H.
Einige kleinmutationen von Antirrhinum majus L. Der. Züchter 6: 299-303. illus. N./D. 1934. no.11/12.

Ufer, M.
Wege und ergebnisse der züchterischen arbeit am steinklee. Der. Züchter 6: 255-258. N./D. 1934. no.11/12.

Wettstein-Westersheim, W. & Behrndt, S.
Ueber forstpflanzenzüchtungsversuche. Der Züchter. 6: 296-299. illus. N./D. 1934. no.11/12.

Exp. Stat. Bul.

Robinson, J. L.
Physiologic factors affecting the germination of seed corn. Iowa Agr. Exp. Stat. Res. Bull. 176. 112 p. illus. O. 1934(100Io9)

Coe, F. M.
Apricot varieties. Utah Agr. Exp. Stat. Bull. 251. 59 p. illus. N.1934. (100Ut1)

New Books.

Armstrong, E. F. & Armstrong, K. F.
The carbohydrates. [ed.5] London. Longmans, 1934. (386.2Ar52)

British flower marketing association.
Carnation disease investigation scheme. Progress report. (no.2-3) Feb. 1934-Je.1934. London, 1934- (464.08B77)

Lewis, F.
The vegetable products of Ceylon... Colombo, The associated newspapers of Ceylon, 1934. (460.12L[illegible])

Niklas, H. & others.
Pflanzenernährung. Weihenstephan bei München, Verlag der Bodenuntersuchungsstelle, 1934. (Literatursammlung aus dem gebiet der agrikulturchemie bd. III) (241Ir.3)

Compiled from periodical publications covering. the period from their inception thru 1932 . The earliest appears to be Chemisches centralblatt (1830).

New Books (cont.)

Porterfield, W. M.
Wayside plants and weeds of Shanghai. Shanghai, Kelly & Walsh, 1933. (460.14P83)
75 of illustrations have already appeared in China Journ. v.16, 17, 19 under title: Lawn and roadside plants of Shanghai.

Raunkiaer, C.
Dansk ekskursions-flora. 5. udgave. Under medvirkung af K. Wiinstedt og K. Jessen. København, Gyldendalske boghandel, 1934. (459.1R19)

Sprecher von Berngerg, A.
Tropische und subtropische weltwirtschaftspflanzen, ihre geschichte, kultur und volkswirtschaftliche bedeutung. III. teil. Genusspflanzen. 2. bd. Kaffee und guaraná. Stuttgart, F. Enke, 1934. (452.8Sp7)

Translations filed in Library of Bur. of Plant Industry.

Lund, J. F.
Note sur l'influence de la dessiccation sur la respiration des tubercules (On the influence of desiccation on the respiration of tubers). Rev. Gén. Bot. 6: 353-355. 1894.
Jerusalem artichoke, onion, radish, potato and carrot.

Posthumus, O.
Meeningen over den kweekerseigendom (Opinions on plant patents). Arch. Suikerind. Neerl. Indië 41(1): 646-652. 0.16, 1933. no.20.